Gambling with Australian brachiopods

Peter D Smits

Committee on Evolutionary Biology, University of Chicago

October 3, 2014

Gambler's Ruin

Definition

Given infinite time, all gambler's go bust.

Death of a taxon

Taxa as gamblers

All taxa, given infinite time, go extinct.

Foundation

Question

Why do taxa go extinct at different rates?

Enter brachiopods











 $(Immersion\ Imagery,\ Shutterstock;\ Wikimedia)$

System details




- Australian Permian
 - range in/out taxa right censored
- predictors
 - substrate probability (fully Bayesian approach)
 - onshore/offshore
 - ▶ body size (Payne *et al.* 2014 *Proc. B*)
 - occupancy (see Vilhena et al. 2014 Nature Com.)


Survival analysis




Survival analysis




Survival analysis




Bayesian model structure




Parameter marginal posteriors



Durations



Posterior predictive check: mean duration



State of knowledge

Preliminary conclusions

Very little evidence for age-independent extinction.

Occupancy has largest effect.

Modeling improvements

Major roadblock

HEAVY TAILS

- sampling distribution choice
- robust/different priors
- non-linear/heterogeneous variance
- sampling

Data set

- ► New Zealand record (FRED)
- improved paleoenvironment reconstructions
- affixing strategy information

Remember...

Analysis is a narrative

- ▶ fit model
- evaluate model
- ▶ improve model/include more information

Acknowledgements

- Advising
 - Kenneth D.
 Angielczyk,
 Michael J. Foote,
 P. David Polly,
 Richard H. Ree
- Discussion
 - David Bapst, Megan Boatright, Ben Frable, Marites Villarosa Garcia, Kathleen Ritterbush, Darcy Ross, Liz Sander, Carl Simpson







