Gambling with Australian brachiopods

Peter D Smits

Committee on Evolutionary Biology, University of Chicago

October 8, 2014

Gambler's Ruin

Definition

Given infinite time, all gambler's go bust.

Death of a taxon

Taxa as gamblers

All taxa, given infinite time, go extinct.

Foundation

Question

Why do taxa go extinct at different rates?

Enter brachiopods











 $(Immersion\ Imagery,\ Shutterstock;\ Wikimedia)$

System details




- Australian Permian
 - range in/out taxa right censored
- predictors
 - substrate probability
 - onshore/offshore probability
 - body size (Payne et al. 2014 Proc. B)
 - occupancy (see Vilhena et al. 2014 Nature Com.)


Survival analysis: constant extinction




Survival analysis: decelerating extinction (k < 1)



Survival analysis: accelerating extinction (k > 1)




Bayesian model structure




Parameter marginal posteriors







Estimated versus observed: distribution



Estimated versus observed: mean duration



Estimated versus observed: quantiles



State of knowledge

Preliminary conclusions

Little evidence for age-independent pattern.

Occupancy has largest effect.

P(carbonate | occurrences) \approx no effect.

Modeling improvements

Major roadblock

HEAVY RIGHT TAIL

- sampling distribution
 - three-parameter Weibull
 - mixture of distributions
- different priors
- non-linear/heterogeneous variance
- fossil sampling effect

Remember...

Analysis is a narrative

- ▶ fit model
- evaluate model
- ▶ improve model/include more information

Acknowledgements

- Advising
 - Kenneth D.
 Angielczyk,
 Michael J. Foote,
 P. David Polly,
 Richard H. Ree
- Discussion
 - David Bapst, Marites Villarosa Garcia, Gene Hunt, Nadia Pierrehumbert







