The changing functional composition of the North American species pool

Peter D Smits, Seth Finnegan

Department of Integrative Biology, University of California - Berkeley

Foundational assertion of conservation paleobiology

By studying the past, we can better predict the future.

What are we predicting?

Extinction is <u>hard</u> to predict, but is extremely important to conservation.

Predicting extinction

- ▶ A taxon with a greater than average global geographic range is likely to survive for longer than a taxon with less than average global geographic range.
- ► A taxon's global geographic range can change over time.
- What happens to extinction risk as a taxon changes geographic range? How is extinction risk impacted if that taxon's global geographic range has recently increased or decreased?

Predicting extinction

- ▶ A taxon with a greater than average global geographic range is likely to survive for longer than a taxon with less than average global geographic range.
- A taxon's global geographic range can change over time.
- What happens to extinction risk as a taxon changes geographic range? How is extinction risk impacted if that taxon's global geographic range has recently increased or decreased?


Predicting extinction

- ▶ A taxon with a greater than average global geographic range is likely to survive for longer than a taxon with less than average global geographic range.
- A taxon's global geographic range can change over time.
- What happens to extinction risk as a taxon changes geographic range? How is extinction risk impacted if that taxon's global geographic range has recently increased or decreased?

Encoding the past

- Change in geographic range between current observation and previous observation.
- Average global temperature at time of previous observation (Mg/Ca isotope).
- Age in millions of years at time of observation.

Data being analyzed



► Predictors: geographic range, change in geographic range, global temperature, lag of global temperature.

- Predictors: geographic range, change in geographic range, global temperature, lag of global temperature.
- Bayesian discrete-time survival model.
 - Bernoulli response distribution.
 - ► Time/phylum varying intercepts and slopes.
 - ► Taxon age as non-nested varying intercept.

- Predictors: geographic range, change in geographic range, global temperature, lag of global temperature.
- Bayesian discrete-time survival model.
 - Bernoulli response distribution.
 - ► Time/phylum varying intercepts and slopes.
 - Taxon age as non-nested varying intercept.
- Compare models using WAIC/LOOIC.

- Predictors: geographic range, change in geographic range, global temperature, lag of global temperature.
- Bayesian discrete-time survival model.
 - Bernoulli response distribution.
 - ► Time/phylum varying intercepts and slopes.
 - Taxon age as non-nested varying intercept.
- Compare models using WAIC/LOOIC.
- Explore model adequacy using posterior predictive distribution.

- Predictors: geographic range, change in geographic range, global temperature, lag of global temperature.
- Bayesian discrete-time survival model.
 - Bernoulli response distribution.
 - ► Time/phylum varying intercepts and slopes.
 - Taxon age as non-nested varying intercept.
- Compare models using WAIC/LOOIC.
- Explore model adequacy using posterior predictive distribution.
- Estimate predictive performance using *k*-fold cross-validation.

A conceptual model for predicting extinction

A statistical model for predicting extinction

Comparing our models

Cross-validation results

Tracking extinction risk over time

Overall covariate effects

Covariate effects over time

Effects of age on extinction risk

Summary

Conclusions

Acknowledgements