



a	56
b	22

x	-5	-4	-3	-2	-1	0	1	2	3	4
y	7,54545	6,54555	5,54555	4,54555	3,54555	2,54555	3,54555	4,54555	5,54555	6,54555



a	22
b	7
c	4


x	-4,5	-4,0	-3,5	-3,0	-2,5	-2,0	-1,5	-1,0	-0,5	0,0
y	418,0	328,0	249,0	181,0	124,0	78,0	43,0	19,0	6,0	4,0



-5,0	-4,0	-3,0	-2,0	-1,0	0,0	1,0	2,0	3,0	4,0
------	------	------	------	------	-----	-----	-----	-----	-----


b	28,3333
c	336

x	-4,5	-4	-3,5	-3	-2,5	-2	-1,5	-1	-0,5	0
y	107,25	142,67	175,58	206	233,92	259,33	282,25	302,67	320,58	336




a	55
b	58

x	-5	-4	-3	-2	-1	0	1	2	3	4
y	1,01325	1,0133	1,0133	1,0133	1,0133	1,0133	1,0133	1,0133	1,0133	1,0133



Салимов Даниил Рамильевич
2 группа, 2 подгруппа



5
7,5455



0,5	1,0	1,5	2,0	2,5	3,0	3,5	4,0
13,0	33,0	64,0	106,0	159,0	223,0	298,0	384,0



5,0

0,5	1	1,5	2	2,5	3	3,5	4	4,5	5	5,5
348,92	359,33	367,25	372,67	375,58	376	373,92	369,33	362,25	352,67	340,58

5

1,0133


6	6,5	7	7,5	8	8,5	9	9,5	10	10,5	11
326	308,92	289,33	267,25	242,67	215,58	186	153,92	119,33	82,25	42,667

11,5	12	12,5	13
0,5833	44	91,083	140,67

Салимов Даниил Рамильевич
2 группа, 2 подгруппа


	-10	-9	-8	-7	-6	-5	-4	-3	-2
-15	325	306	289	274	261	250	241	234	229
-13	269	250	233	218	205	194	185	178	173
-11	221	202	185	170	157	146	137	130	125
-9	181	162	145	130	117	106	97	90	85
-7	149	130	113	98	85	74	65	58	53
-5	125	106	89	74	61	50	41	34	29
-3	109	90	73	58	45	34	25	18	13
-1	101	82	65	50	37	26	17	10	5
1	101	82	65	50	37	26	17	10	5
3	109	90	73	58	45	34	25	18	13
5	125	106	89	74	61	50	41	34	29
7	149	130	113	98	85	74	65	58	53
9	181	162	145	130	117	106	97	90	85
11	221	202	185	170	157	146	137	130	125

a	1
b	1




-1	0	1	2	3
226	225	226	229	234
170	169	170	173	178
122	121	122	125	130
82	81	82	85	90
50	49	50	53	58
26	25	26	29	34
10	9	10	13	18
2	1	2	5	10
2	1	2	5	10
10	9	10	13	18
26	25	26	29	34
50	49	50	53	58
82	81	82	85	90
122	121	122	125	130

Эллиптический параболоид



	-10	-9	-8	-7	-6	-5	-4	-3	-2
-15	1825	1521	1249	1009	801	625	481	369	289
-13	1769	1465	1193	953	745	569	425	313	233
-11	1721	1417	1145	905	697	521	377	265	185
-9	1681	1377	1105	865	657	481	337	225	145
-7	1649	1345	1073	833	625	449	305	193	113
-5	1625	1321	1049	809	601	425	281	169	89
-3	1609	1305	1033	793	585	409	265	153	73
-1	1601	1297	1025	785	577	401	257	145	65
1	1601	1297	1025	785	577	401	257	145	65
3	1609	1305	1033	793	585	409	265	153	73
5	1625	1321	1049	809	601	425	281	169	89
7	1649	1345	1073	833	625	449	305	193	113
9	1681	1377	1105	865	657	481	337	225	145
11	1721	1417	1145	905	697	521	377	265	185

a 0,25
b 1



-1	0	1	2	3
241	225	241	289	369
185	169	185	233	313
137	121	137	185	265
97	81	97	145	225
65	49	65	113	193
41	25	41	89	169
25	9	25	73	153
17	1	17	65	145
17	1	17	65	145
25	9	25	73	153
41	25	41	89	169
65	49	65	113	193
97	81	97	145	225
137	121	137	185	265

Вывод: чем меньше разница между коэффициентами a и b , тем более выгнутая парабола.

Салимов Даниил Рамильевич.
2 группа, 2 подгруппа

Салимов Даниил Рамильевич.
2 группа, 2 подгруппа