

Проект реализации базы данных

Салимов Д.Р.
Ибрагимов Р.А.
Мархаев А.М.

Объяснение выбранной СУБД sqlite

- Простота в использовании
- Не требует установки и настройки серверного ПО
- Достаточная функциональность

Нормализация данных

Projects

- ProjectID
(Primary Key)
- Name
- StartDate
- EndDate

Tasks

- TaskID
(Primary Key)
- ProjectID
(Foreign Key)
- Name
- DueDate
- Status


Employees

- EmployeeID
(Primary Key)
- Name
- Position

ProjectParticipation

- ParticipationID (Primary Key)
- ProjectID
(Foreign Key)
- EmployeeID
(Foreign Key)

ER диаграмма



Создание сущностей

```
CREATE TABLE IF NOT EXISTS  
Projects (
```

```
    ProjectID INTEGER PRIMARY  
KEY,
```

```
    Name TEXT NOT NULL,
```

```
    StartDate TEXT,
```

```
    EndDate TEXT
```

```
)
```

```
CREATE TABLE IF NOT EXISTS Tasks (
```

```
    TaskID INTEGER PRIMARY KEY,
```

```
    ProjectID INTEGER,
```

```
    Name TEXT NOT NULL,
```

```
    DueDate TEXT,
```

```
    Status TEXT,
```

```
    FOREIGN KEY (ProjectID)  
REFERENCES Projects (ProjectID)
```

```
)
```

```
CREATE TABLE IF NOT EXISTS  
Employees (
```

```
    EmployeeID INTEGER PRIMARY  
KEY,
```

```
    Name TEXT NOT NULL,
```

```
    Position TEXT
```

```
)
```

```
CREATE TABLE IF NOT EXISTS  
ProjectParticipation (
```

```
    ParticipationID INTEGER PRIMARY KEY,
```

```
    ProjectID INTEGER,
```

```
    EmployeeID INTEGER,
```

```
    FOREIGN KEY (ProjectID) REFERENCES  
Projects (ProjectID),
```

```
    FOREIGN KEY (EmployeeID)  
REFERENCES Employees (EmployeeID)
```

```
)
```

QR код на файл базы данных

