

Python Scripts

Scripts added to a folder, C:\Users\psobh\Documents\Path

This folder added to the computer's Path Variable

.py

File Name	Format	Description
words.py	words.py V3-09.xml	replace words between <tree text=" and (cannot use for headings can run in the command line. use full file name with .py extension takes the file name as a command line argument. can use for renamed files. replace words in words.txt to any file. use file name with extension xml. example: replace.py V3-2.xml add numbers to words.txt do not keep empty lines in the beginning of words.txt
wordsh.py	wordsh.py V3-09.xml	For headings onlyreplaces words between <tree text=" and "can run in the command line. use full file name with .py extensiontakes the file name as a command line argumentcan use for renamed filesreplace words in words.txt to any fileuse file name with extension xmlexample: replace2.py V3.xmladd numbers to words.txtdo not keep empty lines in the beginning of words.txtdoesn't add a space after the replacement text (before ")
times.py	times.py V3-09.xml	replaces times in xml file from times.txt use hours:minutes:seconds format in times.txt do not keep empty lines in the beginning of

File Name	Format	Description
		times.txt replaces words between ', and); create a temp file called times-temp.txt last line with two times (Start Stop).
capital.py	capital.py words.txt	capitalize all words. English and Cyrillic including special characters
numbers.py	numbers.py words.txt	simply add numbers to the beginning of each line. use for words.txt
min0.py	min0.py V3-09.xml	replaces any numbers in (15min.) to (00min.)used to create new files to add duration.
page0.py	page0.py V3-09.xml	replaces any numbers in ,[space]Xp to , [space]00pused to create new files to add page numbers.
minpage0.py	minpage0.py V3-09.xml	combined min0.py and page0.pyused to create new files to add duration and page numbers.
clines.py	clines.py V3-09.xml	clears xml files and outputs only words to words.txt, I commented out first line remove. Sometimes it ads first two lines together. Edited version is clines1.py.
clinesh.py	clinesh.py V3-09.xml	clears header xml files and outputs only words to words.txt, I commented out first line remove. Sometimes it ads first two lines together. Edited version is clinesh1.py. This script removes page numbers
numbers-old.py	numbers-old.py V3-09.xml	**Not Used,** replaces numbers with roman numbers in these languages. use this to convert words.txt
numbersn.py	 numbersn.py <file_path> <start_number>	Can start numbering with a given number. Leading zero also preserved. Used for Digha and Majjhima.
bjt.py	bjt.py vinaya.xml	Change BJT book numbers in header files. Add lines to words.txt first. Must be a

File Name	Format	Description
		bracket () in the xml file to replace. Can use in X.xml files also.
brackets.py	brackets.py vinaya.xml	Removes any BJT book entries and adds () brackets to all lines. Then use btj.py to add book numbers.
replace.py	replace.py file.xml search_string replace_string	Used to replace header files links.
share.py		Only used ones to make dhamma talk lists
sharefile.py		Only used ones to make dhamma talk lists
xml-text-2words.py		Extracts only the value inside `text="..."` Writes the cleaned output to words.txt
words2summary.py		For every line in the main input file, **replace the content inside** `<summary> ... </summary>` with the corresponding line from `word.txt`. Save the modified result to output2.txt
words2button.py		Read lines from `word.txt`. Replace the **content inside the first** `<button ...> ... </button>` in each line with the corresponding line from `word.txt`. Save the modified result to output.txt
xml-loadYoutube2-2words.py		Extracts **only the variable inside** `javascript:loadYoutube2('...');` from each line. Writes all extracted variables line by line to `words.txt`.
words2-loadYoutube2-and-share.py		For each line in the input file, **replaces the text inside** both: • `loadYoutube2('...')` • `sharePage('...')` with successive lines from `word.txt`.Writes the result to `output2.txt`.
xml-loadYoutubeStart		it extracts variables from both •

File Name	Format	Description
Stop-2words.py		`javascript:loadYoutubeStartStop('...');` • `javascript:loadYoutubeStart('...');` and then writes them line by line into `words.txt`.
words2-loadYoutubeStartStop-and-share.py		If the function is `loadYoutubeStartStop('...')` or `sharePageSrartStop('...')` → replace the `'...'` with **successive lines from** `words.txt`, except the last line.If the function is `loadYoutubeStart('...')` or `sharePageSrart('...')` → replace the `'...'` with the **last line of** `words.txt`.Write the result into `output2.txt`.
xml-lines-loadYoutube2-2words.py		created to make input.txt with same number of lines. This only copies `loadYoutube2('...')` **to words.txt file.**
xml-lines-loadYoutubeStartStop-2words.py		created to make input.txt with same number of lines. This only copies `loadYoutubeStartStop('...')` **and** `loadYoutubeStart('...')` **to words.txt file.**
words-loadYoutube2-2input-lines.py		This replaces the `loadYoutube2('...')` lines in words.txt with a string and output to input.txt
words-loadYoutubeStartStop-2input-lines.py		This replaces the `loadYoutubeStartStop('...')` **and** `loadYoutubeStart('...')` lines in words.txt with a string and output to input.txt
xml-headings-lines-2words.py		created to make input.txt with same number of lines. This only copies src="any variable" **to words.txt file.**

File Name	Format	Description
words-heading-2input-lines.py		This replaces the src="any variable" lines in words.txt with a string and output to input.txt
check_share.py		If varible1 = varible2 ignore, if varible1 not= varible2 output the line number to words.txt in loadYoutube2('variable1') sharePage('variable2'). Used to check whether I updated the sharePage() variable in html lists.
words2html-headings.py		Adds words from words.txt to lines with headings in input.html and writes the output to output.html. Used to make lines.
words2html-lines.py		Adds words from words.txt to normal lines with chetiya in input.html and writes the output to output.html. Used to make lines.
words2html-clear.py		combined above 2 codes to add words to mixed lines.
words2html.py		Ignore </details> and continue replacing. useful for nested lists. From input.html output to output.html.
join-all.py		joins words in input.txt and input2.txt and outputs to wods.txt
join.py		avoids any lines containing the word "blank" in input2.txt. use this to combine page numbers, times to words. add transliterated words to input.txt and times to input2.txt
times2.py		edited times.py above. takes times from times.txt and stops after creating times-temp.txt. last line with one time (Start only). **** If last line is StartStop add the next list's start time to times.txt and a start only line to input.html

File Name	Format	Description
add-times.py		add times from times-temp.txt to output.html and outputs to output2.html - last line must be javascript:loadYoutubeStart Can use nested lists.
add-times2.py		add times from times-temp.txt to output.html and outputs to output2.html - last line is also javascript:loadYoutubeStartStop. No need to Remove last line in times-temp.txt. Can use nested lists.
copy-to-page.py		Copy variables in javascript:loadYoutubeStartStop and javascript:loadYoutubeStart to sharePageSrartStop and sharePageSrart. replaces output2.html and creates output3.html
timesdif.py		Finds the difference between times (duration) and writes the output to dimes-dif.txt, uses times.txt for input. no command lind input.
capital-cyrillic1.py		Copies second occurrence from numbered line to the first
capital-cyrillic.py	new script made	keeps the first letter in the first occurrence of the numbered lines and copies rest of the words from the second occurrence of the same number lines. used to correct capitalize problem in Cyrillic. Copy the same list of words in simple letters with same numbers to the same file at the end.
remove_numbers.py	remove_numbers.py file.txt	Removes numbers and spaces from beginning of every line. input file name from command line. outputs to words.txt
extract_words.py	database	Only needed once to add youtube links from html to database. This extracts video title and youtube link from html files with

File Name	Format	Description
		loadYoutube2() First replace , with * in input.txt files. (Remove commas to join with other csv files.) then run: extract_words.py then run: UPDATE Talk_list SET video_title = REPLACE(video_title, '*', ',');
add_hash.py	database	Adds a # in the beginning of every line. used to replace it to add column names.
merge_csv.py	database	Unsuccessful - no problem in the script. 3. Compare the second variable in each line of the second csv file with the second variable of the first csv file and merge data. 4. If there are any extra lines in the first csv file ignore them. 5. Write the output to words.txt file.
numbers.py		numbers.py words.txt, simply add numbers to the beginning of each line. use for words.txt, uses command line argument.
split.py		splits, seperates lines in words.txt from (and adds to input.txt and input2.txt use to create files after copying from dhammavoice.lk - to add more languauges. - Copy from dhammavoice lists to words.txt.
get2time.py	reverse times to HH:MM:SS from input.html (gettimes.bat)	get times in input.html loadYoutubeStartStop and loadYoutubeStart functions and writes the output to times-temp.txt
get1time.py	reverse times to HH:MM:SS from input.html (gettimes.bat)	remoe the second number in times-temp.txt and writes the output to times-temp2.txt

File Name	Format	Description
sectohour.py	reverse times to HH:MM:SS from input.html (gettimes.bat)	convert the numbers in times-temp2.txt to time and writes the optput to times.txt
repnumbers.py	repnumbers.py input.html	Replace numbers, h, min, p to other languages. uses numbers.txt to replace. 1. Reads the input HTML file from the command line. 2. Reads replacement rules from numbers.txt. 3. Replaces text only inside the first <button>...</button> on each line. 4. Leaves all other buttons unchanged. 5. Writes the result to output.html.
repnumbersum.py	replaces output.html to output2.html	Replace numbers in <summary>text</summary> using numbers.txt to other languages
repnum.py	 repnum.py words.txt	Joined above 2 codes. replaces both summary and first button 1. Open the input HTML file specified on the command line. 2. Load replacement rules from numbers.txt. It can have numbers and words 1 = ๑ ,, h = ชั่ว etc. 3. Replace text inside all <summary>... </summary> elements. 4. Replace text inside only the first <button>...</button> on each line. 5. Save the result to output.html.
cyrillic-capital.py	 cyrillic-capital.py words.txt	Capitalize the first letter of every word written only in Cyrillic alphabet. Doesn’t change any other letters. Writes the output to output.txt
cyrillic-lowercase.py	 cyrillic-lowercase.py words.txt	Change to lowercase every word written only in Cyrillic alphabet. Doesn’t change any other letters. Writes the output to output.txt