QPAD: Point Count Data Analysis Made Simple

Peter Solymos 2019-05-02

Contents

1	Prerequisites	5
2	Introduction	7
3	Point Count Surveys	9
4	Data Processing	11
5	Regression Techniques	13
6	Availability	15
7	Perceptibility	17
8	Dealing with recordings	19
9	Roadside surveys	21
10	Miscellaneous topics	23

4 CONTENTS

Prerequisites

This is a *sample* book written in **Markdown**. You can use anything that Pandoc's Markdown supports, e.g., a math equation $a^2 + b^2 = c^2$.

The **bookdown** package can be installed from CRAN or Github:

```
install.packages("bookdown")
# or the development version
# devtools::install_github("rstudio/bookdown")

## clean up
bookdown::clean_book(TRUE)
## rendering the book
bookdown::render_book('index.Rmd', 'bookdown::pdf_book')
bookdown::render_book('index.Rmd', 'bookdown::gitbook')
bookdown::render_book('index.Rmd', 'bookdown::epub_book')
```

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading #.

To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): https://yihui.name/tinytex/.

Introduction

You can label chapter and section titles using {#label} after them, e.g., we can reference Chapter 2. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter ??.

Figures and tables with captions will be placed in figure and table environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```

Reference a figure by its code chunk label with the fig: prefix, e.g., see Figure 2.1. Similarly, you can reference tables generated from knitr::kable(), e.g., see Table 2.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2018) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).




Figure 2.1: Here is a nice figure!

Table 2.1: Here is a nice table!						
Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species		
5.1	3.5	1.4	0.2	setosa		
4.9	3.0	1.4	0.2	setosa		
4.7	3.2	1.3	0.2	setosa		
4.6	3.1	1.5	0.2	setosa		
5.0	3.6	1.4	0.2	setosa		
5.4	3.9	1.7	0.4	setosa		
4.6	3.4	1.4	0.3	setosa		
5.0	3.4	1.5	0.2	setosa		
4.4	2.9	1.4	0.2	setosa		
4.9	3.1	1.5	0.1	setosa		
5.4	3.7	1.5	0.2	setosa		
4.8	3.4	1.6	0.2	setosa		
4.8	3.0	1.4	0.1	setosa		
4.3	3.0	1.1	0.1	setosa		
5.8	4.0	1.2	0.2	setosa		
5.7	4.4	1.5	0.4	setosa		
5.4	3.9	1.3	0.4	setosa		
5.1	3.5	1.4	0.3	setosa		
5.7	3.8	1.7	0.3	setosa		
5.1	3.8	1.5	0.3	setosa		

Point Count Surveys

Introduce data sets
Use simulations
definitions, density, abundance, occupancy

Data Processing

input/output csv, sqlite, tibble, sql mefa4 Xtabs

Regression Techniques

lm, glm main effects, interactions, offsets lasso, brt, boot/bagging, glmm conditional and marginal effects maybe opticut cloglog motivation

Availability

Behaviour related stuff constant p (time as covariate) time varying p finite mix time varying p/c rate, count, time-to-event

Perceptibility

EDR, tau constant truncated, unlimited

variable tau: habitat effect (continuous case?)

discrete: land cover, observer effects

contrast fixed effects with offsets – motivation for ARU

Dealing with recordings

integration challenges calibration (exponential/cloglog approximation) fixed effects paired sensor sensitivity - EDR

Roadside surveys

directional diff in signal transmission

Miscellaneous topics

model selection and conditional likelihood variance/bias trade off error propagation
MCMC?
N-mixture ideas
phylogenetic and life history/trait stuff
PIF methods

Bibliography

Xie, Y. (2015). Dynamic Documents with R and knitr. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2018). bookdown: Authoring Books and Technical Documents with R Markdown. R package version 0.9.