



# OpenAPI definition

v0 OAS 3.0

/v3/api-docs

## Servers

http://3.34.107.220:8080 - Generated server url

## Project Project API



GET /api/v1/project/{projectId}



### Parameters

Try it out

Name	Description
<b>id</b> * required integer(\$int64) (header)	<input type="text" value="id"/>
<b>projectId</b> * required integer(\$int64) (path)	<input type="text" value="projectId"/>

### Responses

Code	Description	Links
200	OK	No links

Media type

`*/*`

Controls Accept header.

Example Value Schema

```
{
  "id": 0,
  "name": "string",
  "members": [
    {
      "id": 0,
      "role": "ADMIN",
      "name": "string"
    }
  ],
  "issues": [
    {
      "id": 0,
      "title": "string",
      "description": "string"
    }
  ]
}
```

Code	Description	Links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.469Z",   "data": {} }</pre>	No links
401	<p>Unauthorized</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.470Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.471Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.472Z",   "data": {     "additionalProp1": {}   } }</pre>	No links

Code	Description	Links									
	<pre>"additionalProp2": {}, "additionalProp3": {} }</pre>										
PUT	/api/v1/project/{projectId}	^									
<b>Parameters</b>		<a href="#">Try it out</a>									
<table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th></th></tr> </thead> <tbody> <tr> <td><b>id</b> * required</td><td>integer(\$int64) (header)</td><td><input type="text" value="id"/></td></tr> <tr> <td><b>projectId</b> * required</td><td>integer(\$int64) (path)</td><td><input type="text" value="projectId"/></td></tr> </tbody> </table>			Name	Description		<b>id</b> * required	integer(\$int64) (header)	<input type="text" value="id"/>	<b>projectId</b> * required	integer(\$int64) (path)	<input type="text" value="projectId"/>
Name	Description										
<b>id</b> * required	integer(\$int64) (header)	<input type="text" value="id"/>									
<b>projectId</b> * required	integer(\$int64) (path)	<input type="text" value="projectId"/>									
<b>Responses</b>											
Code	Description	Links									
200	OK <p>Media type</p> <p><input type="text" value="/*"/> <span style="border: 2px solid green; padding: 2px;">*/</span></p> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>string</pre>	No links									
400	Bad Request <p>Media type</p> <p><input type="text" value="/*"/> <span style="border: 2px solid green; padding: 2px;">*/</span></p> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.475Z",   "data": [] }</pre>	No links									
401	Unauthorized <p>Media type</p> <p><input type="text" value="/*"/> <span style="border: 2px solid green; padding: 2px;">*/</span></p> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.476Z",   "data": [] }</pre>	No links									

Code	Description	Links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.477Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.478Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links

PUT /api/v1/project/{projectId}/member/delete ^

**Parameters**

**Try it out**

Name	Description
<b>id</b> * required	integer(\$int64) (header)
<b>projectId</b> * required	integer(\$int64) (path)

**Request body** required

application/json

**Example Value** Schema

```
{
  "removeMemberId": 0
}
```

## Responses

Code	Description	Links
200	OK	No links
	<p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{   "id": 0,   "name": "string",   "members": [     {       "id": 0,       "role": "ADMIN",       "name": "string"     }   ],   "issues": [     {       "id": 0,       "title": "string",       "description": "string",       "priority": "BLOCKER",       "status": "NEW",       "reporter": {         "id": 0,         "role": "ADMIN",         "name": "string"       },       "reportedDate": "2024-06-02T22:14:31.481Z",       "fixer": {         "id": 0,         "role": "ADMIN",         "name": "string"       }     }   ] }</pre>	
400	Bad Request	No links
	<p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.484Z",   "data": {} }</pre>	
401	Unauthorized	No links
	<p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.485Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links

Code	Description	Links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.486Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
503	Service Unavailable	No links

PUT	/api/v1/project/{projectId}/member/add	^					
<b>Parameters</b>		<b>Try it out</b>					
<table border="1"> <thead> <tr> <th>Name</th><th>Description</th></tr> </thead> <tbody> <tr> <td><b>id</b> * required integer(\$int64) (header)</td><td>id</td></tr> <tr> <td><b>projectId</b> * required integer(\$int64) (path)</td><td>projectId</td></tr> </tbody> </table>		Name	Description	<b>id</b> * required integer(\$int64) (header)	id	<b>projectId</b> * required integer(\$int64) (path)	projectId
Name	Description						
<b>id</b> * required integer(\$int64) (header)	id						
<b>projectId</b> * required integer(\$int64) (path)	projectId						
<b>Request body</b> required		application/json					
<p><b>Example Value</b> Schema</p> <pre>{   "addMemberId": 0 }</pre>							
<b>Responses</b>							

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{   "id": 0,   "name": "string",   "members": [     {       "id": 0,       "role": "ADMIN",       "name": "string"     }   ],   "issues": [     {       "id": 0,       "title": "string",       "description": "string",       "priority": "BLOCKER",       "status": "NEW",       "reporter": {         "id": 0,         "role": "ADMIN",         "name": "string"       },       "reportedDate": "2024-06-02T22:14:31.490Z",       "fixer": {         "id": 0,         "role": "ADMIN",         "name": "string"       }     }   ] }</pre>	No links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.493Z",   "data": {} }</pre>	No links
401	<p>Unauthorized</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.495Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p>	No links

Code	Description	Links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px;">*/*</div> <p>Example Value Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.496Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links

POST	/api/v1/project/create	Try it out
<b>Parameters</b>		
Name	Description	
<b>id</b> * required integer(\$int64) <input type="text" value="id"/> (header)		
<b>Request body</b> required		application/json
<p>Example Value Schema</p> <pre>{   "name": "string",   "memberIds": [     0   ] }</pre>		
<b>Responses</b>		
Code	Description	Links
200	OK	No links
	<p>Media type</p> <div style="border: 1px solid green; padding: 2px;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p>	

## Code

```
{
  "id": 0,
  "name": "string",
  "members": [
    {
      "id": 0,
      "role": "ADMIN",
      "name": "string"
    }
  ],
  "issues": [
    {
      "id": 0,
      "title": "string",
      "description": "string",
      "priority": "BLOCKER",
      "status": "NEW",
      "reporter": {
        "id": 0,
        "role": "ADMIN",
        "name": "string"
      },
      "reportedDate": "2024-06-02T22:14:31.501Z",
      "fixer": {
        "id": 0,
        "role": "ADMIN",
        "name": "string"
      }
    }
  ]
}
```

400

Bad Request

No links

Media type

/\*

**Example Value** Schema

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.503Z",
  "data": {}
}
```

401

Unauthorized

No links

Media type

/\*

**Example Value** Schema

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.504Z",
  "data": {
    "additionalProp1": {},
    "additionalProp2": {},
    "additionalProp3": {}
  }
}
```

500

Internal Server Error

No links

Media type

/\*

**Example Value** Schema

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.505Z",
  "data": {
    "additionalProp1": {},
    "additionalProp2": {},
    "additionalProp3": {}
  }
}
```

Links

Code	Description	Links
503	Service Unavailable  Media type <div style="border: 1px solid black; padding: 2px; width: fit-content;">/*</div> <b>Example Value</b> Schema  <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.506Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links

GET /api/v1/project



## Parameters

Try it out

Name	Description
<b>id</b> * required integer(\$int64) (header)	<div style="border: 1px solid black; padding: 2px; width: fit-content;">id</div>

## Responses

Code	Description	Links
200	OK  Media type <div style="border: 1px solid green; padding: 2px; width: fit-content;">/*</div> <small>Controls Accept header.</small>  <b>Example Value</b> Schema  <pre>[   {     "id": 0,     "name": "string",     "members": [       {         "id": 0,         "role": "ADMIN",         "name": "string"       }     ],     "issues": [       {         "id": 0,         "title": "string",         "description": "string",         "priority": "BLOCKER",         "status": "NEW",         "reporter": {           "id": 0,           "role": "ADMIN",           "name": "string"         },         "reportedDate": "2024-06-02T22:14:31.508Z",         "fixer": {           "id": 0,           "role": "ADMIN",           "name": "string"         }       }     ]   } ]</pre>	No links

Code	Description	Links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	No links
401	<p>Unauthorized</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	No links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	No links

PUT /api/v1/issue/update



## Parameters

Try it out

Name	Description
------	-------------

**id** \* requiredinteger(\$int64)  
(header)

id

## Request body required

application/json

## Example Value Schema

```
{
  "issueId": 0,
  "description": "string",
  "status": "NEW",
  "priority": "BLOCKER",
  "category": "string"
}
```

## Responses

## Code Description

## Links

200

OK

No links

Media type

\*/\*

Controls Accept header.

## Example Value Schema

```
{
  "id": 0,
  "title": "string",
  "description": "string",
  "priority": "BLOCKER",
  "status": "NEW",
  "reporter": {
    "id": 0,
    "role": "ADMIN",
    "name": "string"
  },
  "reportedDate": "2024-06-02T22:14:31.518Z",
  "fixer": {
    "id": 0,
    "role": "ADMIN",
    "name": "string"
  },
  "assignee": {
    "id": 0,
    "role": "ADMIN",
    "name": "string"
  },
  "projectId": 0,
  "category": "string",
  "comments": [
    {
      "id": 0,
      "writerId": 0,
      "content": "string"
    }
  ]
}
```

400

Bad Request

No links

Media type

Code	Description	Links
	<pre>/*</pre> <b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.520Z",   "data": {} }</pre>	
401	Unauthorized	No links
	Media type <pre>/*</pre>	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.521Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links
	Media type <pre>/*</pre>	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.522Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
503	Service Unavailable	No links
	Media type <pre>/*</pre>	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.522Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	

PUT /api/v1/issue/update/dev



Parameters

Try it out

Name	Description	
<b>id</b> * required	integer(\$int64) (header)	<input type="text" value="id"/>
<b>Request body</b> required		<b>application/json</b>
<b>Example Value</b> Schema		
<pre>{   "issueId": 0,   "status": "NEW" }</pre>		
<b>Responses</b>		
Code	Description	Links
200	OK	No links
<p>Media type</p> <div style="border: 2px solid green; padding: 2px; width: fit-content;">*/*</div> <p>Controls Accept header.</p>		
<b>Example Value</b> Schema		
<pre>{   "id": 0,   "title": "string",   "description": "string",   "priority": "BLOCKER",   "status": "NEW",   "reporter": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "reportedDate": "2024-06-02T22:14:31.526Z",   "fixer": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "assignee": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "projectId": 0,   "category": "string",   "comments": [     {       "id": 0,       "writerId": 0,       "content": "string"     }   ] }</pre>		
400	Bad Request	No links
<p>Media type</p> <div style="border: 2px solid black; padding: 2px; width: fit-content;">*/*</div>		
<b>Example Value</b> Schema		
<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.527Z",   "details": [     {       "id": 0,       "issueId": 0,       "commentId": 0,       "writerId": 0,       "content": "string"     }   ] }</pre>		

Code	Description	Links
401	<p>Unauthorized</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	No links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	No links

PUT /api/v1/issue/reassign ^**Parameters**Try it out

Name	Description
<b>id</b> * required integer(\$int64) (header)	<input style="width: 200px;" type="text" value="id"/>

**Request body** required

**Example Value** Schema

```
{
  "issueId": 0,
  "assigneeId": 0
}
```

**Responses**

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{   "id": 0,   "title": "string",   "description": "string",   "priority": "BLOCKER",   "status": "NEW",   "reporter": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "reportedDate": "2024-06-02T22:14:31.534Z",   "fixer": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "assignee": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "projectId": 0,   "category": "string",   "comments": [     {       "id": 0,       "writerId": 0,       "content": "string"     }   ] }</pre>	<i>No links</i>
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.535Z",   "data": {} }</pre>	<i>No links</i>
401	<p>Unauthorized</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.536Z",   "data": {} }</pre>	<i>No links</i>

Links

Code

```

    "timestamp": "2024-06-02T22:14:31.536Z",
    "data": {
        "additionalProp1": {},
        "additionalProp2": {},
        "additionalProp3": {}
    }
}

```

500

Internal Server Error

No links

Media type

/\*

Example Value Schema

```
{
    "code": 0,
    "message": "string",
    "timestamp": "2024-06-02T22:14:31.537Z",
    "data": {
        "additionalProp1": {},
        "additionalProp2": {},
        "additionalProp3": {}
    }
}
```

503

Service Unavailable

No links

Media type

/\*

Example Value Schema

```
{
    "code": 0,
    "message": "string",
    "timestamp": "2024-06-02T22:14:31.538Z",
    "data": {
        "additionalProp1": {},
        "additionalProp2": {},
        "additionalProp3": {}
    }
}
```

PUT

/api/v1/issue/deleteRequest



Try it out

Parameters

Name

Description

**id** \* requiredinteger(\$int64)  
(header)

id

Request body required

application/json

Example Value Schema

```
{
    "issueId": 0
}
```

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{   "id": 0,   "title": "string",   "description": "string",   "priority": "BLOCKER",   "status": "NEW",   "reporter": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "reportedDate": "2024-06-02T22:14:31.543Z",   "fixer": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "assignee": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "projectId": 0,   "category": "string",   "comments": [     {       "id": 0,       "writerId": 0,       "content": "string"     }   ] }</pre>	No links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.545Z",   "data": [] }</pre>	No links
401	<p>Unauthorized</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.546Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p>	No links

Code	Description	Links
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.546Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
503	Service Unavailable	No links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	
	<p>Example Value Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.547Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
PUT	/api/v1/issue/deleteRequest/delete	<a href="#">Try it out</a>
<b>Parameters</b>		<a href="#">Try it out</a>
Name	Description	
<b>id</b> * required	integer(\$int64) (header)	<input type="text" value="id"/>
<b>Request body</b> required		<a href="#">application/json</a>
<p>Example Value Schema</p> <pre>{   "issueId": 0 }</pre>		
<b>Responses</b>		
Code	Description	Links
200	OK	No links
	<p>Media type</p> <div style="border: 1px solid green; padding: 2px; display: inline-block;">/*</div>	
	Controls Accept header.	
	<p>Example Value Schema</p>	

Code	Description	Links
	<pre>{   "id": 0,   "title": "string",   "description": "string",   "priority": "BLOCKER",   "status": "NEW",   "reporter": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "reportedDate": "2024-06-02T22:14:31.550Z",   "fixer": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "assignee": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "projectId": 0,   "category": "string",   "comments": [     {       "id": 0,       "writerId": 0,       "content": "string"     }   ] }</pre>	
400	Bad Request	No links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	
	<p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.552Z",   "data": {} }</pre>	
401	Unauthorized	No links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	
	<p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.553Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	
	<p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.554Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	

Links

Code	Description	Links
503	Service Unavailable  Media type <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>  <b>Example Value</b> Schema  <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.555Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links

PUT /api/v1/issue/assign

**Parameters****Try it out**

Name	Description
------	-------------

**id** \* requiredinteger(\$int64)  
(header)

id

**Request body** required

application/json

**Example Value** Schema

```
{
  "issueId": 0,
  "assigneeId": 0
}
```

**Responses**

Code	Description	Links
------	-------------	-------

200 OK

No links

Media type

\*/\*

Controls Accept header.

**Example Value** Schema

```
{
  "id": 0,
  "title": "string",
  "description": "string",
  "priority": "BLOCKER",
  "status": "NEW",
  "reporter": {
    "id": 0,
    "role": "ADMIN",
    "name": "string"
  },
  ...
}
```

Code	Description	Links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.559Z",   "data": {} }</pre>	No links
401	<p>Unauthorized</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.560Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.560Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.560Z",   "data": {} }</pre>	No links

Code	Description	Links																									
<pre>"timestamp": "2024-06-02T22:14:31.562Z", "data": {   "additionalProp1": {},   "additionalProp2": {},   "additionalProp3": {} }</pre>																											
<p><b>POST /api/v1/issue/create</b></p> <p><b>Parameters</b></p> <div style="float: right;"><b>Try it out</b></div> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><b>id</b> * required</td> <td>integer(\$int64) (header)</td> </tr> </tbody> </table> <p><b>Request body</b> required</p> <div style="float: right;">application/json</div> <p><b>Example Value</b> Schema</p> <pre>{   "title": "string",   "description": "string",   "projectId": 0,   "category": "string" }</pre> <p><b>Responses</b></p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Links</th> </tr> </thead> <tbody> <tr> <td>200</td> <td>OK</td> <td>No links</td> </tr> <tr> <td></td> <td>Media type</td> <td></td> </tr> <tr> <td></td> <td>*/*</td> <td></td> </tr> <tr> <td></td> <td>Controls Accept header.</td> <td></td> </tr> <tr> <td></td> <td><b>Example Value</b> Schema</td> <td></td> </tr> <tr> <td></td> <td> <pre>{   "id": 0,   "title": "string",   "description": "string",   "priority": "BLOCKER",   "status": "NEW",   "reporter": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "reportedDate": "2024-06-02T22:14:31.567Z",   "fixer": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "assignee": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "projectId": 0,   "category": "string" }</pre> </td> <td></td> </tr> </tbody> </table>			Name	Description	<b>id</b> * required	integer(\$int64) (header)	Code	Description	Links	200	OK	No links		Media type			*/*			Controls Accept header.			<b>Example Value</b> Schema			<pre>{   "id": 0,   "title": "string",   "description": "string",   "priority": "BLOCKER",   "status": "NEW",   "reporter": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "reportedDate": "2024-06-02T22:14:31.567Z",   "fixer": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "assignee": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "projectId": 0,   "category": "string" }</pre>	
Name	Description																										
<b>id</b> * required	integer(\$int64) (header)																										
Code	Description	Links																									
200	OK	No links																									
	Media type																										
	*/*																										
	Controls Accept header.																										
	<b>Example Value</b> Schema																										
	<pre>{   "id": 0,   "title": "string",   "description": "string",   "priority": "BLOCKER",   "status": "NEW",   "reporter": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "reportedDate": "2024-06-02T22:14:31.567Z",   "fixer": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "assignee": {     "id": 0,     "role": "ADMIN",     "name": "string"   },   "projectId": 0,   "category": "string" }</pre>																										

Links

Code

```
"category": "string",
"comments": [
  {
    "id": 0,
    ...
  }
]
```

400 Bad Request

No links

Media type

\*/\*

**Example Value** Schema

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.568Z",
  "data": {}
}
```

401 Unauthorized

No links

Media type

\*/\*

**Example Value** Schema

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.569Z",
  "data": {
    "additionalProp1": {},
    "additionalProp2": {},
    "additionalProp3": {}
  }
}
```

500 Internal Server Error

No links

Media type

\*/\*

**Example Value** Schema

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.570Z",
  "data": {
    "additionalProp1": {},
    "additionalProp2": {},
    "additionalProp3": {}
  }
}
```

503 Service Unavailable

No links

Media type

\*/\*

**Example Value** Schema

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.571Z",
  "data": {
    "additionalProp1": {},
    "additionalProp2": {},
    "additionalProp3": {}
  }
}
```

GET /api/v1/issue

^

[Try it out](#)**Parameters**

Name	Description
------	-------------

**id \* required**integer(\$int64)  
(header)

id

**issueld \* required**integer(\$int64)  
(query)

issueld

**Responses**

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

\*/\*

Controls Accept header.

**Example Value Schema**

```
{
  "id": 0,
  "title": "string",
  "description": "string",
  "priority": "BLOCKER",
  "status": "NEW",
  "reporter": {
    "id": 0,
    "role": "ADMIN",
    "name": "string"
  },
  "reportedDate": "2024-06-02T22:14:31.573Z",
  "fixer": {
    "id": 0,
    "role": "ADMIN",
    "name": "string"
  },
  "assignee": {
    "id": 0,
    "role": "ADMIN",
    "name": "string"
  },
  "projectId": 0,
  "category": "string",
  "comments": [
    {
      "id": 0,
      "writerId": 0,
      "content": "string"
    }
  ]
}
```

400

Bad Request

No links

Media type

\*/\*

**Example Value Schema**

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.575Z",
  "data": {}
}
```

401

Unauthorized

No links

Code	Description	Links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.576Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.576Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
503	Service Unavailable	No links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.577Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	

GET /api/v1/issue/{projectId}

Parameters

Try it out

Name	Description
<b>id</b> * required integer(\$int64) (header)	<input type="text" value="id"/>
<b>projectId</b> * required integer(\$int64) (path)	<input type="text" value="projectId"/>

## Responses

Code	Description	Links
200	OK	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>[   {     "id": 0,     "title": "string",     "description": "string",     "priority": "BLOCKER",     "status": "NEW",     "reporter": {       "id": 0,       "role": "ADMIN",       "name": "string"     },     "reportedDate": "2024-06-02T22:14:31.580Z",     "fixer": {       "id": 0,       "role": "ADMIN",       "name": "string"     },     "assignee": {       "id": 0,       "role": "ADMIN",       "name": "string"     },     "projectId": 0,     "category": "string",     "comments": [       {         "id": 0,         "text": "string"       }     ]   } ]</pre>	
400	Bad Request	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.581Z",   "data": {} }</pre>	
401	Unauthorized	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.582Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p>	

Code	Description	Links
	<p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.583Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
503	Service Unavailable	No links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; width: fit-content;">/*</div>	
	<p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.584Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
GET	/api/v1/issue/{projectId}/tester	▲
Parameters		<button>Try it out</button>
Name	Description	
<b>id</b> * required	integer(\$int64) (header)	<input type="text" value="id"/>
<b>projectId</b> * required	integer(\$int64) (path)	<input type="text" value="projectId"/>
Responses		
Code	Description	Links
200	OK	No links
	<p>Media type</p> <div style="border: 2px solid green; padding: 2px; width: fit-content;">/*</div>	
	Controls Accept header.	
	<p><b>Example Value</b> Schema</p> <pre>[   {     "id": 0,     "title": "string",     "description": "string",     "priority": "BLOCKER",     "status": "PENDING"   } ]</pre>	▲

Links

Code

```

    "status": "NEW",
    "reporter": {
        "id": 0,
        "role": "ADMIN",
        "name": "string"
    },
    "reportedDate": "2024-06-02T22:14:31.587Z",
    "fixer": {
        "id": 0,
        "role": "ADMIN",
        "name": "string"
    },
    "assignee": {
        "id": 0,
        "role": "ADMIN",
        "name": "string"
    },
    "projectId": 0,
    "category": "string",
    "comments": [
        {
            "id": 0,
            "content": "string"
        }
    ]
}

```

400

Bad Request

No links

Media type

/\*

Example Value Schema

```
{
    "code": 0,
    "message": "string",
    "timestamp": "2024-06-02T22:14:31.589Z",
    "data": {}
}
```

401

Unauthorized

No links

Media type

/\*

Example Value Schema

```
{
    "code": 0,
    "message": "string",
    "timestamp": "2024-06-02T22:14:31.590Z",
    "data": {
        "additionalProp1": {},
        "additionalProp2": {},
        "additionalProp3": {}
    }
}
```

500

Internal Server Error

No links

Media type

/\*

Example Value Schema

```
{
    "code": 0,
    "message": "string",
    "timestamp": "2024-06-02T22:14:31.591Z",
    "data": {
        "additionalProp1": {},
        "additionalProp2": {},
        "additionalProp3": {}
    }
}
```

503

Service Unavailable

No links

Media type

/\*

[Links](#)[Code](#)[Description](#)[Example Value](#)[Schema](#)

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.592Z",
  "data": {
    "additionalProp1": {},
    "additionalProp2": {},
    "additionalProp3": {}
  }
}
```

GET /api/v1/issue/{projectId}/dev

[Parameters](#)[Try it out](#)[Name](#)[Description](#)**id** \* requiredinteger(\$int64)  
(header)**projectId** \* requiredinteger(\$int64)  
(path)[Responses](#)[Code](#)[Description](#)[Links](#)

200

OK

No links

Media type

Controls Accept header.

[Example Value](#)[Schema](#)

```
[
  {
    "id": 0,
    "title": "string",
    "description": "string",
    "priority": "BLOCKER",
    "status": "NEW",
    "reporter": {
      "id": 0,
      "role": "ADMIN",
      "name": "string"
    },
    "reportedDate": "2024-06-02T22:14:31.594Z",
    "fixer": {
      "id": 0,
      "role": "ADMIN",
      "name": "string"
    },
    "assignee": {
      "id": 0,
      "role": "ADMIN",
      "name": "string"
    },
    "projectId": 0,
    "category": "string",
    "comments": [
      {
        "id": 0,
        "content": "string"
      }
    ]
  }
]
```

Code	Description	Links
400	Bad Request  Media type <div style="border: 1px solid black; padding: 2px; width: fit-content;"> */*</div> <b>Example Value</b> Schema  <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.595Z",   "data": {} }</pre>	No links
401	Unauthorized  Media type <div style="border: 1px solid black; padding: 2px; width: fit-content;"> */*</div> <b>Example Value</b> Schema  <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.596Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
500	Internal Server Error  Media type <div style="border: 1px solid black; padding: 2px; width: fit-content;"> */*</div> <b>Example Value</b> Schema  <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.597Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
503	Service Unavailable  Media type <div style="border: 1px solid black; padding: 2px; width: fit-content;"> */*</div> <b>Example Value</b> Schema  <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.598Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links

GET /api/v1/issue/search



Parameters

Try it out

Name	Description
<b>id</b> * required integer(\$int64) (header)	id
<b>category</b> * required string (query)	Available values : TITLE, STATUS, PRIORITY, ASSIGNEE TITLE
<b>projectId</b> * required integer(\$int64) (query)	projectId
<b>keyword</b> * required string (query)	keyword

## Responses

Code	Description	Links
200	OK	No links
	<p>Media type</p> <div style="border: 1px solid green; padding: 2px; width: fit-content;">*/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>[   {     "id": 0,     "title": "string",     "description": "string",     "priority": "BLOCKER",     "status": "NEW",     "reporter": {       "id": 0,       "role": "ADMIN",       "name": "string"     },     "reportedDate": "2024-06-02T22:14:31.601Z",     "fixer": {       "id": 0,       "role": "ADMIN",       "name": "string"     },     "assignee": {       "id": 0,       "role": "ADMIN",       "name": "string"     },     "projectId": 0,     "category": "string",     "comments": [       {         "id": 0,         "content": "string"       }     ]   } ]</pre>	
400	Bad Request	No links
	<p>Media type</p> <div style="border: 1px solid green; padding: 2px; width: fit-content;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "Bad Request" }</pre>	

Code	Description	Links
	<pre>     "message": "string",     "timestamp": "2024-06-02T22:14:31.603Z",     "data": {} } </pre>	
401	Unauthorized	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	
	<p><b>Example Value</b> Schema</p> <pre> {   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.604Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } } </pre>	
500	Internal Server Error	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	
	<p><b>Example Value</b> Schema</p> <pre> {   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.605Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } } </pre>	
503	Service Unavailable	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	
	<p><b>Example Value</b> Schema</p> <pre> {   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.605Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } } </pre>	

GET /api/v1/issue/issueRecommend



## Parameters

**Try it out**

Name	Description
<b>id</b> * required integer(\$int64) (header)	<input type="text" value="id"/>

Name	Description	
<b>issueId</b> * required	integer(\$int64) (query)	issueId
<b>Responses</b>		
Code	Description	Links
200	OK	No links
	Media type	
	*/*	
	Controls Accept header.	
	<b>Example Value</b> Schema	
	<pre>[   {     "issue_id": 0,     "score": 0   } ]</pre>	
400	Bad Request	No links
	Media type	
	*/*	
	<b>Example Value</b> Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.610Z",   "data": {} }</pre>	
401	Unauthorized	No links
	Media type	
	*/*	
	<b>Example Value</b> Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.610Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links
	Media type	
	*/*	
	<b>Example Value</b> Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.611Z",   "data": {} }</pre>	

Code	Description	Links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.612Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links

GET	/api/v1/issue/deleteRequest/find	^						
<b>Parameters</b>		<b>Try it out</b>						
<hr/>								
<table border="1"> <thead> <tr> <th>Name</th><th>Description</th></tr> </thead> <tbody> <tr> <td><b>id</b> * required</td><td>integer(\$int64)</td></tr> <tr> <td>(header)</td><td>id</td></tr> </tbody> </table>			Name	Description	<b>id</b> * required	integer(\$int64)	(header)	id
Name	Description							
<b>id</b> * required	integer(\$int64)							
(header)	id							

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid green; padding: 2px;">*/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>[   {     "id": 0,     "title": "string",     "description": "string",     "priority": "BLOCKER",     "status": "NEW",     "reporter": {       "id": 0,       "role": "ADMIN",       "name": "string"     },     "reportedDate": "2024-06-02T22:14:31.614Z",     "fixer": {       "id": 0,       "role": "ADMIN",       "name": "string"     },     "assignee": {       "id": 0,       "role": "ADMIN",       "name": "string"     }   } ]</pre>	No links

Code	Description	Links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.616Z",   "data": {} }</pre>	No links
401	<p>Unauthorized</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.617Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.618Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.619Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links

GET /api/v1/issue/all

[Try it out](#)**Parameters**

Name	Description
------	-------------

**id** \* requiredinteger(\$int64)  
(header)**Responses**

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

\*/\*

Controls Accept header.

**Example Value** Schema

```
[
  {
    "id": 0,
    "title": "string",
    "description": "string",
    "priority": "BLOCKER",
    "status": "NEW",
    "reporter": {
      "id": 0,
      "role": "ADMIN",
      "name": "string"
    },
    "reportedDate": "2024-06-02T22:14:31.621Z",
    "fixer": {
      "id": 0,
      "role": "ADMIN",
      "name": "string"
    },
    "assignee": {
      "id": 0,
      "role": "ADMIN",
      "name": "string"
    },
    "projectId": 0,
    "category": "string",
    "comments": [
      {
        "id": 0,
        "text": "string"
      }
    ]
  }
]
```

400

Bad Request

No links

Media type

\*/\*

**Example Value** Schema

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.623Z",
  "data": {}
}
```

401

Unauthorized

No links

Media type

Code	Description	Links
/*		
500 Internal Server Error	<p>Example Value Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.624Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
503 Service Unavailable	<p>Media type</p> <p>/*</p> <p>Example Value Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.625Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links

## Member Member API ^

PUT	/api/v1/member/account/update	Try it out
<b>Parameters</b>		
Name	Description	
<b>id</b> * required	integer(\$int64)	id
<b>Request body</b> required		application/json

**Example Value** Schema

```
{
  "id": 0,
  "role": "ADMIN"
}
```

**Responses**

Code	Description	Links
200	OK	No links
	<p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; width: fit-content;">/*</div> <p>Controls Accept header.</p>	
	<b>Example Value</b> Schema	
	<pre>{   "id": 0,   "role": "ADMIN",   "name": "string" }</pre>	
400	Bad Request	No links
	<p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; width: fit-content;">/*</div>	
	<b>Example Value</b> Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.630Z",   "data": {} }</pre>	
401	Unauthorized	No links
	<p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; width: fit-content;">/*</div>	
	<b>Example Value</b> Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.630Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links
	<p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; width: fit-content;">/*</div>	
	<b>Example Value</b> Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.631Z",   "data": {} }</pre>	

Code	Description	Links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px;">/*</div>	No links

**Example Value** Schema

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.632Z",
  "data": {
    "additionalProp1": {},
    "additionalProp2": {},
    "additionalProp3": {}
  }
}
```

PUT /api/v1/member/account/delete ^Try it out**Parameters****Name** **Description****id** \* requiredinteger(\$int64) id  
(header)**Request body** required

application/json

**Example Value** Schema

```
{
  "id": 0
}
```

**Responses**

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px;">/*</div> <p>Controls Accept header.</p>	No links

**Example Value** Schema

```
{
  "id": 0,
  "role": "ADMIN",
  "name": "string"
}
```

Code	Description	Links
400	Bad Request  Media type <div style="border: 1px solid black; padding: 5px; width: fit-content;"> */*</div> <b>Example Value</b> Schema	No links
401	Unauthorized  Media type <div style="border: 1px solid black; padding: 5px; width: fit-content;"> */*</div> <b>Example Value</b> Schema	No links
500	Internal Server Error  Media type <div style="border: 1px solid black; padding: 5px; width: fit-content;"> */*</div> <b>Example Value</b> Schema	No links
503	Service Unavailable  Media type <div style="border: 1px solid black; padding: 5px; width: fit-content;"> */*</div> <b>Example Value</b> Schema	No links

POST /api/v1/member/signUp



Parameters

Try it out

Name	Description	
<b>id</b> * required	integer(\$int64) (header)	
<b>Request body</b> required	application/json	
<b>Example Value</b> Schema		
<pre>{   "signId": "string",   "password": "string",   "name": "string",   "role": "ADMIN" }</pre>		
<b>Responses</b>		
Code	Description	Links
200	OK	No links
	Media type	
	*/*	
	Controls Accept header.	
<b>Example Value</b> Schema		
<pre>{   "id": 0,   "role": "ADMIN",   "name": "string" }</pre>		
400	Bad Request	No links
	Media type	
	*/*	
<b>Example Value</b> Schema		
<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.643Z",   "data": {} }</pre>		
401	Unauthorized	No links
	Media type	
	*/*	
<b>Example Value</b> Schema		
<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.644Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>		

Code	Description	Links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	No links

<a href="#">POST /api/v1/member/signIn</a> <span style="float: right;">^</span>		
<b>Parameters</b>	<a href="#">Try it out</a>	
No parameters		
<b>Request body</b> required	application/json	
<b>Example Value</b> Schema		
<pre>{   "signId": "string",   "password": "string" }</pre>		
<b>Responses</b>		
Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p>	No links

Code	Description	Links
	<b>Example Value</b> Schema <pre>{   "id": 0,   "role": "ADMIN",   "name": "string" }</pre>	
400	Bad Request	<i>No links</i>
	Media type <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.650Z",   "data": {} }</pre>	
401	Unauthorized	<i>No links</i>
	Media type <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.650Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	<i>No links</i>
	Media type <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.651Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
503	Service Unavailable	<i>No links</i>
	Media type <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.652Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	



POST /api/v1/member/createAdmin

[Try it out](#)**Parameters**

No parameters

**Request body** required[application/json](#)**Example Value** Schema

```
{
  "signId": "string",
  "password": "string",
  "name": "string",
  "role": "ADMIN"
}
```

**Responses**

Code	Description	Links
200	OK	<i>No links</i>
	Media type	
	<code>*/*</code>	
	Controls Accept header.	
	<b>Example Value</b> Schema	
	<pre>{   "id": 0,   "role": "ADMIN",   "name": "string" }</pre>	
400	Bad Request	<i>No links</i>
	Media type	
	<code>*/*</code>	
	<b>Example Value</b> Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.655Z",   "data": {} }</pre>	
401	Unauthorized	<i>No links</i>
	Media type	
	<code>*/*</code>	
	<b>Example Value</b> Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.656Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	

Code	Description	Links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	No links

GET /api/v1/member/find		Try it out
<b>Parameters</b>		
Name	Description	
<b>id</b> * required	integer(\$int64)	<input type="text" value="id"/>
Responses		
Code	Description	Links
200	OK	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	
	Controls Accept header.	
	<b>Example Value</b> Schema	
	<pre>{   "id": 0, }</pre>	

Code	Description	Links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	No links
401	<p>Unauthorized</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	No links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>	No links

GET /api/v1/member/account



[Try it out](#)**Parameters**

Name	Description
------	-------------

**id** \* requiredinteger(\$int64)  
(header)

id

**Responses**

Code	Description	Links
------	-------------	-------

200	OK	No links
	Media type	
	*/*	
	Controls Accept header.	
	<b>Example Value</b> Schema	
	<pre>[   {     "id": 0,     "role": "ADMIN",     "name": "string"   } ]</pre>	
400	Bad Request	No links
	Media type	
	*/*	
	<b>Example Value</b> Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.668Z",   "data": {} }</pre>	
401	Unauthorized	No links
	Media type	
	*/*	
	<b>Example Value</b> Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.669Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links
	Media type	
	*/*	
	<b>Example Value</b> Schema	

Code	Description	Links
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.670Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
503	Service Unavailable	No links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	
	<p>Example Value Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.671Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
GET	/api/v1/member/account/project	^
Parameters		<button>Try it out</button>
Name	Description	
<b>id</b> * required	integer(\$int64) (header)	<input type="text" value="id"/>
<b>projectId</b> * required	integer(\$int64) (query)	<input type="text" value="projectId"/>
Responses		
Code	Description	Links
200	OK	No links
	<p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">/*</div>	
	Controls Accept header.	
	<p>Example Value Schema</p> <pre>[   {     "id": 0,     "role": "ADMIN",     "name": "string"   } ]</pre>	

Code	Description	Links
400	Bad Request	No links
	Media type	
	<code>*/*</code>	
	Example Value Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.675Z",   "data": {} }</pre>	
401	Unauthorized	No links
	Media type	
	<code>*/*</code>	
	Example Value Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.675Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links
	Media type	
	<code>*/*</code>	
	Example Value Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.676Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
503	Service Unavailable	No links
	Media type	
	<code>*/*</code>	
	Example Value Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.677Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	

GET /api/v1/member/account/project/role



Parameters

Try it out

Name	Description
<b>id</b> * required integer(\$int64) (header)	id
<b>projectId</b> * required integer(\$int64) (query)	projectId
<b>role</b> * required string (query)	<i>Available values</i> : ADMIN, PL, DEV, TESTER, NONE ADMIN

  

Responses		
Code	Description	Links
200	OK	No links
	Media type <code>*/*</code> Controls Accept header.	
	<b>Example Value</b> Schema <pre>[   {     "id": 0,     "role": "ADMIN",     "name": "string"   } ]</pre>	
400	Bad Request	No links
	Media type <code>*/*</code> 	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.681Z",   "data": {} }</pre>	
401	Unauthorized	No links
	Media type <code>*/*</code> 	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.682Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	

Code	Description	Links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div>	No links

## Comment Comment API



PUT	/api/v1/comment/update	<a href="#" style="border: 1px solid orange; padding: 2px 10px;">Try it out</a>
<b>Parameters</b>		
Name	Description	
<b>id</b> <small>* required</small> <div style="border: 1px solid #ccc; width: 150px; height: 20px; margin-top: 2px;"></div>		
<small>integer(\$int64)</small> <small>(header)</small>		
<b>Request body</b> <small>required</small>		<a href="#" style="border: 1px solid orange; padding: 2px 10px;">application/json</a>
<b>Example Value</b> Schema		
<pre>{   "commentId": 0,   "content": "string" }</pre>		
<b>Responses</b>		

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{   "id": 0,   "writerId": 0,   "content": "string" }</pre>	No links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.689Z",   "data": {} }</pre>	No links
401	<p>Unauthorized</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.689Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
500	<p>Internal Server Error</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.691Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div> <p><b>Example Value</b> Schema</p>	No links

[Links](#)[Code](#)

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.691Z",
  "data": {
    "additionalProp1": {},
    "additionalProp2": {},
    "additionalProp3": {}
  }
}
```

PUT /api/v1/comment/delete

**Parameters**[Try it out](#)**Name** **Description****id** \* requiredinteger(\$int64)  
(header)**Request body** required

application/json

**Example Value** Schema

```
{
  "commentId": 0
}
```

**Responses****Code** **Description**[Links](#)

200

OK

No links

Media type

\*/\*

Controls Accept header.

**Example Value** Schema

string

400

Bad Request

No links

Media type

\*/\*

**Example Value** Schema

```
{
  "code": 0,
  "message": "string",
  "timestamp": "2024-06-02T22:14:31.695Z",
  "data": {}
}
```

Links

Code	Description	Links
401	Unauthorized	No links
	Media type	
	<code>*/*</code>	
	Example Value Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.696Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links
	Media type	
	<code>*/*</code>	
	Example Value Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.697Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
503	Service Unavailable	No links
	Media type	
	<code>*/*</code>	
	Example Value Schema	
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.698Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	

POST /api/v1/comment/create ^

Try it out

Parameters

Name Description

**id** \* requiredinteger(\$int64)  
(header)

Request body required

application/json

Example Value Schema

```
{
  "issueId": 0,
  "content": "string"
}
```

**Responses**

Code	Description	Links
200	OK	<i>No links</i>
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{   "id": 0,   "writerId": 0,   "content": "string" }</pre>	
400	Bad Request	<i>No links</i>
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.701Z",   "data": {} }</pre>	
401	Unauthorized	<i>No links</i>
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.702Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	<i>No links</i>
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.703Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	

Code	Description	Links
503	<p>Service Unavailable</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; width: fit-content;">/*</div> <p><b>Example Value</b> Schema</p> <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.704Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	No links

GET	/api/v1/comment	^
<b>Parameters</b>		<b>Try it out</b>
<hr/>		
Name	Description	
<b>id</b> * required	integer(\$int64) (header)	<input type="text" value="id"/>
<b>issueld</b> * required	integer(\$int64) (query)	<input type="text" value="issueld"/>
<hr/>		
<b>Responses</b>		
Code	Description	Links
200	OK	No links
<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; width: fit-content;">/*</div> <p>Controls Accept header.</p>		
<p><b>Example Value</b> Schema</p> <pre>[   {     "id": 0,     "writerId": 0,     "content": "string"   } ]</pre>		
400	Bad Request	No links
<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; width: fit-content;">/*</div>		
<p><b>Example Value</b> Schema</p>		

Code	Description	Links
	<pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.707Z",   "data": {} }</pre>	
401	Unauthorized	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.708Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
500	Internal Server Error	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.709Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	
503	Service Unavailable	No links
	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">/*</div>	
	<b>Example Value</b> Schema <pre>{   "code": 0,   "message": "string",   "timestamp": "2024-06-02T22:14:31.709Z",   "data": {     "additionalProp1": {},     "additionalProp2": {},     "additionalProp3": {}   } }</pre>	

**Schemas**

```
ErrorResponseTemplate {  
    code  
    [ ... ]  
    message  
    [ ... ]  
    timestamp  
    [ ... ]  
    data  
    { ... }  
}
```

```
ConstraintExceptionDto {  
    code  
    [ ... ]  
    message  
    [ ... ]  
    timestamp  
    [ ... ]  
    data  
    { ... }  
}
```

```
ProjectMemberRemoveRequestDto {  
    removeMemberId  
    [ ... ]  
}
```

```
CommentResponseDto {  
    id  
    [ ... ]  
    writerId  
    [ ... ]  
    content  
    [ ... ]  
}
```

```
IssueResponseDto {  
    id  
    [ ... ]  
    title  
    [ ... ]  
    description  
    [ ... ]  
    priority  
    [ ... ]  
    status  
    [ ... ]  
    reporter  
    MemberResponseDto { ... }  
    reportedDate  
    [ ... ]  
    fixer  
    MemberResponseDto { ... }  
    assignee  
    MemberResponseDto { ... }  
    projectId  
    [ ... ]  
    category  
    [ ... ]  
    comments  
    [ ... ]  
}
```

```
MemberResponseDto {  
    id  
    [ ... ]  
    role  
    [ ... ]  
    name  
    [ ... ]  
}
```

```
ProjectResponseDto {  
    id  
    [ ... ]  
    name  
    [ ... ]  
    members  
    [ ... ]  
    issues  
    [ ... ]  
    leaderId  
    [ ... ]  
}
```

```
ProjectMemberAddRequestDto {  
    addMemberId  
    [ ... ]  
}
```

```
MemberRoleUpdateRequestDto {  
    id  
    [ ... ]  
    role*  
    [ ... ]  
}
```

```
MemberDeleteRequestDto {  
    id  
    [ ... ]  
}
```

```
IssueUpdateRequestDto {  
    issueId*  
    [ ... ]  
    description  
    [ ... ]  
    status*  
    [ ... ]  
    priority*  
    [ ... ]  
    category  
    [ ... ]  
}
```

```
IssueStatusUpdateRequestDto {  
    issueId*  
    [ ... ]  
    status*  
    [ ... ]  
}
```

```
IssueAssignRequestDto {  
    issueId*  
    [ ... ]  
    assigneeId*  
    [ ... ]  
}
```

```
IssueDeleteRequestDto {  
    issueId*  
    [ ... ]  
}
```

```
CommentUpdateRequestDto {  
    commentId* [ ... ]  
    content [ ... ]  
}
```

```
CommentDeleteRequestDto {  
    commentId* [ ... ]  
}
```

```
ProjectCreateRequestDto {  
    name* [ ... ]  
    memberIds [ ... ]  
}
```

```
MemberSignUpRequestDto {  
    signId* [ ... ]  
    password* [ ... ]  
    name* [ ... ]  
    role* [ ... ]  
}
```

```
MemberSignInRequestDto {  
    signId* [ ... ]  
    password* [ ... ]  
}
```

```
IssueCreateRequestDto {  
    title* [ ... ]  
    description* [ ... ]  
    projectId [ ... ]  
    category [ ... ]  
}
```

```
CommentCreateRequestDto {  
    issueId* [ ... ]  
    content* [ ... ]  
}
```

```
IssueRecommendResponseDto {  
    issue_id [ ... ]  
    score [ ... ]  
}
```