# **Student Presentations**

#### **About**

This page documents the process of importing, cleaning, and visualizing the data about student presentation preferences. The page then goes on to show how student presenters and discussants were assigned to readings by date and student preference.

## Set up

We load some critical packages.

```
suppressPackageStartupMessages(library(ggplot2))
suppressPackageStartupMessages(library(dplyr))
suppressPackageStartupMessages(library(tidyr))
suppressPackageStartupMessages(library(googlesheets4))
```

## **Acquire**

We acquire the survey data from a Google sheet generated by the survey form, then save it as as CSV.

```
if (params$reimport) {
   if (!dir.exists(params$csv_dir)) {
      message("Creating missing `include/csv/`.")
      dir.create(params$csv_dir)
   }

   options(gargle_oauth_email = Sys.getenv("GMAIL_SURVEY"))
   googledrive::drive_auth()

   student_ratings <- read_sheet(
      "https://docs.google.com/spreadsheets/d/17kvNbyOj1SYjyasxgpo6vDZce1sL4lwqqeAbRCWJJEE/edir
) |>
      readr::write_csv(file.path(params$csv_dir, params$data_csv_fn))
}
```

#### Clean

We reimport the saved CSV file and clean it.

- [1] "Timestamp"
- [2] "Email Address"
- [3] "A: How robust is the evidence for Piaget's trajectories?"
- [4] "B: When does object permanence emerge?"
- [5] "C. How does changing the task inform on the underlying construct(s) about physical known
- [6] "D: Rich interpretation of group differences in infant looking-time paradigms: How rich
- [7] "E: How do developmental disorders inform our understanding of cognitive development?"
- [8] "F: The risks of generalization"
- [9] "G: A connectionist model to explain why infants seem so smart"
- [10] "H: Emergentism and variants of the A-not-B task"
- [11] "I: Does development gate input to prevent a \"blooming, buzzing confusion?\""
- [12] "J: How AI & robotics inform developmental science?"
- [13] "K: Imitation in cultural learning"
- [14] "L: Gesture"
- [15] "M: Learning from testimony"
- [16] "N: Naive psychology"
- [17] "O: Poverty is bad for cognition"
- [18] "P: Poverty can be adaptive for cognition"

We want to capture the "raw" or full question name and the short variable name in a data dictionary.

## **Visualize**

Let's look at ratings by topic to see if we have reasonable variation.

To do this, we need to incorporate the rating\_\* columns as row variables.

```
ratings_long <- ratings_clean |>
  tidyr::pivot_longer(cols = c(3:18), names_to = "topic", values_to = "rating")
```

Table 1: A minimal data dictionary.

```
ratings_qs <- names(ratings)
ratings_clean <- ratings |>
  dplyr::rename(
    timestamp = "Timestamp",
    email = "Email Address",
    piaget_traj = "A: How robust is the evidence for Piaget's trajectories?",
    obj_perm = "B: When does object permanence emerge?",
    core_knowl = "C. How does changing the task inform on the underlying construct(s) about
    rich_interp = "D: Rich interpretation of group differences in infant looking-time paradi
    dev_disorders = "E: How do developmental disorders inform our understanding of cognitive
    generalization = "F: The risks of generalization",
    connectionism = "G: A connectionist model to explain why infants seem so smart",
    a_not_b = "H: Emergentism and variants of the A-not-B task",
    gate_input = "I: Does development gate input to prevent a \"blooming, buzzing confusion?'
    ai robotics = "J: How AI & robotics inform developmental science?",
    imitation = "K: Imitation in cultural learning",
    gesture = "L: Gesture",
    testimony = "M: Learning from testimony",
    naive_psy = "N: Naive psychology",
    poverty_bad = "O: Poverty is bad for cognition",
    poverty_adaptive = "P: Poverty can be adaptive for cognition"
# Add a student index variable
ratings_clean <- ratings_clean |>
  mutate(student_i = 1:length(timestamp))
ratings_short <- names(ratings_clean)</pre>
# ratings_dd <- data.frame(qs = ratings_qs,</pre>
                                 qs_short = ratings_short
#
# ratings_dd |>
   knitr::kable(format = 'html')
# readr::write_csv(ratings_dd,
                   file = file.path(params$csv_dir,
#
                                     "ratings-data-dict.csv"))
```

```
ratings_long |>
  ggplot() +
  aes(x = rating) +
  geom_histogram() +
  facet_wrap(~ topic, nrow = 6, ncol = 3)
```

`stat\_bin()` using `bins = 30`. Pick better value with `binwidth`.





Figure 1

Let's also look to see if we have some variation by student. We assign an anonymous code to each student first.

```
ratings_long |>
  ggplot() +
  aes(x = rating) +
  geom_histogram() +
  facet_wrap(~ student_i, nrow = 6, ncol = 3)
```

`stat\_bin()` using `bins = 30`. Pick better value with `binwidth`.



## Assign

Let's work in order of the presentations, by date

## 2025-09-12

```
ratings_long |>
  filter(topic == "piaget_traj", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	student_i	topic	rating
2025-08-26 16:19:19	ars7656@psu.edu	2	piaget_traj	5
2025-08-27 22:49:30	mml5964@psu.edu	5	$piaget\_traj$	4
2025-08-29 09:22:04	1xd5406@psu.edu	9	$piaget\_traj$	3
2025-08-29 14:03:01	$\rm jzh6650@psu.edu$	12	$piaget\_traj$	5
2025-08-30 07:49:21	${ m zps}5262@{ m psu.edu}$	13	$piaget\_traj$	3

```
ratings_long |>
  filter(topic == "obj_perm", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	$student\_i$	topic	rating
2025-08-26 16:19:19	ars7656@psu.edu	2	obj_perm	5
2025-08-27 16:09:30	${\rm opb}5142@psu.edu$	4	$obj\_perm$	3
2025-08-27 22:49:30	mml5964@psu.edu	5	$obj\_perm$	5
2025-08-28 22:21:09	pxs5614@psu.edu	7	$obj\_perm$	3
2025-08-29 09:23:35	gks5496@psu.edu	10	$obj\_perm$	4
2025-08-29 14:03:01	jzh6650@psu.edu	12	$obj\_perm$	3
2025-08-30 07:49:21	${ m zps}5262@{ m psu.edu}$	13	$obj\_perm$	4

```
presenters <- data.frame(email = NA, date = NA, topic = NA, present_discuss = NA)
presenters[1, 'email'] <- "ars7656@psu.edu"</pre>
presenters[1, 'date'] <- "2025-09-12"</pre>
presenters[1, 'topic'] <- "piaget_traj"</pre>
presenters[1, 'present_discuss'] <- "present"</pre>
presenters[2, 'email'] <- "jzh6650@psu.edu"</pre>
presenters[2, 'date'] <- "2025-09-12"</pre>
presenters[2, 'topic'] <- "piaget_traj"</pre>
presenters[2, 'present_discuss'] <- "discuss"</pre>
presenters[3, 'email'] <- "mml5964@psu.edu"</pre>
presenters[3, 'date'] <- "2025-09-12"</pre>
presenters[3, 'topic'] <- "obj_perm"</pre>
presenters[3, 'present_discuss'] <- "present"</pre>
presenters[4, 'email'] <- "gks5496@psu.edu"</pre>
presenters[4, 'date'] <- "2025-09-12"</pre>
presenters[4, 'topic'] <- "obj_perm"</pre>
presenters[4, 'present discuss'] <- "discuss"</pre>
presenters
```

```
email date topic present_discuss
1 ars7656@psu.edu 2025-09-12 piaget_traj present
2 jzh6650@psu.edu 2025-09-12 piaget_traj discuss
3 mml5964@psu.edu 2025-09-12 obj_perm present
4 gks5496@psu.edu 2025-09-12 obj_perm discuss
```

#### 2025-09-26

```
ratings_long |>
  filter(topic == "core_knowl", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	student_i	topic	rating
2025-08-27 22:49:30	mml5964@psu.edu	5	core_knowl	3
2025-08-29 09:22:04	1xd5406@psu.edu	9	$core\_knowl$	3
2025-08-29 12:07:38	cfa5368@psu.edu	11	$core\_knowl$	4
2025-08-30 07:49:21	${ m zps}5262@{ m psu.edu}$	13	$core\_knowl$	3
2025-08-30 11:26:33	${\rm ckl}5780 {\rm @psu.edu}$	14	$core\_knowl$	3

```
ratings_long |>
  filter(topic == "rich_interp", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	student_i	topic	rating
2025-08-26 16:19:19	ars7656@psu.edu	2	rich_interp	4
2025-08-27 16:09:30	opb5142@psu.edu	4	$rich\_interp$	3
2025-08-27 22:49:30	mml5964@psu.edu	5	$rich\_interp$	5
2025-08-29 12:07:38	cfa5368@psu.edu	11	$rich\_interp$	3
2025-08-30 07:49:21	${\it zps5262@psu.edu}$	13	$rich\_interp$	4

```
presenters[5, 'email'] <- "cfa5368@psu.edu"
presenters[5, 'date'] <- "2025-09-26"
presenters[5, 'topic'] <- "core_knowl"
presenters[5, 'present_discuss'] <- "present"
presenters[6, 'email'] <- "yqk5318@psu.edu"
presenters[6, 'date'] <- "2025-09-26"
presenters[6, 'topic'] <- "core_knowl"
presenters[6, 'present_discuss'] <- "discuss"

presenters[7, 'email'] <- "zps5262@psu.edu"
presenters[7, 'date'] <- "2025-09-26"</pre>
```

```
presenters[7, 'topic'] <- "rich_interp"
presenters[7, 'present_discuss'] <- "present"
presenters[8, 'email'] <- "mml5964@psu.edu"
presenters[8, 'date'] <- "2025-09-26"
presenters[8, 'topic'] <- "rich_interp"
presenters[8, 'present_discuss'] <- "discuss"

presenters |>
    arrange(email, date, present_discuss) |>
    knitr::kable(format = 'html')
```

email	date	topic	present_discuss
ars7656@psu.edu	2025-09-12	piaget_traj	present
cfa5368@psu.edu	2025-09-26	$core\_knowl$	present
gks5496@psu.edu	2025-09-12	$obj\_perm$	discuss
jzh6650@psu.edu	2025-09-12	$piaget\_traj$	discuss
mml5964@psu.edu	2025-09-12	$obj\_perm$	present
mml5964@psu.edu	2025-09-26	$rich\_interp$	discuss
yqk5318@psu.edu	2025-09-26	$core\_knowl$	discuss
${\it zps5262@psu.edu}$	2025-09-26	$rich\_interp$	present

#### 2025-10-05

```
ratings_long |>
  filter(topic == "dev_disorders", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	student_i	topic	rating
2025-08-27 11:01:47	kab7845@psu.edu	3	dev_disorders	5
2025-08-27 16:09:30	${\rm opb}5142@psu.edu$	4	$dev\_disorders$	4
2025-08-28 09:35:18	lfh5527@psu.edu	6	$dev\_disorders$	4
2025-08-28 22:21:09	pxs5614@psu.edu	7	$dev\_disorders$	5
2025-08-29 09:22:04	1xd5406@psu.edu	9	$dev\_disorders$	4
2025-08-29 09:23:35	gks5496@psu.edu	10	$dev\_disorders$	4
2025-08-29 12:07:38	cfa5368@psu.edu	11	$dev\_disorders$	3
2025-08-29 14:03:01	jzh6650@psu.edu	12	$dev\_disorders$	4
2025-08-30 07:49:21	zps5262@psu.edu	13	dev disorders	4

timestamp	email	student_i	topic	rating
2025-08-30 11:26:33	ckl5780@psu.edu	14	dev_disorders	4

```
ratings_long |>
  filter(topic == "generalization", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	$student\_i$	topic	rating
2025-08-27 16:09:30	opb5142@psu.edu	4	generalization	4
2025-08-27 22:49:30	mml5964@psu.edu	5	generalization	3
2025-08-28 09:35:18	lfh5527@psu.edu	6	generalization	3
2025-08-28 22:21:09	pxs5614@psu.edu	7	generalization	3
2025-08-29 02:12:03	eoa5294@psu.edu	8	generalization	3
2025-08-29 09:22:04	1xd5406@psu.edu	9	generalization	4
2025-08-29 09:23:35	gks5496@psu.edu	10	generalization	4
2025-08-29 12:07:38	cfa5368@psu.edu	11	generalization	5
2025-08-29 14:03:01	jzh6650@psu.edu	12	generalization	4
2025-08-30 07:49:21	${\it zps5262}$ @psu.edu	13	generalization	3

Let's see who does not yet have an assignment.

```
presenters_assigned <- presenters$email |>
    unique()
all_students <- ratings_long$email |>
    unique()

not_assigned <- !(all_students %in% presenters_assigned)
all_students[not_assigned]</pre>
```

- [1] "nsb5522@psu.edu" "kab7845@psu.edu" "opb5142@psu.edu" "lfh5527@psu.edu"
- [5] "pxs5614@psu.edu" "eoa5294@psu.edu" "lxd5406@psu.edu" "ckl5780@psu.edu"

```
presenters[9, 'email'] <- "kab7845@psu.edu"
presenters[9, 'date'] <- "2025-10-05"
presenters[9, 'topic'] <- "dev_disorders"
presenters[9, 'present_discuss'] <- "present"
presenters[10, 'email'] <- "pxs5614@psu.edu"</pre>
```

```
presenters[10, 'date'] <- "2025-10-05"
presenters[10, 'topic'] <- "dev_disorders"
presenters[10, 'present_discuss'] <- "discuss"

presenters[11, 'email'] <- "cfa5368@psu.edu"
presenters[11, 'date'] <- "2025-10-05"
presenters[11, 'topic'] <- "generalization"
presenters[11, 'present_discuss'] <- "discuss"
presenters[12, 'email'] <- "opb5142@psu.edu"
presenters[12, 'date'] <- "2025-10-05"
presenters[12, 'topic'] <- "generalization"
presenters[12, 'topic'] <- "generalization"
presenters[12, 'present_discuss'] <- "present"

presenters |>
    arrange(email, date, present_discuss) |>
    knitr::kable(format = 'html')
```

email	date	topic	present_discuss
ars7656@psu.edu	2025-09-12	piaget_traj	present
cfa5368@psu.edu	2025-09-26	$core\_knowl$	present
cfa5368@psu.edu	2025 - 10 - 05	generalization	discuss
gks5496@psu.edu	2025-09-12	obj_perm	discuss
jzh6650@psu.edu	2025-09-12	piaget_traj	discuss
kab7845@psu.edu	2025-10-05	dev_disorders	present
mml5964@psu.edu	2025-09-12	obj_perm	present
mml5964@psu.edu	2025-09-26	rich_interp	discuss
opb5142@psu.edu	2025-10-05	generalization	present
pxs5614@psu.edu	2025-10-05	dev_disorders	discuss
yqk5318@psu.edu	2025-09-26	$core\_knowl$	discuss
zps5262@psu.edu	2025-09-26	$rich\_interp$	present

#### 2025-10-24

```
presenters_assigned <- presenters$email |>
  unique()
all_students <- ratings_long$email |>
  unique()
```

```
not_assigned <- !(all_students %in% presenters_assigned)
all_students[not_assigned]</pre>
```

- [1] "nsb5522@psu.edu" "lfh5527@psu.edu" "eoa5294@psu.edu" "lxd5406@psu.edu"
- [5] "ck15780@psu.edu"

```
ratings_long |>
  filter(topic == "connectionism", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	student_i	topic	rating
2025-08-26 16:11:24	nsb5522@psu.edu	1	connectionism	3
2025-08-26 16:19:19	ars7656@psu.edu	2	connection is m	4
2025-08-27 16:09:30	opb5142@psu.edu	4	connectionism	5
2025-08-27 22:49:30	mml5964@psu.edu	5	connection is m	5
2025-08-28 09:35:18	lfh5527@psu.edu	6	connection is m	3
2025-08-28 22:21:09	pxs5614@psu.edu	7	connection is m	4
2025-08-29 02:12:03	eoa5294@psu.edu	8	connection is m	3
2025-08-29 09:23:35	gks5496@psu.edu	10	connection is m	5
2025-08-30 07:49:21	${ m zps}5262@{ m psu.edu}$	13	connection is m	4
2025-08-30 11:26:33	ckl5780@psu.edu	14	$connection is \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	4

```
ratings_long |>
  filter(topic == "a_not_b", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	student_i	topic	rating
2025-08-26 16:11:24	nsb5522@psu.edu	1	a_not_b	4
2025-08-26 16:19:19	${ m ars}7656@{ m psu.edu}$	2	$a\_not\_b$	5
2025-08-29 09:22:04	1xd5406@psu.edu	9	$a\_not\_b$	3
2025-08-29 09:23:35	gks5496@psu.edu	10	$a\_not\_b$	4
2025-08-30 07:49:21	${ m zps}5262@{ m psu.edu}$	13	$a\_not\_b$	5

```
presenters[13, 'email'] <- "gks5496@psu.edu"</pre>
presenters[13, 'date'] <- "2025-10-24"</pre>
presenters[13, 'topic'] <- "connectionism"</pre>
presenters[13, 'present_discuss'] <- "present"</pre>
presenters[14, 'email'] <- "ckl5780@psu.edu"</pre>
presenters[14, 'date'] <- "2025-10-24"</pre>
presenters[14, 'topic'] <- "connectionism"</pre>
presenters[14, 'present_discuss'] <- "discuss"</pre>
presenters[15, 'email'] <- "nsb5522@psu.edu"</pre>
presenters[15, 'date'] <- "2025-10-24"</pre>
presenters[15, 'topic'] <- "a_not_b"</pre>
presenters[15, 'present_discuss'] <- "present"</pre>
presenters[16, 'email'] <- "zps5262@psu.edu"</pre>
presenters[16, 'date'] <- "2025-10-24"</pre>
presenters[16, 'topic'] <- "a_not_b"</pre>
presenters[16, 'present_discuss'] <- "discuss"</pre>
presenters |>
  arrange(email, date, present_discuss) |>
  knitr::kable(format = 'html')
```

email	date	topic	present_discuss
ars7656@psu.edu	2025-09-12	piaget_traj	present
cfa5368@psu.edu	2025-09-26	$core\_knowl$	present
cfa5368@psu.edu	2025 - 10 - 05	generalization	discuss
${\rm ckl}5780{\rm @psu.edu}$	2025-10-24	connectionism	discuss
gks5496@psu.edu	2025-09-12	$obj\_perm$	discuss
gks5496@psu.edu	2025-10-24	connectionism	present
jzh6650@psu.edu	2025-09-12	piaget_traj	discuss
kab7845@psu.edu	2025-10-05	$dev\_disorders$	present
mml5964@psu.edu	2025-09-12	$obj\_perm$	present
mml5964@psu.edu	2025-09-26	$rich\_interp$	discuss
nsb5522@psu.edu	2025-10-24	$a\_not\_b$	present
opb5142@psu.edu	2025-10-05	generalization	present
pxs5614@psu.edu	2025-10-05	$dev\_disorders$	discuss
yqk5318@psu.edu	2025-09-26	$core\_knowl$	discuss
${\it zps5262@psu.edu}$	2025-09-26	$rich\_interp$	present
${\it zps5262@psu.edu}$	2025-10-24	$a\_not\_b$	discuss

#### 2025-10-31

```
presenters_assigned <- presenters$email |>
    unique()
all_students <- ratings_long$email |>
    unique()

not_assigned <- !(all_students %in% presenters_assigned)
all_students[not_assigned]</pre>
```

[1] "lfh5527@psu.edu" "eoa5294@psu.edu" "lxd5406@psu.edu"

```
ratings_long |>
  filter(topic == "gate_input", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	$student\_i$	topic	rating
2025-08-26 16:19:19	ars7656@psu.edu	2	gate_input	3
2025-08-28 09:35:18	165527 $psu.edu$	6	$gate\_input$	3
2025-08-29 09:22:04	1xd5406@psu.edu	9	$gate\_input$	3
2025-08-29 12:07:38	cfa5368@psu.edu	11	$gate\_input$	3
2025-08-30 07:49:21	${ m zps}5262@{ m psu.edu}$	13	${\rm gate\_input}$	5

```
ratings_long |>
  filter(topic == "ai_robotics", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	$student\_i$	topic	rating
2025-08-28 09:35:18	lfh5527@psu.edu	6	ai_robotics	4
2025-08-28 22:21:09	pxs5614@psu.edu	7	ai_robotics	5
2025-08-29 09:22:04	1xd5406@psu.edu	9	ai_robotics	3
2025-08-29 12:07:38	cfa5368@psu.edu	11	ai_robotics	3
2025-08-29 14:03:01	$\rm jzh6650@psu.edu$	12	ai_robotics	4
2025-08-30 11:26:33	${\rm ckl}5780 {\rm @psu.edu}$	14	ai_robotics	3

```
presenters[17, 'email'] <- "lxd5406@psu.edu"</pre>
presenters[17, 'date'] <- "2025-10-31"</pre>
presenters[17, 'topic'] <- "gate_input"</pre>
presenters[17, 'present_discuss'] <- "present"</pre>
presenters[18, 'email'] <- "ars7656@psu.edu"</pre>
presenters[18, 'date'] <- "2025-10-31"</pre>
presenters[18, 'topic'] <- "gate_input"</pre>
presenters[18, 'present_discuss'] <- "discuss"</pre>
presenters[19, 'email'] <- "pxs5614@psu.edu"</pre>
presenters[19, 'date'] <- "2025-10-31"</pre>
presenters[19, 'topic'] <- "ai_robotics"</pre>
presenters[19, 'present_discuss'] <- "present"</pre>
presenters[20, 'email'] <- "lfh5527@psu.edu"</pre>
presenters[20, 'date'] <- "2025-10-31"</pre>
presenters[20, 'topic'] <- "ai_robotics"</pre>
presenters[20, 'present_discuss'] <- "discuss"</pre>
presenters |>
  arrange(email, date, present_discuss) |>
  knitr::kable(format = 'html')
```

email	date	topic	present_discuss
ars7656@psu.edu	2025-09-12	piaget_traj	present
${\rm ars}7656@{\rm psu.edu}$	2025 - 10 - 31	$gate\_input$	discuss
cfa5368@psu.edu	2025-09-26	$core\_knowl$	present
cfa5368@psu.edu	2025-10-05	generalization	discuss
ckl5780@psu.edu	2025 - 10 - 24	connectionism	discuss
gks5496@psu.edu	2025-09-12	$obj\_perm$	discuss
gks5496@psu.edu	2025 - 10 - 24	connectionism	present
jzh6650@psu.edu	2025-09-12	piaget_traj	discuss
kab7845@psu.edu	2025-10-05	$dev\_disorders$	present
lfh5527@psu.edu	2025-10-31	ai_robotics	discuss
1xd5406 psu.edu	2025-10-31	$gate\_input$	present
mml5964@psu.edu	2025-09-12	$obj\_perm$	present
mml5964@psu.edu	2025-09-26	$rich\_interp$	discuss
nsb5522@psu.edu	2025 - 10 - 24	$a\_not\_b$	present
opb5142@psu.edu	2025-10-05	generalization	present
pxs5614@psu.edu	2025-10-05	$dev\_disorders$	discuss
pxs5614@psu.edu	2025-10-31	ai_robotics	present
yqk5318@psu.edu	2025-09-26	$core\_knowl$	discuss

email	date	topic	present_discuss
zps5262@psu.edu	2025-09-26	rich_interp	present
zps5262@psu.edu	2025-10-24	a_not_b	discuss

#### 2025-11-14

```
presenters_assigned <- presenters$email |>
   unique()
all_students <- ratings_long$email |>
   unique()

not_assigned <- !(all_students %in% presenters_assigned)
all_students[not_assigned]</pre>
```

## [1] "eoa5294@psu.edu"

```
ratings_long |>
  filter(topic == "imitation", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	$student\_i$	topic	rating
2025-08-26 16:11:24	nsb5522@psu.edu	1	imitation	3
2025-08-27 11:01:47	kab7845@psu.edu	3	imitation	3
2025-08-27 16:09:30	opb5142@psu.edu	4	imitation	3
2025-08-28 09:35:18	lfh5527@psu.edu	6	imitation	5
2025-08-28 22:21:09	pxs5614@psu.edu	7	imitation	5
2025-08-29 02:12:03	eoa5294@psu.edu	8	imitation	5
2025-08-29 09:22:04	1xd5406@psu.edu	9	imitation	3
2025-08-29 09:23:35	gks5496@psu.edu	10	imitation	3
2025-08-29 12:07:38	cfa5368@psu.edu	11	imitation	5
2025-08-29 14:03:01	jzh6650@psu.edu	12	imitation	5
2025-08-30 07:49:21	zps5262@psu.edu	13	imitation	3

```
ratings_long |>
  filter(topic == "gesture", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	$student\_i$	topic	rating
2025-08-26 16:19:19	ars7656@psu.edu	2	gesture	4
2025-08-27 11:01:47	kab7845@psu.edu	3	gesture	5
2025-08-28 09:35:18	lfh5527@psu.edu	6	gesture	3
2025-08-28 22:21:09	pxs5614@psu.edu	7	gesture	4
2025-08-29 02:12:03	eoa5294@psu.edu	8	gesture	3
2025-08-29 09:22:04	1xd5406@psu.edu	9	gesture	3
2025-08-29 09:23:35	gks5496@psu.edu	10	gesture	4
2025-08-29 14:03:01	jzh6650@psu.edu	12	gesture	5

```
presenters[21, 'email'] <- "lfh5527@psu.edu"</pre>
presenters[21, 'date'] <- "2025-11-14"</pre>
presenters[21, 'topic'] <- "imitation"</pre>
presenters[21, 'present_discuss'] <- "present"</pre>
presenters[22, 'email'] <- "eoa5294@psu.edu"</pre>
presenters[22, 'date'] <- "2025-11-14"</pre>
presenters[22, 'topic'] <- "imitation"</pre>
presenters[22, 'present_discuss'] <- "discuss"</pre>
presenters[23, 'email'] <- "jzh6650@psu.edu"</pre>
presenters[23, 'date'] <- "2025-11-14"</pre>
presenters[23, 'topic'] <- "gesture"</pre>
presenters[23, 'present_discuss'] <- "present"</pre>
presenters[24, 'email'] <- "kab7845@psu.edu"</pre>
presenters[24, 'date'] <- "2025-11-14"</pre>
presenters[24, 'topic'] <- "gesture"</pre>
presenters[24, 'present_discuss'] <- "discuss"</pre>
presenters |>
  arrange(email, date, present_discuss) |>
  knitr::kable(format = 'html')
```

email	date	topic	present_discuss
ars7656@psu.edu	2025-09-12	piaget trai	present

email	date	topic	present_discuss
ars7656@psu.edu	2025-10-31	gate_input	discuss
cfa5368@psu.edu	2025-09-26	$core\_knowl$	present
cfa5368@psu.edu	2025-10-05	generalization	discuss
${\rm ckl}5780{\rm @psu.edu}$	2025-10-24	connectionism	discuss
eoa5294@psu.edu	2025-11-14	imitation	discuss
gks5496@psu.edu	2025-09-12	$obj\_perm$	discuss
gks5496@psu.edu	2025-10-24	connectionism	present
jzh6650@psu.edu	2025-09-12	piaget_traj	discuss
jzh6650@psu.edu	2025-11-14	gesture	present
kab7845@psu.edu	2025-10-05	$dev\_disorders$	present
kab7845@psu.edu	2025-11-14	gesture	discuss
16h5527 $psu.edu$	2025-10-31	ai_robotics	discuss
16h5527 $psu.edu$	2025-11-14	imitation	present
lxd5406@psu.edu	2025 - 10 - 31	$gate\_input$	present
mml5964@psu.edu	2025-09-12	$obj\_perm$	present
mml5964@psu.edu	2025-09-26	$rich\_interp$	discuss
nsb5522@psu.edu	2025-10-24	$a\_not\_b$	present
opb5142@psu.edu	2025-10-05	generalization	present
pxs5614@psu.edu	2025-10-05	$dev\_disorders$	discuss
pxs5614@psu.edu	2025-10-31	ai_robotics	present
yqk5318@psu.edu	2025-09-26	$core\_knowl$	discuss
${\it zps5262@psu.edu}$	2025-09-26	$rich\_interp$	present
zps5262@psu.edu	2025-10-24	a_not_b	discuss

#### 2025-11-21

```
presenters_assigned <- presenters$email |>
    unique()
all_students <- ratings_long$email |>
    unique()

not_assigned <- !(all_students %in% presenters_assigned)
all_students[not_assigned]</pre>
```

character(0)

```
ratings_long |>
  filter(topic == "testimony", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	$student\_i$	topic	rating
2025-08-27 11:01:47	kab7845@psu.edu	3	testimony	3
2025-08-28 09:35:18	165527 psu.edu	6	testimony	3
2025-08-28 22:21:09	pxs5614@psu.edu	7	testimony	3
2025-08-29 02:12:03	eoa5294@psu.edu	8	testimony	3
2025-08-29 09:22:04	1xd5406@psu.edu	9	testimony	4
2025-08-29 14:03:01	$\rm jzh6650@psu.edu$	12	testimony	3
2025-08-30 11:26:33	ckl5780@psu.edu	14	testimony	3

```
presenters[25, 'email'] <- "eoa5294@psu.edu"
presenters[25, 'date'] <- "2025-11-21"
presenters[25, 'topic'] <- "testimony"
presenters[25, 'present_discuss'] <- "present"
presenters[26, 'email'] <- "lxd5406@psu.edu"
presenters[26, 'date'] <- "2025-11-21"
presenters[26, 'topic'] <- "testimony"
presenters[26, 'present_discuss'] <- "discuss"

presenters |>
    arrange(email, date, present_discuss) |>
    knitr::kable(format = 'html')
```

email	date	topic	present_discuss
ars7656@psu.edu	2025-09-12	piaget_traj	present
ars7656@psu.edu	2025-10-31	gate_input	discuss
cfa5368@psu.edu	2025-09-26	core_knowl	present
cfa5368@psu.edu	2025-10-05	generalization	discuss
ckl5780@psu.edu	2025-10-24	connectionism	discuss
eoa5294@psu.edu	2025-11-14	imitation	discuss
eoa5294@psu.edu	2025 - 11 - 21	testimony	present
gks5496@psu.edu	2025-09-12	obj_perm	discuss
gks5496@psu.edu	2025-10-24	connectionism	present
jzh6650@psu.edu	2025-09-12	piaget_traj	discuss
$\rm jzh6650@psu.edu$	2025-11-14	gesture	present

email	date	topic	present_discuss
kab7845@psu.edu	2025-10-05	dev_disorders	present
kab7845@psu.edu	2025-11-14	gesture	discuss
lfh5527@psu.edu	2025 - 10 - 31	ai_robotics	discuss
16h5527 psu.edu	2025-11-14	imitation	present
1xd5406 psu.edu	2025-10-31	$gate\_input$	present
1xd5406 psu.edu	2025 - 11 - 21	testimony	discuss
mml5964@psu.edu	2025-09-12	$obj\_perm$	present
mml5964@psu.edu	2025-09-26	$rich\_interp$	discuss
nsb5522@psu.edu	2025-10-24	$a\_not\_b$	present
opb5142@psu.edu	2025-10-05	generalization	present
pxs5614@psu.edu	2025-10-05	$dev\_disorders$	discuss
pxs5614@psu.edu	2025-10-31	ai_robotics	present
yqk5318@psu.edu	2025-09-26	$core\_knowl$	discuss
${\it zps5262@psu.edu}$	2025-09-26	$rich\_interp$	present
zps5262@psu.edu	2025-10-24	a_not_b	discuss

#### 2025-12-05

```
presenters |>
  group_by(email) |>
  summarize(n_sched = n()) |>
  filter(n_sched < 2) |>
  knitr::kable(format = 'html')
```

email	n_sched
ckl5780@psu.edu	1
nsb5522@psu.edu	1
opb5142@psu.edu	1
yqk5318@psu.edu	1

```
presenters_assigned <- presenters$email |>
    unique()
all_students <- ratings_long$email |>
    unique()

not_assigned <- !(all_students %in% presenters_assigned)
all_students[not_assigned]</pre>
```

#### character(0)

```
ratings_long |>
  filter(topic == "naive_psy", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	$student\_i$	topic	rating
2025-08-27 11:01:47	kab7845@psu.edu	3	naive_psy	4
2025-08-28 09:35:18	lfh5527@psu.edu	6	$naive\_psy$	3
2025-08-28 22:21:09	pxs5614@psu.edu	7	$naive\_psy$	3
2025-08-29 09:22:04	1xd5406@psu.edu	9	$naive\_psy$	4
2025-08-29 14:03:01	$\rm jzh6650@psu.edu$	12	$naive\_psy$	3

```
presenters[27, 'email'] <- "TBD"
presenters[27, 'date'] <- "2025-12-05"
presenters[27, 'topic'] <- "naive_psy"
presenters[27, 'present_discuss'] <- "present"
presenters[28, 'email'] <- "TBD"
presenters[28, 'date'] <- "2025-12-05"
presenters[28, 'topic'] <- "naive_psy"
presenters[28, 'present_discuss'] <- "discuss"

presenters [> arrange(email, date, present_discuss) |> knitr::kable(format = 'html')
```

email	date	topic	present_discuss
TBD	2025-12-05	naive_psy	discuss
TBD	2025-12-05	$naive\_psy$	present
${ m ars}7656@{ m psu.edu}$	2025-09-12	$piaget\_traj$	present
ars 7656@psu.edu	2025 - 10 - 31	$gate\_input$	discuss
cfa5368@psu.edu	2025-09-26	$core\_knowl$	present
cfa5368@psu.edu	2025-10-05	generalization	discuss
${\rm ckl}5780{\rm @psu.edu}$	2025-10-24	connection is m	discuss
eoa5294@psu.edu	2025-11-14	imitation	discuss
eoa 5294 @psu.edu	2025 - 11 - 21	testimony	present
${\rm gks} 5496 @ {\rm psu.edu}$	2025-09-12	$obj\_perm$	discuss

email	date	topic	present_discuss
gks5496@psu.edu	2025-10-24	connectionism	present
jzh6650@psu.edu	2025-09-12	piaget_traj	discuss
jzh6650@psu.edu	2025-11-14	gesture	present
kab7845@psu.edu	2025-10-05	$dev\_disorders$	present
kab7845@psu.edu	2025-11-14	gesture	discuss
165527 psu.edu	2025-10-31	ai_robotics	discuss
16h5527 psu.edu	2025-11-14	imitation	present
1xd5406@psu.edu	2025-10-31	$gate\_input$	present
1xd5406 psu.edu	2025 - 11 - 21	testimony	discuss
mml5964@psu.edu	2025-09-12	$obj\_perm$	present
mml5964@psu.edu	2025-09-26	$rich\_interp$	discuss
nsb5522@psu.edu	2025-10-24	$a\_not\_b$	present
opb5142@psu.edu	2025-10-05	generalization	present
pxs5614@psu.edu	2025-10-05	$dev\_disorders$	discuss
pxs5614@psu.edu	2025-10-31	ai_robotics	present
yqk5318@psu.edu	2025-09-26	$core\_knowl$	discuss
${\it zps5262@psu.edu}$	2025-09-26	$rich\_interp$	present
zps5262@psu.edu	2025-10-24	a_not_b	discuss

## 2025-12-12

```
ratings_long |>
  filter(topic == "poverty_bad", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	student_i	topic	rating
2025-08-26 16:11:24	nsb5522@psu.edu	1	poverty_bad	5
2025-08-27 11:01:47	kab7845@psu.edu	3	poverty_bad	4
2025-08-27 16:09:30	${ m opb5142@psu.edu}$	4	poverty_bad	5
2025-08-27 22:49:30	mml5964@psu.edu	5	poverty_bad	5
2025-08-28 09:35:18	lfh5527@psu.edu	6	poverty_bad	3
2025-08-28 22:21:09	pxs5614@psu.edu	7	poverty_bad	3
2025-08-29 09:22:04	1xd5406@psu.edu	9	poverty_bad	4
2025-08-29 12:07:38	cfa5368@psu.edu	11	poverty_bad	5
2025-08-29 14:03:01	$\rm jzh6650@psu.edu$	12	poverty_bad	5
2025-08-30 07:49:21	${\it zps5262@psu.edu}$	13	poverty_bad	3
2025-08-30 11:26:33	${\rm ckl}5780{\rm @psu.edu}$	14	poverty_bad	5

timestamp	email	student_i	topic	rating
2025-08-31 14:28:19	yqk5318@psu.edu	15	poverty_bad	5

```
ratings_long |>
  filter(topic == "poverty_adaptive", rating >= 3) |>
  arrange(timestamp) |>
  knitr::kable(format = 'html')
```

timestamp	email	$student\_i$	topic	rating
2025-08-26 16:11:24	nsb5522@psu.edu	1	poverty_adaptive	5
2025-08-27 11:01:47	kab7845@psu.edu	3	poverty_adaptive	4
2025-08-27 16:09:30	opb5142@psu.edu	4	poverty_adaptive	5
2025-08-27 22:49:30	mml5964@psu.edu	5	poverty_adaptive	5
2025-08-28 09:35:18	lfh5527@psu.edu	6	poverty_adaptive	4
2025-08-29 09:22:04	1xd5406@psu.edu	9	poverty_adaptive	4
2025-08-29 12:07:38	cfa5368@psu.edu	11	poverty_adaptive	4
2025-08-29 14:03:01	$\rm jzh6650@psu.edu$	12	poverty_adaptive	4
2025-08-30 11:26:33	${\rm ckl}5780 {\rm @psu.edu}$	14	poverty_adaptive	5
2025-08-31 14:28:19	yqk5318@psu.edu	15	poverty_adaptive	5

```
presenters[29, 'email'] <- "yqk5318@psu.edu"</pre>
presenters[29, 'date'] <- "2025-12-12"</pre>
presenters[29, 'topic'] <- "poverty_bad"</pre>
presenters[29, 'present_discuss'] <- "present"</pre>
presenters[30, 'email'] <- "opb5142@psu.edu"</pre>
presenters[30, 'date'] <- "2025-12-12"</pre>
presenters[30, 'topic'] <- "poverty_bad"</pre>
presenters[30, 'present_discuss'] <- "discuss"</pre>
presenters[31, 'email'] <- "ckl5780@psu.edu"</pre>
presenters[31, 'date'] <- "2025-12-12"</pre>
presenters[31, 'topic'] <- "poverty_adaptive"</pre>
presenters[31, 'present_discuss'] <- "present"</pre>
presenters[32, 'email'] <- "nsb5522@psu.edu"</pre>
presenters[32, 'date'] <- "2025-12-12"</pre>
presenters[32, 'topic'] <- "poverty_adaptive"</pre>
presenters[32, 'present_discuss'] <- "discuss"</pre>
```

#### **Fixes**

Assign jjf6412 to 2025-12-05 role.

```
presenters[27, 'email'] <- "jjf6412@psu.edu"
presenters[27, 'date'] <- "2025-12-05"
presenters[27, 'topic'] <- "naive_psy"
presenters[27, 'present_discuss'] <- "present"
presenters[28, 'email'] <- "TBD"
presenters[28, 'date'] <- "2025-12-05"
presenters[28, 'topic'] <- "naive_psy"
presenters[28, 'present_discuss'] <- "discuss"</pre>
```

## By student

```
presenters |>
  arrange(email, date) |>
  knitr::kable(format = 'html')
```

email	date	topic	present_discuss
TBD	2025-12-05	naive_psy	discuss
${ m ars}7656@{ m psu.edu}$	2025-09-12	$piaget\_traj$	present
${ m ars}7656@{ m psu.edu}$	2025 - 10 - 31	$gate\_input$	discuss
cfa5368@psu.edu	2025-09-26	$core\_knowl$	present
cfa5368@psu.edu	2025-10-05	generalization	discuss
${\rm ckl}5780{\rm @psu.edu}$	2025 - 10 - 24	connectionism	discuss
${\rm ckl}5780{\rm @psu.edu}$	2025-12-12	poverty_adaptive	present
eoa5294@psu.edu	2025 - 11 - 14	imitation	discuss
eoa5294@psu.edu	2025 - 11 - 21	testimony	present
gks5496@psu.edu	2025-09-12	$obj\_perm$	discuss
gks5496@psu.edu	2025-10-24	connectionism	present
jjf6412@psu.edu	2025 - 12 - 05	naive_psy	present
jzh6650@psu.edu	2025-09-12	piaget_traj	discuss
jzh6650@psu.edu	2025-11-14	gesture	present
kab7845@psu.edu	2025-10-05	$dev\_disorders$	present
kab7845@psu.edu	2025 - 11 - 14	gesture	discuss
lfh5527@psu.edu	2025 - 10 - 31	ai_robotics	discuss
lfh5527@psu.edu	2025 - 11 - 14	imitation	present
1xd5406@psu.edu	2025 - 10 - 31	gate_input	present

email	date	topic	present_discuss
lxd5406@psu.edu	2025-11-21	testimony	discuss
mml5964@psu.edu	2025-09-12	obj_perm	present
mml5964@psu.edu	2025-09-26	rich_interp	discuss
nsb5522@psu.edu	2025-10-24	a_not_b	present
nsb5522@psu.edu	2025-12-12	poverty_adaptive	discuss
opb5142@psu.edu	2025-10-05	generalization	present
opb5142@psu.edu	2025-12-12	poverty_bad	discuss
pxs5614@psu.edu	2025-10-05	dev_disorders	discuss
pxs5614@psu.edu	2025-10-31	ai robotics	present
yqk5318@psu.edu	2025-09-26	core knowl	discuss
yqk5318@psu.edu	2025-12-12	poverty bad	present
zps5262@psu.edu	2025-09-26	rich_interp	present
zps5262@psu.edu	2025-10-24	a_not_b	discuss

## By date and topic

```
presenters |>
  arrange(date, topic) |>
  select(date, topic, email, present_discuss) |>
  knitr::kable(format = 'html')
```

date	topic	email	present_discuss
2025-09-12	obj_perm	mml5964@psu.edu	present
2025-09-12	$obj\_perm$	gks5496@psu.edu	discuss
2025-09-12	piaget_traj	${ m ars}7656@{ m psu.edu}$	present
2025-09-12	piaget_traj	$\rm jzh6650@psu.edu$	discuss
2025-09-26	$core\_knowl$	cfa5368@psu.edu	present
2025-09-26	$core\_knowl$	yqk5318@psu.edu	discuss
2025-09-26	$rich\_interp$	${ m zps}5262@{ m psu.edu}$	present
2025-09-26	$rich\_interp$	${ m mml} 5964 @ { m psu.edu}$	discuss
2025-10-05	$dev\_disorders$	kab7845@psu.edu	present
2025-10-05	$dev\_disorders$	pxs5614@psu.edu	discuss
2025-10-05	generalization	cfa5368@psu.edu	discuss
2025-10-05	generalization	opb5142@psu.edu	present
2025-10-24	$a\_not\_b$	${\rm nsb}5522@{ m psu.edu}$	present
2025-10-24	$a\_not\_b$	${\it zps5262@psu.edu}$	discuss
2025-10-24	connection is m	gks5496@psu.edu	present
2025-10-24	connection is m	${\rm ckl}5780 {\rm @psu.edu}$	discuss

date	topic	email	present_discuss
2025-10-31	ai_robotics	pxs5614@psu.edu	present
2025 - 10 - 31	ai_robotics	lfh5527@psu.edu	discuss
2025 - 10 - 31	gate_input	1xd5406@psu.edu	present
2025 - 10 - 31	gate_input	${ m ars}7656@{ m psu.edu}$	discuss
2025-11-14	gesture	jzh6650@psu.edu	present
2025 - 11 - 14	gesture	kab7845@psu.edu	discuss
2025 - 11 - 14	imitation	lfh5527@psu.edu	present
2025 - 11 - 14	imitation	eoa5294@psu.edu	discuss
2025 - 11 - 21	testimony	eoa5294@psu.edu	present
2025 - 11 - 21	testimony	1xd5406@psu.edu	discuss
2025-12-05	naive_psy	jjf6412@psu.edu	present
2025-12-05	naive_psy	TBD	discuss
2025-12-12	poverty_adaptive	${\rm ckl}5780{\rm @psu.edu}$	present
2025-12-12	poverty_adaptive	${ m nsb5522@psu.edu}$	discuss
2025-12-12	poverty_bad	yqk5318@psu.edu	present
2025-12-12	poverty_bad	opb5142@psu.edu	discuss

## QA check

How many students?

```
presenters$email |> unique() |> length()
```

[1] 17

How many topics?

```
presenters$topic |> unique() |> length()
```

[1] 16

How many presenters?

```
presenters |>
  filter(present_discuss == "present") |>
  select(email) |>
  unique() |>
  dim()
```

## [1] 16 1

How many discussants?

```
presenters |>
  filter(present_discuss == "discuss") |>
  select(email) |>
  unique() |>
  dim()
```

## [1] 16 1

How many speaking opportunities per student?

```
presenters |>
  group_by(email) |>
  summarize(n_sched = n()) |>
  arrange(desc(n_sched)) |>
  knitr::kable(format = 'html')
```

email	n_	sched
ars7656@psu.edu		2
cfa5368@psu.edu		2
${\rm ckl}5780{\rm @psu.edu}$		2
eoa5294@psu.edu		2
gks5496@psu.edu		2
jzh6650@psu.edu		2
kab7845@psu.edu		2
165527 psu.edu		2
1xd5406@psu.edu		2
mml5964@psu.edu		2
nsb5522@psu.edu		2
opb5142@psu.edu		2
pxs5614@psu.edu		2
yqk5318@psu.edu		2
${ m zps}5262@{ m psu.edu}$		2
TBD		1
$\rm jjf6412@psu.edu$		1