


Exercise 07

Making figures with Python

Santa Claus

 Work in progress

This page is under construction.
It may change before the assignment is released to class.

Dates

We'll work on this exercise in-class on Thursday, April 10, 2025.

The write-up is due on Thursday, April 17, 2025.

Goals

1. Create some simple figures in Python using the Pandas library.
2. Gain an appreciation of the costs and benefits of scripting the generation of figures.

Assignment

Set-up

For reasons not especially worth explaining here, we have to use R to configure Python for making figures.

```
library(reticulate)
use_virtualenv("myenv", required = TRUE)
```

Python calls groups of functions *libraries*. These are analogous to *packages* in R.

```
import numpy as np
import matplotlib.pyplot as plt
import pandas as pd
```

i Note

In Python, we use the `import` command.

We create ‘nicknames’ for the packages so that we can refer to them using an easy-to-type shorthand. The nicknames are the short names: ... `import pandas as pd`, means import the ‘pandas’ library and give it the shortname of ‘pd’.

NSFG data

Gather

We’ll make plots of some of NSFG data we discussed in class on [2025-04-01](#).

i Note

The data file has been saved under `../include/csv/`

The `pandas` library (shortname in our code `pd`) handles the creation and manipulation of data frames. That includes importing comma-separated value (CSV) files.

```
nsfg = pd.read_csv('../include/csv/NSFG_2022_2023_FemPregPUFData.csv')
```

We confirm that this worked by checking the data types in `nsfg`:

```
nsfg.dtypes
```

```
CaseID          int64
PREGORDR        int64
FTFMODE         int64
BORNALIV        float64
RECNT5YRPRG     float64
...
CMJAN3YR        int64
CMJAN4YR        int64
CMJAN5YR        int64
YEAR            int64
```

```
QUARTER          int64
Length: 111, dtype: object
```

This is similar to running the `str()` function on an R data frame.

! Python methods

Objects in Python have specialized functions that can be used with them using a simple ‘dot’ syntax. So `nsfg.dtypes` means ‘run the data types function on the nsfg data frame.’ These specialized functions are called ‘methods.’

```
nsfg.shape
```

```
(8247, 111)
```

The `shape` method is similar to the `dim()` function in R. What do the two numbers mean?


Plot

Since we used the `pandas` library to import our data frame, we can use one of the built-in methods that apply to data frames to plot a histogram. Here, we create a histogram by calling the `hist()` method on the `nsfg` data frame and by specifying the column `AGER`, the age of the responding participant.

```
nsfg.hist(column = "AGER")
```

```
array([[<Axes: title={'center': 'AGER'}>]], dtype=object)
```

```
plt.show()
```




Your turn 1

Now, let's customize the plot by changing some parameters in the `hist()` method. Add change the number of bins to some larger number like 20, 25, or 30 (the default is 10), by changing `LARGE_NUMBER` to a different number.

```
LARGE_NUMBER = 35
nsfg.hist(column = "AGER", bins = LARGE_NUMBER)
```

```
array([[<Axes: title={'center': 'AGER'}>]], dtype=object)
```

```
plt.show()
```




Your turn 2

Now, try a smaller value, less than 10. Change the code below to try this.

```
SMALLER_NUMBER = 5  
nsfg.hist(column = "AGER", bins = SMALLER_NUMBER)
```

```
array([[<Axes: title={'center': 'AGER'}>]], dtype=object)
```

```
plt.show()
```



What do you notice?


Your turn 3

Let's look at the histograms by RELIGION, like we did in class on [2025-04-01](#).

```
nsfg.hist(column = 'AGER', by = 'RELIGION')
```

```
array([[<Axes: title={'center': '1'}>, <Axes: title={'center': '2'}>],  
       [<Axes: title={'center': '3'}>, <Axes: title={'center': '4'}>]],  
      dtype=object)
```

```
plt.show()
```



Modify the code below to create a set of histograms by some *other* variable that you choose (change `VARIABLE_YOU_CHOOSE` in the code below.) Make sure to look at the [codebook](#) to make sure that the variable you choose makes sense.


⚠ Warning

Make sure to put the variable you choose in quotations.

```
VARIABLE_YOU_CHOOSE = 'BABYSEX'
nsfg.hist(column = 'AGER', by = VARIABLE_YOU_CHOOSE)
```

```
array([[<Axes: title={'center': '1.0'}>, <Axes: title={'center': '2.0'}>],
      [<Axes: title={'center': '8.0'}>, <Axes: title={'center': '9.0'}>]],
      dtype=object)
```

```
plt.show()
```




Your turn 4

Finally, experiment with changing some of the default parameters like `grid` (values can be `True` or `False`), `xrot` (rotation of x axis labels) or `yrot` (rotation of y axis labels).

```
MY_XROT = 0
nsfg.hist(column = 'AGER', by = 'RELIGION', xrot = MY_XROT)
```

```
array([[<Axes: title={'center': '1'}>, <Axes: title={'center': '2'}>],
      [<Axes: title={'center': '3'}>, <Axes: title={'center': '4'}>]],
      dtype=object)
```

```
plt.show()
```

What do the numbers for age represent? Consult the [codebook](#) for clues.

Your turn 5

Finally, try to modify the code below to make a plot focusing on variables of your own choosing.

! Important

You'll need to edit `plottype`, `MAIN_VARIABLE`, and possibly `by = RELIGION`. You will also need to change `eval: false` to `eval: true` to *evaluate* the code and generate the figure.

```
nsfg.plottype(MAIN_VARIABLE, by = 'RELIGION')
plt.show()
```

Submit

1. The code you wrote in following the steps above.
2. The results of running your code.
3. Answers to the questions about the figures and comments about what you observed.