Recall that a **relation** R on a set X is a subset of the product set  $X \times X$ . If two elements are related by R, one writes xRy to mean that  $(x,y) \in R$ . We now give an example of some relations on a set that endow that set with the structure of a category.

**Example 1.1.4** (Posets and Preorders). A **preordered set** is a set X along with a relation  $\leq$  that satisfies the following two axioms:

- **Reflexivity**  $x \le x$  for all  $x \in X$
- Transitivity  $x \le y$  and  $y \le z$  implies  $x \le z$

A **partially ordered set**, or **poset** for short, is a preordered set that additionally satisfies the following third axiom:

• Anti-Symmetry —  $x \le y$  and  $y \le x$  implies x = y

Any preordered set  $(X, \leq)$  defines a category by letting the objects be the elements of X and by declaring each hom set  $\mathsf{Hom}(x,y)$  to either have a unique morphism if  $x \leq y$  or to be empty if  $x \nleq y$ .

We now reach an example of fundamental importance.

**Example 1.1.5.** The **open set category** associated to a topological space X, denoted  $\mathbf{Open}(X)$ , has as objects the open sets of X and a unique morphism  $U \to V$  for each pair related by inclusion  $U \subseteq V$ .

The above examples of categories are quite small when compared to the categories that Eilenberg and Mac Lane first introduced. The categories considered there correspond to **data types** and we will usually refer to them with the letter  $\mathcal{D}$ . For this paper  $\mathcal{D}$  will usually mean one of the following:

- Set the category whose objects are sets and whose morphisms are all set maps (multi-valued maps are prohibited as are partially defined maps)
- Ab the category whose objects are abelian groups and whose morphisms are group homomorphisms
- Vect the category whose objects are vector spaces and whose morphisms are linear transformations
- vect the category whose objects are finite-dimensional vector spaces and linear transformations
- **Top** the category whose objects are topological spaces and whose morphisms are continuous maps