# LINEAR SUPERPOSITION AS A CORE THEOREM OF QUANTUM EMPIRICISM

#### Yurii V. Brezhnev

ABSTRACT. Clarifying the nature of the quantum state  $|\Psi\rangle$  is at the root of the problems with insight into (counterintuitive) quantum postulates. We provide a direct—and math-axiom free—empirical derivation of this object as an element of a vector space. Establishing the linearity of this structure—quantum superposition—is based on a set-theoretic creation of ensemble formations and invokes the following three principia: (I) quantum statics, (II) doctrine of a number in the physical theory, and (III) mathematization of matching the two observations with each other; quantum invariance.

All of the constructs rest upon a formalization of the minimal experimental entity: observed micro-event, detector click. This is sufficient for producing the C-numbers, axioms of linear vector space (superposition principle), statistical mixtures of states, eigenstates and their spectra, and non-commutativity of observables. No use is required of the concept of time. As a result, the foundations of theory are liberated to a significant extent from the issues associated with physical interpretations, philosophical exegeses, and mathematical reconstruction of the entire quantum edifice.

### Contents

1 Introduction			2
		On foundations of quantum theory	
		Formula of superposition	
	1.3	Physics ≠ mathematics. Doctrine of numbers	5
2	Points	of departure	7
	2.1	Variations as micro-level transitions	7
	2.2	Observation	10
	2.3	Numeric realizations	11
	2.4	Macro and micro	12
	2.5	Quantum ensembles and statistics	14
	2.6	Distinguishability and numbers	15
3	Ensem	ble formations	16
	3.1	Mixtures of ensembles	16
	3.2	Ensemble brace	18
4 Why domain $\mathbb{C}$ comes into being?		$\operatorname{lomain} \mathbb{C} $ comes into being?	18
	4.1	Continuum of quantum phases	19
	4.2	Statistics + phases	21
5	Empir	icism and mathematics	23
	5.1	Union of ensembles	23
	5.2	Semigroup	25
	5.3	Measurement	27
	5.4	Invariance with respect to observations	27
		Semantic closedness and the equal sign =	28

6	Quant	um superposition	30	
	6.1	Representations of states	30	
	6.2	Representations of devices. Spectra	31	
	6.3	Superposition of states	33	
		'Physics' of superposition		
		Whence non-commutativity?	35	
	6.4	Physical properties	36	
	6.5	Interference	37	
		Detector micro-events	38	
7	Numb	<u>ers</u>	40	
	7.1	Replications of ensembles	40	
	7.2	Number as an operator	41	
	7.3	QM and arithmetic	42	
		2-dimensional numbers		
	7.5	Involutions and $\tilde{\mathbb{C}}^*$ -algebra	46	
	7.6	Naturalness of $\mathbb{C}$ -numbers	48	
		Topologies on numbers	49	
8	State s	space	49	
	8.1	Linear vector space	49	
		Bases, countability, and infinities		
	8.3	The theorem	52	
9	Numb	ers, minus, and equality, revisited	55	
	9.1	Separation of the number matters	55	
	9.2	Operations on numbers	56	
		Naturalness of abstracta		
10	About	interpretations	58	
	10.1	States and measurement	58	
	10.2	Interpretations and self-referentiality	61	
11	Closin	g remarks	62	
		'Math-assembler' and philosophy		
	11.2	Well, where's probability?	64	
Acl	knowled	lgments	65	
Ref	References 6			

## 1. Introduction

 $\begin{array}{c} \dots \text{ somewhat curious that, even after} \\ \text{nearly a full century, physicists still do not} \\ \text{quite agree on what the theory tells us} \dots \\ \text{G. 'T HOOFT [70, p. 5]} \end{array}$ 

It is almost a crying shame that we are nowhere close to that with quantum mechanics, given that it is over 70 years old now C. Fuchs [56, p. 32]

The contradiction between fundamental nature of quantum theory and phenomenological feature of its mathematics [104] is likely to never cease instigating the attempts to overcome it. Expressed by H. Putnam's words, "Human curiosity will not rest until ... questions [of quantum foundations] are answered". The subject-matter and leitmotiv of what follows is

the fact that the linear superposition and theory's axioms are entirely empirical in origin (demystification), and the challenges that accompany their interpretations are a nonexistent problem coming from the "semantic confusion" [134, p. 10] or from "a confusion of categories" [108, p. 89].

1.1. On foundations of quantum theory. The debates concerning the foundations of quantum mechanics (QM) hitherto "show no sign of abating" [130, p. 222], [122, 84], and despite widespread scepticism [85, 47, 43, 59, 109, 88] it is generally acknowledged that the problem is a real one [128, 84, 106, 29]—it is not something made up or "just a dispute over words" [2, p. 5]—and sometimes "has been regarded as a very serious one" [88, p. 418], [112, 159]. It is worth noting that in recent decades the discussions have even worsened [56, 57], and current research has intensified, due to the tremendously increased and formerly inconceivable technological possibilities of operating with individual micro-objects and the urge to implement the idea of quantum computing [36, 2].

The reason for this state of affairs remains the same as it was before. Unlike the classical theories—e.g., thermodynamics or relativity theory, the QM-axiomatics seems wholly divorced from human language [110, 38, 3, 61, 18, 44, 69, 84, 111, 122, 134, 136, 88]. Quantum postulates are not merely formal. They are phrased in terms of linear operators on a complex Hilbert space H [7, 13, 35, 59, 72, 108, 110, 80, 85] and there is not—literally—one word here that can be brought into conjunction with reality by means that have at least some kind of relationship with the classical description. What is more, it is very well known that the abstract character of these terms is required by the essence of the point (invariance) and, at the same time, that the attempt to link them with physical images leads to the famous paradoxes associated with such concepts as causality, (non)locality, and realism [63, 160, 4, 5, 6, 18, 58, 60, 84, 89, 61]. All of that causes a problem with interpretations of QM.

It is well known that the theory has steadfastly resisted any unique ontological reading and, in particular, reconciliation between interpretations. This is reflected not only in the voluminousness of the literature. The differences in viewpoint are often based on points of principle [14, 127, 129, 64, 122, 88, 109, 55, 104, 138], and even highly qualified publications face criticism [46, 95, 118, 101]. Among other things, we encounter appeals [74, 43, 58, 3, 104, 1, 94, 128] (there is even a manifest [150]), striking titles such as "scandal of quantum mechanics" [75], "the Oxford Questions ... to two clouds" [25, p. 6], "quantum mechanics for the Soviet naval officers" [170, p. 161], "Church of the Larger Hilbert Space" (J. Smolin) [56, 43], and also April Fools' jokes [21], political parallels with "Marxism" and "the Cold War" [54], and many more [11, 27, 84, 104, 139, 142, 61]. An interesting fact. Cambridge University Press has published a 500-page-long book [56] containing the remarkable electronic correspondence—D. Mermin called it "samizdat" (self-published)—between C. Fuchs and modern researchers and philosophers in the field of quantum foundations. This correspondence has continued [57, over 2300 pages] and now covers the past two decades. It characterizes the state of affairs in the field [55](!), and does not merely add to one's impression of the unending discussions about quantum matters (see also introductory section in [170]), it also, due to the lack of formality, represents a source of ideas and of valuable thoughts. Schlosshauer's very informative 'quantum interviews' [128] pursue the same goals.

The lack of transparent motivations for mathematics—a pressing requirement of physics—means that QM-formalism is hard to distinguish from a "cook book of procedures and rituals" (J. Nash), the "user-manual" [136, p. 1690], [167], [61, p. xiii], or from "a library of . . . tricks and intuitions" [112]. Therefore the "dissatisfaction regarding comprehension" and the "need

for interpretation that is alien to an exact science" [166, pp. 7–8] lead to the fact that "we admit, be it willingly or not, that quantum mechanics is not a physical theory but a mathematical model" [136, p. 1701] or that "nature imitates a mathematical scheme" (Heisenberg [71, p. 347]). In fact, "we have essentially  $no^*$  grasp on why the theory takes the precise structure that it does" [56, p. 32], which raises the suspicion that "something is wrong with the theory" (H. Putnam) and that "this quantum skyscraper is built on very shaky ground" [170, p. 8].

At the same time, well-founded opinions have long been known to the effect that "quantum theory needs no 'interpretation'" [58], [43, 75, 104] or that "only consequences of the basic tenets of quantum mechanics can be verified by experiment, and not its basic laws" [47, p. 16]. In other words, the discrepancies between opinions are significant, and often radical: from epithets such as "schizoid\*\*, situation is desperate" [88, p. 420], [115, p. 424] to supporting the rationale for quantum computations [36] and whole books written on the subject [122]. In any case, the controversy between "the warring factions, ..., many [quantum] faiths, ... and instrumentalist camps" [128, p. 60–61], [145, sect. 5.5], [7, 69] cannot be considered an acceptable state of affairs (see also sect. 11.1), for the simple reason that the 'quantum philosophy' issues turn into—unhealthy situation—an 'industry' of interpretations, while at the same time the very same philosophers call for its denial: "interpretation of QM emerged as a growth industry" [98, p. 92].

1.2. Formula of superposition. Contrariwise, the "dominant role of mathematics in constructing quantum mechanics" has lead to that mathematical "assumptions are usually considered to be physical" [136, p. 1691]. That is to say, "there has been a substitution of concepts" [167, p. 295] and "one of the consequences of quantum revolution was the replacement of explanations of physical phenomena by their mathematical description" [167, p. 296]. These characteristics convey, in the best possible way, the dissatisfaction with the fact that quantum physics "was actually reduced to a physical interpretation of the Hilbert space theory" [136, p. 1690]. The H-space in itself is a fairly cumbersome mathematical structure, and even determines a crucial principle—superposition of states [38]. It is thus not surprising that this principle becomes "one of the vague points . . . the [Dirac] argument is difficult to consider as rational . . . the physical principle simply fits underneath it" (excerpt from preface to the Russian edition of [131]).

Mathematics of the  $\mathbb{H}$ -space contains three constituents: a vector space, the inner-product add-on over it, and topology. The two latter ones invoke the first one which is completely independent (algebra) and begins with the formula

$$|\psi\rangle = \mathfrak{a} \cdot |\varphi\rangle + \mathfrak{b} \cdot |\chi\rangle. \tag{1}$$

This is the pivotal expression of quantum theory. Comprehending its genesis is tantamount to comprehending the nature of the linearity of QM. In (1), there appear the complex numbers  $\mathfrak{a}, \mathfrak{b} \in \mathbb{C}$ , symbols of operations  $\cdot$  and +, and also vectors  $|\psi\rangle$ ,  $|\varphi\rangle$ ,  $|\chi\rangle \in \mathbb{H}$ . It is clear that until an empirical basis for all these devices is found, the interpretation of abstraction (1) and questions of the kind "Quantum States: What the Hell Are They?" (55 times in [57]) will remain a problem. To all appearances, the problem is considered so difficult—"quantum states . . . cannot be 'found out'" [122, p. 428]—that the non-axiomatic meaning of these symbols was not even discussed in the literature. In the meantime, not only is the situation

<sup>\*</sup>Throughout the text, the *italic* and *slanted* type in "quotations" is original, unless otherwise indicated.

<sup>\*\*</sup>The case in point is the many-world conception by Everett–DeWitt. See also pages 158, 161, 176–179 in [37] regarding the "state of schizophrenia" and 'explanations' as to why "schizophrenia cannot be blamed on quantum mechanics" [37, p. 182].

far from hopeless, but it also admits a solution. The present work is devoted to gradual progress towards an understanding of formula (1). Stated differently, equality (1) becomes an *empirical* theorem (p. 53).

• The main part of the challenge is not only to ascertain what is being added/multiplied in (1), but also to realize primarily what 'to add/multiply' is.

Moreover, besides the symbols  $\{\mathfrak{a}, \mathfrak{b}, |\psi\rangle, |\varphi\rangle, |\chi\rangle, \cdot, +\}$  the expression (1) contains the sign of equality = (see also [102], [9, p. 29–30]) and, surprising as it may seem, it conceals one of the key points—the 3-rd principium of quantum theory (III, p. 28).

The guiding observation is based on the fact that the only thing that we have access to are the microscopic events, and therefore "we have little to begin with other than what an experimental physicist would call experiments with a single microsystem" [90, p. 5]. Consequently, we must begin from them and from collecting them into ensemble formations. It is precisely in this context that we will use the word empiricism—quantum empiricism of micro-acts—and it is in this respect that quantum theory has a statistical nature; as predicted by Einstein\* [69, Chs. 7–8] and von Neumann [110, 139], long championed by Ballentine [10] and justified in detail by Ludwig [90, 91, 92, 93]. A. Leggett proposes in this regard the "extreme statistical interpretation" [86], [128, p. 79] and remarks clearly that "to seek any further "meaning" in the formalism is pointless and can only generate pseudoquestions". With that, he overtly adds such characteristics as "complete gibberish" [86, p. 70] and "verbal window dressing" [128, p. 79]. The difficulty is, of course, in creating the object  $|\psi\rangle$  itself. A step-by-step characterization of this procedure (sects. 3–8) and key words to what follows are reflected in the (sub)section titles listed in the Contents.


1.3. Physics = mathematics. Doctrine of numbers. Thus the situation appears to be one whereby the mathematical superstructures are difficult to reconcile with physical motivations (physical principles) [20], while attempts to axiomatize an interface between them [65] only conceal a deeper insight [159]. T. Maudlin: "... physicists have been misled by the mathematical language they use to represent the physical world". In other words, we observe an overemphasis on the role of the 'ready-made' math-structures and an underevaluation of ('seemingly naïve') empirical considerations.

What we propose below is an implementation of the idea that such a view must be abandoned and replaced by a negation of the prior existence of both physical "preconceived notions" [91, p. 328] and mathematical structures. Physics and mathematics should be created 'from scratch'. Paul Benioff calls this "a coherent theory of physics and mathematics" [20, p. 639]. Then, due to the initial absence of mathematics, the introduction of mathematical structures is almost ruled out, proofs must yield to empirical inference, and the physics language—the language of physical reasoning—is initially under a linguistic ban whatsoever. It cannot exist a priori. That is to say, even the natural-language conjunction of terms with physical adjectives (and verbs [67]) becomes far from being free, as with the classical description's language (sects. 2.1, 5.4, 6.4, 6.5). The ensemble formations have to come to the fore and argumentation should be subordinated only to the low-level microscopic empiricism. This immediately touches on its closest creature—the notion of a number, since numbers do not come 'from the sky', and the theory will have to be a quantitative one. Despite the overflow of abstracta in QM-theory, the doctrine of number—[number × unit], to be precise (sect. 7, 9)—has likely not yet got into foundational discussions [62]. Consequently, the numbers turn

<sup>\*</sup>A. Einstein: "It may be a correct theory of statistical laws, but an inadequate conception of individual elementary processes" [69, p. 156]; see also [41, pp. 38–40].

into a kind of 'problem of numbers' (principium II) and a substantial part of what follows is devoted to this.

In outline, the workflow will constitute the re-creating the structure of a linear vector space\*, and all the subsequent ideology can be schematized as follows.



This scheme cannot be reduced or restructured.

By and large, the aforesaid ideology is supported by the common belief—often certainty even [43]—that QM is *not* perturbative, its linearity is *not* associated with linear approximation of something else, and that in general, it is *not* extensible (ultimate [33]) and must be free of interpretations [43, 58]. All of these concerns, in one way or another, are directly related to derivation of formula (1).

<sup>\*</sup>More precisely, producing a mathematics, which will found to be an algebra of such a space.

#### 2. Points of Departure

In the Beginning was the Word A. Zeilinger [160, 01:05'47"]

Most of the time the apparatus is empty and sometimes you have a photon coming through A. Zeilinger [160, 12'39"]

Since empiricism is in essence supra-mathematical [28], i.e., it is concerned with metamathematics [79, 119], its mathematization—theory construction—should begin not with postulates and definitions, but with the formation of an object language, of vocabulary, and "may only be described by "words" and not by a theory" [90, p. 106], [92, 94]. As A. Peterson had observed, "Math can never be used in phys until have words" [17, p. 209]. Therefore, relying on the established understanding of the underlying causes for the quantum eye on physical observation [110, 7, 59, 61], up until the end of this section we will adopt the natural-language meaning of the words observation, system, state, numbers, physical influence, transition, large/small, micro/macro, etc. Their contents will later be defined more precisely or entirely changed. For instance, the meaning of the word 'state' will be radically transformed, to which we are drawing attention in advance. Accordingly, a degree of informality, clarified on page 29 and in Remark 10, is inevitable here.

- 2.1. Variations as micro-level transitions. We will (and 'must' [79, Ch. 3]) first view the concept of a system at an intuitive level [40, sect. 1.1]: there is what is referred to as (isolated) system S.
  - 5 Let us tentatively (a priori) relate the concept of a *state* to the associated context described by the words 'the system  $\mathcal{S}$  can be *different*, or *in different states*'. That is to say, system  $\mathcal{S}$  is always in a certain state  $\underline{\Psi}$  belonging to the set  $\mathfrak{T} = \{\underline{\Psi}, \underline{\Phi}, \ldots\}$ , each element of which is admissible for  $\mathcal{S}$ , and all of them are different from each other:  $\underline{\Psi} \neq \underline{\Phi}$ .

The statement "states are different" does not require a consideration when  $\underline{\Psi}$  and  $\underline{\Phi}$ , referred to as state, are the abstract elements of an abstract set  $\{\underline{\Psi},\underline{\Phi},\ldots\}$ . However, in order to tie its elements to reality, we have to introduce the criteria of coincidence/distinguishability of one from the other. Criteria may come exclusively from observational procedures, without which it is impossible to either detect states, or claim that they differ, coincide, exist or that they actually occur.

On the other hand, the nature of micro-phenomena shows that observations are always associated with irreducible intervention in the system, manifesting in what is known as transition  $\underline{\Psi} \leadsto \underline{\Psi}'$  (or destruction\*). Due to a lack of criteria, there is no sense in attributing adjectives small/large, (in)significant/partial, or collocations like 'comparison of destructions at instants  $t_1$ ,  $t_2$ ' to this concept. Let us proceed from the idea that initially there is nothing but the transition. Transitions may actually occur without destructions  $\underline{\Psi} \leadsto \underline{\Psi}$ , however.

Two different  $\underline{\Psi}$ ,  $\underline{\Phi}$  may be destroyed into new  $\underline{\Psi}'$ ,  $\underline{\Phi}'$ , as well as into the combinations of old/new. Thus, strictly speaking, the meaning of words 'different, new, ...' eludes us in this case, which is why even the identification of  $\underline{\Psi}$ -elements and the  $\mathfrak{T}$  itself, as a set, become questionable. Therefore, besides the formal writings  $\underline{\Psi} = \underline{\Phi}$  and  $\underline{\Psi} \neq \underline{\Phi}$  for  $\underline{\Psi}, \underline{\Phi} \in \mathfrak{T}$ , the physical distinguishability/equivalence (recognizability  $\approx/\approx$ ) needs to be established. As to the identity in this regard, see von Neumann's reasoning "One might object against II ..." on page 302 of his book [110]. The sole thing that distinguishability may rely on are the

<sup>\*</sup>As an example, observations at accelerators are literally the destructions, and mass at that.

transition acts. In turn, variation is a key element in transitions, that is why we will begin constructing with distinguishability.

Let us take the still virtually unlimited way  $\mathscr{A}$  of intervening  $\stackrel{\mathscr{L}}{\longrightarrow}$  in  $\mathcal{S}$ , and attempt to introduce distinguishability  $\underline{\Psi} \not\approx \underline{\Phi}$  as  $\mathscr{A}$ -distinguishability. Due to the fact that microtransition  $\underline{\Psi} \stackrel{\mathscr{L}}{\longrightarrow} \underline{\Psi}'$  is not pre-determined, initial states  $\underline{\Psi}$  undergo arbitrarily free changes. Next time, the results will be different and absolutely arbitrary (the term "different" is understood to be  $\neq$ ), and each act is indiscernible from a case in which it contains ones similar to itself within itself. It would be natural to associate such a case to the absurd, which is unrelated to the meaning of the words 'physical observation', and to discard the given  $\mathscr{A}$ .

Non-meaninglessness arises only if we impose the negation of random combinations of  $\neq$  and = in transitions, at least for a part of  $\mathfrak{T}$ , i. e., introduce the preservation acts  $\underline{\Psi} \xrightarrow{\mathscr{A}} \underline{\Psi}$ . The 'preservation' should be read here as indestructibility of state, i. e., as a (=)-coincidence under the secondary act  $\underline{\Psi} \leadsto \underline{\Psi} \leadsto \underline{\Psi}$ . Otherwise, the vanishing difference between 'preservation' and 'variation' leads to a linguistic chaos [52, p. 232]. This means that the destruction  $\underline{\Psi} \leadsto \underline{\Psi}'$  may not be considered as a 1-fold one. State  $\underline{\Psi}'$  on the right should be examined for changeability and transform into the left part of the subsequent transition:  $\underline{\Psi} \leadsto \underline{\Psi}' \leadsto \underline{\Psi}''$ . Thereby, the structure  $\underline{\Psi}' \leadsto \underline{\Psi}''$  with the binate entity 'before/after' or 'on the left/right' becomes the key one, and we consider it an initial object in subsequent constructs. Preserved states are, by definition, those that pass the reproducibility test.

Thus logic requires to begin with the transition compositions

$$\underline{\Psi} \xrightarrow{\mathscr{A}} \underline{\Psi}' \xrightarrow{\mathscr{A}} \underline{\Psi}'' \xrightarrow{\mathscr{A}} \cdots,$$

wherein the cases like

$$\underline{\Psi}' \xrightarrow{\mathcal{A}} \underline{\Psi}' \xrightarrow{\mathcal{A}} \underline{\Psi}'' \tag{2}$$

are ruled out (a ban on changing of what has been unchanged), and the never-ending sequence

$$\underline{\Psi} \xrightarrow{\mathcal{A}} \underline{\Psi'} \xrightarrow{\mathcal{A}} \cdots \xrightarrow{\mathcal{A}} \underline{\Psi''} \xrightarrow{\mathcal{A}} \cdots$$
 (3)

(non-recognisability of states) must be terminated

$$\underline{\Psi} \xrightarrow{\mathcal{A}} \underline{\Psi'} \xrightarrow{\mathcal{A}} \cdots \xrightarrow{\mathcal{A}} \underline{\Psi''} \xrightarrow{\mathcal{A}} \underline{\alpha} \xrightarrow{\mathcal{A}} \underline{\alpha}, \tag{4}$$

yielding a 'finiteness' (= the realistic) and the concept of conserved/distinctive  $\underline{\alpha}$ -states. The terminology  $\alpha$ -event [43] could be used instead.

Freedom of elements in sequence (4), including the choice of  $\underline{\alpha}$ -states, is not limited by anything besides the ban on (2). Therefore this arbitrariness, which is physically never recognizable, curtails the generic chain (4) into the shortened one

$$\underline{\Psi} \xrightarrow{\mathcal{A}} \underline{\cdots} \underline{\alpha} \xrightarrow{-\mathcal{A}} \underline{\alpha}, \tag{5}$$

which is identical to the scheme

$$\underbrace{\cdots \underline{\Psi} \cdots}_{--} \xrightarrow{\mathcal{A}} \underline{\alpha} \xrightarrow{\mathcal{A}} \underline{\alpha}$$
(6)

with certain  $\underline{\alpha} \in \mathfrak{T}$ .

Discussions on "how" and "what happens" [110, p. 217] at the very microscopic level are extremely widespread in the literature [60, 5, 74, 89, 95, 106, 166] (see [4, 7, 124, 29] for the exhaustive references), although it is not difficult to predict the fact that the attempts to understand the inner structure of box (6) will only lead back to an identical box.

Actually, the uncontrollability of micro-changes is universally known, yet describing them as a process in time  $t \mapsto t + \varepsilon$  will start employing the language terminology—functions, arithmetic operations, etc—that has not yet been created even for the fixed instants  $t_1$ ,  $t_2$ . However, what may be associated with fixed time are only non-temporal entities, for which we have nothing but transitions (5). The attempt to manage them, i. e., to control intervention in  $\mathcal{S}$ , leads to looping or 'measuring the measurement', let alone the ambiguity of the term itself.

G. Ludwig: "it is not meaningful to speak of a measurement "at time  $\tilde{t}$ ." ... the real physical meaning of the time parameter ... has nothing to do with the notion "time of measurement."" [90, p. 288]. "[T]he description of the measurement process in quantum mechanics in terms of "pre-theories" is not possible" [91, p. 340].

See also [91, p. 365], [93, p. 150], [94, p. 100], [113, p. 644–646]. Just as before, the physical assessments like 'abrupt', '(ir)reversible', '(non)simultaneous', "immediately following ...," [110, p. 231, 410], or 'weak/nondemolishing' (measurements [95]), etc are unacceptable here. No temporal process may be present in the foundations of the theory [90, sects. VII.4, 6], [91, Chs. III, XVII], [92], since it is not immediately clear 'And what exactly are we having at instants  $t_1$  or  $t_2$ ?'.

Remark 1. All said above means that attempts to deduce QM dynamically [128,  $10 \cdot \text{Reconstructions}$ ] are beforehand doomed to vicious circles 'round the boxes' and time t like attempts to 'vindicate' dynamically Lorenz's contraction instead of kinematic postulates of the relativity theory [27]. Consistent theory must rest either on 'irreducible' elements (6) or upon 'boxes' of a different kind. In the latter case, the theory becomes a particular model with interpretation; e.g., the Lindblad equations [155, 156], decoherence [73, 163, 124, 126], stochastic dynamics, and other statistic-dynamical models [4, 166]. Anyway, an ability to model and understanding are not the same thing, and this point, with regard to quantum theory, was repeatedly emphasized in the literature [136], [128].

Now, if theory is built as a fundamental one, rather than as a model [128, p. 144], with primary entity changeability  $\xrightarrow{\mathcal{A}}$ , a box (6) may only be involved in it as the initial starting point and as an *indescribable* object with the absolute rather than with a relative sense. Elements of reality, in whatever understanding—say, Bell's 'beables' [18])—may not exist before/after/inside/outside of the box. It can be only structureless abstractio. Accordingly, the notions of preparation, of measurement, of 'interaction with', and of a physical process are meaningless without construction (6). These statements are clearly in agreement with the fact that any reasoning must not contradict the formal logical rules [79], hence, there must exist [119, 133, 20] the empirically undefinable logical atoms. A. Peres writes [114, p. 173: "While quantum theory can in principle describe anything, a quantum description cannot include everything. In every physical situation something must remain unanalyzed". Or, as Pauli put it, "Like the ultimate fact without any cause, the individual outcome of a measurement is  $\dots$  not comprehended by laws". In particular, the set  $\mathfrak T$  and transitionsarrows -  $\xrightarrow{\mathscr{A}}$  are also the atoms. Englert: "... preexisting concept ... We cannot formulate the theory without this concept" [43, p. 2]. From the aforesaid, we may formulate the following observation.

I Quantum statics should precede quantum dynamics. (the 1-st principium of quantum theory)

The rationales do not end here, and will be later amplified once we begin to exploit the terminology that is usually taken for granted from the outset; namely, the quantitative descriptions [56, p. 178]. If they arise not as numeric interpretations of something, but out of an

experiment, then observation should be the beginning, and the 'manufacture of numbers'—the end. In other words, the model 'theory with boxes' other than (5)–(6) implicitly implies the logical sequence [model of process  $\rightarrow$  numeric interpretation], where empiricism holds a role other than primary. It is clear that, regardless of the model, such a situation will always remain unsatisfactory in the physical respect.

- 2.2. Observation. The sequences addressed above lead to the following outcome.
  - Any meaningful micro-act  $\xrightarrow{\mathscr{A}}$  either saves a state  $(\underline{\alpha} \xrightarrow{\mathscr{A}} \underline{\alpha})$  or turns it into a conserved one  $(\Psi \xrightarrow{\mathscr{A}} \alpha)$ .

The two extremes do not contradict this fact. The first—maximally rough observations—is when all states are destroyed into a certain one:  $\underline{\Psi} \leadsto \underline{\Psi}_0$  ('whatever and however we watch, all we see is one and the same'). In this, the state  $\underline{\Psi}_0$  is not destroyed:  $\underline{\Psi}_0 \leadsto \underline{\Psi}_0$ . Another extreme is when none of the states are destroyed:  $\underline{\Psi} \leadsto \underline{\Psi}$ . This is the case of ideal (quantum) observation, but, due to the absence of any changes, it is indistinguishable from the case of if observations are entirely absent.

A case with two distinctive states

$$\underline{\alpha}_1 \xrightarrow{\mathscr{A}} \underline{\alpha}_1, \qquad \underline{\alpha}_2 \xrightarrow{\mathscr{A}} \underline{\alpha}_2$$
(7)

is the simplest among these extremes. Of course, the  $\underline{\alpha}$ 's are prohibited from transitioning into each other. Because there is still the free admissibility of transitions  $\underline{\Psi} \xrightarrow{\underline{\alpha}} \underline{\alpha}_1, \underline{\Psi} \xrightarrow{\underline{\alpha}} \underline{\alpha}_2$ , we can turn the semantic sequence

$$\begin{bmatrix} \text{arbitrariness} & \rightarrowtail & \text{preservation} & \rightarrowtail & \text{distinctive } \underline{\alpha} \end{bmatrix}$$

into the more rigorous scheme

$$\left(\mathfrak{T} = \{\underline{\Psi}, \underline{\Phi}, \ldots\} + \mathscr{A}\text{-observations}\right) \quad \rightarrowtail \quad \{\underline{\alpha}_1, \underline{\alpha}_2, \ldots\} =: \mathfrak{T}_{\mathscr{A}} \subset \mathfrak{T}, \tag{8}$$

which gives, even though partially, rise to the concept of a physical distinguishability ('distinguo'). It is formally defined only on the subset  $\mathfrak{T}_{\omega}$ : the statement  $\underline{\alpha}_1 \not\approx \underline{\alpha}_2$  is equivalent to (7). To avoid overloading the further notation, we do not use symbols like  $\approx_{\omega}$  and  $\not\approx_{\omega}$ ; the context is always obvious.

O By a physical observation  $\mathscr{A}$  or, in short, observation we will mean such interventions\*  $\stackrel{\mathscr{A}}{-}$ , in which the 'never-ending' chaos (3) is replaced by a chaos with the notion of a preservation, i.e., 'chaos with rule (6)':

$$\underline{\Psi} \xrightarrow{\mathcal{A}} \underline{\alpha} \quad \text{and} \quad \underline{\alpha} \xrightarrow{\mathcal{A}} \underline{\alpha}.$$
 (9)

The set of  $\underline{\alpha}$ -objects  $\mathfrak{T}_{\mathscr{A}}$  with the property

$$\underline{\alpha}_1 \xrightarrow{\mathscr{A}} \underline{\alpha}_1, \qquad \underline{\alpha}_2 \xrightarrow{\mathscr{A}} \underline{\alpha}_2, \qquad \dots$$
 (10)

is discrete, and the  $\underline{\alpha}_s$  themselves are termed the eigen (proper) for observation  $\mathscr{A}$ . They defines  $\mathscr{A}$  and do not depend on  $\mathscr{S}$ . No logical connection between  $\underline{\Psi}$  (the left of (9)), family  $\mathfrak{T}_{\mathscr{A}}$ , and system  $\mathscr{S}$  exists.

<sup>\*</sup>More comprehensive terminology: micro-act of observation by instrument  $\mathscr{A}$ . The zig-zag arrow  $\longrightarrow$  is replaced with the straight one  $\longrightarrow$ .

Expressed another way, introduction of the conception 'the eigen' is equivalent to the following informal, yet minimal motivation: at least some certainty instead of total arbitrariness.

Two instruments  $\mathscr{A}$  and  $\mathscr{B}$  may have arbitrarily different eigen-states  $\{\underline{\alpha}_1, \ldots, \underline{\alpha}_n\} \neq \{\underline{\beta}_1, \ldots, \underline{\beta}_m\}$ . Accordingly, as regards observation  $\mathscr{B}$ , the (distinctive) states  $\{\underline{\alpha}_s\}$  do not differ, in general, from the 'regular'  $\underline{\Psi}$ 's, i. e., from those chaotically destroyable into the  $\mathscr{B}$ -eigen states  $\underline{\beta}_k$ . All kinds of instruments  $\mathscr{A}$ ,  $\mathscr{B}$ , ... are thus defined by aggregates  $\mathfrak{T}_{\mathscr{A}}$ ,  $\mathfrak{T}_{\mathscr{B}}$ , .... The number  $|\mathfrak{T}_{\mathscr{A}}|$  of corresponding  $\underline{\alpha}$ -objects therein may be an arbitrary integer. There are also no (logical) grounds for restricting/prescribing the composition of  $\mathfrak{T}_{\mathscr{A}}$ . Any element of  $\mathfrak{T}$  may be the conserved one for a certain instrument. Parenthetically, the notion of eigenstate—in different forms—is sometimes present in axiomatics of QM [116, 19, 106].

In a generic case, the chaos present in (9) leaves open the problem of correlating the recognizability  $\underline{\Psi} \not\approx \underline{\Phi}$  (or  $\underline{\Psi} \approx \underline{\Phi}$ ) with physics. Clearly, the issue is linked to the ambiguity of the term  $\underline{\Psi}$ -state itself, which is used in pt. S—an important point—due to the need to start with something, since building the mathematical description without some sort of a set is impossible.

Remark 2. Informally, metalinguistic semantics—association of meanings with texts [94]—is in general as follows. Inasmuch as we are receiving different  $\underline{\alpha}$ -responses to each micro-act  $\stackrel{\mathscr{A}}{\longrightarrow}$ , let us say that 'on the other side from us there is something that can also be different, and all of that is to be described'. This reflects our intuitive perception of reality, which, both at micro- and macro-level, boils down to an ineradicable pair:  $\lceil \text{something outside} \rceil + \lceil \text{that which can be different for us} \rceil$  (pt. S). If we give up either of these conceptual premises—'something outside' ( $\underline{\Psi}$ ) and 'can be different' ( $\underline{\alpha}_j$ )—then, as above, we face a linguistic dead end, as the basis for discourse disappears. There must be present two sides. Because of this the arrow  $\stackrel{\mathscr{A}}{\longrightarrow}$  must be accompanied by 'some thing' to the left and the right of it. The low-level set  $\mathfrak{T} = \{\underline{\Psi}, \underline{\Phi}, \ldots, \underline{\alpha}_1, \underline{\alpha}_2, \ldots\}$  does arise. Then the arbitrary elements  $\underline{\Psi} \in \mathfrak{T}$  (unrestricted chaos) are assigned to the left of this act instead of 'some thing', and the micro  $\not\approx$ -distinguishable  $\underline{\alpha}$ -objects ( $\underline{\alpha}_j \not\approx \underline{\alpha}_s$ )—to the right. Put another way,

• what's being abstracted is not "concrete things" [59, p. 27] but a primitive element of perception—micro-event α-click\*. Other than 'the click', no any entities—like very small objects, particles, fields, or, much less knowledge, human psychology/memory [45, 46], "mysterious interaction . . . brain of the observer . . . " [113, p. 645], agents and their belief/consciousness [101, 149, 142], etc—may exist in empiricism. The click is a kind of experimental the 0-principium of QM. Therefore the initial mathematical premises of QM-theory should contain nothing but the ≉<sub>∞</sub>-distinguishability and formalization (9)-(10).

It may be added that the micro-observation, as such, is terminated at the eigen elements; one and the same  $\underline{\alpha}_i$  has always remained on the right.

As a result, the minimal experimental entity  $\underline{\Psi} \xrightarrow{\mathscr{A}} \underline{\alpha}$  constitutes, mathematically, an ordered pair  $(\underline{\Psi},\underline{\alpha}_j)$  of elements of the set  $\mathfrak{T}$ , which are labeled by the symbol  $\mathscr{A}$  that is equivalent to the  $\mathfrak{T}_{\mathscr{A}}$ -family (8). Accordingly, the customary physical notion of the observation is substituted for a micro-event, an act. 'Physics should forget about processes or time of interaction when observing' and about anything but  $\underline{\Psi} \xrightarrow{\mathscr{A}} \underline{\alpha}$ .

2.3. Numeric realizations. Is there a possibility to rely exclusively on the inflexibility of the eigen-type elements (10)? Or to define the sought-for ultimate distinguishability  $\not\approx$  through the  $\mathscr{A}$ -(micro)distinguishabilities  $\underline{\alpha}_j \not\approx_{\mathscr{A}} \underline{\alpha}_s$ ? Let us formulate a thesis.

<sup>\*</sup>As to these 'qualia', see answers of Č. Brukner (!) on pp. 41–43 in [128], his work [26, p. 98], the page 635 in [159], and the work [151].

T There is no (linguistic) means of recognizing the system  $\mathcal{S}$  to be different (pt. S), other than through the results of its destructions into the  $\{\underline{\alpha}_1, \underline{\alpha}_2, \dots\}$ -objects of observational instruments  $\mathscr{A}$ .

To be sure, the stringency of this linguistic taboo (T) must be accompanied by something constructive, and we will adopt the following programme that reflects the fact that the unequivocal description may take only the form of a quantitative mathematical theory.

R (•) Out of the primary ('proto') elements  $\{\underline{\Psi},\underline{\alpha},\ldots\}\in\mathfrak{T}$ , one constructs a new set  $\mathbb{H}$ , of which the elements

$$|\Xi\rangle := \bigoplus (\mathfrak{a}_1, |\alpha_1\rangle; \mathfrak{a}_2, |\alpha_2\rangle; \ldots) \in \mathbb{H}$$
 (11)

are said to be (numeric) representations in the 'reference frame for instrument  $\mathscr{A}$ ', and  $\mathfrak{a}_s$  are the numeric objects. The distinguishability relation  $\not\approx_{\mathscr{A}}$  is carried over to  $\mathbb{H}$  and admits an  $\mathfrak{a}$ -coordinate realization there; symbol  $\not\approx$ .

(••) No preferential or preordained observational reference frame  $\mathscr{A}\{\underline{\alpha}_1,\underline{\alpha}_2,\ldots\}$ —'instrument the absolute'—exists.

Identification (11) is always tied to a certain family  $\mathfrak{T}_{\mathscr{A}}$ . Accordingly, images of  $\underline{\alpha}_s$ —symbols  $|\alpha_s\rangle$ —will be present in (11), and character  $\oplus$  is also no more than a symbol here. Even though coordinates  $\mathfrak{a}_s$  are declared to be numbers or aggregates of numbers, there is no arithmetic stipulated for them yet. The number is as yet a name for  $\mathfrak{a}_s$ . Distinguishability  $|\Psi\rangle \not\approx |\tilde{\Psi}\rangle$  of two representatives

$$\oplus(\mathfrak{a}_1,|\boldsymbol{\alpha}_1\rangle;\mathfrak{a}_2,|\boldsymbol{\alpha}_2\rangle;\ldots)=:|\boldsymbol{\Psi}\rangle, \qquad \oplus(\tilde{\mathfrak{a}}_1,|\boldsymbol{\alpha}_1\rangle;\tilde{\mathfrak{a}}_2,|\boldsymbol{\alpha}_2\rangle;\ldots)=:|\tilde{\boldsymbol{\Psi}}\rangle$$

by means of numbers  $\mathfrak{a}_k \neq \tilde{\mathfrak{a}}_k$  and mathematical implementation of (11) and of the  $\mathbb{H}$ -space, i. e., a 'coordinatization' scheme, have yet to be established. This will comprise the meaning of the word 'constructs' (sects. 7–8), which may not be even linked to the mathematical term mapping yet, since no math of QM exists at the moment. It immediately follows that the question about numeric entities—specifically, about (11)—is nontrivial in physics.

II To speak of an exact correspondence between empiricism and mathematics makes no sense until the *mechanism of emergence* of that which is understood by number\* has been detailed. (*the 2-nd principium of quantum theory*)

From pts. T, R, and II it also follows that the search for a description through hidden variables, over which something is averaged, is indistinguishable from the utopian attempts to find out an intrinsic content of boxes (5).

2.4. Macro and micro. The task becomes more precise at this point. Instead of nonphysical identity/noncoincidence ( $\underline{\Psi} = \underline{\Phi}$  or  $\underline{\Psi} \neq \underline{\Phi}$ ) of two abstract elements  $\underline{\Psi}$ ,  $\underline{\Phi}$  of the abstract set  $\mathfrak{T}$ , we need the concept of a physical  $\cong$ -equivalence ( $\cong$ -distinguishability) of  $\mathbb{H}$ -representatives  $\{|\Psi\rangle, |\Phi\rangle, \dots\}$ . That is, there must hold either relation  $|\Psi\rangle \cong |\Phi\rangle$  or its negation  $|\Psi\rangle \cong |\Phi\rangle$  for all  $|\Psi\rangle, |\Phi\rangle \in \mathbb{H}$ . The primitive set  $\mathfrak{T}$ , initially required by point  $\mathsf{S}$ , must disappear from the ultimate mathematics of symbols  $|\Psi\rangle \in \mathbb{H}$ . Therefore elements  $\underline{\Psi} \in \mathfrak{T}$  are henceforth named primitives. In summary,

<sup>\*</sup>What an empiricist/observer understands by the word 'number'. The underlying message here implies that the reliance upon the all-too-familiar abstract arithmetic elucidates nothing. *There is no arithmetic in interferometers/colliders*—there are only clicks there—and empirical nature of arising this construction (along with the measurement) must be scrutinized.

• There is no a priori way to endow the term (quantum) state of system S with any meaning [88, p. 419]. This concept should be created. It may not have a definition. Meanwhile, one cannot get around the concept of a (micro)observation  $\mathscr{A}$  [26, pp. 98–100], [113, p. 646], [20, 13]. Essentially, no one thing, including  $\underline{\Psi}$ ,  $\underline{\alpha}$ , or the  $\mathfrak{T}$ -set itself, can be the primary bearer of data about S.

The notions of a physical observable and of its observable values [90, p. 5] are also ambiguous at this point. Their ambiguity is even greater than that of state, due to questions like 'what is being measured?' and even 'what is a measurement?'. Nonetheless, up until the end of this section, we will not discard the term state within the context of pt. S.

Irreproducibility of outcomes, i. e., 'turnability of  $\underline{\Psi}$ -primitives into the various' leaves only one option: 'to take a look at  $\mathcal{S}$  again, once again, ...'. In other words, to seek the source of description in repeatability. It is necessary, then, to move to the subject of macro-, rather than micro-observation. This intention fits perfectly with the undefined verb 'constructs' in pt.  $\mathbb{R}$ , and the following paradigm should be understood as the macro.

M The only way of handling the uncontrollable micro-level changes is the consideration of the results of repeated destructions, accompanied by what we shall call the common physical macro-environment (experimental context):

$$\underbrace{\frac{\Psi}{}} \cdots \underbrace{\frac{\Psi}{}} \underbrace{\frac{\Psi}{}} \cdots \underbrace{\frac{\Psi}{}} \cdots \underbrace{\frac{\Psi}{}} \cdots \cdots \cdots + \lceil \text{common macro-environment } \mathbf{M} \rceil. \qquad (12)$$

$$\underline{\alpha_1} \cdots \underline{\alpha_1} \underline{\alpha_2} \cdots \underline{\alpha_2} \cdots \cdots \cdots$$

An importance of repetitions and distinguishability had long been noted (Bohr, von Neumann et al [71]) and recently it was particularly emphasized in the work [164]. The words 'copy/repeat.../distin...' occur 90 times therein.

Thus empiricism of quantum statics forces us to operate exclusively with such formations of copies  $\underline{\alpha}, \ldots, \underline{\Psi}$ , and this is the maximum amount of data provided by the supra-mathematical problem setup. *All* further mathematical structures may come only from constructions like (12) and from nothing else. Getting ahead of ourselves, let us turn our attention to the fact that implementation of this idea is not short-length—"the mathematization process (cor) is not simple" [94, p. 24], and sects. 3–9 are devoted specifically to this idea.

One can once again repeat (sect. 1.3) that much of what follows does not and cannot contain the mathematical proofs as they are usually present in the literature on quantum foundations. Instead, there appears the step-by-step *inference* of objects as they result themselves: numbers, operations, groups, algebras, etc. The only instrument that may be applicable here is the empirical inference.

The common macro-environment  $\mathbf{M}$  in (12) is also considered as a supra-mathematical notion [119], the mathematical implementation of which is yet to be created. The same considerations regarding qualitative adjectives are applicable as to the physical convention  $\mathbf{M}$  as well as the transition acts in sect. 2.1. Representations (11) are the formalization of the meaning [observation + data on system  $\mathcal{S}$ ], but now with no references to the elementary acts in (12). The physical distinguishability criteria  $|\Psi\rangle \not\approx |\Phi\rangle$  may not be formulated yet (physical attributes are not yet available), but  $|\alpha_s\rangle$ -elements have already appeared in (11) as prototypes of explicitly distinguishable  $\underline{\alpha}_s$ .

Remark 3. Dual form of the typical quantum statements like 'S is a micro-system and  $\mathscr{A}$ -instrument is a macro-object' (Bohr) is identical to the initial premise 'observation does always destroy a system'. It follows that there is actually little need for that terminology. Indeed, QM-micro has no internal structure and, hence, an often discussed issue about boundary (and limit\*) between micro

<sup>\*</sup>A. Zeilinger: "... no limit. The limit is only a question of ... money and of experience" [160, 13'09"].

and macro [122, 69, 10, 7] is devoid of sense. This may be a matter only of 'different macros'—the 'smaller/bigger'; i. e., when they describe certain models.

As a (partially philosophical) aside, we note that what is understood by observational randomness does, in fact, boil down to distinguishability, and more specifically, to postulating the micro-chaos (9). In considering the denial of (9) as an impossible proposition, we arrive at the M-paradigm and conclude that the only way to deal with that which is contemplated for the subject-matter of a physical description must be the treatment of micro-acts as ensembles [105, Lect. 6]. In other words, and in accordance with the outline of the clicks' analysis set out below, the determinism of micro-processes (micro-ontology)—much less the microscopic time-arrow—is meaningless as a concept, since they are not processes but structureless acts that have not even any relationship to each other. Since there are as yet no any physical phenomena as such, the claim that 'phenomenon-1 appears to be the cause that precedes phenomenon-2 as the effect' is no more than a collection of words. To attribute to them physical content and mathematical formulation at the micro-level is impossible in principle; the 'problem of boxes' noted above. Accordingly, the cause of (classical) macro-indeterminism is the absurdity of the notion of its twin concept—micro-determinism—and the unavoidable repetition of the arrows --- (M). N. Bohr: "there can be no question of causality in the ordinary sense of the word" [71, p. 351]. See also [105, p. 223].

2.5. Quantum ensembles and statistics. Let us call the upper row in (12), as a  $\underline{\Psi}$ -copy set, (quantum) homogeneous *ensemble* (Kollektiv, by von Mises [105]). We will designate it, simplifying when needed, by any way

$$\{\underline{\underline{\Psi}}\,\underline{\underline{\Psi}}\cdots\underline{\underline{\Psi}}\} \equiv \{\underline{\Psi}\cdots\underline{\Psi}\}_N \equiv \{\underline{\Psi}\}_N,$$

where N is understood to be an arbitrary large number. Scheme (12) dictates also to consider the generic ensembles

$$\left\{ \left\{ \underline{\alpha}_1 \cdots \underline{\alpha}_1 \right\}_{n_1} \left\{ \underline{\alpha}_2 \cdots \underline{\alpha}_2 \right\}_{n_2} \cdots \cdots \right\}, \qquad \left\{ \cdots \underline{\Psi} \cdots \underline{\Psi} \underline{\Phi} \cdots \underline{\Phi} \underline{\Theta} \cdots \underline{\Theta} \cdots \right\}$$
 (13)

as collections of homogeneous sub-ensembles. Ensembles are symbolized in the same manner as sets, but, for the convenience of perception, without the numerous commas and internal parentheses {} in (13); for example,

$$\{ab\cdots b\{bca\}\cdots\} = \{a,b,\ldots,b,b,c,a,\ldots\} = \cdots =: \{ab\cdots bbca\cdots\}.$$

Scheme (12) is the first point where numbers emerge in a theory, and conversion

$$[\underline{\alpha}$$
-ensemble (13)]  $\rightarrow$   $(n_1, n_2, \ldots)$ 

into the integer collection precedes a numerical  $\mathscr{A}$ -measurement of  $\mathcal{S}$ . Quantities  $n_s \in \mathbb{Z}^+$ , however, should not be associated with such, as they are potentially infinite. The minimal way of creating the knowingly finite numbers out of independent and potential infinities  $n_s$  (without loss of their independence) is to divide each of them by a greater infinity, which is a 'constant'  $\Sigma$  for the entire ensemble (13). It is clear that one should put

$$\Sigma := n_1 + n_2 + \cdots$$
 and  $\nu_1 := \frac{n_1}{\Sigma}, \quad \nu_2 := \frac{n_2}{\Sigma}, \quad \dots \quad (\Sigma \to \infty),$  (14)

and that ensemble (13) does not provide any numerical data besides the relative frequencies (14). All the other data are functions of  $\nu_s$ . An independence of the theory from the ensemble's  $\Sigma$ -constant, i.e., the procedure  $\Sigma \to \infty$ , is also implied to be a principle—the  $\Sigma$ -postulate. Without (idealization)  $\Sigma$ -postulate of infinity, there can be no question of a theory, i.e., empiricism will not turn into a mathematics (§§5.1–5.2).

Thus the M-paradigm (12) does not only give birth to a concept of 'numerical data in the theory' per se, but also converts their  $\mathbb{Z}^+$ -discreteness into the  $\mathbb{R}$ -continuum of real measurements. Namely, numbers  $\nu_s \in \mathbb{R}$  are the statistics  $(\nu_1, \nu_2, \ldots)$  of destructions  $\stackrel{\mathscr{A}}{\longrightarrow}$  into the ensemble of primitives  $\{\{\underline{\alpha}_1\}_{n_1}, \{\underline{\alpha}_2\}_{n_2}, \ldots\}$ .

2.6. **Distinguishability and numbers.** Distinguishability of the two ensembles now turns out to be the  $\mathbb{R}$ -numerical, i. e., it is determined by the difference between  $\nu$ -numbers. As a result, and according to pt.  $\mathbb{R}$ , the two elements  $|\Psi\rangle \not\approx_{_{\mathscr{A}'}} |\tilde{\Psi}\rangle$  of  $\mathbb{H}$  will differ in the numbers  $\mathfrak{a}_s$  and  $\tilde{\mathfrak{a}}_s$ , if the latter turn out to be the bearers of different statistics

$$\nu_j(\mathfrak{a}_1,\mathfrak{a}_2,\ldots) \neq \tilde{\nu}_j(\tilde{\mathfrak{a}}_1,\tilde{\mathfrak{a}}_2,\ldots). \tag{15}$$

In consequence, distinguishability  $\approx$  is carried over to  $\mathbb{H}$  with an extension to the non-eigen objects, but it is inherently incomplete, since it does not take into consideration the most significant fact—arbitrariness of transitions (6).

Actually, the collection  $(\nu_1, \ldots)$ , as a final result of transitions  $\{\underline{\Psi} \dashrightarrow \underline{\alpha}_s\}$ , 'knows nothing' about their left hand side, much less about its uniqueness  $\underline{\Psi}$ . If, for instance, we would require  $\underline{?} = \underline{\Psi}$  under equal  $\underline{\alpha}$ -statistics  $\{\nu_s\}$  for the two families  $\{\underline{?} \dashrightarrow \alpha_s\}_N$  and  $\{\underline{\Psi} \dashrightarrow \alpha_s\}_N$  (collectivity of  $\underline{?}$ 's), that would mean a mass control over transitions (9). Instead of a 'black box' above, we find that prior to acts  $\stackrel{\mathcal{A}}{\dashrightarrow}$  all the  $\underline{?}$ 's were equal to  $\underline{\Psi}$ . This, however, is the declaration of a property: 'prior to observation the system  $\mathcal{S}$  was/dwelled in  $\ldots$ '. With any continuation of this sentence, it is pointless and prohibited, if it is theoretically accepted that prior to observation nothing exists and there are no properties (sect. 2.1). The indeterminacy of the ingoing  $\underline{?}$ 's is therefore mandatory, and numbers  $(\nu_1, \nu_2, \ldots)$  required for recognition are manifestly insufficient. Considering that the micro-changeability of single primitives  $\underline{\Psi}$  means nothing [5], [7, p. 493], [88, p. 419(!), left column], only a generic ensemble

$$\{\underline{?}\cdots\underline{?}\} \longrightarrow \{\cdots\underline{\Psi}\cdots\underline{\Psi}\underline{\Phi}\cdots\underline{\Phi}\underline{\Theta}\cdots\underline{\Theta}\cdots\} =: \mathfrak{A}$$
 (16)

can be the intermediary in the sought-for translation of  $\underline{\Psi} \in \mathfrak{T}$  onto representations  $|\Xi\rangle \in \mathbb{H}$ , when constructing (11).

In the accustomed physics terminology, the above is expressed in the sequence

$$[\text{state}] \xrightarrow{\mathcal{A}_{\text{quant}}} [\text{state'}] \longmapsto [\text{measurement}].$$
 (17)

The removal of the intermediate component here, i. e., switch to the sequence

$$[\text{state}] \xrightarrow{-\mathcal{A}_{\text{class}}} \cdots \longrightarrow [\text{measurement}],$$
 (18)

amounts to the rejection of micro-destructibility and of unpredictability. Even with the classical consideration, this supposition is questionable, since the notion of 'change when observed' disappears. The relationships between the dual concepts—(micro/macro)-scopicity, big/middle/small, etc—are also lost. That is the reason why, strictly speaking,

• all observations, regardless of (envisioned physical) macro/meso/micro characteristics, have the structure (17), i. e., are the quantum observations. No non-quantal observations exist.

With their idealized 'roughening', the classical description appends numeric  $\nu$ -statistics to (18), which is when the left/right parts of (18) become indistinguishable with respect to the arrow symbols. The arrows may then be replaced with the equivalence

$$[\text{state}] \stackrel{\mathcal{A}_{\text{class}}}{\longleftarrow} [\nu\text{-statistics numbers}]. \tag{19}$$

Supplementing the right hand side here with the concept of numeric values  $\{\alpha_s\}$  for all of the observables  $\mathscr{A} = A(q,p)$  (or for phase observables  $\{q_1,q_2,\ldots;p_1,p_2,\ldots\}$ ), this side will turn into an exhaustive numerical realization of the left hand side. Criterion  $\approx$ , then, turn into the  $\mathbb{R}$ -numeric equality = of all the  $\mathscr{A}$ -statistics or into an equality of phase distributions  $\varrho(q_1,\ldots;p_1,\ldots)$ . This is a situation of the classical (statistical) physics (ClassPhys), i.e., when 'the physics is initially identified' with quantities being numeric in character. The ill-posedness of such a paradigm—the core motive of quantum theory—is discussed further below at greater length in sects. 6.4, 6.5, and 7. Consequently, 'classicality' is not and cannot be considered as a primitive in the logical construct. In both these cases, distinguishability  $\not\approx$  depends on the concept of  $\underline{\alpha}$ -states.

Remark 4. From this point onward, by state we will strictly mean representations (11). So it makes no sense to speak of transitions between states in this case, much less of "transition from possible to actual" (Everett [17, p. 189]) [126, 73, 163]. The writing  $|\Xi\rangle - \rightarrow |\alpha\rangle$  and its typical the wave function collapse interpretation are not correct. In fact, in treating transition  $|\Xi\rangle - \rightarrow |\alpha_1\rangle$  as a state-to-state destruction, its left hand side cannot carry any information about  $\nu_{(\mathscr{A})}$ -frequencies for other events  $|\Xi\rangle - \rightarrow |\alpha_s\rangle$ , much less about amount of destruction from envisioned  $\mathscr{B}$ -observations  $|\Xi\rangle \xrightarrow{\mathscr{B}} |\beta\rangle$ . Such  $\nu_{(\mathscr{B})}$ -'amounts' are always present at standard comprehension of the  $|\Xi\rangle$ -symbol. For this reason, the concept of a state should not be used as a correct term at all [94]; the terminology, however, has been settled.

The motivation given above—S (system, primitives), O (observation) and R (representations), T (taboo), the semantic principia I (QM-statics) and II (numbers) complemented below with the principium III—is sufficient for further creating the basis of mathematical formalism of QM. These tenets should hardly be considered as postulates, at least in the common meaning of the phrase 'postulates of a physical theory', since they are of a naturally language nature, and are, as we believe, the points of departure for reasonings whatever the approach to the micro-world. As it was emphasized above, these principles do not stipulate for predetermined mathematics and physics, with the exception of an already well-established metamathematical and linguistic understanding [79, 119] of how to approach the mathematical axioms, structures, theories, and their interpretations altogether. See also Remarks 7 and 10, and sects. 5, 10.

# 3. Ensemble formations

Your acquaintance with reality grows literally by buds or drops of perceptions. . . . they come totally or not at all W. James

The key corollary of the macro-paradigm (12) is not merely the appearance of numeric data in the theory, but also the fact that the further construct must rely not on isolated primitives, but on their aggregates being considered as an integrated whole, i.e., as a set. This causes a choice for the ensemble notation.

3.1. Mixtures of ensembles. Returning to the analysis of transitions  $\underline{?} \dashrightarrow \alpha_s$ , one gets that the lower row in (12) comes actually from indeterminacy

and thus (12), by virtue of (16), should be replaced with the scheme

$$\{\cdots \underline{\Psi} \cdots \underline{\Phi} \cdots \underline{\Theta} \cdots \}$$

$$\mathcal{A} \downarrow \downarrow \downarrow \downarrow \downarrow \downarrow \mathcal{A} ,$$

$$\{\cdots \underline{\alpha}_{1} \cdots \underline{\alpha}_{2} \cdots \}$$

$$(20)$$

wherein the composition of the upper ingoing row may not be predetermined. Fundamentally, according to (17) it may not be withdrawn from (20), yet at the same time the meaning of the row can in no way be aligned with the adjective 'observable' via typical empirical/physical words: properties, readings, quantities/amounts, and other 'observable' characteristics. Such a non-detectability is the equivalent of that a box may be prepended to the scheme (6):

If  $\underline{\beta}$ 's serve as  $\underline{\Psi}$  in (21), then we have the schemes of precedence and of continuation:

Let an observer capture the fact of any distinguishability in the intermediate  $\mathcal{A}$ . Section 2.1 tells us that this may be only the distinguishability of objects  $\{\underline{\alpha}_1,\underline{\alpha}_2,\ldots\}$ ; hence, this very  $\mathscr{A}$  turns into an observation (pt. 0). The M-paradigm then gives rise to the numbers of  $\underline{\alpha}$ events  $(n_1, n_2, ...)$  and, thereupon, their relative frequencies  $(\varrho_1, \varrho_2, ...)$  by the rule (14). If subsequently micro-observations  $\mathscr{B}$  are to follow, then a composite macro-observation  $\mathscr{B} \circ \mathscr{A}$ has been formed, and frequencies  $\{\varrho_i\}$  cannot but impact on statistical characteristics of these later  $\mathscr{B}$ -observation's micro-events. However, being an ingoing ensemble for  $\mathscr{B}$ , each homogeneous  $\{\underline{\alpha}_s \cdots \underline{\alpha}_s\}_{n_s}$  is indistinguishable from an indefinite ensemble  $\{\cdots \underline{\Psi} \cdots \underline{\Phi} \cdots\}_{n_s}$ , since the concept of ' $\approx_{\mathscr{A}}$ -sameness' is unknown for  $\mathscr{B}$ . Instrument  $\mathscr{B}$  is 'aware of only its own  $\approx_{\mathcal{B}}$  and cannot know what it destroys'\*, or that the source-object consists of one and the same  $\underline{\alpha}_s$ . According to pts. O and M, an instrument produces nothing more than its own 'destruction list'; in this case  $(\{\underline{\beta}_1\}_{m_1}, \{\underline{\beta}_2\}_{m_2}, \ldots)$ . This list is completely independent of the other ones, since, according to pt.  $\mathsf{R}(\bullet \bullet)$ , there can not be restrictions on  $\mathfrak{T}_{\mathscr{A}}$  and  $\mathfrak{T}_{\mathscr{B}}$ . In case the set  $\{\underline{\alpha}_s \cdots \underline{\alpha}_s\}_{n_s}$  transits into collection  $\{\underline{\beta}_k \cdots \underline{\beta}_k\}_{n_s}$ , this means that  $\underline{\alpha}_s$  has always transited into one and the same  $\underline{\beta}_k$  every time (under the convention  $\Sigma \to \infty$ ), and there takes place merely a coincidence  $\underline{\alpha}_s = \underline{\beta}_k$  of eigen-primitives in the lists  $\mathfrak{T}_{\mathscr{A}}$  and  $\mathfrak{T}_{\mathscr{B}}$ .

If  $\mathscr{B} \circ \mathscr{A}$  is proceeded with a third observation  $\mathscr{C}$ , the preceding analysis is repeated recursively with the same result; only the values  $\{\varrho_j\}$  will be changed. In consequence, only the following two ingoing types for macro-scheme (20) are conceivable:

$$\left\{ \cdots \underline{\Psi} \cdots \underline{\Phi} \cdots \underline{\Theta} \cdots \right\} \quad \begin{array}{c} \text{indefinite ensemble} \\ \text{no statistics} \end{array}, \tag{22}$$

$$\left\{ \left\{ \cdots \underline{\Psi} \cdots \underline{\Phi} \cdots \right\}^{(\varrho_1)} \left\{ \cdots \underline{\Psi} \cdots \underline{\Phi} \cdots \right\}^{(\varrho_2)} \cdots \right\} \quad \text{ensemble mixture} \\ \left[ \text{with statistics } (\varrho_1, \varrho_2, \ldots) \right].$$
 (23)

It is reasonable to regard case (23) as a mixture of the system  $\mathscr{A}$ -preparations

$$\{\mathcal{S}^{(\varrho_1)},\mathcal{S}^{(\varrho_2)},\ldots\}\quad\Longleftrightarrow\quad\{\underline{\alpha}_1^{(\varrho_1)},\underline{\alpha}_2^{(\varrho_2)},\ldots\},$$

to each of which we assign the positive number  $\varrho_s < 1$ , referred to as its statistical weight. These weights—"an element of reality" [113, p. 649]—are all that is inherited from the preparation  $\mathscr{A}$ , and subsequent micro-observation acts  $\mathscr{B}$  are performed on indefinite ensembles (22) again. It is clear that in the view of transitions  $-\rightarrow$  in scheme (20), this situation is

<sup>\*</sup>Rejection of this point brings us once again (p. 9) to attempts at 'penetrating into the black box' of transitions (5), i. e., to attempts at creating the physics of a more primary level.

a derivative of (22), and this very type (22) is crucial [13, p. 53]. In other words, if preparation is considered a concept as essential as observation (pt. 0), we still remain within the framework of the primary essence of a transition:

$$\underline{\Psi} \xrightarrow{\mathscr{B}} \underline{\beta}, \qquad \underline{\alpha} \xrightarrow{\mathscr{B}} \underline{\beta}.$$

Its left hand side should always be seen as an undetermined primitive, even though we treat/call it preparatory (micro) observation. See also "preparation-measurement reciprocity" in [15].

3.2. Ensemble brace. According to pts.  $\mathbb{R}$  and  $\mathbb{M}$ , representations (11) must reflect all information about physics of the problem: primitives/incomes, transitions ('arrows' -----------------), and outgoing statistics. All that data are contained in scheme (20), which is why the maximum that the model of a future mathematical object, which characterizes everything we get while watching the  $\mathcal{S}$ , can rely on is the ensemble brace:

$$(\underline{\Xi}) := \begin{pmatrix} \{ \cdots \underline{\Psi} \cdots \underline{\Phi} \cdots \underline{\Theta} \cdots \} \\ \emptyset \downarrow \downarrow \downarrow \downarrow \downarrow \downarrow \emptyset \\ \{ \cdots \underline{\alpha}_1 \cdots \underline{\alpha}_2 \cdots \} \end{pmatrix}$$

$$(24)$$

(or a couple of ensemble bunches). It is immediately seen that (24) carries the radical difference between situation (17) and its 'roughening' (19); because of the upper row. The enormous arbitrariness within the brace and arrows  $\stackrel{\mathscr{A}}{---}$  is 'programmed' to give birth to the different processing rules of statistics and to effects being typical for QM. Thanks to maximality of (24), it has been just this row which encodes all the sought-for cases of distinguishability  $\not\approx$ . In particular, by varying the upper row, while the lower one remains unchanged, we get into a situation, when  $\underline{\alpha}$ -statistics ( $\nu_1, \nu_2, \ldots$ ) is found to be the same for  $(\Xi)$  and  $(\widetilde{\Xi})$ , meanwhile,  $(\Xi) \not\approx (\widetilde{\Xi})$ .

The further problem is thus as follows. With the indefinite  $\mathfrak{A}$ -ensemble (16) in hand, i. e., with the upper row of (24), is it possible, based on the principles described above, to bring the still incomplete relation  $\not\approx$  to the maximal quantum-physical distinguishability of states?

## 4. Why domain $\mathbb{C}$ comes into being?

... quod ideo sint imaginariae, ... quod ideo sint ... tum certe forent reales ideoque non imaginariae\* L. EULER (1736)

> denn die imaginären Größen existierten doch nicht? D. HILBERT (1926)

 $\Diamond$ 

The first priority, in the  $\not\approx$ -distinguishability of objects (24), is to separate the closest and unconditional criterion—the outgoing  $\underline{\alpha}$ -statistics. To do this, let us split the lower row into families  $\{\{\underline{\alpha}_1\}_{\infty_1}\{\underline{\alpha}_2\}_{\infty_2}\cdots\}$ , where

$$\infty_1 + \infty_2 + \dots = \infty, \tag{25}$$

 $<sup>*\</sup>dots$  this is why they are imaginary. Were they  $\dots$ , they would certainly be real and therefore not imaginary.

and, subsequently (rather than the reverse, otherwise (23)), taking into account the 'arbitrariness of arrows', we also split the upper row:

$$(\underline{\Xi}) = \begin{pmatrix} \left\{ \left\{ \cdots \underline{\Psi} \cdots \underline{\Phi} \cdots \right\}_{\infty_1} & \left\{ \cdots \underline{\Psi} \cdots \underline{\Phi} \cdots \right\}_{\infty_2} & \cdots \right\} \\ \downarrow \qquad \downarrow \\ \left\{ \left\{ \underline{\alpha}_1 \cdots \alpha_1 \right\}_{\infty_1} & \left\{ \underline{\alpha}_2 \cdots \alpha_2 \right\}_{\infty_2} & \cdots \right\} \end{pmatrix}$$

$$(26)$$

(the indication of observation  $\stackrel{\mathscr{A}}{--}$  is omitted further below, since it has been reflected in primitives  $\underline{\alpha}$ ). Hereafter, infinities  $\infty_j$  stand for cardinal numbers (a number of elements, possibly finite) of their own ensembles. Therefore extension of distinguishability (15) should be produced from comparison of the sub-objects like

$$\{\cdots \underline{\Psi} \cdots \underline{\Phi} \cdots\}_{\infty_1}$$

$$\downarrow \qquad \downarrow \qquad \downarrow \qquad \downarrow$$

$$\{\alpha_1 \cdots \alpha_1\}_{\infty_1}$$

$$(27)$$

that differ from each other in the upper row composition.

4.1. Continuum of quantum phases. Cardinality of the  $\mathfrak{T}$ -set cannot be finite. This would entail finitely many  $\underline{\alpha}$ -primitives for all kinds of instruments. But finiteness of this number  $\mathcal{N}$  would mean an exclusivity of its value that does not follows from anywhere. At the same time, all the  $\mathfrak{A}$ -ensembles (16) are subsets of the set  $\mathfrak{T}$  (boolean  $2^{\mathfrak{T}}$ ); any finite portion of it is ruled out. Hence, the infinite variety of upper rows in (27) is uncountable.

Aside from numeric  $\nu$ -statistics, the program R does also require an association of the numeric objects with each row

$$\mathfrak{A} = \{ \cdots \underline{\Psi} \cdots \underline{\Psi} \, \underline{\Phi} \cdots \underline{\Phi} \, \underline{\Theta} \cdots \underline{\Theta} \cdots \}_{\infty} \quad \Longleftrightarrow \quad \cdots,$$

because primitive's symbols must disappear in the ultimate description. In order to avoid introducing the structures ad hoc, we will produce numbers here in the same manner, in which statistics were producing in sect. 2.5. Indeed, the logical genesis of the concept of a number must be single in theory. That is, we should again take into account the presence of copies of primitives, and write

$$\cdots \iff \left\{ \left\{ \underline{\Psi}' \right\}_{\infty'} \left\{ \underline{\Psi}'' \right\}_{\infty''} \cdots \right\}, \tag{28}$$

and numbers per se will come into being by the  $\Sigma$ -convention like (14). Thus, on the one side, the discreteness of micro-transition acts is embodied in (28) with the sequence  $(\underline{\Psi}',\underline{\Psi}'',\ldots)$ , and on the other, the uncountability of micro-arbitrariness is inherited by attaching the symbolic 'quantities'—'countless' characters  $(\infty', \infty'', \ldots)$ —to elements of this sequence. The global discreteness says that there are no grounds to assume a more than countable infinity  $\aleph_0$  for the set  $\mathfrak{T}$ , i. e.,  $|\mathfrak{T}| = \aleph_0$ . The infinity of the family (28), hence, has the type

$$2^{\aleph_0} = \aleph$$
.

i.e., it is continual [82]. Which possibilities exist for the form of row (28)?

The trivial case  $\mathfrak{A} = \{\{\underline{\Psi}'\}_{\infty'}\}$  for (28) drops out at once, since element  $\underline{\Psi}'$  would always go into the one and the same primitive:

$$\{\underline{\Psi}' \cdot \dots \cdot \underline{\Psi}'\}_{\infty_1} \qquad \{\underline{\Psi}'\}_{\infty_1} 
 \downarrow \downarrow \downarrow \downarrow \qquad = \qquad \mathscr{A}\downarrow \dots \downarrow \mathscr{A} 
 \{\underline{\alpha}_1 \cdot \dots \cdot \underline{\alpha}_1\}_{\infty_1} \qquad \{\underline{\alpha}_1\}_{\infty_1}$$

But this is tantamount to the identity  $\underline{\Psi}' \equiv \underline{\alpha}_1$ , which robs of any meaning the concept of transition  $\stackrel{\mathcal{A}}{-}$  whatsoever. Hence, for each of the formations (28), the following options are admissible:

$$\left\{ \underbrace{\{\underline{\Psi}'\}_{\infty'}\{\underline{\Psi}''\}_{\infty''}}_{N=2} \right\}, \dots, \left\{ \underbrace{\{\underline{\Psi}'\}_{\infty'}\{\underline{\Psi}''\}_{\infty''}\{\underline{\Psi}'''\}_{\infty'''}}_{3\leqslant N<\infty} \right\}, \dots$$

$$\dots, \left\{ \underbrace{\{\underline{\Psi}'\}_{\infty'}\{\underline{\Psi}''\}_{\infty''}\{\underline{\Psi}'''\}_{\infty'''}\{\underline{\Psi}'''\}_{\infty'''}}_{N=\infty} \right\}$$
(29)

with minimal N=2. If some of the infinities  $(\infty', \infty'', \ldots)$  are finite here (or even countable), this does not change the total continuality  $\aleph$ . The extreme case  $N=\infty$ —a countable infinity of continuums—changes also no this count because of  $\aleph+\aleph+\cdots=\aleph$  [68]. All of these infinities may be even countably duplicated, without augmenting the continuum, since  $\aleph \cdot \aleph \cdots = \aleph^{\aleph_0} = \aleph$ .

We will think of all the brace (27) as indistinguishable in their patterns, i.e., only one of the schemes (29) is realized. This fixes the structural staticity of theory, because, otherwise, it is unclear why one (unrecognizable upper) row should differ from another in the number (what?) of defining primitives  $\{\underline{\Psi}',\underline{\Psi}'',\ldots\}$  (which ones?). By analogy with (14), the only way to implement the said above is the introducing the cardinals as

$$\varkappa' := \frac{\infty'}{\infty}, \qquad \varkappa'' := \frac{\infty''}{\infty}, \qquad \varkappa''' := \frac{\infty'''}{\infty}, \qquad \dots$$
 (30)

Remark 5. A few remarks may be made in connection with case  $N=\infty$ . It is related to a conglomerate of infinities, which has the form of discretely infinite family of continual infinities  $\{\varkappa', \varkappa'', \ldots\}$ , and things would have been even 'worse' had the staticity of one of the schemes (29) been changed to variability. Such formations would need to be equipped with topology and with associated concepts of convergence and of limit. But all this touches on principally unobservable numeric entities, for which it is not clear how to motivate the further reductions to a 'finite mathematics' as required: dimensions, finite approximations, finite numbers (which ones?), etc. Moreover, all of that would pertain only to the global structural parameters of the theory prior to constructing it per se, not to mention the physical models. To put it plainly, such an assumption would result not to a theory but to a theory of theories and so on ad infinitum which should be somewhere terminated in any way. For these reasons, we leave the case  $N=\infty$  aside, though it might be worth elaborating it. However, in sect. 7.6, we will give a further justification of that the numeric domain of the theory is just what it has already been known in QM.

By examining non-minimal options  $N=3, N=4, \ldots$ , we conclude that they should be dismissed, since there immediately arises an issue associated with the questionable empirical exclusivity of a certain 'world integer N', which characterizes the number of 'physically inaccessible'  $\underline{\Psi}$ -objects. That is, these options would be topologically related to a certain nontrivial dimension  $N \geqslant 3$  with unmotivated origin.

For the remaining case N=2 one establishes that, in the following writing

$$\{\underline{\Psi}'\cdots\underline{\Psi}'\}_{\infty_1'}\cup\{\underline{\Psi}''\cdots\underline{\Psi}''\}_{\infty_1''} \stackrel{\longrightarrow}{\longrightarrow} \{\underline{\alpha}_1\cdots\underline{\alpha}_1\}_{\infty_1}$$

of the scheme (27), none of the primitives  $\underline{\Psi}'$ ,  $\underline{\Psi}''$  may coincide with  $\underline{\alpha}_1$ . Otherwise, the unrestricted adjunction of identical transitions  $\underline{\alpha}_1 \dashrightarrow \underline{\alpha}_1$  to (27) would mean indeterminacy of both the number  $\varkappa_1$  and the actual statistics  $(\nu_1, \nu_2, \ldots)$ .

Not counting the 'extremely complex' case  $N=\infty$ , the only option N=2 remains. It should have been adopted even before, on the ground that the most minimalistic construction, which set-theoretically gives rise, as a minimum, to the minimal numerical object—a single number—corresponds to the minimal N=2 in (29). The maximal case is problematic, while

mid-ones are ruled out. Consequently, all possible assumptions regarding the upper row structure in (27) are indistinguishable from a case just as if the row contained two primitives only. Functionality of the symbol  $\cup$ , having regard to inclusion of copies  $\underline{\Psi}'$  and  $\underline{\Psi}''$ , is unchanged as is; see further sect. 5.1 below.

We now take into account that each of the numbers (30) is mathematically generated by the standard scheme:  $\lceil (\text{ordered}) \text{ integers} \rceil \rightarrow \lceil (\text{ordered}) \text{ rationals} \rceil \rightarrow \lceil (\text{ordered}) \text{ continuum} \rceil$ . The natural ordering < is always present here and, as is well known [143, p. 52], can be isomorphically represented by the set-theoretic inclusion  $\subset$  on a certain system of sets. This inclusion, in turn, is directly concerned with the semantics of sect. 2. The natural-language term 'accumulating'—'the old is being nested into the new'—is formalized into the creating of sets from ensembles (see sect. 5.1).

We now conclude that all kinds of schemes (27) form an  $\aleph$ -continuum, for which there is no reasonable rationale for equipping it with a topology other than the standard order topology of the 1-dimensional real  $\mathbb{R}$ -axis or its equivalents. Call the quantity  $\varkappa \in \mathbb{R}$  quantum phase.

It should be added, that in considering some two upper rows in (27) as infinite sets

$$\{\underline{\Psi}\cdots\underline{\Psi}\}_{\infty'}\cup\{\underline{\Phi}\cdots\underline{\Phi}\}_{\infty''}$$
 and  $\{\underline{\Psi}\cdots\underline{\Psi}\}_{\tilde{\infty}'}\cup\{\underline{\Phi}\cdots\underline{\Phi}\}_{\tilde{\infty}''}$ ,

one can always establish their formal identity. However, physics requires to distinguish the rows, which is what the numeric part of pt.  $\mathbb{R}$  and comparison of cardinals  $(\infty', \infty'')$  'serve'.

4.2. Statistics + phases. Thus the closest reconciliation of scheme (26) with the  $R(\bullet)$ -postulate is an ensemble brace of the form

$$(\underline{\Xi}) = \begin{pmatrix} \left\{ \{\underline{\Psi}\}_{\infty_1'} \{\underline{\Phi}\}_{\infty_1''} \right\} & \left\{ \{\underline{\Psi}\}_{\infty_2'} \{\underline{\Phi}\}_{\infty_2''} \right\} & \dots \\ \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ \{\underline{\alpha}_1 \cdots \alpha_1\}_{\infty_1} & \{\underline{\alpha}_2 \cdots \alpha_2\}_{\infty_2} & \dots \end{pmatrix}$$

$$(31)$$

followed by the (upper) continual numeration through  $\mathbb{R}$ -numbers

$$\varkappa_s := \frac{\infty_s'}{\infty_s} \qquad (\infty_s := \infty_s' + \infty_s''). \tag{32}$$

In other words, quantitative description in the theory is created on a basis of the minimal building bricks

$$\begin{pmatrix}
\{\{\underline{\Psi}\}_{\infty'} \{\underline{\Phi}\}_{\infty''} \} \\
\downarrow & \downarrow & \downarrow \\
\{\underline{\alpha} \cdots \alpha\}_{\infty}
\end{pmatrix} (unitary brace)$$
(33)

with two abstract ingoing primitives.

Now, we have cardinals connected by relation (25) and the structure (31)–(32). In the above-described context, parentheses  $\{\ \}$  and symbols  $\underline{\Psi}, \underline{\Phi}, \dashrightarrow$  no longer carry meaning at this point. Therefore, we may omit them as 'extraneous' and write (31) as

$$(\underline{\Xi}) \quad \Longleftrightarrow \quad \begin{pmatrix} \varkappa_1 & \varkappa_2 & \cdots \\ \infty_1 & \infty_2 & \cdots \end{pmatrix} = \cdots,$$

where  $\underline{\alpha}_s$  are well represented by a subscripted numeration; observation  $\mathscr{A}$  has been fixed so far. Let us now introduce a statistics from the 'embracing infinity' (25):

$$\cdots = \begin{pmatrix} \varkappa_1 & \varkappa_2 & \cdots \\ \nu_1 \cdot \infty & \nu_2 \cdot \infty & \cdots \end{pmatrix} = \begin{pmatrix} \varkappa_1 & \varkappa_2 & \cdots \\ \nu_1 & \nu_2 & \cdots \end{pmatrix} \cdot \infty , \qquad \nu_s := \frac{\infty_s}{\infty}.$$

Then, by  $\Sigma$ -postulate, one arrives at a continually numerical labeling of objects (31):

$$(\underline{\Xi}) \iff \{\begin{pmatrix} \varkappa_1 \\ \nu_1 \end{pmatrix}, \begin{pmatrix} \varkappa_2 \\ \nu_2 \end{pmatrix}, \ldots \}.$$

Recall that the arithmetical operations on the emergent pairs  $(\nu, \varkappa)$  are still out of the question, and  $\Sigma$ -limit does not care the 'innards' of  $(\Xi)$ . Only one of all the potentially infinite quantities tends to infinity: the total cardinality (25) of brace (31). What is remained 'non-extraneous' in (31) is  $\underline{\alpha}$ 's, and we return them to their place. Hence, from the viewpoint of observation  $\mathscr{A}$ , the aggregate of all the possible brace (24) is indistinguishable from an order-indifferent 2-parametric family of data

$$(\Xi) = \left\{ \begin{pmatrix} \varkappa_1 \\ \nu_1 \end{pmatrix} \underline{\alpha}_1, \ \begin{pmatrix} \varkappa_2 \\ \nu_2 \end{pmatrix} \underline{\alpha}_2, \ \dots \right\}. \tag{34}$$

We drop a lower bar in the symbolic designation  $(\Xi)$ , highlighting the fact that the meaning of the  $(\Xi)$ -object becomes increasingly divorced from primitives in pt. S and gets into the numeric domain to match the programme R.

As an outcome, despite the freedom of ingoing collection in (26) and quantum microarbitrariness, the distinguishability  $(\underline{\Xi}) \not\approx (\underline{\tilde{\Xi}})$  is *indeed determinable*, it is determinable not only by statistics and is the  $(\mathbb{R} \times \mathbb{R})$ -numerical:

$$(\Xi) \not\approx (\tilde{\Xi}), \quad \text{if} \quad (\nu_s, \varkappa_s) \neq (\tilde{\nu}_s, \tilde{\varkappa}_s).$$
 (35)

What is more, the preliminary (classical)  $\not\approx$ -criterium (15) fits in (34)–(35) as a particular case by omitting the  $\varkappa$ -numbers and middle link from (17). That is to say, the ignoring of quantum ' $\varkappa$ -effects' is only possible via the (3  $\mapsto$  2)-reduction (17) into (18), with an automatic imposition of the ClassPhys description. A simplified and hypothetical version of QM over  $\mathbb{R}^1$  is also ruled out. It would mean a reduction of the two numbers ( $\nu, \varkappa$ ) to a single one. But they have fundamentally different origin. The construct and reasoning in sect. 2.1 tell also us that the attempt at a greater 'quantum specification' to (5) and (17) is impossible by virtue of the 2-row structure—ingoing/outgoing—of the object ( $\Xi$ ), and distinguishability by numeric pairs (35) is highest possible.

The ( $\Xi$ )-objects (34) remain and they, as a family, exhaustively inherit the problem's physics. The quantities  $\nu_s$  are the really observable (unitless) numbers—the percentage quantity of events, which an instrument/observer declares to be distinguishable  $\underline{\alpha}$ -objects. The quantities  $\varkappa_s$  are the internal and unremovable degrees of freedom. Figuratively speaking, the  $\varkappa$ 's may be speculatively referred to as phases, but they may not be associated with an actual quantity of something. Not only is any 'material' treatment of these 'amounts' impossible, but it is fundamentally *prohibited*, since the converse would have meant endowing the nonexistent boxes (5)–(6) with a notional content or asserting the nature of their origin. Justification is only allowed here for the fact of their existence, which is reflected by presence of the left hand side in the concept of transition  $\underline{\Psi} \xrightarrow{-\omega} \underline{\alpha}$  (Remark 2).

In view of numerous and ongoing discussions of the meaning of the quantum state [112], note that any its (even merely similar) classical/ontological and causal 'visualization mechanisms' [134, p. 137] as wave function of a 'certain real matter', of a hypothetical observable, of the 'objective knowledge', or of the 'classical data' (whatever this all means) are—and this we stress with emphasis—pointless for the same reason. See also sect. 10.1. This is why

• it is impossible [43, p. 13] to make/prepare, observe/read-off/approximate, transmit or measure a state, or endow it with the property of being known/unknown, or physically recognize/distinguish it from the other.

This thesis has no undergone a change even with regard to the word 'statistics' in the Born rule [24], if only because the rule is a substantial—two-to-one—reduction of the  $(\varkappa, \nu)$ -data. The state will itself, when created as a mathematical object, determine the meaning of the mentioned words (see sect. 5.3) with an appropriate concept of the physical distinguishability

(sect. 2.4). Cf. the works [95, 118] and the "methods to directly measure general quantum states ... by weak measurements" in [96].

All the  $\varkappa_s$  and  $\nu_s$  are independent of each other, except for relation  $\nu_1 + \nu_2 + \cdots = 1$ . Taking into account the admissible renormalization of both  $\mathbb{R}$ -numbers, the pair  $(\nu, \varkappa)$  can be topologically identified with a point on the complex plane:

$$\begin{pmatrix} \varkappa \\ \nu \end{pmatrix} \rightleftharpoons (\lambda, \mu) \in \mathbb{R}^2 =: \mathbb{C}.$$

The issue of the numerical domain over which the quantum description is being done—the real  $\mathbb{R}$ , complex  $\mathbb{C}$ , the quaternions  $\mathbb{Q}$  or whatever—is non-trivial and continues to be the subject of study [1, 8, 92]. The complexity  $\mathbb{C}$  is often motivated by a quantum dynamics (Schrödinger's equation) [72, p. 132, Stueckelberg], [144], however, such a motivation is inconsistent, and as we have seen, there is no need for it. The rigidity of the  $\mathbb{C}$ -domain points to the fact that, in particular, the quaternion QM also has no place to originate from [7, sect. 10.1], although it was the object of theoretical constructs in the 1960–70's [50]. Note that even the most comprehensive works [92, p. 217], [72, p. 131], [19, p. 234], [20], and [8](!) observe a difficulty in the full substantiation of the  $\mathbb{C}$ -domain.

The above-outlined reading the emergence of numeric quantities in theory is draft at the moment, and will be refined further below in sect. 7.

#### 5. Empiricism and mathematics

Set theory does not seem today to have ... organic interrelationship with physics P. Cohen & R. Hersh [32, p. 116]

... physics has something to say about the foundations of mathematics ... "if we believe in ZF there is nothing for physics to say" is not right P. Benioff [56, p. 31]

Up to this point we have dealt, roughly speaking, with a single abstract aggregate  $(\Xi)$  isolated from the others. However, the constructional nature of the ensemble brace (31) entails the following closedness relation between them. Every brace  $(\Xi)$  is composed of some others in infinitely many ways (for remote analogies, see  $[4, \sec 1.1.2]$ ), i. e., it is a union

$$(\underline{\Xi}) = (\underline{\Xi}') \cup (\underline{\Xi}''), \tag{36}$$

and, to put it in reverse, any union of two brace is a third object-brace. In collections (36), the operation  $\cup$ , which generates them, is commutative and associative:

$$A \cup B = B \cup A, \qquad (A \cup B) \cup C = A \cup (B \cup C), \tag{37}$$

and these 2- and 3-term relations not only are not a formal supplement, but should be read as the *structural* properties in general.

5.1. Union of ensembles. Consider the lower  $\underline{\alpha}$ -rows of brace (26) and experimental forming the new real  $\underline{\alpha}$ -ensembles from them. Let the procedure of such forming be denoted by  $\mathsf{U}(A,B,\ldots)$ , where  $(A,B,\ldots)$  are the ensembles per se. Its essence is such that it is comprehensively determined by the following minimum: a rule that involves the *minimal* (i. e., two) number of arguments  $\mathsf{U}(A,B)=?$  and a rule of the *repeated* applying  $\mathsf{U}$  to itself:  $\mathsf{U}(\mathsf{U}(\ldots),\ldots)=?$ . Obviously, we should write

$$U(A, B) = U(B, A), \qquad U(U(A, B), C) = U(A, U(B, C)),$$
 (38)

which is of course merely the empirical rephrasing the standard properties (37) of operation  $\cup$ . However, the converse is logically preferable: empiricism (38) is formalized into the abstract

properties (37). If we now attach the upper 'quantum' primitives to the low  $\underline{\alpha}$ -rows—a requirement of sect. 2.1—then the operationality of actions with the resulting ( $\underline{\Xi}$ )-braces would be just like that of U, i.e., (38). In other words, we carry over properties (38) (and use them everywhere) to the general operation on ( $\underline{\Xi}$ )-brace, without distinguishing between the essences of symbols  $\cup$  and U. 'Micro-operationality' of empiricism and its formalization are confined, at most, by the rules (37)–(38).

Let us temporarily discontinue using the numerical terminology as applied to  $(\Xi)$ -objects. They differ from each other due to relationships between their 'innards', rather than because of our assignment of differed symbols  $(\lambda,\mu)$  to them. The brace are comprised of elements that are combined into sets and are added to them. In the language of an abstract logic, we are dealing with the fact that transitions x form the brace  $A, B, \ldots$ , i.e., they are in the membership relationships  $x \in A, x \in B, \ldots$  or, when accumulated as micro-acts, 'get belonged to them'. That is to say, the brace themselves and their formation (accumulation of statistics for the  $\Sigma$ -limit) are equivalent to a huge number of propositional 'micro-sentences  $x \in A$  or  $x \in B$  or

$$A \cup B = \{x \mid (x \in A) \lor (x \in B)\},\tag{39}$$

which is already being constantly exploited above.

Remark 6. As is well known [143, 82], due to properties of logical atoms  $\in$  (membership) and  $\vee$  (or), the properties of sentences like (39) are determined precisely by rules (37) for  $\cup$ . Technically, we should also take an idempotence  $A \cup A = A$  into account, however. At the same time, the need to have a number requires that the duplicates in ensembles have to be taken into consideration. Nevertheless, this situation is easily simulated by the set theory itself. Indeed, consider first the lower row in (24) as a strictly abstract set  $\{\underline{\alpha}',\underline{\alpha}'',\ldots\}\subset\mathfrak{T}$ . Then, instrument  $\mathscr{A}$  'asserts' the distinguishable elements  $\{\underline{\alpha}_1,\underline{\alpha}_2,\ldots\}$  and those that should be thought of as their equivalents:

$$\underline{\alpha}_1' \approx \underline{\alpha}_1'' \approx \cdots =: \underline{\alpha}_1, \qquad \underline{\alpha}_2' \approx \underline{\alpha}_2'' \approx \cdots =: \underline{\alpha}_2, \qquad \ldots$$

This equivalence can be characterized, say, by words 'a detector click at one and the same place  $\underline{\alpha}_1$ '. Upon such a formalization, one obtains the formation  $\{\underline{\alpha}_1'\underline{\alpha}_1''\cdots\}\{\underline{\alpha}_2'\underline{\alpha}_2''\cdots\}\cdots\approx\{\underline{\alpha}_1\cdots\}\{\underline{\alpha}_2\cdots\}\cdots$ , i.e., the very lower row in (26). It is within this context that we think of the union operation without falling into contradiction. Accordingly,  $(\underline{\Xi}) \cup (\underline{\Xi}) \neq (\underline{\Xi})$  but the standard symbol  $\cup$  continues to be used for simplicity.

Therefore if we get back to the numerical labels (34), but ignore the 'inner composition' of  $(\Xi)$ , i.e., the M-paradigm, thus excluding  $\cup$  and (37) from the reasoning, then all kinds of  $(\Xi)$ -objects would turn into the semantically 'segregated ideograms'. Micro-transitions, their mass nature, arbitrariness,  $\not\approx$ -distinguishability, and the 'quantumness' of the task at all simply disappear. To take an illustration, the obvious statement

the brace 
$$\{\underline{\Psi} \xrightarrow{\mathscr{A}} \underline{\alpha}\} =: (\underline{\Xi})$$
 has an empirical 'kindred' with its duplication  $\{\Psi \xrightarrow{\mathscr{A}} \alpha, \Psi \xrightarrow{\mathscr{A}} \alpha\} =: (\Xi')$ 

becomes pointless, because the property  $(\underline{\Xi}) \cup (\underline{\Xi}) = (\underline{\Xi}')$  is missing. This is despite the fact that the creation of the transition copies in  $(\underline{\Xi}')$  is a primary operation for generating the objects and reasoning at all. Construction of the theory would then become possible only with the interpretative introduction of the vanished concepts anew. Therefore macro-empiricism necessitates that the relationships (37) be operative rules, and with that the quantumness or classicality of consideration is of no significance.

Remark 7. Let us look at the situation on the opposite—mathematical—side. The union of sets  $\cup$  is a fundamental operation already at the level of the set-theoretic formalization; e.g., the Zermelo–Fraenkel (ZF) axioms [82]. This is one of the first ways on how to create sets—the axiom of union. So

if we believe in the set-theoretic mode of explaining/creating the quantum rudiments, the quantitative description will inevitably invoke operationality of the mathematical primitive  $\cup$  through rules (37). This would be suffice to declare,

• inasmuch as we have nothing but  $\cup$  and  $(\underline{\Xi})$  (taboo  $\mathsf{T}$ ), commutativity/associativity of theory is then postulated at the outset, with the subsequent carrying these structures over to numeric representations, i.e., to  $\mathbb{R}$  or  $\mathbb{C}$ .

It is preferable, however, to adhere to the sequence order in ideology more stringently—[observation  $\rightarrow$  mathematics], [empiricism  $\rightarrow$  numeric representation], without substitution it for the opposite. At least, if we rely upon the following comprehension of the empiricism: our elementary perceptions are formalized only into sets and set-theoretic  $\cup$ -abstraction (39). See also [94, Ch. 3], [56, p. 178], [71, p. 323], [28], [31, pp. 12, 86, Ch. 4], sect. 11.1, and [20].

Summing up, we detect a kind of a junction point: the physical and mathematical fundamentality of operation  $\cup$  for describing the elementary acts. That is to say, the mathematics of  $(\Xi)$ -brace (31) and of objects (34) may not inherently be exhausted by them as 'bare' sets without structures. Recalling now pr.  $\blacksquare$ , we draw a conclusion regarding the very construction of the theory.

• Reconciliation of the R-paradigm with empiricism must transform itself into rewriting the primary ensemble ∪-constructions (26), (31), (33), and relationships between them into the language of numeric symbols.

More formally, we have the following continuation of pt.  $R(\bullet)$ .

 $\mathbb{R}^+$  Homomorphism of the ensemble brace properties 'onto numbers': mutual  $\cup$ -relationships (37) between the  $(\underline{\Xi})$ -brace should be carried over to relations between their numeric  $(\Xi)$ -representations (34).

Thereby, we once again fix the maximum that is available for the construction of quantum mathematics. One may handle only the  $\cup$ -aggregates of transitions—constructions (31), (34)—and the minimal modules (33).

5.2. **Semigroup.** In line with (36), let us split the unitary brace (33) into two ones or combine two brace into one. Remove also the symbols of primitives  $\underline{\Psi}$  and  $\underline{\Phi}$  from there. As was pointed out above, they are not necessary at this stage. Replacing the notation of upper cardinals (33) with pairs  $(\infty'_1, \infty'_2)$  and  $(\infty''_1, \infty''_2)$ , upon the union one obtains

$$(\infty_1', \infty_2') \cup (\infty_1'', \infty_2'') = (\infty_1' + \infty_1'', \infty_2' + \infty_2''). \tag{40}$$

Here, addition + obviously satisfies the properties (37). If the cardinal ' $\infty$ -coordinates' are replaced with the 'finite percentages' ( $\varkappa$ ,  $\mathfrak{S}$ ) introduced above, i. e., if one puts

$$\left\{ \varkappa = \frac{\infty_1}{\infty_1 + \infty_2}, \quad \mathfrak{S} = \infty_1 + \infty_2 \right\}, \qquad \left\{ \infty_1 = \varkappa \mathfrak{S}, \quad \infty_2 = (1 - \varkappa) \mathfrak{S} \right\}$$
 (41)

as in (32), then rule (40) acquires the form of a number composition:

$$(\varkappa', \mathfrak{S}') \circ (\varkappa'', \mathfrak{S}'') = \left(\frac{\varkappa'\mathfrak{S}' + \varkappa''\mathfrak{S}''}{\mathfrak{S}' + \mathfrak{S}''}, \, \mathfrak{S}' + \mathfrak{S}''\right). \tag{42}$$

The commutativity/associativity properties of operation  $\circ$  hold here due to birationality of (41). Then, the formal application of  $\Sigma$ -postulate, i.e.,  $\mathfrak{S}' + \mathfrak{S}'' \to \infty$ , breaks, however, the symmetry  $(') \leftrightarrow ('')$  and associativity of  $\circ$ , since

$$(\varkappa', \mathfrak{S}') \circ (\varkappa'', \mathfrak{S}'') \quad \rightarrowtail \quad \varkappa' \circ \varkappa'' = s \cdot \varkappa' + (1 - s) \cdot \varkappa'', \qquad s := \frac{\mathfrak{S}'}{\mathfrak{S}' + \mathfrak{S}''}, \tag{43}$$

where s is an undefined parameter. Consequence of the same kind holds also true for the  $\nu$ -components of pairs (34), for which a convex w-combination of statistics does arise:

$$(\nu_1', \nu_2', \ldots) \circ (\nu_1'', \nu_2'', \ldots) =: (\boldsymbol{\nu}' \circ \boldsymbol{\nu}'') = w \cdot \boldsymbol{\nu}' + (1 - w) \cdot \boldsymbol{\nu}'', \qquad w := \frac{\Sigma'}{\Sigma' + \Sigma''}. \tag{44}$$

At the same time, the splitting (40) is no more than an 'intrinsic reshuffle' of one and the same ( $\underline{\Xi}$ )-brace that 'knows nothing' about concept of a number (numbers s, w), much less about the concept of observation or its numeric form. Therefore mathematics of the ensemble structures should be independent of any representation for (36) by such operations as (42). Composition ( $\Xi'$ )  $\circ$  ( $\Xi''$ ) = ( $\Xi$ ) should be determined solely by its constituents ( $\nu'$ ,  $\varkappa'$ ) and ( $\nu''$ ,  $\varkappa''$ ).

Remark 8. In classical statistics, the foregoing has an analog as insensitivity of data on events to the way of their gathering and of layout; for example,  $(2,3)+(1,4)\equiv(0,6)+(3,1)\equiv\cdots=:$  data. Then, the observation proper is being created by the scheme data  $\mapsto (3,7)\mapsto \left(\frac{3}{3+7},\frac{7}{3+7}\right)=(0.3,0.7)=(\nu_1,\nu_2)=:$  observ. Parameters like w can appear in  $(\Xi)$  only if, prior to any of the  $\cup$ -unions (36), a construction like (23) has been fixed. That is, the invariantly number-free brace (36) has been supplemented by an external number w and ratio w:(1-w). The correction  $(\Xi)\mapsto \left\{(\Xi')^{(w)},(\Xi'')^{(1-w)}\right\}$  of the theory, related to this number and to arrays (23), is very well known. This is a w-statistical mixture  $\{(w;\psi'),(1-w;\psi'')\}$  of wave functions, accompanied by a formalization in terms of the statistical operator  $w\cdot|\psi'\rangle\langle\psi'|+(1-w)\cdot|\psi''\rangle\langle\psi''|$ .

Now, in order that numeric  $(\nu, \varkappa)$ -realization (34) of ensemble brace (31) inherits quantum empiricism (O, M) and structural properties (36)–(37) correctly, we reassign the quantities  $(\nu, \varkappa)$  with a 'percentage meaning' and replace them with different numbers  $[\lambda, \mu]$ :

$$(\Xi) = \left\{ \begin{bmatrix} \mu_1 \\ \lambda_1 \end{bmatrix} \underline{\alpha}_1, \ \begin{bmatrix} \mu_2 \\ \lambda_2 \end{bmatrix} \underline{\alpha}_2, \ \dots \right\}$$
 (45)

(this important passage will be touched upon once again in sect. 7.1). In so doing, each pair  $\begin{bmatrix} \mu' \\ \lambda' \end{bmatrix}$ ,  $\begin{bmatrix} \mu'' \\ \lambda'' \end{bmatrix}$  behaves as a whole, and, under coinciding  $\underline{\alpha}_s$ , the pairs are endowed with a composition  $\begin{bmatrix} \mu' \\ \lambda'' \end{bmatrix} \oplus \begin{bmatrix} \mu'' \\ \lambda''' \end{bmatrix}$  that is to be commutative. Along with this, if symbol  $\underline{\underline{\square}}$  denotes a composition of objects (45) then it should obviously copy properties (37):

$$(\Xi) \uplus (\Psi) = (\Psi) \uplus (\Xi), \qquad ((\Xi) \uplus (\Psi)) \uplus (\Phi) = (\Xi) \uplus ((\Psi) \uplus (\Phi)).$$

The finite ensembles are vanishingly small in their contribution into infinite ones ( $\Sigma$ -postulate), i. e., elements of the ( $\underline{\Xi}$ )-family, as infinite sets, are considered modulo finite ensembles\*. Let us designate their image as (0), and, due to property ( $\Xi$ )  $\uplus$  (0) = ( $\Xi$ ), it is naturally referred to as zero. The collection (45) itself has also been formed by the  $\cup$ -combining the ingredients

$$\left\{ \begin{bmatrix} \mu_1 \\ \lambda_1 \end{bmatrix} \underline{\alpha}_1, \ \begin{bmatrix} \mu_2 \\ \lambda_2 \end{bmatrix} \underline{\alpha}_2, \ \dots \right\} \equiv \left\{ \begin{bmatrix} \mu_1 \\ \lambda_1 \end{bmatrix} \underline{\alpha}_1 \right\} \cup \left\{ \begin{bmatrix} \mu_2 \\ \lambda_2 \end{bmatrix} \underline{\alpha}_2 \right\} \cup \dots = \dots,$$

and which is why the same symbol  $\oplus$  may be freely used between objects with different  $\alpha_s$ :

$$\cdots = \left\{ \begin{bmatrix} \mu_1 \\ \lambda_1 \end{bmatrix} \underline{\alpha}_1 \right\} \uplus \left\{ \begin{bmatrix} \mu_2 \\ \lambda_2 \end{bmatrix} \underline{\alpha}_2 \right\} \uplus \cdots.$$

For the sake of brevity, we omit the redundant curly brackets further, redefining

$$(\Xi)_{\mathscr{A}} := \begin{bmatrix} \mu_1 \\ \lambda_1 \end{bmatrix} \underline{\alpha}_1 \uplus \begin{bmatrix} \mu_2 \\ \lambda_2 \end{bmatrix} \underline{\alpha}_2 \uplus \cdots. \tag{46}$$

As a result, we have had that the set-theoretic prototypes (26)–(27), (31) of states (11) do invariantly exist in form of all kinds of  $\cup$ -decompositions. Thus, in dealing with the only instrument  $\mathscr{A}$ , one reveals the following property.

<sup>\*</sup>The 'finitely many' is forbidden in theory. As soon as we put the numbers of  $\underline{\alpha}_1$ , of  $\underline{\alpha}_2$ , ... to be finite, we get immediately the numeric distinguishability  $n_1 \neq n_2, \ldots$ ; i. e., the act of macro-observation.

• For each observation  $\mathscr{A}$ , the set of  $(\Xi)_{\mathscr{A}}$ -objects forms an infinite commutative semigroup  $\mathfrak{G}$  with respect to operation  $\uplus$ .

An internal (beyond the observation) nature of  $(\Xi)_{\mathscr{A}}$ -objects (46) is characterized by commutative superpositions  $(\Xi')_{\mathscr{A}} \uplus (\Xi'')_{\mathscr{A}}$  thereof, which are independent of the classical composition of observational  $\nu$ -statistics.

5.3. **Measurement.** The described above numerical  $(\Xi)$ -version of the  $(\underline{\Xi})$ -brace ' $\cup$ -phenomenology' makes it possible now to preliminarily formalize the concept, the absence of which deprives the theory of its logical foundation. Namely, *measuring statistics by observation*  $\mathscr{A}$  over  $\mathcal{S}$ :

QM-measurement: 
$$([\lambda_1, \mu_1], [\lambda_2, \mu_2], \dots) \mapsto (\nu_1, \nu_2, \dots).$$
 (47)

That is, the  $[\lambda, \mu]$ -collection gets mathematically mapped into the  $\nu$ -statistics. This is a maximum of information provided by observation  $\mathscr{A}$ . The mapping (47) annihilates the pairs  $[\lambda, \mu]$ . Therefore the inheritance/homomorphism of operations  $\cup$  and  $\uplus$  onto anything at all is eliminated. Upon operation (47), both the  $(\varkappa, \nu)$ -sets and  $\cup$ -unions thereof,  $\uplus$ -operations, and the semigroup  $\mathfrak{G}$  per se disappear. As a result, the distinctive feature subsequently referred to as superposition will also disappear. The new numbers  $\{\nu_s\}$  may be 'added up' only as required by the different, i. e., classical, rule: forming the convex combinations (44). We note that the formalization of measurement does not now depend on how the mathematical map  $[\lambda, \mu] \mapsto (\nu)$  would be further implemented—it is a separate job [24]—or how the t-dynamics would be introduced.

Remark 9. Incorporation of t-dynamics into the theory is still impossible due to the absence of mathematics to be applied to instants  $t_1$ ,  $t_2$ . Accordingly, no physical t-process may correspond to the mathematical mapping (47), while the known 'conceptual' problems with the collapse' dynamics [59, 155, 70, 89, 106] are, in fact, non-existent [88, 90, 92]. More precisely, they stem from the blurring of meaning which we typically give to the words 'states' (what is that?), 'ensembles' (what are they comprised of?), and 'dynamics/collapse' (of what?). In regard to the latter, the authors of the book [94] speak out in the most definitive manner—"fairy tales".

In sect. 2.1, the fundamental premise of the  $\underline{\alpha}$ -symbol-based distinguishability  $\not\approx$  was the foundation of the entire subsequent language. One then observes that measurement or its outcome will essentially remain a vacuous term—"For microsystems nothing can be directly measured" [91, p. 304]—up until it invokes the concept of a quantum state, i. e., the ( $\Xi$ )- and  $\underline{\alpha}$ -objects. Once again it is stressed that the concept of the state must precede the notion of measurement, rather than the reverse.

5.4. Invariance with respect to observations. Up to this point we had had no need for the matching of observation  $\mathscr{A}$  with observation  $\mathscr{B}$ , although it is clear that a description based on a certain specified  $\mathscr{A}$  will inevitably be non-invariant with respect to the tool  $\{\mathscr{A}, \mathscr{B}, \ldots\}$ —'observation space'—and unacceptable (pt.  $\mathbb{R}$ ) due to the impermissible exclusivity of the set  $\{\underline{\alpha}_1, \ldots\}$ . At the same time, we do not have anything but  $\{\mathscr{A}, \mathscr{B}, \ldots\}$  and micro-acts (12) (pts.  $\mathbb{T}$  and  $\mathbb{M}$ ). In the brace, this fact has already been reflected: transitions are combined into integrities (24). Logically, however, the  $(\Xi)_{\mathscr{A}}$ -,  $(\Xi)_{\mathscr{B}}$ -objects are incomparable and isolated from each other, as carriers of statistics of different origin. On the other hand, 'the same is observed by instrument  $\mathscr{B}$ , as by instrument  $\mathscr{A}$ '. Although this context has not yet been invoked, without it the application of set-theoretic constructs to physics is devoid of meaning\*, just like the union of the speeds of an electron and of the Moon into a

<sup>\* &</sup>quot;The statements of quantum mechanics are meaningful and can be logically combined *only* if one can imagine a *unique experimental context*" [4, p. 115].

set  $\{v_e, v_{\text{M}}\}$ , with the subsequent creating a certain 'physical characteristic of this two-body system'; say, the mean velocity  $\frac{1}{2}(v_e + v_{\text{M}})$ .

Thus the global structuredness is required in the set of various ( $\Xi$ )-data according to the context 'the same, identical' or its negation. Apparently, this addition implies such entities as 'the same particle', 'in the same preparation/state', 'under the same temperature, M-environment (12)', 'the same closed system S', 'in the same external field', 'in the same interferometer' with 'the same detectors/solenoids', etc [4, 7, 60]; short and generalized notation (S, M, ...). All the concepts here, including the state, are physical conventions, yet their formalization and modeling are required for the creation of a theory (sect. 2.4).

The notion 'with the same initial data' falls under the same category, if the intention is to use the term time t. Again, the very creating the  $(\Xi)$ -brace as a set 'by the piece' is from the outset thought of as (sect. 2.4) a creation on the assumption of common (S, M, ...). For instance, the  $\mathscr{A}$ -statistics  $(\Xi)_{\mathscr{A}}$  is gathered with 'the same' (S, M, ...) as the  $\mathscr{B}$ -statistics  $(\Xi)_{\mathscr{A}}$ . On its part, any variation is sufficient to obtain 'not the same', even if we 'envision it as null' in the spirit of the widely known "without in any way disturbing a system" [123, p. 234]. To take an illustration, equipment of interferometer (sect. 6.5) with additional 'whichslit' detectors is already at variance with the notion of 'the same S'. In similar cases, we end up in situations of type (23), since the detectors cause an  $\alpha$ -distinguishability. Notice that the notions "the same" and "distinguishable" (Remark 2), while antonymous, mutually exclude each other. Semantically, one without the other makes no sense, which closely resembles Bohr's conception of complementarity [71].

It follows from the above that in order to match  $\mathscr{A}$  and  $\mathscr{B}$ , the supra-mathematical categories  $\langle\!\langle \mathcal{S}, \mathbf{M}, \ldots \rangle\!\rangle$  are required, however, we are only in possession of the ensemble brace  $(\Xi)_{\mathscr{A}}$  and  $(\Xi)_{\mathscr{B}}$  (pt. T). On the other hand, without joint consideration of the two instruments, i.e., without introducing a mechanism of the mathematical matching  $(\Xi')_{\mathscr{A}} \rightleftarrows (\Xi')_{\mathscr{B}}$ ,  $(\Xi'')_{\mathscr{A}} \rightleftarrows (\Xi'')_{\mathscr{B}}$ , ..., the segregation of the  $(\Xi)$ -objects is absolute. (It is clear that the matching of single micro-events  $\underline{\Psi} \xrightarrow{\mathscr{A}} \underline{\alpha}_s$  and  $\underline{\Psi} \xrightarrow{\mathscr{B}} \underline{\beta}_j$  is also futile.) It is impossible to associate physics with the abstractly segregated  $(\Xi)_{\mathscr{A}}$ -brace. Otherwise, the solitary object  $(\Xi)_{\mathscr{A}}$ , generating nothing more than a statistics provided by the single instrument  $\mathscr{A}$ , would yield a description of everything, which is absurd by pt.  $\mathbb{R}(\bullet \bullet)$ . The physical contents (to come) arise precisely through the above-mentioned matching; see sect. 6.4 further below. As a result, we adopt a kind of the relativity principle analogue: a tenet on the quantum observational invariance.

III Theory should introduce a means of equating the macro-observations (pts. O + M) by differing instruments  $\{\underline{\alpha}_1, \ldots\}_{\mathscr{A}} \neq \{\underline{\beta}_1, \ldots\}_{\mathscr{B}}$  under a common ('the same') experimental environment  $(S, M, \ldots)$ . (*the 3-rd principium of quantum theory*) Cf. [159, p. 632] and mathematical analogies [9, 102].

5.4.1. Semantic closedness and the equal sign =. We are currently returning once again to sect. 2.1, falling into a situation when the case in hand does not just entail fundamental theory in the form of  $\lceil \text{math} \rceil + \lceil \text{physical 'bla-bla-bla'} \rceil$ , while, continuing on an informal note, the mathematics of physics—quantum mathematics—is being created 'from scratch'. When constructing this math, it is impossible to forego physical conventions  $\langle \mathcal{S}, \mathbf{M}, \ldots \rangle$ , meanwhile, any preliminary and the formal characterization for  $\langle \mathcal{S}, \mathbf{M}, \ldots \rangle$  is ruled out. In fact, the attempts to mathematically formalize the physical context of observation, rather than observation itself, will not logically manage without another—'more fundamental'—observation, in this case, of the experimental environment. The semantic cycling is apparent here, and any its mathematization will lead to a retrogression of definitions into infinity

("von Neumann catastrophe" [37, pp. 158–...]). Which is why, once again, the 'box (6) method' prohibitions are required. See also a paragraph containing the capitalized emphasize "CANNOT IN PRINCIPLE" on p. 418 of the work [88]. Sooner or later, it will have to be declared that mathematics will be created for the conventions  $\langle \mathcal{S}, \mathbf{M}, \ldots \rangle$ , and that this mathematics will be a mathematical model for this  $\langle \mathcal{S}, \mathbf{M}, \ldots \rangle$ . The analogous argument—"mathematics is there to serve physics, and not the other way round" (L. Hardy [128, p. 242])—has already long been met in the literature [4, 7, 57]. In connection with the "general contextual models", see the book [76] (the Växjö-model, "quantum contextuality") and bibliography therein.

Remark 10. In order to avoid the just mentioned semantic/linguistic closedness—a kind of mathematical 'pathology' of the physical and natural languages—a description that lays claim to the role of an unambiguous/rigorous theory requires a careful separation of the object- and meta-languages. For more detail, see [79, §§14–16], [119, sect. V.1], [143, sect. 3.9]. For this reason, the constructs should track the blending of the object QM-domain (syntax) and the meta-domain (semantics) and, more generally, the penetration of extra-linguistic elements of thinking [31] into QM. The notion of 'the same  $\langle S, M, \ldots \rangle$ ', which is intuitive in a natural language, should explicitly be indicated as the external and fundamental category (pr. III), and its circular re-interpretations/re-translations within the theory should be banned. That is, re-stating the 'sameness  $\langle S, M, \ldots \rangle$ , identical  $\langle S, M, \ldots \rangle$ ' through a word or the equality sign = between some other entities is forbidden. 'The same' may no have a definition in terms of anything. It exists prior to theory and has only a meaning (= context). The physics terminology per se (sects. 6.4, 6.5, and 9.1) will become accessible when physical concepts are introduced via the originating—and obligatorily very ascetic—quantum-mechanics language. See also a selected thesis in sect. 11.1 on p. 63.

It is crucial to immediately note that, in the same manner, the classical description contains the cited arguments in their entirety. It is easy to convince that such a description also implies implicitly that which is designated above as (S, M, ...); for the physical reasoning would otherwise be entirely impossible\*.

Remark 11. Here, the situation is similar to the role of the axiom of choice in the ZF-system [32, 82]. It has been well known for a long time that the axiom is often subconsciously implied [53, Chs. II, IV]; it can also not be either circumvented or ignored. Another counterexample to 'infinite retrogression and circularity' in logic comes from the very same system. This is a ban on infinite chain of set memberships  $\in$  on the left

$$\| \cdots \in X_n \in \cdots \in X_2 \in X_1 \in X_0$$

(the regularity axiom  $[\forall x \in X, \ x \cap X \neq \varnothing] \Rightarrow [X = \varnothing]$ ) under permissibility of the infinite ( $\in$ )-continuing to the right:

$$X_0 \in X_1 \in X_2 \in \dots \in X_n \in \dots \in \dots$$

(not rigorously, the infinity axiom) [133, 82].

The obvious parallels here are the famous Russell paradox [53] or a chaos in the computer file system when the 'hard links' from a folder to the parent folder are allowed. Thus the relations  $\in$  'downwards' to the left and necessarily terminates in something, i. e., in a set which contains nothing:  $\emptyset = X_0 \in \cdots \in X_n \in \cdots$ . Therefore one needs to give 'meaning' to the only set—the empty one  $\emptyset$ . Incidentally, it is these axioms that guarantee the existence of infinitely many ordinal numbers (103) and uniqueness of this structure. The ordinals, and numbers at all, have yet to be dealt with further below in more detail.

All that remains is to add that no theory in physics is feasible without re-calculations of physical units, of vectors/tensors, without transformations in the fibre superstructures over manifolds, etc. Accordingly, the considerations on invariance and on transformations

<sup>\*</sup>Foulis-Randall: "... we often prefer to regard a number of outcomes of distinct physical operations as registering the same property, ... representing the same measurement. ... permitting an unrestricted identification of outcomes would lead to "grammatical chaos" [52, p. 232].

should be present in the quantum case as well, but it—which is its principal difference from the classical case—still lacks the concepts of physical quantities/properties (see sect. 6.4). Therefore such argumentation may only be applied to those objects that we have at our disposal, i.e., to the  $(\Xi)$ -brace. In fact, the renunciation of pr.  $\blacksquare$  would be tantamount to the inability to make the physics theories whatsoever.

Now, pr. III and the 'quantum diversity of the reference frames'  $\mathscr{A}$  and  $\mathscr{B}$  require a kind of factorization of the entire family  $\{(\Xi)_{\mathscr{A}}, (\Xi)_{\mathscr{B}}, \ldots, (\Xi)_{\mathscr{A}}', (\Xi)_{\mathscr{B}}', \ldots\}$  with respect to the conception  $(S, \mathbf{M}, \ldots)$ , i. e., the introduction of an operation of equating the results  $(\Xi)_{\mathscr{A}}$ ,  $(\Xi)_{\mathscr{B}}$  that came when observing S. The immediate putting  $(\Xi)_{\mathscr{A}} \not= (\Xi)_{\mathscr{B}}$  should not be made, since these brace are simply different sets. That is why, with isolated semigroups

$$\left\{ \underbrace{\overset{\mathscr{A}}{\uplus}}_{\mathfrak{G}_{\mathscr{A}}}; \; (\Xi')_{\mathscr{A}}, (\Xi'')_{\mathscr{A}}, \ldots \right\}, \quad \left\{ \underbrace{\overset{\mathscr{B}}{\uplus}}_{\mathfrak{G}_{\mathscr{B}}}; \; (\Xi')_{\mathfrak{B}}, (\Xi'')_{\mathfrak{B}}, \ldots \right\}, \quad \ldots$$

at our disposal, we have to conceive of them as elements of a new set H of objects of a single nature and 1) to carry out the mapping  $\{\mathfrak{G}_{\mathscr{A}},\mathfrak{G}_{\mathscr{B}},\ldots\}\mapsto H$ , assigning new representatives  $|\Xi_{\mathscr{A}}\rangle\in H$  to the  $(\Xi)$ -brace, and 2) to equip H with an equivalence relation  $|\Xi_{\mathscr{A}}\rangle\approx |\Xi_{\mathscr{B}}\rangle$  (the concept 'the same' above). Let us implement all of that by the scheme

In this, the new addition  $\pm$  must of course homomorphically inherit operations  $\stackrel{\mathcal{L}}{\oplus}$ ,  $\stackrel{\mathcal{L}}{\oplus}$ , ..., and extension of this definition throughout H is then made with the aid of the very equivalence  $\approx$ :

$$\ket{\Xi_{\mathscr{A}}'} \pm \ket{\Xi_{\mathscr{B}}''} = \ket{\ket{\Xi_{\mathscr{B}}''}} pprox \ket{\Xi_{\mathscr{A}}'} \Rightarrow \ket{=\ket{\Xi_{\mathscr{A}}'} \pm \ket{\Xi_{\mathscr{A}}''}} = \ket{\Xi_{\mathscr{B}}'} \pm \ket{\Xi_{\mathscr{B}}''}.$$

Negation  $\approx$  of the relation  $\approx$ , e.g.,  $|\Xi'_{\mathscr{A}}\rangle \approx |\Xi''_{\mathscr{A}}\rangle$ , is exactly the very same distinguishability that was discussed in sects. 2–3.

For the sake of convenience, we adopt the regular sign = for  $\approx$ , in order not to introduce yet a further homomorphism, which are already numerous, with more to come. In other words, the physics  $\langle S, \mathbf{M}, \ldots \rangle$  is 'concentrated' in the sign =, turning the empirical structures (48) into the  $\mathscr{A}$ -,  $\mathscr{B}$ -implementations of the object  $|\Xi\rangle \equiv |\Xi_{\mathscr{A}}\rangle = |\Xi_{\mathscr{B}}\rangle$  that is being constructed. The adequate term for it—DataSource—corresponds to the preliminary prototype of the concept of a state, but we will adhere to the standard term, disregarding its variance.

#### 6. Quantum superposition

Why the quantum?
J. Wheeler

... postulation of something as a Primary Observable is itself a sort of theoretical act and may turn out to be wrong T. Maudlin [100, p. 142]

6.1. Representations of states. Let us simplify notation according to the rule  $\begin{bmatrix} \mu \\ \lambda \end{bmatrix} =: \mathfrak{a}$ . The sought-for relationships between  $\mathscr{A}, \mathscr{B}, \ldots$  then turn into the equalities

representations of 
$$|\Xi\rangle$$
 state :  $\mathfrak{a}_1|\alpha_1$  :  $\mathfrak{a}_2|\alpha_2$  :  $\mathfrak{b}_1|\beta_1$  :  $\mathfrak{b}_2|\beta_2$  )  $\pm \cdots = \cdots$  . (49)

They furnish representations  $|\Xi_{\mathscr{A}}\rangle$ ,  $|\Xi_{\mathscr{B}}\rangle$ , ... of quantum state  $|\Xi\rangle$  of system  $\mathcal{S}$ . By design, the DataSource object  $|\Xi\rangle$  carries data  $(\Xi)_{\mathscr{A}}$ ,  $(\Xi)_{\mathscr{B}}$  and, more generally,  $(\Xi)$ -data (46) from the arrays of any observations, including the imaginary ones. That is what eliminates the initial need for the  $(\Xi)_{\mathscr{A}}$ -brace (24) to be came from the observation  $\mathscr{A}$ , which is reflected in the shortening of the term 'representation of state' to simply 'state'  $|\Xi\rangle$ . It should be added that the straightforward storing of objects  $\{|\Xi_{\mathscr{A}}\rangle, |\Xi_{\mathscr{B}}\rangle, \ldots\}$  in a certain set H, but with the independence of operations  $\{\pm^{(\mathscr{A})}, \pm^{(\mathscr{B})}, \ldots\}$  preserved, would not differ from the tautological substitution of symbols. Accordingly, the semantic autonomy of  $(\Xi)$ -brace would be inherited, whereas invariance  $\Pi$  requires the elimination of precisely this autonomy. What is more, the set-theoretic original copy for operations  $\{\overset{\mathscr{A}}{\cup},\overset{\mathscr{B}}{\cup},\ldots\}$  and  $\pm$  is one and the same—the union  $\cup$ .

The symbols  $|\alpha_s|$  and  $|\beta_s|$  in (49) are no more than symbols. Hence the objects' property (49) of being identical must be reflected in terms of their coordinate  $\mathfrak{a}$ ,  $\mathfrak{b}$ -components; pt.  $\mathbb{R}(\bullet)$ . This means that any aggregate  $(\mathfrak{a}_1, \mathfrak{a}_2, \ldots)$  is unambiguously calculated by means of a certain transformation  $\hat{U}$  into any other  $(\mathfrak{b}_1, \mathfrak{b}_2, \ldots)$ , when the two aggregates represent a common  $|\Xi\rangle$ :

$$(\mathfrak{a}_1,\mathfrak{a}_2,\ldots)=\widehat{U}(\mathfrak{b}_1,\mathfrak{b}_2,\ldots).$$

The  $\hat{U}$  then becomes an isomorphism between these aggregates and, accordingly, their lengths must coincide. This length—a certain single constant—will be symbolized as D.

6.2. Representations of devices. Spectra. Naturally, instrument is converted to the H-structure language along with  $(\Xi)$ -objects. It is a set of symbols  $\{|\gamma_1\rangle, |\gamma_2\rangle, \ldots\}$  in place of the previous  $\{\underline{\gamma}_1, \underline{\gamma}_2, \ldots\}$ . As has just been shown, their number for any  $\mathscr{C}$ -instrument should be equal to D. However, generally speaking,  $|\mathfrak{T}_{\mathscr{A}}| \neq |\mathfrak{T}_{\mathscr{B}}|$ , since  $\mathfrak{T}_{\mathscr{A}}$  and  $\mathfrak{T}_{\mathscr{B}}$  are assigned in an arbitrary way (pt. O). Therefore if we take an illustration  $\mathscr{A}\{\underline{\alpha}_1,\underline{\alpha}_2\}$  and  $\mathscr{B}\{\underline{\beta}_1,\underline{\beta}_2,\underline{\beta}_3\}$ , then H-representation of instrument  $\mathscr{A}$  should appear at least as  $\{|\alpha_1\rangle,|\alpha_2\rangle,|\alpha_3\rangle\}$ . Clearly, the already present distinguishability  $\underline{\alpha}_1 \not\approx \underline{\alpha}_2$  (sect. 2.2) is automatically converted into an abstract distinguishability of new symbols  $|\alpha_1\rangle \neq |\alpha_2\rangle$ , and empirical  $\mathscr{A}$ -distinguishability is confined exclusively by these two symbols. In that case, for the purpose of noncontradiction, the added third symbol  $|\alpha_3\rangle$ , as an adjunction to the abstract relations  $|\alpha_3\rangle \neq |\alpha_1\rangle$  and  $|\alpha_3\rangle \neq |\alpha_2\rangle$ , should be complemented with the notion of its physical indiscernibility from  $|\alpha_1\rangle$  or  $|\alpha_2\rangle$ . By an extension of this argument one gets that every  $\mathscr{A}$ -instrument should be endowed with the (non)equivalence relation  $(\mathfrak{A}/\mathfrak{F})$  in terms of the H-structure by its formal  $\{|\alpha_1\rangle,\ldots\}$ -representations. How to do this?

Let us proceed further from a self-suggested extension of pt. R. Let us declare—and it is more than natural—that the numeric representations  $\alpha_s$  are linked not only to observations, but to instruments as well. Each  $\alpha_s$  is the new object of a numeric type: a number or a collection of numbers. Then, indiscernibility, say  $|\alpha_3\rangle = |\alpha_1\rangle$ , is recorded by coincidence of the numeric labels  $\alpha_3 = \alpha_1$  attached to the symbols  $|\alpha_3\rangle$  and  $|\alpha_1\rangle$  respectively. The abstract ('old') distinguishability  $|\alpha_3\rangle \neq |\alpha_1\rangle$ , meanwhile, remains as it is. From these we have the following formalization of relationship between  $\alpha$  and  $\alpha$  by means of dropping/adding the brackets | ):

$$|\alpha_s| \neq |\alpha_k| \iff \alpha_s \neq \alpha_k |\alpha_s| = |\alpha_k| \iff \alpha_s = \alpha_k$$
 under  $|\alpha_s| \neq |\alpha_k|$ . (50)

Call the quantity  $\alpha_s$  (numeric) spectral label/marker of eigen-element  $|\alpha_s|$ . Then, by H-representation [\$\mathscr{A}\$] of instrument \$\mathscr{A}\$ we will mean the set of objects  $\{|\alpha_1|, \ldots, |\alpha_D|\}$  supplemented with the spectral structure (50):

$$[\mathscr{A}] := \{ |\alpha_1|_{\alpha_1}, |\alpha_2|_{\alpha_2}, \dots \}.$$

$$(51)$$

It is not difficult to see that if  $|\alpha_1| \neq |\alpha_2|$  then either  $|\alpha_3| = |\alpha_1|$  or  $|\alpha_3| = |\alpha_2|$ . Otherwise, spectral markers  $|\alpha_1| = |\alpha_2|$  should coincide, and primary primitives  $\underline{\alpha}_1 \not\approx \underline{\alpha}_2$  lose their empirical distinguishability in contrast with (7). Multiple coincidence of  $|\alpha_s|$ -markers is acceptable.

In the presence of relations (50), it is natural to state that instrument  $\mathscr{A}$  is coarser (more symmetrical) than  $\mathscr{B}$ , and, terminologically, to declare that the degeneration of the spectral-label values takes place. In cases of embeddability like  $\mathscr{A}_2\{\underline{\alpha}_1,\underline{\alpha}_2\}\subset \mathscr{A}_3\{\underline{\alpha}_1,\underline{\alpha}_2,\underline{\alpha}_3\}$ , instrument  $\mathscr{A}_2$  can even be called the same as (coinciding with)  $\mathscr{A}_3$ , but with a more rough scale. Or conversely,  $\mathscr{A}_3$  is a more precise extension of  $\mathscr{A}_2$ . In particular, the natural notion of a device resolution fits here.

All instruments may then be mathematically imagined as having the same resolution, but, perhaps, with degeneration of spectra. The non-coinciding instruments may be interpreted as non-equivalent reference frames  $\mathcal{A} \neq \mathcal{B}$  in an observation space. According to pts.  $\mathsf{R}(\bullet \bullet)$  and  $\mathsf{III}$ , they are mandatorily present in the description. The spectral degenerations are also present at all times, since element  $\underline{\alpha}_1$  can always be removed from  $\mathfrak{T}_{\mathcal{A}}$ , and there are no logical foundations to prohibit an observational instrument with family  $\mathfrak{T}_{\mathcal{A}} - \{\underline{\alpha}_1\}$ . Hence it follows that introducing the spectra—instrumental readings—is required even formally, without physics. It is of course implied here that spectral (in)discernibility is realized in the same manner as its statistical counterpart in sects. 2.6 and 4, i. e., by numbers. Incidentally, such a property of  $\lfloor \alpha_s - \mathbf{i} \cdot \mathbf{e} \cdot \mathbf{j} \rangle$  may be thought of as an abstract set of labels attached to the eigen-elements. As numbers, it is introduced for the subsequent creation of models to classical/macroscopic dynamic, and they are numeric.

Returning to D, we note that, in any case, the toolkit  $\{\mathscr{A}, \mathscr{B}, \ldots\} =: \mathcal{O}$  in real use has always been defined, fixed, and is finite. Consequently, the constant

$$D \geqslant 2 \tag{52}$$

has also been defined and fixed, and it becomes the globally static observable characteristic; an empirically external parameter. Meanwhile, the entire scheme internally contains the natural method of its own extension  $D \mapsto D+1$ , and the potentially all-encompassing choice  $D=\infty$  may be considered the universally preferable one in quantum theory. By freezing the different  $D<\infty$ , the theory makes it possible to create models, and they are not only admissible but also well-known. Their efficiency is examined in experiments. Once again, the D-constant, notion of spectra, and their degenerations are created by the  $(\mathcal{A},\mathcal{B})$ -invariance requirement, i. e., by pr. III.

As a result, the structure of H-representations of states and of instruments are liberated from the arbitrariness in assigning the subsets  $\mathfrak{T}_{\mathscr{A}}$  in (8). The statistical unitary pre-images (33) and H-elements of the form  $\mathfrak{c}|\gamma_s$ ) can be associated with any 'eigen symbol'  $|\gamma_s|$ ). They are always available because all kinds of brace (31) are known to contain subfamilies when ingoing  $\underline{\Psi}, \underline{\Phi}$ -primitives get to a single one, e.g., to  $\underline{\gamma}_1$ . Therefore every representation  $\mathfrak{a}_1|\alpha_1$ )  $\underline{\pm}\cdots$  is always equivalent to a  $(\underline{\Xi})_{\mathscr{C}}$ -brace for some observation  $\mathscr{C}$  with a homogeneous outgoing ensemble  $\{\gamma_1\cdots\gamma_1\}$ . That is, one may always write

while naturally referring to  $\mathfrak{c}_1|\gamma_1$ ) as one of the eigen-states of instrument  $\mathscr{C}$ , with an appropriate adjusting the similar definition in pt. O. The construction of the representation-state space is far from being complete, since it is still a 'bare' semigroup H.

6.3. Superposition of states. Since writings (49) exist for any ensemble (Ξ)-brace, let us consider the following two representations:

$$\mathfrak{a}_{1}|\alpha_{1}) \pm \mathfrak{a}_{2}|\alpha_{2}) = \mathfrak{b}_{1}|\beta_{1}) \pm \mathfrak{b}_{2}|\beta_{2}) \pm \cdots,$$

$$\mathfrak{a}_{2}|\alpha_{2}) = \mathfrak{b}'_{1}|\beta_{1}) \pm \mathfrak{b}'_{2}|\beta_{2}) \pm \cdots.$$
(54)

Comparison of these equalities tells us that the second one is a solution of the first one with respect to  $\mathfrak{a}_2|\alpha_2$ ). Hence, the semigroup operation  $\pm$  admits a cancellation of element  $\mathfrak{a}_1|\alpha_1$ ). This means that there exists an element  $\tilde{\mathfrak{a}}_1|\alpha_1$ ) such that

$$\begin{split} \left\{\tilde{\mathfrak{a}}_{1}|\alpha_{1}\right\} & \pm \mathfrak{a}_{1}|\alpha_{1}\right\} \pm \mathfrak{a}_{2}|\alpha_{2}) = \tilde{\mathfrak{a}}_{1}|\alpha_{1}\right\} \pm \left\{\mathfrak{b}_{1}|\beta_{1}\right\} \pm \mathfrak{b}_{2}|\beta_{2}\right\} \pm \cdots \\ & \qquad \qquad \downarrow \\ 0|\alpha_{1}\right\} \pm \mathfrak{a}_{2}|\alpha_{2}\right) = \tilde{\mathfrak{a}}_{1}|\alpha_{1}\right\} \pm \mathfrak{b}_{1}|\beta_{1}\right\} \pm \mathfrak{b}_{2}|\beta_{2}\right\} \pm \cdots \\ & \qquad \qquad \downarrow \qquad \qquad \left\{\text{due to (53)}\right\} \\ & \qquad \qquad \mathfrak{a}_{2}|\alpha_{2}\right\} = \mathfrak{b}'_{1}|\beta_{1}\right\} \pm \mathfrak{b}'_{2}|\beta_{2}\} \pm \cdots \\ & \qquad \qquad \downarrow \qquad \qquad \downarrow \\ |0) := 0|\alpha_{1}\right\} = \tilde{\mathfrak{a}}_{1}|\alpha_{1}\right\} \pm \mathfrak{a}_{1}|\alpha_{1}\right\}, \qquad \tilde{\mathfrak{a}}_{1}|\alpha_{1}\right\} \pm \mathfrak{b}_{1}|\beta_{1}\right\} \pm \cdots = \mathfrak{b}'_{1}|\beta_{1}\} \pm \cdots, \end{split}$$

where  $|0\rangle$  stands for a zero in semigroup H (image (0) of the finite length brace  $(\underline{\Xi})$ ) and 0 in  $0|\alpha_1\rangle$  is a symbol of its  $[\lambda,\mu]$ -coordinates. By canceling out  $\mathfrak{a}_s|\alpha_s\rangle$ , one by one, if necessary, one deduces that any element of H does have an inversion. That is, H is actually a group. We re-denote inverse elements  $\tilde{\mathfrak{a}}_s|\alpha_s\rangle$  by  $(-\mathfrak{a}_s)|\alpha_s\rangle$  and inversions of sums are formed from  $(\pm)$ -sums thereof. Moreover, all the  $[\lambda,\mu]$ -pairs turn into a set  $\{\mathfrak{a},\mathfrak{b},\ldots\}$  equipped with the above mentioned composition  $\oplus$ , which follows from an obvious property of unitary brace:

$$\mathfrak{a}|\alpha_1) \pm \mathfrak{b}|\alpha_1) = (\mathfrak{a} \oplus \mathfrak{b})|\alpha_1) \tag{55}$$

(inheritance of clossedness under the  $\cup$ -operation). This composition is also a  $\oplus$ -operation of a group and of a commutative one:

$$\mathfrak{a} \oplus \mathfrak{b} = \mathfrak{b} \oplus \mathfrak{a}, \qquad (\mathfrak{a} \oplus \mathfrak{b}) \oplus \mathfrak{c} = \mathfrak{a} \oplus (\mathfrak{b} \oplus \mathfrak{c}), \qquad \mathfrak{a} \oplus 0 = \mathfrak{a}, \qquad \mathfrak{a} \oplus (-\mathfrak{a}) = 0.$$
 (56)

Therefore the group nature of semigroup H and the group (56) come from the scheme

$$\left\{ \begin{array}{c} \text{single observations} \\ \mathscr{A}, \mathscr{B}, \dots \end{array} \right\} \implies \left\{ \begin{array}{c} \text{semigroups} \\ \mathfrak{G}_{\mathscr{A}}, \mathfrak{G}_{\mathscr{B}}, \dots \end{array} \right\} \rightarrowtail$$

$$\rightarrowtail \left\{ \begin{array}{c} (\mathscr{A}, \mathscr{B})\text{-invariance,} \\ \left\langle \left( \mathscr{S}, \mathbf{M}, \dots \right) \right\rangle \text{ and pr. } \blacksquare \right\} \right\} \implies \left\{ \text{group } H \right\}$$

and, technically, from equatings/identifyings (49).

Thus handling the  $|\Xi\rangle$ -objects breaks free from its ties to the notion of observation, and the objects admit the formal writings  $\mathfrak{a}|\Psi\rangle \pm \mathfrak{b}|\Phi\rangle \pm \cdots$ . Call them *superpositions*. However, as soon as they or the state are associated in meaning with the word 'readings' (it is discussed at greater length in sects. 6.4, 6.5), this term should be replaced with a non-truncated one: representation of the state with respect to a certain observation. In particular, the statistical data  $\nu_j$  are obtained from such expressions only after their conversion into a sum over eigenstates of the form (49); a task of the subsequent mathematical tool. No superposition  $\mathfrak{a}|\Psi\rangle \pm \mathfrak{b}|\Phi\rangle \pm \cdots$ , among them (53), has any physical sense in and of itself [134, p. 137], [43] nor is it preferable to any other one. It merely reflects the closedness of states with respect to operation  $\pm$ , since any  $|\Xi\rangle$  is re-recorded as a sum of various  $\{\mathfrak{a}|\Psi\rangle$ ,  $\mathfrak{b}|\Phi\rangle$ , ...  $\}$  in a countless number of

ways and is linked to any other such sum. Without a system of  $|\alpha_s\rangle$ -symbols for instrument  $\mathscr{A}$ , nothing observable out of the aggregate of coefficients  $\{\pm\mathfrak{a}, \pm\mathfrak{b}, \ldots\}$  (and, of course, of the  $|\Psi\rangle$ -letters themselves) is extractable in any imaginable way. Accordingly, it is incorrect to speak of—and that is a widespread misconception—the destruction of the superposition or of the "relative-phase information" [126, p. 253], associating the word destruction with physical/observational meanings or processes.

As a result, even without having a numeric theory yet and without resorting to the concept of a physical quantity—superposition may not address whatever physical concepts, we arrive at the paramount property, which characterizes the most general type of micro-observation's ensembles (17).

# • Superposition principle.

A  $(\pm)$ -composition of quantum states  $\mathfrak{a}|\Psi$ ) and  $\mathfrak{b}|\Phi$ ), which are admissible for system  $\mathcal{S}$ , is an admissible state

$$\mathfrak{a}|\Psi) \pm \mathfrak{b}|\Phi) = \mathfrak{c}|\Xi),\tag{57}$$

and with that the set  $\{\mathfrak{a}|\Psi\}, \mathfrak{b}|\Phi\}, \mathfrak{c}|\Xi\}, \dots\} =: H$  forms a commutative group with respect to operation  $\pm$ . The family  $\{\mathfrak{a},\mathfrak{b},\dots\}$  of coordinate  $\mathbb{R}^2$ -representatives of states (49) is also equipped with the same group structure under the  $\oplus$ -operation (56) and with rule of carrying the operation  $\pm$  over to  $\oplus$ :

$$\mathfrak{a}|\Psi\rangle \pm \mathfrak{b}|\Psi\rangle = (\mathfrak{a} \oplus \mathfrak{b})|\Psi\rangle. \tag{58}$$

Let us clarify the transferring (55) to (58). The union of the state prototypes  $\mathfrak{a}|\Psi\rangle$ ,  $\mathfrak{b}|\Psi\rangle \in \mathcal{H}$  is known to belong to  $\mathfrak{G}$ . So the composition  $\mathfrak{a}|\Psi\rangle \pm \mathfrak{b}|\Psi\rangle$  should be identical to a certain element  $\mathfrak{c}|\Psi\rangle \in \mathcal{H}$ . It is clear that  $\mathfrak{c}$  depends on  $\mathfrak{a}$ ,  $\mathfrak{b}$  and, hence,  $\mathfrak{a}|\Psi\rangle \pm \mathfrak{b}|\Psi\rangle = \mathfrak{c}(\mathfrak{a},\mathfrak{b})|\Psi\rangle$ . The exhaustive properties of dependence  $\mathfrak{c}(\mathfrak{a},\mathfrak{b})$  are given by formulas (56) and (58) under notation  $\mathfrak{c}(\mathfrak{a},\mathfrak{b}) =: (\mathfrak{a} \oplus \mathfrak{b})$ .

6.3.1. 'Physics' of superposition. Besides the essential non-physical nature of the  $(\pm)$ -superpositions—"we cannot recognize them" [43, p. 13], the primary and typical property of quantum addition is in the fact that, due to subtraction, it is possible the experimental obtainment of a 'quantum zero' in statistics from 'non-zeroes'. With that, the 'non-zeroes seem' to be positive, but there are 'negative non-zeroes'—negative numbers (sect. 9.2). Subtraction manifests by the typical obscurations in interference pictures. S. Aaronson: "We've got minus signs, and so we've got interference" [2, p. 220]. No classical composition

$$w\varrho_1 + (1-w)\varrho_2 \tag{59}$$

of non-zero statistics  $\varrho_1$ ,  $\varrho_2$  can provide a zero value, since the zero will never be obtained via the  $\cup$ -unions. The same is true for the pre-superposition in isolated brace  $(\Xi)_{\varnothing}$ , i.e., when one instrument is in question.

Remark 12. One cannot but mention yet another counterexample to the superposition's 'physicality'—'the infamous quantum cat'. Any combination of the dead and living animal is meaningless as a statement about new/nonclassical entity like a '(half-)dead/alive cat' or about thinking of a 'particle as being both here and not here'; especially with the addition 'at the same point in time' (see pr.  $\mathbb{I}$ ). It makes absolutely no sense to add ('ostensibly in accord with' the character  $\hat{+}$ ) the absent nature's phenomena to each other.

• What's being added is states, not their names or verbal descriptions of envisioned ('fantasized', "fantastic phantoms" [43, p. 15]) physical properties like 'spin up/down' or 'dead/alive'. Cf. [100, pp. 134(!), 135].

The 'cat-box open' is a click, not state. Accordingly, the word combination "system is in a superposition" is, at most, an interpretative allegory (sect. 10) without physical and mathematical content. That is to say, strictly speaking,

• no quantum (micro)system 'has ever been/dwelled in any state', much less in a superposition one, and much less at an instant t. G. Ludwig, on pp. 16 and 78 of the book [94], insists that it is a "myth" and "a fairy tale, ... the very widespread idea that each microsystem has a real state ... represented by a vector in a Hilbert space" and M. Nielsen remarks in [112]: "Saying  $0.6|0\rangle + 0.8|1\rangle$  is simultaneously 0 and 1 makes about as much sense as Lewis Carroll's nonsense poem Jabberwocky: ...".

Meaning of the word 'add' is still being created and implemented at objects to be thought of as 'atomic irreducible' entities—numbers (sect. 7).

T. Maudlin notes on p. 133 of the work [100]: "Our job . . . is to invent mathematical representations . . . , rather than merely linguistic terms such as "z-up." . . . we are in some danger of confusing physical items with mathematical items" (italics supplied). Here is an example of confusion. If we are going to measure the x-spin in one of the  $z_{\pm}$ -beams in a Stern–Gerlach device, then why and when does this 'observable' determinacy—say,  $|\rightarrow_z\rangle$ —get turned into an x-uncertainty  $|\uparrow\rangle + |\downarrow\rangle$ ? (see [12, p. 232]). But what if we are going not to do this? What do we mean by an equal sign in the writing  $|\rightarrow_z\rangle = |\uparrow\rangle + |\downarrow\rangle$ ? Where does the system 'intend' to get into: the x-uncertainty or the z-determinacy? Which of the states it is in, after all? Examples to the 'physicality of states' may be continued endlessly [16].

A statement about QM-superposition (without C-numbers) as a non-independent axiom can be found in the book [72, p. 108] but arguments given there are circular: Hilbert space  $\rightarrow$  quantum logic of propositions  $\rightarrow$  superposition principle. Similarly, in the works [116] and [19, p. 164], all of that is 'derived' from modular lattices [22]. However, the lattices are known to come into QM from the Hilbert space structure and, on the other hand, the purging QM-rudiments of such a space' axiomatics constitutes Birkhoff's 110-th problem [22, p. 286]. Note also that, in connection with formal logic approaches to theory construction [19, 52, 72, 84, 116, 152, 161], the issue of vindicating the matters that this logic deals with [94, 92, 137] should not be neglected. ("For example, would one have to develop a quantum set theory?" [40, p. 17].) A. Stairs: "If by "logic" we mean something like "correct reasoning," then it would make no sense to think of logic as "just another theory." [140, p. 258]. The more so as the the abstract micro-event's statistics and Boolean logic we have used in metamathematical reasoning at the moment [90, pp. 189, 193] contain nothing that depends on classical physics. See also [51, p. 29].

6.3.2. Whence non-commutativity? Yet another fact that results from the above constructs is that the availability of a superposition math-structure (57) reflects the presence of at least  $two \,\mathcal{A}, \,\mathcal{B}$  with non-coinciding families of eigen-primitives  $\{\underline{\alpha}_s\}, \,\{\underline{\beta}_k\}$ . This consequence of pt.  $\mathbb{R}(\bullet \bullet)$  should be particularly emphasized, since in the future it will manifest in the non-commutativity of operators  $\widehat{\mathcal{A}}$  and  $\widehat{\mathcal{B}}$ . Even though this work does not get to operators as a mathematical structure, it is clear that the emergent eigen-states and spectra have a direct bearing on them. In this context, the 'commuting instruments'  $\{|\alpha_1\rangle, |\alpha_2\rangle, \ldots\} = \{|\beta_1\rangle, |\beta_2\rangle, \ldots\}$  can be treated, roughly speaking, as coinciding, because this fact is independent of the specific spectrums  $\{|\alpha_1\rangle, |\alpha_2\rangle, \ldots\}, \{|\beta_1\rangle, |\beta_2\rangle, \ldots\}$  assigned to them. If they differ, this is merely a different (numeric) graduation of the spectrum scale. It is the same for all instruments, and its length is the parameter D.

Notice that definition of an  $\mathscr{A}$ -observation is not different from the formal assignment of the family  $\mathfrak{T}_{\mathscr{A}}$  (pt. 0 and (8)), which is why the non-coinciding sets  $\mathfrak{T}_{\mathscr{A}}$ ,  $\mathfrak{T}_{\mathscr{B}}$  do always exist. This provides a kind of abstractly deductive existence's proof for the non-commutativity, QM-interference—see further below sect. 6.5—and for the 'utmost low-level finality' of QM

altogether [92, 59, 7]. The whys and wherefores of theory do not require invoking the physical conceptions; cf. [85, p. 2]. Of no small importance is that this point entails an independence of the classical physics or its formal deformation, which are yet to be created from the quantum one (cf. a selected thesis on page 15). In particular, no use is required of the notion of a certain pretty small—again the classical/physical term—quantity, i. e., the Plank constant  $\hbar$ . What is more, the quantum paradigm (17)–(19) tells us that the classical description begins—i. e., we do create/introduce—with the notions of a micro-event's average and of time, whereas these conceptions are yet absent at the moment; and in the present work.

6.4. Physical properties. Now, the 'general physics'  $\langle S, \mathbf{M}, \ldots \rangle$  is mathematized into representations (49) of states  $|\Xi\rangle$  of system S. There is, however, an ambiguity, the source of which is the fact that the natural/classical language also lays claims to a similar formulation. This refers to the belief in the existence of mathematics ('bad habit' [104]; see also [63], [94, p. 122], and [103]) that describes S as an individual object with properties regardless of observation; an observation that is not a functioning attribute of the mathematics itself. In classical description, it is specified by definitions: point P of a phase space, (q, p)-coordinatization of the point (manifold), and statistical distribution  $\varrho(q, p)$ .

On the other hand, quantum empiricism provides nothing more to us besides the ensemble brace and  $|\Xi\rangle$ -states (pt. T). Preordained definienda with physical contents are unacceptable, i.e., S should not be conceived as 'something with *physical* properties' or as an 'individual object' [113, p. 645], [92, 93]. However, since the observational data (in the broadest sense of the word) may not originate from anywhere but a certain  $|\Xi\rangle$ -object, there should subsequently create

- 1) the very concept of physical properties [154, pp. 211–230]
- 2) and their numeric values/characteristics.

This is habitually referred to as elements/images of reality [61, pp. 194], [4, sect. 10.2], [93, §XIII.4.8]—Bell's "beables" [18], or what we have been calling attributes of a physical system. M. Wartofsky: "The very notion of 'phenomenon' or of 'the appearance of things,' . . . is a cognitive and perceptual act of abstraction" [154, p. 220]. The physical phenomena per se do not exist [26], [91, p. 310].

Indeed, the primary ideology of sects. 1.3 and 2.1 tells us that an invasion of physically self-apparent images into the theory should be avoided [90, p. 69], because "quantum theory not only does not use—it does not even dare to mention—the notion of a "real physical situation" (E. Jaynes [61, p. 198]). Therefore everything, with no exceptions, should be (mathematically) created: coordinates/momenta, energies, optical spectra, device readings, sizes, number/numeration of particles (Fock space), their (in)discernibility/individuality (bosons/fermions), the notion of a subsystem of system  $\mathcal{S}$  (see (23)), etc.

Degrees of freedom and the numeric forms of what is known as the classical reference frames—coordinates on manifolds—need also to be created. This fact is required for careful posing the questions regarding the quantum gravity, and it should be noted in passing that the 'simultaneity' is the ill-defined term not only in the (general) relativity theory but in QM as well; pr. I and [90]. The concept of a (non-elementary) particle\*, which is conceptually close to the notion of a subsystem/part, is also a physical convention, and can only arise from the  $|\Xi\rangle$  or its models: Bose-condensates, deformation excitations in crystal lattices, quasi-

<sup>\*</sup>By a particle is meant here the classical kinematic conception. R. Haag (2013): "What do we detect? The presence of a particle? Or the occurrence of a microscopic event?". H. Zeh and G. Ludwig answer: "There are no particles in reality" [158], "we must abandon the notion of a microscopic "object", one to which we have accustomed" [90, p. 69].

particles in a superfluid phase, quantum theories of various fields (relativistic or non), and more. Clearly, the QFTs is a subclass of QM-theory, and not its extension. In particular, it is common knowledge in QFT that no logical way to distinguish a particle from a certain state—normally, a vacuum excitation—exists. One word should therefore be used for both. In this regard, the well-known problem of dualism is eliminated because both the particles and waves are the classical notions, and in quantum language, they turn into the derivatives of the notions of state and mixture (23). Like waves, the particle is already a phenomenon—an observable one (phenomenology), which is why it may not exist [158] prior to theory's principles. Note that the  $\nu$ -statistics also falls under observable quantities, and constant D\*, if declared finite, is an example of an already created characteristic.

In other words, the logic of the above constructs prohibits not only the endowing the terms 'internal state of an individual object S' and 'the system is in a (definite) state' [92]–[94], [108] with meaning, but also the indirect using their numerical forms. That would work in circumvention of empiricism, assuming the a priori availability of mathematical structures that do not rely on the state space. L. Ballentine remarks in this regard: "the habit of considering an individual particle to have its own wave function is hard to break" [13, p. 238]; cf. "To speak of a single possible initial apparatus state is pure fantasy" (N. Graham [37, pp. 241–242]).

6.5. **Interference.** Let us go on with comments as to the involving the *physics-related* argumentation in the explication of quantal behavior. We have already mentioned above that for this purpose there is simply no language of physics (see sects. 2.1, 6.4) and of mathematics yet (see sects. 2.3, 5). That is why analogies of this sort are not only deceptive, but must be prohibited for exactly the same reasons that accompanied boxes (5). The typical examples in this connection are the notion of a simultaneous measurability and the 2-slit interference [134, 3].

First and foremost, the two cases—whether one or two slits are open—are quite "different experimental arrangements" [12, p. 236]

$$\langle \langle \mathcal{S}, \mathbf{M}, \ldots \rangle \rangle \rangle \neq \langle \langle \mathcal{S}, \mathbf{M}, \ldots \rangle \rangle \rangle \rangle$$
.

There is nowhere to seek a means of their comparison or the transference of one into another [12, p. 236]. Nonetheless, the classical approach, when opening another slit  $\langle S, M, \ldots \rangle_2'$  together with the first one  $\langle S, M, \ldots \rangle_1'$ , in a literal sense, envisions characteristics for  $\langle S, M, \ldots \rangle_2''$  (see sect. 6.4). In doing so, the transference method itself—'addition of two physics'  $\langle S, M, \ldots \rangle_2''$  by the rule of arithmetic addition of statistics (59)—is meanwhile considered self-apparent. Thus the natural questions, such as 'why/where are the zeroes coming from, they shouldn't be there'. In accordance with the aforesaid, everything here is erroneous, including the 'natural' questions. There are no rules at the outset—(non)classical and even quantum, just as there is no addition per se. A priori assuming them to stem from the obvious images for  $\langle S, M, \ldots \rangle_1'$  and  $\langle S, M, \ldots \rangle_2'$  is, in fact, the declaration of physical properties for  $\langle S, M, \ldots \rangle_1''$  that, however, do not follow from anywhere [170, p. 55], [146], [3]. The (illegal) assumption of the 'negligible effect of the which-slit detectors' mentioned on p. 28 is identical with a declaration of a physical property or, similarly, a solenoid's switch-on/off in the Aharonov–Bohm effect.

<sup>\*</sup>Dimension of a state space to come. A tensorial structure of this space—compound systems—pertains directly to the physical properties but we do not touch upon this point here. As an aside, this compositional structure will provide the means of distinguishing the aforementioned models under  $D = \infty$ .

Taken alone, the  $\varrho$ -distributions—separate for  $\langle S, \mathbf{M}, \dots \rangle_1'$  and  $\langle S, \mathbf{M}, \dots \rangle_2'$ —are entirely correct observational pictures, but introducing the rule (59) is indistinguishable from 'invention' of physics\*; a logically prohibited operation. In other words, the mere fact of non-adherence to this rule means that the grammatical conjunction of the verbs 'to understand/deduce' with the noun 'micro-phenomena' is unacceptable even linguistically. It is the point T that prohibits predefined (classical) semantics, and it was faithfully summarized by C. Fuchs: "badly calibrated linguistics is the predominant reason for quantum foundations continuing to exist as a field of research" [56, p. xxxix]. To understand or deduce (from mathematics) quantal phenomena is unfeasible [134, p. 111] and is "absolutely impossible, to explain in any classical way" (quote by Feynman). Just as with the elucidation of the nature of the quantum state on p. 22, any (circum-)classical justification is guaranteed to fail here, since it is based upon significant and implicit assumptions.

The classical theory is a theory of observational objects with observational properties expressed by observational numbers. We possess none of the three items required to create the quantum (= correct) description (sect. 2). The very adjective 'observational' is a linguistic notion of the classical vocabulary (sect. 2.2). Accordingly, the description can only be changed into 'to describe in newly created terms'. A. Leggett notes [86] that which is understood as common-sense should also be replaced (see also [43, p. 10]). The reason is clear. The common-sense operates—and that is perfectly normal—in observational categories rather than in structureless 'microscopy' (9) and ∪-abstractions of sect. 5.1; cf. Bohr's correspondence principle [71]. In effect, we have dealt with a 'fundamental gap' between the right description—"what is really going on?" [43, p. 12]—and our ability to give a (naturally speaking) explanation in terms of these categories.

6.5.1. Detector micro-events. For similar reasons, we cannot think (or envision) that a particle in an interferometer 'flies through the slit', 'has (not) arrived', "is located somewhere in the region of space" [38, p. 7] 'now/later', 'here, not there', that 'the choice of a detector has been delayed' (Wheeler [61]), or that a "photon ... interferes ... with itself" [38, p. 9], and that, generally, 'something is flying along a trajectory', and 'something' is a particle at an intuitive understanding. Cf. Dirac's description of "the translational states of a photon" in §3 of [38].

• "Photons are just clicks in photon detectors; nothing real is traveling from the source to the detector" (ascribed to A. Zeilinger),

and this point is supported by all the known varieties of interferometers. We would add in turn that clicks themselves are the clicks not of photons/particles but are 'merely clicks'; nothing really interferes inside interferometers, nor is anything superposed. For example, that the path of photons is not represented by connected trajectories was impressively demonstrated with the nested Mach–Zehnder experimental setup in the work [34]. Asking "where the photons have been" [34] is also the matter of a certain  $\underline{\alpha}$ -distinguishability. An interferometer—the entire installation—should be perceived as nothing more than a black box  $\langle S, \mathbf{M}, \ldots \rangle$ —the box (5)—'outside of space and time'. This is as a kind of irreducible element that produces the only entity—distinguishable  $\underline{\alpha}$ -events, and no other. The box contains no 'flying particles'. Say, none of the words in the typical sentence 'photon propagates a definite path' are well-defined. Any assessment of the screen flashes observed within interferometer—'is

<sup>\*</sup>D. Slavnov: "... to invent the physical exegesis of a ... mathematical scheme" [167, p. 304]. W. de Muynck: "Our custom of seeing classical mechanics as a no-nonsense description of 'reality as it is' does not seem to be justified. This custom is actually based on a confusion of categories ..." [108, p. 89].

zero statistics possible in any spot?'—lacks meaning until the theory's numeric apparatus is presented.

Remark 13. Thus Young's interference of the light beams (1803) is inherently the quantum—not the classical—effect: a micro-events' accumulation termed usually as the light intensity. The classical electromagnetism, in an exact sense, does not explain but only describes the phenomenon quantitatively with use of the numeric concepts of the positive and, which is important, the negative values of observable strength-fields  $\vec{E}$  and  $\vec{H}$ . Accordingly, operations of their addition/subtraction 'rephrase' the effect in words "superposing, suppressing, waves, intensities", and we call this 'explanation'. (The negativity with numbers is specifically commented on further in sect. 9.2.) In quantum approach, all of these concepts are not yet available, and the phenomenon per se is no more than the statistics of the 'positively accumulative' quantum clicks. There are not any waves there. The same—visible with the naked eye and 'explainable by waves'—macroscopic effect would take place, if we had the 'laser' of, say, mono-energetic slow electrons. To put it more precisely: a gun or emitter of something we envision as 'material particles electrons, neutrons', etc.

A criticism of the typical (a common event-space) analysis of the 2-slit experiment [48] is already abundant in the literature. See, for example, the works [146](!), [170, pp. 55–58], [77, Ch. 2], [49, 3], [114, p. 93].

Summing up, it is not the quantum interference that requires interpretative comprehension, but its classic 'roughening'. In other words, a scheme that latently presumes the rule (59) of extrapolation of what is observed in macro and micro [154, (!) last sentence on p. 101]. It is this scheme—ascribing the ontological status [87, 86] to everything, and not the quantum approach, that contradicts the logic and experience. Pauli characterizes this as habits "known as 'ontology' or 'realism'". Moreover, the chief component of constructs—[observation  $\rightarrow$  state']—is cast out and replaced with (19) under such a transformation. The DataSource object (p. 30) begins to be identified with the observational and numeric characteristics (see sentences before Remark 4), while the logic of the micro-world requires the distancing of precisely these two concepts, with no need for the characteristics themselves.

Thus we should not be deriving the physics of one phenomenon from another [94, p. 92] and making (super)generalizations, as soon as the incorrectness of the previous derivation method was established.

• Quantum mathematics constitutes not a physical theory\*—and that is its distinguishing feature—but, rather, a single syntactic (meta) principle of forming the mathematical models being subsequently turned into (the physical) theories. This principle is not subject to any (physical) treatment.

To create the models, we already have a good deal of *latitude*: the toolkit  $\mathcal{O} = \{\mathscr{A}, \mathscr{B}, \ldots\}$ , the parameter D, the families  $\{\mathfrak{T}_{\mathscr{A}}, \mathfrak{T}_{\mathscr{B}}, \ldots\}$ , numbers  $\{\varrho_s\}$  of mixtures (23), and—thanks to the notion of invariance  $\mathbb{H}$ —spectra, a structure of a group, and the concept of (different) representations of the one mathematical structure. This freedom will be subsequently augmented with the key notions of a mean and of time t, and also composite systems, the classical Lagrangians/Hamiltonians, their symmetries, and phenomenological constants. This is what is currently termed as a *quantization procedure* of the classical models—quantum phenomenology; the path-integrals, S-matrix etc. All that remains is to examine the numeric constituent of quantum mathematics.

<sup>\*</sup>S. Aaronson was likely the first to advance this line of thought: "... it's not a physical theory in the same sense as electromagnetism or general relativity ... quantum mechanics sits at a level between math and physics ... is the operating system ..." [2, p. 110]. Fuchs-Peres: "quantum theory does not describe physical reality" [58, p. 70].

The further strategy (sects. 7–9) lies in the fact that the numbers need to be created at first as a theoretical notion—arithmetic—and then as the concept of 'numeric values to observable quantities'—the observations numbers. The sections 9.1–9.2 contain some more explanations along these lines.

#### 7. Numbers

By number we understand not so much a multitude of unities, as the abstracted ratio of any quantity to another quantity of the same kind, which we take for unity I. Newton (1707)

> ... where do units come from? S. Gryb & F. Mercati [62, p. 91]

7.1. Replications of ensembles. In connection with the emergence of a group, the numeric representation of brace also undergoes change, since the 'doubling' of the semigroup into a group\* through adjoining the inversions deprives coordinate  $\mathfrak{a}$  of its distinction in comparison with the inversion  $-\mathfrak{a}$ . Given the involution

$$-(-\mathfrak{a}) = \mathfrak{a},\tag{60}$$

it makes no difference what to call an element, and what to call its inversion in the pair  $\{\mathfrak{a}, -\mathfrak{a}\}.$ 

The aforesaid is best demonstrated by another way of 'digitalizing' the empiricism, which is realized as the infinite replication of finite ensembles

$$\left\{ \{\underline{\Psi}\}_{\mathsf{n}} \{\underline{\Psi}\}_{\mathsf{n}} \cdots \right\} = \left\{ \{\underline{\Psi}\}_{\mathsf{n}} \right\}_{\infty} =: \{\underline{\Psi}\}_{\mathsf{n}\infty}. \tag{61}$$

That is, empirically, any infinite ensemble is thought of as created by repetitions (copies) of the finite objects  $\{\underline{\Psi}\}_n$ . It is in this only meaning that one should read the writing  $\Sigma \to \infty$  for the infinity postulate (14) (i. e.,  $\Sigma \times \infty$  is a relationship between the actual and potential infinity [168, 79]), because at the moment we possess neither the mathematics nor the topological concepts like a passage to the limit  $\lim_{\Sigma \to \infty}$ . The copies, in turn, are replications of the atomic primitive  $\{\underline{\Psi}\}_1$ . Replication is thus an operation of the same significance as  $\cup$  and  $\cup$ . With it, the ( $\Xi$ )-brace is characterized by the 'numeric' combination

$$(34) \quad \rightarrowtail \quad \big\{[\mathsf{n}_1\infty,\mathsf{m}_1\infty],\; [\mathsf{n}_2\infty,\mathsf{m}_2\infty],\; \dots\big\} \;\rightleftarrows \; (\Xi)$$

(indices label the  $\alpha_s$ -primitives), which has been created from the unitary brace by the scheme

$$(33) = \begin{pmatrix} \{\{\underline{\Psi}\}_{\infty'} \{\underline{\Phi}\}_{\infty''}\} \\ \downarrow & \downarrow & \downarrow \\ \{\underline{\alpha} \cdots \underline{\alpha}\}_{\infty} \end{pmatrix} \longrightarrow \begin{pmatrix} \{\{\underline{\Psi}\}_{n\infty} \{\underline{\Phi}\}_{m\infty}\} \\ \downarrow & \downarrow & \downarrow \\ \{\underline{\alpha} \cdots \underline{\alpha}\}_{(n+m)\infty} \end{pmatrix} \longrightarrow [n\infty, m\infty]\underline{\alpha}.$$
 (62)

The semigroup union  $(\Xi') \uplus (\Xi'')$  is then conformed with the writing

$$\begin{split} \big\{ [n_1' \infty, m_1' \infty], \ [n_2' \infty, m_2' \infty], \ \dots \big\} & \uplus \big\{ [n_1'' \infty, m_1'' \infty], \ [n_2'' \infty, m_2'' \infty], \ \dots \big\} = \\ & = \big\{ [(n_1' + n_1'') \infty, (m_1' + m_1'') \infty], \ [(n_2' + n_2'') \infty, (m_2' + m_2'') \infty], \ \dots \big\}. \end{split}$$

<sup>\*</sup>Formally known as a symmetrization of the commutative associative law (monoid) [23]. Curiously, under commutativity and associativity [30, sect. 1.10], solution to the problem of embedding is unique [23, pp. 15–17], and otherwise no solution, in general, exists. There exist the classes (Mal'cev (1936)), which are not axiomatized by finitely many  $\forall$ -formulas [99, pp. 216–217].

Moreover, the n-, m-quantities may be freely thought of as real ones due to the  $\mathbb{R}^2$ -continual infinity of ensembles proven above (sect. 4). The empirical rationale of this is apparent; namely, fractions of arbitrarily large ensembles  $\{\underline{\Psi}\,\underline{\Psi}\,\cdots\}$ .

This way of matching an infinity with the  $\Sigma$ -postulate automatically inherits the translation of associativity/commutativity, because the 'percentages' like s and w, just as the rules (43)–(44) themselves, do not even emerge. There, these numbers were originating from  $\Sigma$ -postulate, but it, in turn, was demolishing the pair  $(\varkappa, \mathfrak{S})$  itself in (42):  $\mathfrak{S} \to \infty$ . It is clear that, according to (63), the semigroup structure  $\mathfrak{G}$  is also inherited, turning into the addition of the numeric pairs

$$(n', m') \oplus (n'', m'') = (n' + n'', m' + m'').$$
 (64)

Returning to the group, we observe that the 'negative symbols' (-n, -m) might be initially taken as the semigroup  $\mathfrak{G}$  being duplicated, with equal success and with the same arithmetical addition  $\oplus$ , while the positive (n, m) could be considered as inversions thereof. Summing up, let us specify the rules of passing to the numeric representations

$$(33) \iff \{\pm \frac{\Psi}{p}, \pm \frac{\Phi}{q}\}\underline{\alpha}, \qquad (p, q) \in \mathbb{R}^2, \tag{65}$$

and, to avoid ambiguity, let us replace the binary composition symbol  $\oplus$  with a new symbol  $\widehat{+}$  for objects (65):

$$\{\stackrel{\Psi}{p}, \stackrel{\Phi}{q}\}\underline{\alpha} + \{\stackrel{\Psi}{n}, \stackrel{\Phi}{m}\}\underline{\alpha}.$$

The previously dropped primitives  $\underline{\Psi}$ ,  $\underline{\Phi}$  have been restored here, since they will be further needed for theory's invariance (sects. 7.4, 7.5), although they are still unnecessary at the moment.

It is not accidental that we spoke of 'numerical labeling' the brace (p. 21), since the question of arithmetic on them has not yet arisen. Although  $\nu$ -statistics—the real  $\mathbb{R}$ -numbers—are already involved, their use was based on the accustomed perception of a number. In accordance with pr. II, the number formalization of ensemble empiricism should be considered in greater detail.

# 7.2. Number as an operator. Let us begin with the classical simplification

$$\mathfrak{A} = \left\{ \{\underline{\Psi}\}, \{\underline{\Psi}\underline{\Psi}\}, \{\underline{\Psi}\underline{\Psi}\underline{\Psi}\}, \{\underline{\Psi}\underline{\Psi}\underline{\Psi}\underline{\Psi}\}, \dots \right\}, \tag{66}$$

and the notion of the number does not yet appear in any form; it should be created (II).

The mathematical abstracting the observation micro-acts is an employment of the operation  $\cup$  and of its closedness (see sect. 5.1); for example,  $\{\underline{\Psi}\} \cup \{\underline{\Psi}\underline{\Psi}\Psi\} = \{\underline{\Psi}\underline{\Psi}\underline{\Psi}\}$ . All the symbols in (66), as well as the character  $\cup$ , is of course merely a convention, and they may be changed. By writing (66) in symbols like + and  $\{a,b,c,d,\ldots\}$ , this set should be supplemented with identities as  $a+b=c, b+b=d,\ldots$ , i. e., with a binary construction +. Then (semi)group and commutative superpositions arise. Though note that the introduction of numbers at this point—even if only as symbols—is not necessary. It would reduce to renotation of the set's elements, to be precise. But the empirical description requires their unification, as manifested in the numeric notation like  $\{\underline{\Psi}\} =: 1\{\underline{\Psi}\}, \{\underline{\Psi}\underline{\Psi}\} =: 2\{\underline{\Psi}\}, \ldots$  It is precisely this pattern that was implicitly kept in mind in procedures (33)–(34) and (61)–(62), i. e., when introducing the numbers n by means of replication of finite or infinite ensembles:

$$\{\underline{\Psi}\cdots\underline{\Psi}\}_n \iff n\{\underline{\Psi}\}, \qquad \big\{\{\underline{\Psi}\}_\infty\cdots\{\underline{\Psi}\}_\infty\big\}_n \iff n\{\underline{\Psi}\}.$$

The symbol  $\iff$  should read here as 'the same thing as'. Clearly, the very idea of conjunction of the two entities—empirical brace (33) and the notion of a number (sects. 5.1, 5.2)—is not otherwise implementable. That is to say,

• we have no any means of translating the macro-observations into the numerical language, other than through the notion of 'quantity of something':

Otherwise, the quantitative theory would have nowhere to originate even at the level of the natural N-number characters.

On the other hand, the numerical tokens are 'affixed' not only to the 'atom'  $\{\underline{\Psi}\}$ , but also to other objects, any ones at that. Therein lies the primary meaning of this, still supramathematical concept; one might even say, a definition according to which this notion has been conceived and is being used universally. Here are examples:

$$3\{\underline{\Psi}\} \equiv \{\underline{\Psi}\underline{\Psi}\}, \quad 2\{\underline{\Theta}\underline{\Phi}\} \equiv \{\underline{\Theta}\underline{\Theta}\underline{\Phi}\underline{\Phi}\}, \quad \{\underline{\Phi}\underline{\Psi}\} \stackrel{2}{\rightarrowtail} \{\underline{\Phi}\underline{\Psi}\underline{\Phi}\underline{\Psi}\}, \quad a \stackrel{3}{\rightarrowtail} 3a, \quad c \stackrel{1}{\rightarrowtail} 1c. \quad (68)$$

Accordingly, there emerge identities like  $2b \equiv 4a$ ,  $3a \equiv c$ ,  $1c \equiv c$ . In other words, as we complete simplification (66),

• while abstracting the empirical contents of numeric symbols, they should be defined as unary operations  $\{\hat{1}, \hat{2}, \hat{3}_{4}, \hat{\pi}, \ldots\}$  that operate at the  $\mathfrak{A}$ -set (66) as automorphisms.

Now, replication is formalized as an operator  $\hat{n}$  with its numeric symbol n:

$$\psi \stackrel{\widehat{n}}{\rightarrowtail} \mathsf{n}\psi, \qquad \psi, \mathsf{n}\psi \in \mathfrak{A}, \qquad \mathsf{n} \in \mathbb{R},$$
 (69)

where  $\psi$  is understood to be any (sub)ensemble/(sub)set\*. We will refer to this fact as implementation of a replication operator by numbers.

### 7.3. QM and arithmetic. We immediately observe the following properties.

The operators are applicable to each other, i.e., being a family  $\{\hat{n}, \hat{m}, \hat{p}, \ldots\}$ , they are closed with respect to their composition  $\hat{n}(\hat{m}\psi) = (\hat{n} \circ \hat{m})\psi = \hat{p}\psi$ , and among them, there is an identical operator  $\hat{\mathbb{I}}\psi = \psi$ . The empirical meaning of the concept a fractional portion of the infinite ensemble (see (61)) tells us that for each  $\hat{n}$  there exists its inversion  $\hat{n}^{-1}$ ; "this [operator] construction really corresponds to division" [9, p. 37]. Hence, the composition of replications  $\hat{n} \circ \hat{n}^{-1}$  must return the former 'quantity':  $(\hat{n} \circ \hat{n}^{-1})\psi = \hat{\mathbb{I}}\psi$ . As the family  $\{\hat{n}, \hat{m}, \hat{p}, \ldots\}$  provides automorphisms of the  $\mathfrak{A}$ -set, these operators entail the associative identities  $((\hat{n} \circ \hat{m}) \circ \hat{p})\psi = (\hat{n} \circ (\hat{m} \circ \hat{p}))\psi$  [83, §I.1.2]. The common nature of the replication and of the  $\cup$ -union also signifies that there are relations in place that mix the actions of the unary  $\hat{n}$ 's and the binary union of ensembles. At a minimum, one suffices to define the action of replicator on a ' $\cup$ -sum' of replications. Clearly, the case in point is a distributive coordination of  $\circ$  and  $\cup$ :

$$\widehat{p}(\widehat{n}\psi \cup \widehat{m}\psi) = (\widehat{p} \circ \widehat{n})\psi \cup (\widehat{p} \circ \widehat{m})\psi.$$

We now observe that the indication of  $\psi$  everywhere in ensemble identities loses both necessity and significance, and the  $\psi$ -label becomes a semblance of a dummy index or the unit

<sup>\*</sup>Formally, in the language of the ZF-theory,  $n\psi$  would be organized as an ordered pair  $(n, \psi) := \{\{n\}, \{n, \psi\}\}\}$  [82], where n is a cardinality of a set consisting of copies of the object/set  $\psi$ .

symbol [kg], which can be changed. As we omit it, the theory is freed of  $\psi$  as of a 'calculation unit'. Then the last relation, as an example, acquires the form of a property between the operator n-symbols (69), if  $\{\cup, \circ\}$  are replaced with the symbols of binary operations  $\{+, \times\}$ :

$$p \times (n+m) = (p \times n) + (p \times m). \tag{70}$$

Supplementing this relation with other empirically determining properties, one infers that the unary operationality of  $\hat{n}$ -replications (69) is indistinguishable from the binary operationality on their n-symbols. The latter, in turn, acquires the multiplicative structure of a commutative group

$$\mathbf{n} \times \mathbf{m} = \mathbf{m} \times \mathbf{n}, \qquad (\mathbf{n} \times \mathbf{m}) \times \mathbf{p} = \mathbf{n} \times (\mathbf{m} \times \mathbf{p}), \qquad \mathbf{n} \times \mathbf{1} = \mathbf{n}, \qquad \mathbf{n} \times \mathbf{n}^{-1} = \mathbf{1}, \qquad (71)$$

and, as for the addition +, it is already binary and commutative due to properties of  $\cup$  (sect. 5.1):

$$n + m = m + n,$$
  $(n + m) + p = n + (m + p),$   $n + 0 = n.$  (72)

After having acquired properties (70)–(72)—call them arithmetic, symbols  $\{n, m, ...\}$  turn into abstract numbers, although their operator genesis does not go away and is yet to be involved. This is where a full list of requirements for the concept of a real number should be added, and which have to do with ordering <, completeness/continuality, and their relations with algebraic rules (70)–(72). We will take that this is done axiomatically [162, pp. 35–38], although the algebraic constituent of this 'axiomatics', as we have seen, is not axiomatical but deducible from empiricism. Multiplication  $\times$ , and also the subsequent  $(\circ)$ -multiplication of  $\mathbb{C}$ -numbers (80), is a most nontrivial part in deriving the structure 'the arithmetic'.

As an outcome, we reveal an essential asymmetry in genesis of the standard binary structures + and  $\times$ , and thereby a greater primacy of QM-consideration even over the (seemingly natural) arithmetic. Indeed, binarity may come only from operation  $\cup$ , which is primordially unique and, thereby, is inherited only to the one natural prototype—addition.

• Multiplication is not featured in the superposition principle, nor does it arise directly as a binary structure. The absence of a multiplication symbol in (57)–(58) is no accident.

The multiplication originates in the closedness of replications  $\hat{n} \cdot \hat{m}$ , and they are required according to the M-paradigm (12). In effect, any non-operatorial way of introducing the n-numbers is not a self-evidence for empiricism. An operator nature of the number is precisely that which gives rise to the second binary operation. However, the pure axiomatic declaration of arithmetic (70)–(72) will, in one way or another, require a (reciprocal to (67)) treatment of a number in the context of 'the quantity of what?', while its empirical pre-image always appears in the pair ['the quantity + of something']. Another way to put it is that,

• in the foundations of theory, there arises the predecessor/analog of the notion of a physical unit,

though the ultimate description is a description in terms of binary structures (70)–(72). It is carried out by dropping/attaching the symbols like  $\psi$ , which is a quantum generalization of the physical theory's independence of measurement units. Certainly, when formalized, the  $\hat{n}$ -replication and its binary n-twin become universally abstract. For example, the  $\hat{n}$ -operator (69) may be applied to the quantum case in which the object  $\psi$  has already an internal structure associated with the presence of  $\underline{\Psi}, \underline{\Phi}$ -primitives; this changes no the essence of the matter. Another example is when numbers n give birth to the really observable quantities. See also sect. 5.3, Remark 16, and additional discussion in sect. 9.

Let us now proceed from the fact that the comprehension/relation of the number\* and its operator has been formalized as described above, and 'axioms' (70)–(72) have been complemented with the negative numbers

$$\mathsf{n} + (-\mathsf{n}) = 0,$$

for they have been fully justified in the superposition principle.

7.4. **2-dimensional numbers.** A number in and of itself, as a replication operator, may be applied to any ensemble or, in fact, to anything at all. However, in quantum case, the 'upper' primitives are attached to every 'lower'  $\underline{\alpha}$ -event. These primitives, as was noted above, have to be got rid of. At the same time, the minimal structure, associated with the homogeneous array  $\{\underline{\alpha}_s \cdots \underline{\alpha}_s\}$  as a whole, is a unitary brace  $\{\frac{\psi}{n}, \frac{\hat{m}}{m}\}\underline{\alpha}_s$  containing two 'upper' primitives  $\underline{\Psi}, \underline{\Phi}$ . Their order, however, is arbitrary there. That is to say, given  $(n, m)\underline{\alpha}$  there are two quite equal objects  $\{\frac{\psi}{n}, \frac{\hat{m}}{m}\}\underline{\alpha}$  and  $\{\frac{\hat{\sigma}}{n}, \frac{\hat{m}}{m}\}\underline{\alpha}$  that are subjected to a replication. Each of them should be in a relationship (see sect. 5.1) to any other brace (62), which is already apparent in the example of '1-dimensional' versions  $(n, 0)\underline{\alpha}$  and  $(n', 0)\underline{\alpha}$ . For each pair  $\{(n, 0)\underline{\alpha}, (n', 0)\underline{\alpha}\}$ , there always exists the number m such that  $\widehat{m}(n, 0)\underline{\alpha} = (n', 0)\underline{\alpha}$ , i. e.,  $m \times n = n'$ .

As in the classical case (68), the sought-for generalizations of replicators are the transitive automorphisms on unitary  $\underline{\alpha}$ -brace (65), but they are not abstract and not arbitrary. They are strictly bound to the declared meaning of a number:  $\hat{N}$ -operation of creating the copies. Therefore, by virtue of the equal rights of  $\underline{\Psi}$  and  $\underline{\Phi}$ , it is imperative to bring the two 1-fold copying acts  $\hat{N}\{\bar{\eta}, \bar{m}\}\underline{\alpha}$  and  $\hat{M}\{\bar{\eta}, \bar{m}\}\underline{\alpha}$  into play, which differ in the permutation of primitives  $\underline{\Psi} \rightleftharpoons \underline{\Phi}$ . This point will determine a quantum extension of the replication.

As a result, since we have nothing but the 'copying'  $\hat{N}$  and 'union'  $\hat{+}$ , the most general transformation of the brace  $\{\frac{\Psi}{\Pi}, \frac{\Phi}{\Pi}\}\underline{\alpha}$  into (any) brace  $\{\frac{\Psi}{\Pi}', \frac{\Phi}{\Pi}'\}\underline{\alpha}$ , which is in a quantum-replication relation with it, is determined by the rule

$$\{\stackrel{\Psi}{\overline{\mathsf{n}}}, \stackrel{\Phi}{\overline{\mathsf{m}}}\}\underline{\alpha} \quad \stackrel{(\widehat{N}, \widehat{M})}{>\!\!\!>} \quad \{\stackrel{\Psi}{\overline{\mathsf{n}}}', \stackrel{\Phi}{\overline{\mathsf{m}}}'\}\underline{\alpha}, \qquad \{\stackrel{\Psi}{\overline{\mathsf{n}}}', \stackrel{\Phi}{\overline{\mathsf{m}}}'\}\underline{\alpha} = \widehat{N}\{\stackrel{\Psi}{\overline{\mathsf{n}}}, \stackrel{\Phi}{\overline{\mathsf{m}}}\}\underline{\alpha} \; \widehat{+} \; \widehat{M}\{\stackrel{\Phi}{\overline{\mathsf{n}}}, \stackrel{\Psi}{\overline{\mathsf{m}}}\}\underline{\alpha}. \tag{73}$$

This is the quantum version of operators (68)–(69), and the foregoing ideology of  $\widehat{N}$ -operators and of liberation from the  $\underline{\Psi}$ -symbols remains in force and entails the following. The numeric implementation of replicating the unitary brace (65), along with the (n, m)-representation of itself, is also determined by a certain pair  $(N, M) \in \mathbb{R}^2$ , i.e., by an operator symbol  $(\widehat{N, M})$ .

The aforesaid means that the numeric form  $(n,m) \xrightarrow{\widehat{(N,M)}} (n',m')$  of transformation (73) is indistinguishable from a composition of pairs

$$(N, M) \odot (n, m) = (n', m'),$$

where  $\odot$  is a designation for the new binary operation. Its resultant structure is derived from the arithmetic nature (71) of the 1-dimensional replication (68) described above, i.e., from the rules

$$\widehat{N}\{\stackrel{\Psi}{\mathsf{n}}, \stackrel{\Phi}{\mathsf{m}}\}\underline{\alpha} = \{\mathsf{N}^{\stackrel{\Psi}{\times}\mathsf{n}}, \; \mathsf{N}^{\stackrel{\Phi}{\times}\mathsf{m}}\}\underline{\alpha}, \qquad \widehat{M}\{\stackrel{\Phi}{\mathsf{n}}, \stackrel{\Psi}{\mathsf{m}}\}\underline{\alpha} = \{\mathsf{M}^{\stackrel{\Phi}{\times}\mathsf{n}}, \; \mathsf{M}^{\stackrel{\Psi}{\times}\mathsf{m}}\}\underline{\alpha}. \tag{74}$$

<sup>\*</sup>As concerns the philosophical literature, the issue of numbers was likely discussed [132], and it would be appropriate to quote: "... numbers: they can be added to one another, perhaps multiplied by one another, .... But it is typically obscure what sort of physical relation these mathematical operations could possibly represent" (T. Maudlin [100, p. 138]; first emphasis ours, second in original). Cf. Einstein's remarks concerning "concepts and propositions" and "the series of integers" on p. 287 in [42].

Here, a positivity/negativity of symbols (n, m) in (65) should also be taken into account. Having regard to the foregoing, rules (73)–(74) generate the Ansatz

$$(N, M) \odot (n, m) = (\pm Nn \pm Mm, \pm Nm \pm Mn), \tag{75}$$

wherein all the four signs  $\pm$  are independent of each other, and the (×)-multiplication of 1-dimensional numbers in (71) and (74) have been re-denoted by the habitual standard Nm := N × m.

As was the case previously, just emerged binarity for  $\odot$  should inherit associativity, existence of unity 1, and of inversions. Namely, if the (n, m)-pairs are identified with the notation (56) according to the convention

$$(\mathsf{n},\mathsf{m}) =: \mathfrak{a},\tag{76}$$

then the following properties should be declared:

$$(\mathfrak{a} \circ \mathfrak{b}) \circ \mathfrak{c} = \mathfrak{a} \circ (\mathfrak{b} \circ \mathfrak{c}), \qquad \mathfrak{a} \circ \mathbb{1} = \mathfrak{a}, \qquad \mathfrak{a} \circ \mathfrak{a}^{-1} = \mathbb{1}.$$
 (77)

From (73)–(74) it is not difficult to see that the combining (77) with (56) leads to a distributive coordination of operations  $\oplus$  and  $\odot$ :

$$\mathfrak{c} \circ (\mathfrak{a} \oplus \mathfrak{b}) = (\mathfrak{c} \circ \mathfrak{a}) \oplus (\mathfrak{c} \circ \mathfrak{b}). \tag{78}$$

However, the direct examination of this property shows that Ansatz (75) satisfies it automatically, and examination of an associativity in (77) particularizes (75) into the expression

$$(N, M) \odot (n, m) = \pm (Nn \pm Mm, Nm + Mn);$$

now, with two independent signs  $\pm$ . Moreover, in passing we reveal the commutativity

$$\mathfrak{a} \circ \mathfrak{b} = \mathfrak{b} \circ \mathfrak{a},\tag{79}$$

though it was not presumed prior to that. The search for unity 1 and subsequent finding an inversion of the element (n, m) yield:

$$\mathbb{1} = (\pm 1, 0), \qquad (\mathsf{n}, \mathsf{m})^{-1} = \left(\frac{\mathsf{n}}{\Delta}, -\frac{\mathsf{m}}{\Delta}\right), \qquad \Delta \vcentcolon= \mathsf{n}^2 \pm \mathsf{m}^2.$$

Both the  $(\pm)$ -symbols continue to be independent here. The choice  $\Delta=n^2-m^2$  leads to the absence of inversions  $(n,n)^{-1}$ . This is in conflict with the group property (77) and also gives rise to the unmotivated exclusivity of the unitary brace  $\{\bar{n}, \bar{n}\}\underline{\alpha}$ . The case  $\Delta=n^2+m^2$  remains, and it reduces the scheme to the form

$$\mathbb{1} = \pm (1,0), \qquad (\mathsf{N},\mathsf{M}) \odot (\mathsf{n},\mathsf{m}) = \pm (\mathsf{N}\mathsf{n} - \mathsf{M}\mathsf{m},\mathsf{N}\mathsf{m} + \mathsf{M}\mathsf{n})$$

with a single symbol  $\pm$ . It is not difficult to see that the choice of sign + or - leads to models that are isomorphic in regard to which of representatives (+1,0) or (-1,0) should be assigned for the identical replication  $\hat{\mathbb{L}}$ . By virtue of (60) it does not matter, and we declare

$$1 := (1,0), \qquad (N,M) \circ (n,m) = (Nn - Mm, Nm + Mn) \qquad . \tag{80}$$

This is nothing more nor less than the canonical multiplication of complex numbers  $n+i\cdot m=\mathfrak{a}\in\mathbb{C},$  if the following identifications are performed:

$$(1,0)\rightleftarrows\mathbb{1}, \qquad (0,1)\rightleftarrows\mathrm{i}, \qquad \{\oplus,\odot\}\rightleftarrows\{+,\cdot\}, \qquad (\mathsf{n},\mathsf{m})\rightleftarrows(\mathsf{n}+\mathrm{i}\cdot\mathsf{m}). \tag{81}$$

In view of the paramount importance of the  $\mathbb{C}$ -number field in QM [20], let us provide additional substantiations to the rigidity of emergence of this specific numeric structure, i. e., of the axiom collection (56), (77)–(80). Among other things, the transpositions  $\underline{\Psi} \rightleftharpoons \underline{\Phi}$  used above fit more general reasoning.

7.5. **Involutions and**  $\tilde{\mathbb{C}}^*$ -algebra. Apart from a freedom in ordering the primitives  $\underline{\Psi} \rightleftharpoons \underline{\Phi}$  in brace  $\{\bar{\mathbf{n}}, \bar{\bar{\mathbf{m}}}\}\underline{\alpha}$ , there is one more arbitrariness: reappointing them  $(\underline{\Psi} \rightarrowtail \underline{\Theta}, \ldots)$  as elements of the set  $\mathfrak{T}$ . However, no physics predetermines any of these degrees of freedom. Say, if other ingoing  $\mathfrak{T}$ -elements  $\underline{\Theta}$ ,  $\underline{\Omega}$  were present in (31) instead of  $\underline{\Psi}$ ,  $\underline{\Phi}$ , then the  $\mathfrak{G}$ -semigroup theory, strictly speaking, should be declared the segregated theories  $\mathfrak{G}_{\underline{\Psi}\underline{\Psi}}$ ,  $\mathfrak{G}_{\underline{\Theta}\underline{\Omega}}$ , etc. It is clear that the marking the theories, or they as a family, is a manifest absurdity, and they should be thus factorized with respect to all kinds of ways to label them by  $\mathfrak{T}$ -primitives. The liberation from the  $\underline{\Psi}$ ,  $\underline{\Phi}$ -icons and reconciliation of the result with pt.  $\mathbb{R}^+$  (p. 25) are then performed by the scheme [primitive has changed  $\rightarrowtail$  a number character is changing].

Inasmuch as declaring the  $\{\underline{\Psi},\underline{\Phi},\underline{\Theta},\ldots\}$  to be ingoing primitives in (31) is a replacement of one to another, any such an appointment boils down to permutations of no more than pairs, with two types (inner/outer):

$$\widehat{J}_{\Psi\Phi} : \quad (\underline{\Psi}, \underline{\Phi}) \stackrel{\underline{\Psi} \to \underline{\Phi}}{\Longleftrightarrow} (\underline{\Phi}, \underline{\Psi}), \qquad \qquad \widehat{\aleph}_{\Phi\Theta} : \quad (\underline{\Psi}, \underline{\Phi}) \stackrel{\underline{\Phi} \to \underline{\Theta}}{\Longleftrightarrow} (\underline{\Psi}, \underline{\Theta}). \tag{82}$$

However, it is immediately obvious that these reappointments change nothing in the U-relationships between (31) and are defined by the structural relations  $\hat{J}_{\Psi\Phi}^2 = \hat{\mathbb{I}}$ ,  $\hat{R}_{\Phi\Phi}^2 = \hat{\mathbb{I}}$ . Then the need to indicate the primitives themselves, as required, is eliminated, and their symbols may be thrown away, if semigroup  $\mathfrak{G}$  is correctly furnished with the two abstract involutions  $\hat{J}$  and  $\hat{R}$ . The  $\mathfrak{G}$  itself, of course, possesses also involution (60) that turns it into the group H, but this involution has already had a numeric representation (65) by signs  $\pm$ . To be precise, it suffices to identify here the term 'numeric' with the group arithmetic of the  $\oplus$ -addition (56) coming from the superposition principle realized on pairs (64)–(65). Therefore the operators' actions (82) should be carried over onto objects defined in precisely this manner; nothing more needs to be assumed.

Operator  $\hat{J}_{\Psi\Phi}$  is immediately translated into a numeric form independently of the property that the objects  $\{\stackrel{\Psi}{\mathbf{n}}, \stackrel{\Phi}{\mathbf{m}}\}\underline{\alpha}$  form a (semi)group. In fact, since the swap  $\underline{\Psi} \rightleftharpoons \underline{\Phi}$  in the unordered pair

$$\widehat{J}_{_{\Psi\Phi}}:\qquad \{\overset{\Psi}{\overline{n}},\overset{\Phi}{\overline{m}}\}\rightarrowtail \{\overset{\Phi}{\overline{n}},\overset{\Psi}{\overline{m}}\}=\{\overset{\Psi}{\overline{m}},\overset{\Phi}{\overline{n}}\}\qquad\cdots$$

(the  $\underline{\alpha}$ -label is dropped here as superfluous) is indistinguishable from permutation of numbers  $n\rightleftarrows m$ , the symbols  $\underline{\Psi}$  and  $\underline{\Phi}$  may be thrown away, organizing the numbers themselves into the ordered pairs

$$\cdots \quad \Rightarrow \quad (n,m) \stackrel{\widehat{\mathfrak{I}}}{\rightarrowtail} (m,n).$$

When required, the  $\underline{\alpha}$ -symbol returns hereinafter.

Let us now proceed to the outer involution  $\underline{\Phi} \rightleftharpoons \underline{\Theta}$  in (82):

$$\widehat{\boldsymbol{\aleph}}_{\scriptscriptstyle{\Phi\Theta}}:\qquad \big\{ \frac{\scriptscriptstyle{\Psi}}{n}, \frac{\scriptscriptstyle{\Phi}}{m} \big\} \rightarrowtail \big\{ \frac{\scriptscriptstyle{\Psi}}{n}, \frac{\scriptscriptstyle{\Theta}}{m} \big\}.$$

It is indifferent to the (first)  $\Psi$ -element of the pair, and, extracting it by the rule

$$\{\frac{\Psi}{\mathsf{n}}, \frac{\Phi}{\mathsf{m}}\} = \{\frac{\Psi}{\mathsf{n}}, \frac{\Phi}{\mathsf{0}}\} + \{\frac{\Psi}{\mathsf{0}}, \frac{\Phi}{\mathsf{m}}\},$$

the question boils down to finding a representation to the transformations

$$\big(\big\{\!\!\!\begin{array}{c} \frac{\Psi}{n},\frac{\Phi}{0}\!\!\!\big\}\; \widehat{+}\; \big\{\!\!\!\begin{array}{c} \Psi\\\overline{0},\frac{\Phi}{m}\!\!\!\big\} \big\} \; \rightarrowtail \; \big(\big\{\!\!\!\begin{array}{c} \Psi\\\overline{n}',\frac{\Phi}{0}\!\!\!\big\}\; \widehat{+}\; \big\{\!\!\!\begin{array}{c} \Psi\\\overline{0},\frac{\Theta}{m}'\!\!\!\!\big\} \big) \\ \end{array} \quad \quad (\stackrel{?}{n}',\stackrel{?}{m}') \, .$$

The component  $\{\stackrel{\underline{v}}{\mathsf{n}}, \stackrel{\underline{\Phi}}{0}\}$  must go into itself, since the symbol  $\underline{\Psi}$  attached to it has not changed. It means that  $\mathsf{n}' = \mathsf{n}$ , and one is left with the task

$$\{\overline{0}, \overline{m}\} \stackrel{?}{\rightleftharpoons} \{\overline{0}, \overline{m}'\}.$$

However, operation  $\hat{\aleph}_{\Phi\Theta}$  recognizes only the primitive's symbols rather than their numbers. That is, replications  $\hat{m}\{\stackrel{\underline{\psi}}{0},\pm\stackrel{\underline{\psi}}{1}\}=\{\stackrel{\underline{\psi}}{0},\pm\stackrel{\underline{\psi}}{m}\}$  do formally commute with  $\hat{\aleph}_{\Phi\Theta}$ . Hence, omitting the letters  $\{\underline{\Psi},\underline{\Phi},\underline{\Theta}\}$ , it will suffice to look for the representation of  $\hat{\aleph}$  by numeric pairs  $(0,\pm m)$  factorized with respect to replications  $\hat{m}$ , i. e., by the set  $\{(0,1),(0,-1)\}$ . It, for its part, remains to be transformed into itself, and the replication operators  $\hat{n}$ ,  $\hat{m}$  will recreate the generic case. The identical transformation  $(0,\pm 1) \mapsto (0,\pm 1)$  is ruled out due to  $\hat{\aleph}_{\Phi\Theta} \neq \hat{\mathbb{I}}$ ; therefore,  $(0,\pm 1) \stackrel{\hat{\aleph}}{\mapsto} (0,\mp 1)$ . Restoring all the symbols that were dropped, effect of  $\hat{\aleph}$  reduces to the sign change for the 2-nd element of the coordinate pair:

$$(n,m) \stackrel{\widehat{R}}{\rightarrowtail} (n,-m).$$
 (83)

There is no need to change sign for the 1-st element, as this change is the operator  $-\hat{\mathbb{I}} \circ \hat{\mathbb{R}}$ . Furthermore, one observes that the already existing group inversion  $-\hat{\mathbb{I}}$  coincides with composition

$$(\hat{\aleph} \circ \hat{\mathsf{J}})^2 = -\hat{\mathbb{I}},\tag{84}$$

and we may even 'forget' about it, leaving the equipment

$$\{\oplus, \widehat{\mathbb{I}}, \widehat{m}, \widehat{\aleph}, \widehat{\gimel}\} \tag{85}$$

of semigroup  $\mathfrak{G}$  as an irreducible set of mathematical structures over it.

In this connection yet another—more formal—motivation of the passage [semigroup  $\mapsto$  group], and thus of the superposition principle, does arise. In fact, the derivation of  $\hat{\mathbf{R}}$  above engaged the inversion (60), but reappointment of primitives  $\underline{\Phi} \rightleftharpoons \underline{\Theta}$  in (82) is a fully independent act. Therefore if we forget about '(-)-copies of the positive pairs' (0, m), then the involutory nature of automorphism  $\hat{\mathbf{R}}_{\Phi\Theta}$  would still reproduce the semigroup  $\mathfrak{G}$  in numbers by 'duplication'  $\mathbf{m} \mapsto \pm \mathbf{m}$ , i. e., create the negative pairs  $(0, -\mathbf{m})$ , thus turning  $\mathfrak{G}$  into a group H. An analogous reasoning on the symbol '-' could be cited even earlier, when the  $\mathbb{C}$ -field was being derived.

Now, remembering the above-described passage to the binarity of  $\odot$ -multiplication on the (n,m)-pairs, we arrive at the problem of matching it with structures (85). Clearly, one needs only to ascertain the functionality of operators  $\hat{\mathbf{J}}$  and  $\hat{\mathbf{K}}$  that were not available yet. Relation (84) immediately gives us the correspondence  $\hat{\mathbf{K}} \circ \hat{\mathbf{J}} \rightleftharpoons i$ , since  $i^2 = -1$ . Hence, one of these operators, say  $\hat{\mathbf{J}}$ , manifests itself in the imaginary unit i. Origin of this operator—permutation  $\hat{\mathbf{J}}_{\Psi\Phi}$  in (82)—is the very same permutation  $\underline{\Psi} \rightleftharpoons \underline{\Phi}$  that generated the i-object in algebra (80)–(81). The second operator, i. e., (83), as is directly seen, is also not related to the binary  $\oplus$  and  $\odot$  but determines the change i  $\rightarrowtail$  -i. This means that the QM-consideration does not just lead to the field  $\mathbb C$  but to a division  $\tilde{\mathbb C}^*$ -algebra, which is equipped with the two non-binary operations

$$\mathfrak{a} \overset{\widehat{\mathtt{R}}}{\rightarrowtail} \mathfrak{a}^*, \qquad \mathfrak{a} \overset{\widehat{\mathtt{J}}}{\rightarrowtail} \widetilde{\mathfrak{a}}.$$

Informally, it defines all the basic actions on 'complex quantities' and thereby determines a QM-extension/generalization of the intuitive (arithmetical) manipulations with the habitual real quantities (67)–(72). Consequently, the four binary arithmetical operations—addition/subtraction and multiplication/division—should be supplemented with the two unary ones: conjugation  $\hat{\mathbf{R}}$  and swap  $\hat{\mathbf{J}}$ .

Remark 14. A curious observation for the formal complex-number 'mathematics' is in place. None of these operators boils down to involution  $-\hat{\mathbb{I}}$ . We mean that each of the pairs  $(\hat{\mathbf{X}}, -\hat{\mathbb{I}})$  or  $(\hat{\mathbf{J}}, -\hat{\mathbb{I}})$  is expressible through  $(\hat{\mathbf{J}}, \hat{\mathbf{X}})$ , and not the reverse. To put it plainly, the self-suggested going from the natural sign change (i. e.,  $-\hat{\mathbb{I}}$  over  $\mathbb{R}$ ) to the inversion of the 2-dimensional  $\oplus$ -addition (i. e.,  $-\hat{\mathbb{I}}$  over

 $\mathbb{C}$ ) deprives the involution  $-\hat{\mathbb{I}}$  of its primary character, as it has taken in the 1-dimensional domain  $\mathbb{R}$ . Furthermore, the 2-nd operation  $\hat{\mathbb{J}}$  is, in a sense, more 'primitive' even than the complex conjugation  $\hat{\mathbb{K}}$ , as the operation has to do with a formal pair (n,m)—merely transposes it—and does not invoke an arithmetic action, as does  $\hat{\mathbb{K}}$  when changing the sign  $m \mapsto -m$  in (83). Relationship between the operators is by the binary multiplication:  $\tilde{\mathfrak{a}} = i \circ \mathfrak{a}^*$ . By virtue of this relation it makes no odds which one of these unary operators is left for the  $\mathbb{C}$ -algebra.

We note—and this is important [24]—that the observational statistics are unchanged upon both operations  $\hat{\mathbf{J}}$ ,  $\hat{\mathbf{R}}$ .

- 7.6. Naturalness of  $\mathbb{C}$ -numbers. Thus the  $\mathfrak{T}$ -set primitives have been entirely banished from the theory, with the exception of the eigen-state  $\underline{\alpha}_s$ -markers, which are needed only for distinguishability (sect. 2.1) of  $\mathscr{A}$ -observations. These markers may be interchanged, but permutability  $\underline{\alpha}_j \rightleftharpoons \underline{\alpha}_k$  is already reflected by the superposition's commutativity. Taking now account of the fact that reassigning the  $\underline{\alpha}$ -labels does not touch on the concept of the number, one infers: the invariance attained above is exhaustive. As a result, we draw the following conclusion.
  - The coordinate representatives  $\{\mathfrak{a},\mathfrak{b},\mathfrak{c},\ldots\}$  of states and superpositions thereof (57) form the complex number field  $\tilde{\mathbb{C}}^*$  equipped with the structures of conjugation and of swap:

$$(n+im) \stackrel{*}{\mapsto} (n-im), \qquad (n+im) \stackrel{\sim}{\mapsto} (m+in).$$
 (86)

Statistical weights  $\nu_s$  in object (34) are invariant with respect to both the involutions  $\nu_i(\mathfrak{a}^*) = \nu_i(\mathfrak{a}) = \nu_i(\tilde{\mathfrak{a}})$  for each component  $\mathfrak{a}_s$  independently.

What is more, the commentary on the primacy of QM over the abstract arithmetic (see p. 43) has a logical continuation.

• Quantum-theoretic description invokes no  $\mathbb{C}$ -numbers; it creates them together with the  $\tilde{\mathbb{C}}^*$ -algebra.

This fact is remarkable in its own right because the '2-dimensional' numbers arise at the lowest empirical level, not from the need for solving any mathematical problems. Mathematics is still lacking. Therefore pt.  $\mathbb{R}^+$  (p. 25) could have even been weakened by replacing 'homomorphism onto numbers', roughly, with the 'homomorphism onto continuum'. Our minimal points of departure are replications and the 'ingoing/outgoing' structure of brace (31). The imaginary part of the complex number—as a supplement to the real one—comes in essence from the left hand side of the conception  $\underline{\Psi} \dashrightarrow \underline{\alpha}$ . Neither does theory depend on the meanings that will be later attached to the physical concepts—observables, measurement, spectra, means, etc—to their interpretations or rigorous definitions. At the same time, the interferential 'effects of subtraction and of zeroes' are intrinsically present in the very foundation of the construct.

Let us add, in conclusion, two more formal vindications of rigidity of emerging the  $\mathbb{C}$ -structure. In doing so, one assumes that we have already had the  $\mathbb{R}$ -numbers.

Unitary brace contain pairs of the form  $\{\frac{\mathbf{m}}{\mathbf{n}}, \overline{\mathbf{0}}\}$ . The binary operations  $\{\oplus, \odot\}$  on their numeric representatives  $(\mathbf{n}, \mathbf{0})$  are closed and, as easily seen, form a commutative field, which is isomorphic to  $\mathbb{R}$ . It is a subset of the generic pair set  $(\mathbf{n}, \mathbf{m})$ . From the operator nature of  $\odot$  it follows that these pairs form a certain distributive ring with general-group properties (77)–(78). The presence of the field  $\mathbb{R}$  contained in it tells us that these pairs can be realized by the elements  $\mathbf{n} + \mathbf{m}x$  of, at most, associative algebra A over  $\mathbb{R}$ . Here,  $\mathbf{n}, \mathbf{m} \in \mathbb{R}$ , x is a generator of any ring's element beyond  $\mathbb{R}$ , and the habitual + replaces the sign  $\oplus$ . Multiplication of two such elements

$$(\mathsf{n} + \mathsf{m} x) \circ (\mathsf{n}' + \mathsf{m}' x) = \mathsf{n} \, \mathsf{n}' + (\mathsf{m} \, \mathsf{n}' + \mathsf{n} \, \mathsf{m}') x + \mathsf{m} \, \mathsf{m}' x^2 = \cdots$$

immediately shows that result does not depend on order of factors, i. e.,

$$\cdots = (\mathsf{n}' + \mathsf{m}' x) \odot (\mathsf{n} + \mathsf{m} x),$$

due to permutability of  $\{n, m, n', m'\}$  between each other and of any x with itself. This is a direct consequence of 2-dimensionality of the algebra A; it must be commutative. Invoking now the well-known Frobenius theorem on associative and commutative structures containing the field  $\mathbb{R}$  [153], we arrive once again at a multiplication of the form (80).

7.6.1. Topologies on numbers. Yet another reasoning about exclusivity of C-numbers follows from matching the topological and algebraic properties of the general numeric systems [117, sect. 27]. The case in hand is the uniqueness and non-arbitrariness in emergence of the topological field C; Pontryagin (1932). In our case, we have two continuums—numeric symbols n and m, each of which, by the very method of constructing the (\(\mathbb{Z}\))-objects (\(\frac{33}{3}\), is equipped only with the natural ordering <. Since we have no any more math-structures yet, the topology, continuity, and limits on each of the continuums can already be introduced with respect to this relation. For one example, there is no need to introduce a topology by a priori creating the arithmetic operation of multiplication/divisibility of rationals (and a concept of the prime integer), as it is done in the p-adic approaches to QM [169, 165, 77]. The 'non-naturalness' of multiplication as compared with addition was already noted above. Besides, in the p-adic versions for a numeric domain, the topologically and physically required matching between the natural ordering, connection, and continuity [117, Ch. 4] is destroyed, and the approaches themselves stipulate the existence of the observations numbers with a comprehensive arithmetic. At the same time, questions about 'structure' of the physical x-space at Planck's scale\* and about measurements by rationals (see motivation in [165, 169]) are not arising yet, because we are not relying on physical conceptions and are not yet introducing these notions as numerical. The x-space itself is as yet absent. From the low-level empiricism standpoint, any objects, apart from the  $\mathbb{R}^2$ -continuality and frequencies  $\nu$ , require call for independent axioms. In turn, the primary nature of the R-continuality itself follows directly from the boolean  $2^{\mathfrak{T}}$  (p. 19) and  $\Sigma$ -postulate of infinity.

### 8. State space

Quantum states . . . cannot be 'found out' [122, p. 428]

"what is really going on" B.-G. Englert [43, p. 12]

8.1. **Linear vector space.** Once replication  $(\widehat{N}, \widehat{M})$  of brace  $\{\stackrel{\Psi}{\overline{n}}, \stackrel{\Phi}{\overline{m}}\}\underline{\alpha}$  has acquired a binary character

$$(\widehat{N}, \widehat{M}) \left( \{ \stackrel{\Psi}{\mathsf{n}}, \stackrel{\Phi}{\mathsf{m}} \} \underline{\alpha} \right) \quad \Longleftrightarrow \quad \left( (\mathsf{N}, \mathsf{M}) \circ (\mathsf{n}, \mathsf{m}) \right) | \alpha \right) = \mathfrak{a} | \alpha \right), \tag{87}$$

the difference between 'what is replicated' and 'how many times' disappears. A symbol  $|\alpha\rangle$  of the eigen-state has been attached to the abstract  $\mathbb{C}$ -number  $\mathfrak{a}$ . Construing this point as a quantum analog of re-choosing (liberation of) the measurement units (p. 43), we obtain that the two formal states  $\mathfrak{a}|\alpha\rangle$  and  $\mathfrak{b}|\alpha\rangle$  are always connected by a certain number operator  $\hat{\mathfrak{p}}$ :

$$\mathfrak{b}\hspace{0.05cm}|\hspace{0.05cm}\alpha\hspace{0.05cm})=\widehat{\mathfrak{p}}\hspace{0.05cm}\big(\mathfrak{a}\hspace{0.05cm}|\hspace{0.05cm}\alpha\hspace{0.05cm}\big)\big), \qquad \widehat{\mathfrak{p}} \rightleftarrows \mathfrak{b} \circ \mathfrak{a}^{-1}.$$

<sup>\*</sup>D. Mermin: "when I hear that spacetime becomes a foam at the Planck scale, I don't reach for my gun" [104].

Manipulating the numbers becomes independent of symbols  $|\alpha\rangle$ . The way to formalize this is to think of generic states  $\mathfrak{a}|\Psi\rangle \in H$  as the 'solid characters'

$$\mathfrak{a}|\Psi\rangle \mapsto |\Xi\rangle \in \mathbb{H},$$
 (88)

i.e., as the  $|\Xi\rangle$ -elements of a new set  $\mathbb{H}$ , which is equipped with the  $\widehat{\mathfrak{p}}$ -replication images represented by the  $\mathfrak{p}$ -family ( $\mathfrak{p} \in \mathbb{C}$ ) of maps

$$\mathbb{C} \times \mathbb{H} \stackrel{\cdot}{\mapsto} \mathbb{H} : \qquad \mathfrak{p} \cdot |\Xi\rangle = |\Phi\rangle \in \mathbb{H}, \tag{89}$$

and which is obliged to inherit the structure (87). This inheritance says that coordination of  $\circ$ -multiplication in (87) with the replication's  $\mathfrak{p}$ -realization is performed by a new operation  $\cdot$  of the unary kind on  $\mathbb{H}$ , i.e., (89), which should be subordinated to the rule

$$\mathfrak{p} \cdot (\mathfrak{a} \cdot | \Psi \rangle) = (\mathfrak{p} \circ \mathfrak{a}) \cdot | \Psi \rangle \qquad (\mathfrak{p}, \mathfrak{a} \in \mathbb{C}, \quad | \Psi \rangle \in \mathbb{H}). \tag{90}$$

Due to this connection between operations  $\odot$  and  $\cdot$ , it would be logical to refer to the latter as multiplication as well. An analogous rule had already occurred in relationship (58) between the  $\oplus$ -number  $\mathbb{C}$ -structure and the  $(\pm)$ -group superposition, i. e., when the multiplicative structures  $\{\odot, \cdot\}$  were not available yet.

Among replication operators  $\hat{\mathfrak{p}}$ , there exists an identical transformation

$$\widehat{\mathfrak{p}} = \widehat{\mathbb{I}}: \qquad \mathfrak{a}|\Psi) \stackrel{\widehat{\mathbb{I}}}{\rightarrowtail} \mathfrak{a}|\Psi),$$

to which a symbol of the numeric unity  $\mathfrak{p}=\mathbb{1}$  corresponds. In accordance with (88)–(89), there hence follows the rule

$$1 \cdot |\Xi\rangle = |\Xi\rangle, \qquad \forall |\Xi\rangle \in \mathbb{H}.$$

It is clear that the (•)-multiplication needs to be agreed with the  $\uplus$ -union. Let us make use of the fact that the object of (quantum) replication may be not only the unitary brace  $\{\frac{\mathring{\pi}}{n}, \frac{\mathring{\pi}}{m}\}\underline{\alpha}$ , which is equivalent to the eigen-element  $\mathfrak{a}|\alpha$ ), but a ( $\hat{+}$ )-sum of the like objects and, in general, any constituents of quantum ensembles (see p. 42). Therefore the  $\hat{\mathfrak{p}}$ -replication

$$\widehat{\mathfrak{p}}(\mathfrak{a}|\alpha) \pm \mathfrak{b}|\beta) = \cdots \tag{91}$$

is known to have its twin-sum

$$\cdots = \mathfrak{a}'|\alpha\rangle + \mathfrak{b}'|\beta\rangle = \cdots \tag{92}$$

with certain coefficients  $\mathfrak{a}'$ ,  $\mathfrak{b}'$ . Let us, for the moment, give back (91) to the initial language of operators/brace according to the scheme

$$(\widehat{N,M}), \qquad \{\underbrace{\overset{\Psi}{\mathsf{n}'}, \overset{\Phi}{\mathsf{m}'}}_{\mathfrak{a}}\}\underline{\alpha} + \{\underbrace{\overset{\Psi}{\mathsf{n}''}, \overset{\Phi}{\mathsf{m}''}}_{\mathfrak{b}}\}\underline{\beta}. \tag{93}$$

Take also into account a pre-image of operation  $\hat{+}$  on objects (91), i. e.,  $\pm$ . Then, (93) and content of sects. 7.4–7.5 shows certainly that expression (92) must be of the form

$$\cdots = (\mathfrak{p} \circ \mathfrak{a}) |\alpha\} \pm (\mathfrak{p} \circ \mathfrak{b}) |\beta\} = \cdots.$$

Reconverting, by (90), expressions like  $(\mathfrak{p} \circ \mathfrak{a})|\alpha$  into the operatorial  $\widehat{\mathfrak{p}}(\mathfrak{a}|\alpha)$ , we complete the ellipsis

$$\cdots = \widehat{\mathfrak{p}}(\mathfrak{a}|\alpha)) \pm \widehat{\mathfrak{p}}(\mathfrak{b}|\beta).$$

Passing now to the  $\mathfrak{p}$ -number and to the  $|\Xi\rangle$ -objects (88), i. e., replacing  $\mathfrak{a}|\alpha\rangle \mapsto |\Psi\rangle$ ,  $\mathfrak{b}|\beta\rangle \mapsto |\Phi\rangle$ , one derives a linearity of operation  $\cdot$  when acting on a sum:

$$\mathfrak{p} \cdot \left( |\Psi 
angle \hat{+} |\Phi 
angle 
ight) = \mathfrak{p} \cdot |\Psi 
angle \hat{+} \mathfrak{p} \cdot |\Phi 
angle.$$

Here, the H-addition  $\pm$  has been carried over to the group  $\mathbb{H}$  as a new symbol  $\hat{+}$ . This is nothing but a distributive coordination of the  $(\cdot)$ -multiplication with the group addition  $\hat{+}$ .

In a similar way—through a number operator, one establishes yet another relation  $\mathfrak{a} \cdot |\Xi\rangle + \mathfrak{b} \cdot |\Xi\rangle = (\mathfrak{a} \oplus \mathfrak{b}) \cdot |\Xi\rangle$  between  $\cdot$  and  $\hat{+}$ ; its origin is equivalent to (58). From the constructs above, it is not difficult to see that we have examined all the possibilities of replicating the superpositions (57) or their constituents by arbitrary  $\mathbb{C}$ -numbers, which is why we have exhausted all the compatibility rules that stem from the two fundamental operations—replication and union  $(\pm)$ .

Thus, having considered the passage (88)–(89) as a final homomorphism of the H-group elements  $\mathfrak{a}|\Psi$ ) onto the objects  $|\Xi\rangle\in\mathbb{H}$ , i.e., adjusting the previous concept of a state—DataSource (p. 30), we infer the following.

• The minimal and mathematically invariant bearer of the observation's empiricism is an abstract space  $\mathbb{H}$  of states  $|\Psi\rangle$  of the system  $\mathcal{S}$ . The structural properties

$$\mathbb{H} := \{ |\Psi\rangle, |\Phi\rangle, \dots \} \quad \text{(commutative group under operation } \hat{+}), \tag{94}$$

 $\mathbb{C} := \{\mathfrak{a},\mathfrak{b},\ldots\} \qquad \qquad \text{(field of complex numbers: } (56),\, (76)-(80)),$ 

$$\mathfrak{a} \cdot |\Psi\rangle \in \mathbb{H}$$
 (closedness under external operation  $\cdot$ ), (95)

$$\mathfrak{a} \cdot (\mathfrak{b} \cdot | \Psi \rangle) = (\mathfrak{a} \circ \mathfrak{b}) \cdot | \Psi \rangle, \qquad \mathfrak{a} \cdot | \Psi \rangle + \mathfrak{b} \cdot | \Psi \rangle = (\mathfrak{a} \oplus \mathfrak{b}) \cdot | \Psi \rangle, 
\mathfrak{1} \cdot | \Psi \rangle = | \Psi \rangle, \qquad \mathfrak{a} \cdot (| \Psi \rangle + | \Phi \rangle) = \mathfrak{a} \cdot | \Psi \rangle + \mathfrak{a} \cdot | \Phi \rangle$$
(96)

of the space coincide with axioms of a linear vector space (LVS) over the field  $\mathbb{C}$ .

This 'axiom list' should be complemented with a declaration of the global number D value (52) established above. Stated in a nutshell, the nature of the quantum state space is twofold: group superposition (57) and operator nature of the 'a-numbering' the elements of the group, i.e., it admits scalars as operators. Relations (96) describe rules of 'interactions' between all the objects. It is known that such formations, while being implemented by a binary algebra of numbers, turn into the vector spaces and modules [83, Ch. 5], [153, sects. I(7.1–2), II(13.4)]. Concerning consistency of these rules—say, of numeric distributivity (78)—with relations (96), see the work [120].

Remark 15. A certain oddity is in place. QM-empiricism is such that the standard definition of LVS by the all-too-familiar axioms (94)–(96) is more nonphysical by its nature than the 'generalistic' abstraction of a group with operator automorphisms of the group H-structure itself [23, sect. I(4.2)], [83]. A point like this might be expected, though. This is because, as noted in sect. 1.2, meaning of all of tokens in (1) and their origin are entirely unknown, and linearity of QM is radically different from other 'linearities' in physics.

8.2. Bases, countability, and infinities. From a ban on transitions  $\underline{\alpha}_s \longrightarrow \underline{\alpha}_n$  under  $s \neq n$  it follows that unitary  $\underline{\alpha}_s$ -brace (33) correspond to vectors  $\mathbf{a}_s \cdot |\alpha_s\rangle$  that are linearly inexpressible through each other. Aside from the general ensemble brace (31), no other elements exist, and all of them are in one-to-one correspondence with the vector representations  $\mathbf{a}_1 \cdot |\alpha_1\rangle + \mathbf{a}_2 \cdot |\alpha_2\rangle + \cdots$ . Each such vector has a statistical pre-image (31), and vice versa; there are no gaps. This means that the system of vectors  $\{|\alpha_1\rangle, |\alpha_2\rangle, \ldots\}$  forms a basis of  $\mathbb H$  as the basis of LVS—basis of an observable  $\mathscr A$ , or  $\mathscr A$ -basis—and the number of symbols  $|\alpha_s\rangle$  is its dimension: dim  $\mathbb H = \mathbb D$ . The  $\mathbb D = \infty$  case, just like anything associated with infinity, can not be formalized without topology, and its presence is presumed, but discussion is dropped. We just remark that even earlier, when arising the 2-dimensional continuum, we have silently assumed the  $(\mathbb R \times \mathbb R)$ -product topology on it. This supposition is natural, inasmuch as it does

not involve additional constructions/requirements. Thus if properties (94)–(96) are directly accepted to be empirical, then the mathematical rigors augment them axiomatically on the outside, because one constructs the mathematical theory.

The micro-transition  $\stackrel{\sim}{\longrightarrow}$  in sect. 2.1—the click—is a solitary entity. This means that the number of the eigen  $\underline{\alpha}_s$ -primitives for an actual instrument may be either finite or discretely unbounded. We base upon the fact that continual formations is a product of mathematics rather than empiricism; see also [94, p. 35]. The  $\mathfrak{T}$ -set, as an example, is also non-continual, but that premise may even be given up, because only a discrete portion of this set is present at arguments (transitions  $\stackrel{\mathcal{A}}{\longrightarrow}$ ). Notice incidentally that continuum does not feature in the ZF-axioms [82] but is also created, just as "an infinity is actually not given to us at all, but is ... extrapolated through an intellectual process." (Hilbert–Bernays [79, p. 55]). One obtains a countability of the  $\mathcal{A}$ -basis. Hence follows a completeness of  $\mathbb{H}$  and countability of dimension (52), as of numeric LVS-invariant:

$$D = 2, 3, \dots, \aleph_0 \qquad (= \dim \mathbb{H}). \tag{97}$$

Finally, let us mention the following. The concept of a basis is a term that in no way is present in the (abstract) axiomatics of LVS. Empirically, in turn, the  $\mathbb{H}$ -space is arising entirely and ab initio in all kinds of linear combinations over  $|\alpha_j\rangle$ ; i.e., through  $\mathscr{A}$ -bases. The conforming such a property and the formal existence of a basis is given by a nontrivial math theorem invoking the axiom of choice [23, sect. II(7.1)].

- 8.3. **The theorem.** The states  $|\Psi\rangle$  and sums thereof, at the moment, form a formal family of different elements. Recall that symbols  $\{\approx, \not\approx\}$  in pt.  $\mathbb{R}$ , as from the end of sect. 5.4, have been replaced with the standard ones  $\{=, \neq\}$ . The physical aspects of  $\langle\!\langle \mathcal{S}, \mathbf{M}, \ldots \rangle\!\rangle$  were being left aside so far, and, for example,  $|\Psi\rangle$  and  $\mathfrak{c} \cdot |\Psi\rangle$  were the different vectors of the  $\mathbb{H}$ -space. However,
  - empiricism (deals with and) yields not states and superpositions thereof but  $|\alpha\rangle$ representations.

It is these representations that carry information about statistics  $(\nu_1, \nu_2, ...)$  through coefficients  $\mathfrak{a}_j$ . The replicative character of  $\mathfrak{c}$ -multipliers and  $\Sigma$ -postulate entail however that the two vectors  $\mathbb{1} \cdot |\Psi\rangle$  and  $\mathfrak{c} \cdot |\Psi\rangle$  should correspond to the one and the same statistics  $\nu_{\mathscr{D}} = (1, 0, ...) = \tilde{\nu}_{\mathscr{D}}$  under an observation  $\mathscr{D}$  with the eigen collection  $\{\mathbb{1} | \Psi\}, ...\}$ . Let us write the equalities

$$\nu_{\mathscr{D}} \leftarrow \underbrace{\mathbb{1} \cdot |\Psi\rangle}_{\text{observation } \mathscr{D}} = \underbrace{\mathfrak{a}_{1} \cdot |\alpha_{1}\rangle + \mathfrak{a}_{2} \cdot |\alpha_{2}\rangle + \cdots}_{\text{observation } \mathscr{D}} \rightarrow \nu_{\mathscr{A}}, 
\underbrace{\mathfrak{observation } \mathscr{D}}_{\text{observation } \mathscr{D}} = \underbrace{\mathfrak{c} \cdot (\mathfrak{a}_{1} \cdot |\alpha_{1}\rangle + \mathfrak{a}_{2} \cdot |\alpha_{2}\rangle + \cdots)}_{\text{observation } \mathscr{D}} \rightarrow \nu_{\mathscr{A}}, \tag{98}$$

and look at them in the following order: the first line—from right to left, and the second—in the reverse direction. Their right hand sides are the carriers of some statistics  $\nu_{\mathscr{A}}$  and  $\tilde{\nu}_{\mathscr{A}}$ . The frequencies  $\nu_{\mathscr{A}} = (\nu_1, \nu_2, \ldots)$  come from the numeric set  $(\mathfrak{a}_1, \mathfrak{a}_2, \ldots)$  under the same environments  $\langle \mathcal{S}, \mathbf{M}, \ldots \rangle$  that give rise to the statistics  $\nu_{\mathscr{D}}$ . But it is also generated by the representative  $\mathfrak{c} \cdot |\Psi\rangle$ , which is associated with the same  $\langle \mathcal{S}, \mathbf{M}, \ldots \rangle$ ; hence,  $\tilde{\nu}_{\mathscr{D}} = \nu_{\mathscr{D}}$ . By virtue of the second equal sign in (98), the same  $\langle \mathcal{S}, \mathbf{M}, \ldots \rangle$  are associated with the second  $\mathscr{A}$ -collection ( $\mathfrak{c} \circ \mathfrak{a}_1, \mathfrak{c} \circ \mathfrak{a}_2, \ldots$ ). Therefore the frequencies  $\tilde{\nu}_{\mathscr{A}}$  that emanate from it have to be identical to those emanating from the first collection ( $\mathfrak{a}_1, \mathfrak{a}_2, \ldots$ ). That is to say  $\tilde{\nu}_{\mathscr{A}} = \nu_{\mathscr{A}}$ , and the scale dilatations  $|\Psi\rangle \mapsto \mathfrak{c} \cdot |\Psi\rangle$  are not recognized by any  $\mathscr{A}$ -instruments. A more concise reasoning is that the quantum replication  $\mathfrak{c} = \mathfrak{n} + \mathfrak{i}\mathfrak{m}$  may be viewed as the

1-dimensional replications  $\hat{n}(\mathfrak{a}|\alpha)$ ),  $\hat{\iota}(\mathfrak{a}|\alpha)$ ) of all the brace  $\mathfrak{a}_s|\alpha_s$ )-images and of sums like  $\widehat{n}(\mathfrak{a}|\alpha)$ )  $\pm$  ( $\widehat{\mathfrak{i}} \circ \widehat{m}$ )( $\mathfrak{a}|\alpha$ )). These replications do not change the superposition statistics as a whole.

The aforesaid gives birth to a universal—stronger than  $\approx$  and irrespective of instruments observational equivalence relation

$$|\Psi\rangle \approx \mathrm{const} \cdot |\Psi\rangle$$

on the space  $\mathbb{H},$  i. e., the 'physical' indistinguishability (sect. 2.4).

The basis vectors  $|\alpha_s\rangle$  and their ( $\approx$ )-equivalents will be referred to as eigen vectors/states of instrument  $\mathscr{A}$ ; clearly, the concepts of instrument and of (macro)-observation ( $\bigcirc$ ) should now be distinguished. Accordingly, the spectral construction (50)–(51) should be corrected. Call the data set

$$\{|\alpha_1\rangle_{|\alpha_1}, |\alpha_2\rangle_{|\alpha_2}, \dots\} =: [\mathscr{A}] \tag{99}$$

 $\{|\boldsymbol{\alpha}_1\rangle_{\lfloor\alpha_1}, |\boldsymbol{\alpha}_2\rangle_{\lfloor\alpha_2}, \dots\} =: [\mathscr{A}]$  (99) [\mathscr{A}]-representative of instrument  $\mathscr{A}$  in  $\mathbb{H}$ . The add-on (99) does not touch on  $\mathbb{H}$ -space, since the spectral labels  $\lfloor \alpha_i \rfloor$  are the self-contained objects independently of vectors  $\vert \alpha_k \rangle$ . These labels and their degenerations determine 'internal properties' of the formalized notion of an instrument (99). Conversely, any state vector  $|\Psi\rangle$  or  $\mathfrak{c}\cdot|\Psi\rangle$  may be treated as one element of the  $[\mathscr{C}]$ -representative for imagined/actual instrument  $\mathscr{C}$  (spectrum is arbitrary) and is a certain  $(\hat{+})$ -sum of the eigen elements for any other  $[\mathscr{A}]$ -representative. Remembering (23), we arrive at the ultimate conclusion that determines the (pre-dynamical) theory of macroscopic data on micro-events.

## • The core (1-st) theorem of quantum empiricism.

1) The mathematical representatives of physical observations and of preparations are the quantum states  $|\Psi\rangle$  and statistical mixtures of eigen  $|\alpha\rangle$ -states

$$\{|\boldsymbol{\alpha}_1\rangle^{(\varrho_1)}, |\boldsymbol{\alpha}_2\rangle^{(\varrho_2)}, \dots\}, \qquad \varrho_1 + \varrho_2 + \dots = 1.$$
 (100)

- 2) Properties (94)–(97) define objects  $|\Psi\rangle$  as elements of a (complete separable) linear vector space  $\mathbb{H}$  over the algebra of complex numbers  $\mathbb{C}^*$ .
- 3) Dimension dim  $\mathbb{H} = \mathbb{D} \geqslant 2$ , representing an observable quantity  $(\mathbb{D} \neq \infty)$ , is set to the value  $\max\{|\mathfrak{T}_{\mathscr{A}}|, |\mathfrak{T}_{\mathscr{B}}|, \ldots\} = D$  as required by an accuracy of the toolkit  $\mathcal{O} = \{ \mathscr{A}, \mathscr{B}, \dots \}$ . The eigen  $|\alpha\rangle$ -vectors for each  $[\mathscr{A}]$ -representative provide a basis of  $\mathbb{H}$  independently of spectra (99).
- 4) The A-bases stand out with that the numeric/observational notion has been associated to them—statistics of the accumulative micro-events. The statistics  $\nu_k(\mathfrak{a})$  are invariant under involutions (86), and states  $|\Psi\rangle$  and  $\mathfrak{c}\cdot|\Psi\rangle$  are statistically indistinguishable.
- 5) Rules (94)-(97), for a fixed  $D \neq \infty$ , are categorical as an axiomatic system; they admit no non-isomorphic models.

The words 'complete separable' have been supplemented here for mathematical reasons. This point is partly commented in [24]. Indeed, the algebra constructed above needs some amendments of a topological nature because all the construction contains three infinities: continuum  $\mathbb{C}$ , continuum  $\mathbb{H}$ , and dimension  $\mathbb{D}$ . In this connection, see the book [117].

To summarize: having considered the micro-destruction arrays with empirical rather than a formal take on arithmetic, ideology of creating the quantitative theory leads to the key feature of quantum states—addition thereof, and the 'quantities under addition are measured' by complex numbers.

Remark 16. Again, as in sect. 7.3, we draw attention to a hidden and (logically) unremovable extension of the physical units' concept.

• "... units. Despite the rudimentary nature of units, they are probably the most inconsistently understood concept in all of physics ... where do units come from?" [62, p. 91].

Surprisingly, the naïve and straightforward conjunction of this concept with an abstract number seems to contravene the multiplication arithmetic; but not the addition one. The typical example illustrates the point:

$$(2\,\mathrm{kg}) \times (3\,\mathrm{kg}) \neq 6\,\mathrm{kg}$$
 (3 sheep  $+\,5\,\psi \neq 8\,\mathrm{St}\,\ddot{\mathrm{u}}\mathrm{ck}$ ).

On the other hand,  $2 \times (3 \text{kg}) = 6 \text{kg}$  and (2 kg) + (3 kg) = 5 kg, and the kg may be replaced here with any other entity: the classical metres, the abstract 'Quanten Stücke  $\psi$ ', etc. They have no any operational significance, but one cannot get by without them.

The digital characters acquire their usual abstract-numerical meaning—mathematization [94]—only when we throw the 'units' {Stück, °C, sheep,  $\psi$ , ...} out of data like {5Stück, 5°C, 5sheep,  $5\psi$ , ...}. The symbol '5' in 5°C is the very same '5' as in  $5 \cdot |\alpha\rangle$ . It is pointless without such a matching/abstracting. At the same time, an inversion of this abstracting—attaching {Stück, °C, sheep,  $\psi$ , ...} to the character 5—is always an interpretation of abstraction: interpretation 'the Stück', '°C-interpretation the Celsius', etc. It is not improbably that this is the only point, when completed quantum theory—QM/QFT/quantum-gravity yet to be constructed—will resort to the word interpretation. See also comments by D. Darling concerning "sheep, numbers, add, things", etc on p. 178 in the book [56].

Incidentally, within this (physical and quantum) context,

• the LVS itself should be regarded as no less a primary math-structure than the numbers themselves. Empiricism gives birth to both these structures simultaneously. Neither of them is more/less abstract/necessary than the other.

The habitual physics' construct  $\lceil number \times physical\ unit \rceil$  exemplifies in effect a simplest (1-dimensional) LVS. However, the structure 'the LVS', in contrast to the 'bare' arithmetic, simply 'does not forget and keeps' an operator nature (unary multiplication  $\cdot$ ) of the structure 'the number' and its empirical inseparability from the notion of the unit. A direct corollary of this point is the fact that the principium  $\blacksquare$  can in no way be given up or disregarded. This would be tantamount to impossibility to introduce the further empirical (and classical) notion of a physical unit.

As we have seen, nothing above and beyond what was used in constructing the mathematics (94)–(97) is required to explain the meaning of the quantum state. Besides, we have obtained not merely a completion of construction (11):

$$\bigoplus(\mathfrak{a}_1,|\alpha_1\rangle;\mathfrak{a}_2,|\alpha_2\rangle)=\mathfrak{a}_1\cdot|\alpha_1\rangle+\mathfrak{a}_2\cdot|\alpha_2\rangle+\cdots.$$

In the first place, one establishes the genesis of the quantal discontinuity: distinguishability of the micro  $\underline{\alpha}$ -events is a discrete entity in the very nature of the perception process\* (sect. 2.2, Remark 2). Accordingly, "indivisibility, or "individuality", characterizing the elementary processes" (N. Bohr [123, p. 203]) must be formalized into the 'elemental' click. We also clarify the formalization of measurement/preparation and of genesis of the  $\mathbb{C}$ -numbers. The well-known (\*)-conjugation operation also finds its origin. Moreover, it is supplemented with a transposition  $\Re(\mathfrak{a}) \rightleftharpoons \Im(\mathfrak{a})$  of the real/imaginary part of the  $\mathbb{C}$ -number, and this transposition should be regarded just as natural operation as the conjugation. The emergent concepts of spectra, of their degenerations and eigen-states provide near comprehensive


<sup>\*</sup>This also bears on preparation  $\langle S, M, \ldots \rangle$ . Say, smooth reducing the interferometer intensity is not an empiricism but an imagination of the abstracta continuity/infinity. Clearly, such an (incorrect) substitution of the perception process should somewhere be replaced with a 'correct comprehension'—introduction of a discrete event's category. The continuality in the perception of (the classical) reality is an act of theorization, whereas the nature of perception is fundamentally discrete.

mathematical image of physical observables. The state becomes devoid its mysteriousness [87, 111], since it is explicitly built in terms of the unique model of the 'statistical'  $|\alpha\rangle$ -representatives supplemented with macroscopic mixtures (100).


## 9. Numbers, minus, and equality, revisited

... quas decet numeris negativis exprimantur, additio et subtractio consueto more peracta nullis premitur difficultatibus\* L. EULER (1735)

9.1. **Separation of the number matters.** The empirical adequacy of quantum theory can be based only on empirical ensembles (sects. 2.5, 4). Creation of their mathematics tells us, then, that the 'quantity of something' (67)–(69) turns into a formal operational algebra through labeling the operator replications (sects. 7.1–7.2) and yields the numbers proper. At first, they emerge merely as



and then as internal objects of theory:



These steps are necessary and mean that not only are the complex numbers far from self-evident, but even the negative ones are; a key place (49), (54) wherein a group arises. All the other structural points, first and foremost the observational quantities, may be further produced (even as conceptions) only through certain mathematical mappings:

the observations numbers 
$$\nu_s$$
 and  $\alpha_s$ :

 $\mathfrak{a}_s \mapsto (\text{statistics } \nu_s), \quad |\alpha_s\rangle \mapsto (\text{spectra } \alpha_s)$ . (101)

tensorial structure of the  $\mathbb{H}$ -space

In other words, if a concept is a numeric one already in empiricism—frequencies, spectra, etc—then its meaningful formalization by means of a mathematical definitio can resort only to a mathematics that we have at our disposal: LVS and algebra of numbers.

<sup>\*...</sup> if we represent the notions, which are necessary, by negative numbers, then addition and subtraction ... are executed without any difficulty.

Thus numerical quantities in the entire theory are initially divided up by their emergence mechanism (II): the intrinsic abstracta and reifications (101). Without such a division, the circular logic is inevitable, and the above-mentioned 'unit' treatment of numbers would still be supplemented with the task of their observational interpretation complicated by 2-dimensionality. This task would be present in formalism not merely as a problem but as an inherently intractable challenge. Actually, any entity can be identified with numbers, and this is why, the quantum empiricism and principium II—paradigm of the very number in a physical theory—insist on the need to pay the closest possible attention to all these things.

Remark 17. In this regard, the situation has a parallel with the familiar history of electrodynamics of moving bodies; as was pointed out just before wording the principium III. Lorentz's contraction theory is inconsistent, if the space-time tags to events are not linked up to the precise empirical definitions—clocks/simultaneity and rigid rods—in different reference frames. In quantum case, the chief subject of empirical definition is a concept of the number. Otherwise, the meaning of the very notion of a quantitative theory has been blurring.

We have seen now that there is no way of founding the theory only on the observable categories (see Remark 2), and resorting to the physical notions—the camouflaged M-observations—is prohibited. The attempts to use statistics at the very beginning of the theory are known [107, 66, 10, 13, 44, 90, 92], and rightly so; they were initiated by H. Margenau (1936) [7, Ch. 15]. However, the scheme just given is rigid. In order to obviate the premature appearance of the very need for an interpretation, the scheme must not be varied. Being a sequence of steps, it provides in essence an answer to the principium II.

9.2. Operations on numbers. The last step in this scheme contains, in particular, the map  $\mathfrak{a} \mapsto \nu$ , i.e., measurement (47). Its form should be established in its own right—Born's rule [24]. To illustrate, the naïve transformation of negative numbers p into the actually perceived quantities by a 'seemingly natural' rule like  $|\pm p|$  is not correct and does not follow from anywhere. For the built algebra (94)-(96), the operation  $\pm p \mapsto |\pm p|$  is extrinsic and illegal, it is just not there. According to ideology of sect. 1.3, not only objects—numbers, vectors, quantities, characteristics, etc—but also all the math operations should be created because one without the other is meaningless. The more so as the numeric object of the theory the complex pair  $(\pm p, \pm q)$ —is as yet single, it contains a principally 'non-materializable' ingredient (sect. 7.4) and behaves as a whole. As regards empiricism, the negative and the Cnumbers are equally 'nonexistent, fictitious entities', since the state's mathematics (94)-(96) has not been supplemented with the doctrine of 'empirically perceived' quantities (101). In fact, the step-by-step transformation of the binary operation  $\cup$  to symbols  $\uplus$ ,  $\pm$ ,  $\hat{+}$  and, finally, to operations  $\{\hat{+}, \cdot, \oplus, \odot\}$  does not terminate at states. Algebra (94)–(96) will be further required to create now the mathematically correct calculation rules of the proper observational quantities.

The foregoing is amplified by the fact that pr. II has been involved in the classical description and in vindication/refutation of, say, the hidden variable theories. Here, numbers are identified with the reified quantities, and subtraction is taken for granted from the outset. However, the negative quantities are also being created here, and they are constructed in the same manner as with the 'quantum zero' for the H-group in sect. 6.3.

Indeed, the readings and physical quantities are not numbers but no more than notches, and 'negative notches' are introduced prior to mathematics of symbols according to the following subconsciously intended scheme. The self-apparent physical conventionality, which has been calling 'an addition' of two such notches, must produce, in accordance with the supra-mathematical requirements of physics, what is named 'nought, zero'. Two waves at a point, for instance, compensate each other. The result is asserted to be identical with

a zero the mathematical, and that is the subtraction. The classical 'explanations' are the ones with use of compensations/subtractions (see Remark 13), whereas the minus we have accustomed is a fairly abstract construction in its own right; "half an apple is easier to understand than a negative apple!" [9, p. 37]. In this respect one might state that the very classical physics needs an interpretation—in terms of strictly positive 'the number of Stücke'. Mathematization of empiricism into numbers is not a distinctive feature of quantum description. However, comprehension of 'abstracting the minus sign' is not confined even to this. A word of explanation is necessary with regard to the situation.

Mathematics formalizes [82] the positive/negative  $\pm \mathbf{p}$  into the pairs' classes (m, n) being equivalent with respect to an 'adding' of the class  $(\ell, \ell)$  (the 'zero'):

$$(+m) := (m,0) \approx (m+\ell,0+\ell), \qquad (-n) := (0,n) \approx (0+\ell,n+\ell),$$
  
 $\pm p \iff (m-n) := (m,n) \approx (m+\ell,n+\ell), \qquad (102)$ 

where  $m, n, \ell$  are to be seen as 'something strictly positive'. This 'adding' is yet another tacitly assumed and much more abstract action: addition of objects of some other kind—'positive couples' (m, n). Technically, at an appropriate place of sect. 7, we had to introduce such classes and to assign their own algebraic operations for them. The result might be called the 'genuine' arithmetic (of 'the positives') and could be enlarged to the 'complete arithmetic' with multiplication and division.

In consequence, the single-token object (+m) or (-n), which we perceive as self-evident (cf. pr. II), is a rather unobvious construction—the generic equivalence-class of two-token (m,n)-abstractions (102). Essence of the symbol of a negative number (-n) is revealed only when contrasting the two positive ones. Exactly the same situation has occurred when deriving the superposition principle in (48)–(49) and (54). It is clear that once all the  $\pm p$ -numbers, and the 'normal' positive +p's among, have been formalized into the equivalences (102), the fact that they possess any 'natural meanings'—like 'operation of the quantity  $p \mapsto |p|$ ' invented above—becomes more than unnatural. The abstract class operations that appear out of nowhere. Similarly with  $\mathbb{Q}$ -numbers and their  $\mathbb{R}$ -extension: classes of equivalent pairs  $(n/m) := (n,m) \approx (n\ell,m\ell)$ .

9.3. Naturalness of abstracta. We thus infer that rejection or disregard of the similar 'naturally abstract' set-theoretic models would be tantamount to rejection of the minus sign even in the elementary physics. This is an absurd, but its root is a need for abstracting. On the other hand, the motivated deduction of these models cannot be replaced with (hidden) axiomatic assumptions. Such an ambivalence is, in our view, one reason why the problem with 'decrypting' quantum postulates is so difficult, because it touches upon the metamathematical (and metaphysical) aspects of the very thinking [79, 31, 168, 81]. The stream of subconsciously abstractive homomorphisms\* is considerable and is always larger than it seems. In sects. 3–9, we have described not all of them. 'Difficulties' with complex numbers, strictly speaking, should already be attributed to the level of the usual negative ones. Bearing in mind that the 'minus' comes from the equal sign = [102] and the equality comes from the scheme (48)  $\mapsto$  (49), both the principia—II and III—are very important (and functioning) also in the classical case. In quantum case, they are just fundamentally unavoidable for the very creating the theory. The nature of QM theory, of arithmetic, of complex numbers, and of their algebras is one and the same.

<sup>\*</sup>For a philosophical discussion to these representations and the origin of models, see pages 1–230 in [154]. As one more comment concerning the abstracting/realism, we refer to the first half of a letter from A. Einstein to H. Samuel in [121, pp. 157–160]; see also [42].

Transferring the reasoning above to the natural numbers N, the degrees of classical and quantum abstraction become even indistinguishable. Empirical motivation leads, in one way or another, to the standard von Neumann's representation for ordinals

$$0 := \varnothing, \qquad 1 := \{\varnothing\}, \qquad 2 := \{\varnothing, \{\varnothing\}\}, \qquad 3 := \{\varnothing, \{\varnothing\}, \{\varnothing\}, \{\varnothing\}\}\}, \qquad \dots, \tag{103}$$

i. e., to using the ZF-axiom of union:  $n+1:=n\cup\{n\}$  [82]. Therefore less obvious is the N-numbers themselves, to be followed by the ordering <, topologies, extensions, generalizations, etc. The formal characterization of all the experimental reduces then to the successive creating from the set-theoretic atoms—unions of sets—some direct products thereof and mappings into other constructions of the same kind. Hence, both the physical images 'being under a ban above' and auxiliary structures—dimensionalities, orders, etc—should equally well become homomorphisms onto certain formal constructions regardless of the description's classicality/quantumness. The presence of, say, non-binary operations (86) does not stand out, because their nature does not differ from the one of (habitual) subtraction and of division. All of these are involutory structures that have been mathematically inherited from the empirical meta-requirements: repetitions (M-paradigm), physics (S, M, ...), and invariance III (sect. 5.4).

To close the section we add that the distancing the concepts of state/DataSource and of a physical property is the continuation of a more primary idea—detaching the proper macro-perceptions from what is being represented theoretically [154, 90, 92]. This issue, as B. Mazur has noted in [102, p. 2], "has been with us ... forever: the general question of abstraction, as separating what we want from what we are presented", i. e., the separating the 'bare' empiricism from mathematics with  $\Sigma$ -limit and the number. The atomic constituent of perception—and of sensory experience—is an elementary quantum event [92, 65, 151], and it begins and terminates, in effect, in  $(\not\approx_{\alpha})$ -distinguishability of  $\alpha$ -clicks (sect. 2.1). Any the continual is a 'speculative theory' (act of abstracting), not the underlying empiricism. Therefore all the further matters—numbers, arithmetic, space-time, cause/effect, (non)inertial reference frames, the notions of an observer/event/coordinates in the relativity theory (i.e., a quantum view of the equivalence principle), device 'readings off', composite systems, etc no matter how self-evident—are the math add-on's, which could originate only in the 'Utheory' of sect. 5. Following von Weizsäcker, it might be called the 'Ur-theory'. There are no contradictions in observations themselves, whether we call them macro- or micro-scopic. Contradictions do arise in the 'mathēmaticae being constructed'.

### 10. About interpretations

It is therefore not ... a question of a re-interpretation ... quantum mechanics would have to be objectively false, in order that another description ... than the statistical one be possible J. VON NEUMANN [110, p. 325]

... suspect that all the deep questions about the meaning of measurement are really empty S. Weinberg

E. Tammaro: "At this point in time it appears that a stalemate has been reached with regard to the interpretation of quantum mechanics" [148, p. 1].

10.1. **States and measurement.** The source of the numerous treatments of QM [69, Ch. 10], [84, Ch. 10], [7, 124, 128, 122, 130]—and 'the Copenhagen' among—is the fact that the  $\underline{\alpha}$ -event and subconscious comprehension of  $\underline{\Psi}$  (pt.  $\underline{\mathsf{S}}$ ) are a priori endowed with physical

properties, with observational characteristics of the DataSource, and with operationality of the canonical QM-concept  $|\Psi\rangle^*$ . However, none of these initially exist. The primitive  $\underline{\alpha}$ -events' abstractions  $\underline{\Psi} \xrightarrow{-}^{\underline{\alpha}} \underline{\alpha}$  are all there is. An important point is that even the 'eigen  $\underline{\alpha}$ -click' (of a photon/electron say, in the EPR-experiment) should not be identified with an  $|\alpha\rangle$ -state. The latter is re-developable with respect to eigen-states associated with other click-sets of any other instruments:

$$|\alpha_i\rangle = \mathfrak{b}_1 \cdot |\beta_1\rangle + \mathfrak{b}_2 \cdot |\beta_2\rangle + \cdots = \mathfrak{c}_1 \cdot |\gamma_1\rangle + \mathfrak{c}_2 \cdot |\gamma_2\rangle + \cdots = \cdots,$$

which is why it is logically meaningless to attribute one  $\underline{\alpha}_k$ -click to that which carries statistics of other clicks  $\underline{\beta}_k, \underline{\gamma}_k, \ldots$  and has nothing in common with  $\underline{\alpha}$ . All the more so the click may not be related with such physically descriptive collocations as 'the measuring act on Bob's electron reveals the spin-up'. As in the 'cat case' (sect. 6.3.1), the spin-up here is a click-up rather than a state  $|\uparrow\rangle$ . Similarly, a click (ostensibly of a photon) with Alice/Bob has nothing in common with distance between them (the locality 'problem'), with speed of light, or with a kinematic 'comprehension' of the photon. Likewise, the math-properties of the eigen  $|\alpha\rangle$ —and of the abstract  $|\Psi\rangle$ —can in no way be 'syncretized' with  $\underline{\alpha}$ -events, when the clicks are as yet being accumulated. The screen click is not a photon and photon is not a click. The click should not be an element of the language in which  $|\Psi\rangle$ -terminology, numbers and physical properties have been employed whatsoever. B. Englert [43, p. 8] does stress with emphasis the "folklore that "a measurement leaves the system in the relevant eigenstate" ... It is puzzling that some textbook authors consider it good pedagogy to elevate this folklore to an "axiom" of quantum theory". See also the 2-nd epigraph to sect. 2.

Then something subsequently referred to as a state (the abstract) and a measurement (the concrete) is created. However, as already stressed in sect. 2.4, process of abstracting—the set-theoretic homomorphisms  $\{\underline{\Psi}, \cup\} \mapsto \cdots \mapsto \{|\Psi\rangle, \hat{+}, \cdot\}$ —is a rather multistage one (sects. 3–9), and reduction of this long sequence 'for physical reasons' does always contain phenomenological axioms a priori. Clearly, in the reverse direction we confront hard-to-disentangle assumptions and the well-known axiomatic cycle.

In order to avoid paradoxes like 'quantum cat' ("state vector does not describe ... a single cat" [11, p. 37]), 'the presence of a particle here and there', or like 'quantum bomb-testing' (Elitzur-Vaidman) [7, 61],

• it is imperative to require a severe conceptual differentiation\*\* between term 'the state' and 'physically sounding' adjectives/verbs and the spatial/cause-effect images.

It seems preferable to radicalize the non-connectivity of these categories, i.e., to proclaim it a postulate. For instance, a boldface italics in Remark 12 or selected thesis at the end of sect. 6.5. At least, the differentiation between them should not be neglected in reasoning, inasmuch as it seems unrealistic to change the deeply ingrained [150, p. 7] and ill-defined turns

<sup>\*</sup> An illustrative example in this regard is one of the first sentences from Everett's PhD: "The state function  $\psi$  is thought of as objectively characterizing the physical system . . . at all times . . . independently of our state of knowledge of it" [45, p. 3], [17, p. 73]; and also, on p. 8, "The general validity of pure wave mechanics, without any statistical assertions, is assumed for all physical systems, including observers and measuring apparata". And, again Everett's: "The physical 'reality' is assumed to be the wave function of the whole universe itself" [54, p. 100], [17, p. 70].

<sup>\*\*</sup>T. Maudlin: "... we need to keep the distinction between mathematical and physical entities sharp. Unfortunately, the usual terminology makes this difficult" [100, p. 129]. Even indirect usage of the terminology that came from the classical description can be a source of confusing. For example, so-called exchange interaction as a 'cause of correlation' between identical parts of system.

of terminology such as "photon is in a certain state of polarization" [38, p. 5], 'an observable has/acquires a (numeric) value when being measured' [91, p. 310; critique], "outcome of a measurement" [7, 69, 84], or 'simultaneous measurability' (see sect. 2.1 and pr. 1), i.e., as if we've had some *micro*-phys prior to math. No, there is nothing a priori (sect. 2.2). With this mixing, circular logic pointed out in Remark 10 will be present at all times. See, for instance, pages 29–30 in the work [51] and notably an emphasized warning by D. Foulis about "a mistake, and a serious one!", including criticism addressed to von Neumann on p. 29.

The principled abstractness of the  $|\Psi\rangle$ -object is a core feature of quantum theory as compared with the classical one. In other words,

• the interpretation of the quantum state is its very definiendum. Even with the physical terminology created, there may be only one paraphrase for the meaning to a state: an abstract element of the abstract\* linear (not Hilbert) vector space over  $\mathbb{C}^*$ .

The 'not Hilbert' because the norm and inner-product are the extra—nonessential—math add-on's over H, which come from the descriptive physical notions (that follow), from a measurement, and from Born's rule [24]. The state, in and of itself, needs no and knows nothing of them. They will be required further, not now, for calculation—math-calculus-of observable quantities: statistics  $\nu_k$  and means. In a nutshell, we may not blend the fundamentally abstract part of quantum mathematics—pre-phys and the structural properties of H—with those which is in charge of its observational/physical constituent. See also Remark 2 and warnings by G. Ludwig "of a mistake. ... false notion that "mathematical objects" must be pictures of physical objects" [93, p. 228] and of a "reality [of the] word "state," a reality in which one must not believe!" [94, p. 78]. A. Peres also makes special note of the analogous: "... physicists have been tempted to elevate the state vector  $\psi$  to the status of substitute of reality" [113, p. 645].

The most illustrative example is the (in)famous problem of measurement, which is the subject of "the mountains of literature" [93, p. 118] containing opposing opinions [74, 69, 84, 89, 106, 29, and which is the source of questions around locality in QM. The point here, put very briefly, is that the measuring 'problem' is one of principle, not of practice. As we have seen, this problem is a nonexistent as well as a pseudo one [92, p. 79(!)], [93, p. 118(!)], [40] because in measurements nothing either propagates (much less at superluminal speeds), nor is anything collapsed [91, sect. XVII.4.3], [84, p. 328], [11, 94], nullified, localized, there are no such things as quantum jumps [158], and no pieces of the wave function are cut out.

G. Ludwig: "... there is no collapse of wave packets in reality.

Do not believe in fairy tales!" [94, p. 104].

"The mystifying notions arise from attributing physical reality to the "jump" at a given time t" [91, p. 327].

"A state vector ... does not evolve continuously between A. Peres: measurements, nor suddenly "collapse" into a new state vector whenever a measurement is performed" [113, p. 644].

L. Ballentine: "This "reduction" ... is not a new fundamental process, and, ... has nothing ... to do with measurement" [13, p. 244].

<sup>\*</sup>The point 4) in Theorem determines a supplement—the numeric add-on to the ('completely bare') abstract LVS.

J. Bub and I. Pitowsky, on p. 453 of [122], do insist that presumptions "about the ontological significance of the quantum state and about the dynamical account of how measurement outcomes come about, should be rejected as unwarranted dogmas about quantum mechanics".

Again (see p. 22 and sect. 6.4), direct or indirect attempts to physically characterize the state function—like  $|\text{dead}\rangle + |\text{alive}\rangle$ —are hopeless, since it is the very <code>DataSource/information</code> around which all corresponding objects and the language phrases—readings, frequencies and other quantities—are only slated to create. It is impossible to 'reconcile' the (nonclassical) concept of a quantum state with any its *observational prototypes*.

• It is not allowed to handle this term in the way we are doing this with a state in the classical physics; even philosophically (see the selected theses at the end of sect. 4.2 and at the beginning of sect. 2.4).

The appeals regarding the irrelevance of the projective postulate are often encountered in the literature, though [66, 136, 88, 80, 113, 59, 92, 93, 94].

Another example of circular logic is the critiqued [69, 141, 142] meaning of the phrase "an ensemble of similarly prepared systems" [10, 69, 122]. The complete revision of this idea, as was set forth above, does, in fact, demonstrate that, like in the ensemble approaches, "QM is a usual statistical theory" [10], [94, p. 123], [105, p. 223], [13, 170, 4, 92, 94, 134, 107, 108] with a frequency content of the randomness and with the classical logic [94] but with a different mathematics of statistic's calculus. It is different due to the fact that the theory is not tied, as in classical description, to the notion of an observable quantity, and the  $\nu$ 's are calculated through the 'other/abstract' numbers [24]. However, for the same reason the emphasizing of a close resemblance with the classical statistical mechanics [47, 97], [45, p. 72] or 'explanations' with coins/dice/cards etc are in error.

10.2. Interpretations and self-referentiality. Although we have not yet touch on other significant attributes—the means over statistics, operators, and products of  $\mathbb{H}$ -spaces will be considered in their own rights, it is clear that the need to quest for a description in terms of hidden variables is also eliminated. Even from a formalistic perspective, the proof of presence/absence [110, 39, 61] of these 'physical' quantities should be attributed to the semantic conclusions of meta-theory (= physics) [119], i. e., to theorems about formal theory rather than to theorems of its *inner* calculus. In our case, and more generally, the formal theory is the syntactical axioms of QM. The corollaries of such axioms are inherently unable to lead to statements about interpretations [119], since theorems about object-theory itself is not provable by means of its object-language [133, 119].

A similar line of reasoning has accompanied quantum theory for quite a while: "claim that the formalism by itself can generate an interpretation is unfounded and misleading" (L. Ballentine [11]). It is known that even the mathematics itself cannot be defined in a self-contained way [53, 79]. All of this stands in stark contrast with the known statement of DeWitt to the effect that "mathematical formalism of the quantum theory is capable of yielding its own interpretation" [37, p. 160, 165, 168] or that "conventional statistical interpretation of quantum mechanics thus emerges from the formalism itself" [37, p. 185]. Especially, if we take account of the fact that it is not the theory itself, but only its (formal) interpretation that determines the very semantic terms truth/falsity/provability of sentences (Gödel). In turn, there may be more than one such interpretation. See also [71, p. 310], [20], and specifically Ch. III in [79]. In other words, the subconscious striving for 'to interpret'—and transporting the macro into the micro—is the very thing that prevents us from truly gaining an understanding of quantum mathematics.

In any case, the fact that we were initially constructing the set-theoretic model (cf. [20])) rather than an interpretation simply eliminates the problem, or, at most, transfers it into the domain of questions regarding the micro-transitions  $\stackrel{\text{def}}{\longrightarrow}$  and  $\mathfrak{T}$ -family as employed entities (see Remark 2). This is the domain of questions, which invoke the set theory at all. Be this as it may, logic—formalized or non—does not allow us to make statements about statements, much less a statement that refers to itself. The self-referentiality ("von Neumann catastrophe") is almost the main trouble [106, 108] encountered in quantum foundations. All of this, of course, does not depend on whether interpretation is built over in a strictly formalized [133] or in a physically natural form. In effect, the issue of interpretations—in the rigorous definition sense [119, Ch. 2], [133], [143]—is simply nonexistent. Accordingly, the demystification of the known and the quest for ontological interpretations to  $\mathfrak{a}$ -coordinates of the  $|\Psi\rangle$ -vector [7, 49, 66]—the wave function—is no longer a problem, and with it disappears the Feynman question of "the only consistent interpretation of this quantity" [48, p. 22]. See also M. Leifer's review [87] and extensive list of references therein.

#### 11. Closing remarks

... quantum mechanics has been a rich source for the invention of fairy tales G. Ludwig & G. Thurler [94, p. 122]

I simply do not know how to change quantum mechanics by a small amount without wrecking it altogether S. Weinberg

11.1. 'Math-assembler' and philosophy. Remembering and continuing sect. 1.3, it is generally tempting to infer that when creating the theory, we may not rest on any meanings that are tacitly associated with the typical terminology—no matter physical or mathematical—and should also be very cautious about the wording of statements concerning the phenomena outside the everyday experience. To illustrate, even the very natural utterances—'here/there' (locality), 'big(ger)/small(er)' (quantitative statements), 'let a two-particle  $\mathcal{S}$ ', 'electron with Alice/Bob', 'consisting of . . . ', 'subsystem  $\mathcal{S}_1$  in such-and-such system  $\mathcal{S}$ '—are actually "(apparently) "plausible" conclusions from the observed phenomena" [91, p. 334]. These have already comprised an equivalent of a measurement/preparation (sect. 3.1) and of physical (pre)images, and thereby imitate the way of thinking and schemes of classical mechanics. 'Here/there, bigger/smaller, this/another, etc' is already a theory, and classical at that.

At the other extreme is an attempt to 'hurry up' and bring the reasoning to a Hilbert-space theory or to the quantum mixtures (100). As in sect. 6.5, all this may well be non-correct [100]. For example, such collocation as the "system in a superposition" [92, 93], in the strict sense of the word, 'should be banned' already at the philosophical/linguistic level. A source of antinomies is in implicit implying, i.e., in the eclectic—this we stress once again—confounding of observations, clicks, numbers, physics, maths, and imagination, followed by the uncontrollable lexical-'branching'. From this, there result the sense messes, well-known no-go (meta)theorems\* [18, 60], the locality 'problem in QM', and paradoxes like EPR [91, sect. XVII.4.4] or the jocular Bell question "Was the world wave function waiting to jump for thousands of millions of years . . . for some more highly qualified measurer — with a

<sup>\*&</sup>quot;... combined with some peculiar terminology, has led to confusion ... A woefully common feature, ... each protagonist had some interpretation of the quantum state in mind, but never stated clearly what it was" (L. Ballentine [15, pp. 2, 6]).

Ph.D.?" [18, p. 117], [84, p. 18], [88, 80]. Clearly, quantum effects of observations do not depend on whether the personified—homo sapiens—or biological observer (Heisenberg–Zeilinger dog [78, pp. 171–174], [43, 21]) perceives them. The observer—without his "subjective features" (W. Heisenberg) or "the anthropomorphic notions "specifying" and "knowing"" [113, p. 645]—is just a formally logical element O in theory. Without numbers, solely a quantitative theory is not possible (sect. 6.5), because the entire terminology becomes indefinite.

Thus, once a mathematics and unambiguous language—spectra, means, and macroscopic dynamical models—have been created, not only is there no longer a need to call on the 'otherworldly' or anthropic explanation ways, but the very presence of a certain share of mysticism, of subjectivity, and of (circum-)philosophy—"a philosophical Überbau" [43, p. 12]—in quantum foundations becomes extremely questionable. G. Ludwig is much more thoroughgoing in the assessment—"philosophical gymnastics" [92, p. 79]. There is no longer any freedom to invent exegeses (of 'the quantum-postulate Bible'). Moreover, the freedom to ask questions is no longer there, since the created object-language of states, of spectra, and of frequencies narrows down the entire admissible lexicon. It may generate questions that are not only illposed but should, as in sect. 6.5, be qualified as "meaningless" [109, p. 422]. For example, those that are based on an intuitive perception of the term observation by human being or questions about 'the underlying nature of reality', the notion of a 'physical level of rigor' with regard to the grounds of quantum theory and, in general, the pondering over 'how the world should function' at the micro-level [94, p. 100].

In the classical paradigm, the language sentences are always interrelated, since, one way or another, all of them refer to the observational concepts. These in fact form our natural speech when describing experiments. The language intuition usually makes it easy for us to do away with paradoxes the semantic closedness causes. However, the quantum situation is just the one of a misuse of the vocabulary, i.e., when contradictions are inevitable. This fact—thinking (even if partly/implicitly) in terms of physical influences between the classical objects (D. Deutsch's "bad philosophy") but with 'quantum conclusions'—is the very source of paradoxes, since the human intuition has roots in the classical world and is a rather problematic and personal category. (A. Stairs: "Don't trust intuition" [140, p. 256]; it is not meant for QM). Because of this, quantum theory must begin with a rudimentary language, and it should be independent of our intuitive knowledge, which "tend to declare war on our deductions" (van Fraassen). In order to avoid collisions between theory and meta-language, the subconscious striving of the natural language to include one in the other has to be limited; see Remark 10. Einstein adds also the situations when "er führt dazu, überhaupt alle sprachlich ausdrückbaren Sätze als sinnleer zu erklären" [41, p. 33]. A. Leggett's comments on "pseudoquestions" and "gibberish" at the end of sect. 1.2 may then be strengthened so that the meaninglessness should become an element of language, including the language of 'philosophy of quanta'.

• The rudimentary quantum (meta)mathematics creates the notion of a prohibited statement/question\*, one that is devoid of meaning. These sentences, which involve classical analogies in circumvention of 1) the  $|\alpha\rangle$ -representatives to the non-interpretable abstraction  $|\Psi\rangle$  and 2) of the numerical quantities' nature (sect. 9.1).

See also pages 234–235 in [123] with Bohr's appeals regarding the "necessity of a radical revision of basic principles for physical explanation ... revision of the foundation for the

<sup>\*</sup>Cf. the 't Hooft remark: "I go along with everything [Copenhagen] says, except for one thing, and the one thing is you're not allowed to ask any questions".

unambiguous use of elementary concepts" and his comment on words "phenomena", "observations", "attributes", and "measurements" on p. 237.

The literature on this subject, even taking only the qualified sources into account, is vast [1, 16, 5, 36, 44, 49, 56, 60, 70, 100, 104, 103, 111, 122, 126, 128, 61, 166, 170, 84, 69, 142, 7] and abounds with terminology—"... words, ostensibly English" (A. Leggett [84, p. 300; emphasis ours]), that completely defies translation into the language of events or of concretization: observer's consciousness, parallel/branching universes/worlds, free will, catalogue of knowledge, world branch, and also such collocations as rational agent, information ("Whose" and "about what", by J. Bell) has been recorded/transmitted/(not)reached an observer (Wigner's friend), teleporting a state, many-minds/worlds/words, quantum psychology, psycho-physical parallelism (in this connection, see [31, p. 86(!)]), and many other "bad words", according to Bell [18, p. 215].

Of course, "without philosophy, science would lose its critical spirit and would eventually become a technical device" [7, p. 800] but, on the other hand, "the concept of the free will cannot be defined by indications on devices" [93, p. 151] and "one must not confuse physics with philosophy" [43, p.12]. As concerns the attitudes towards QM—at the suggestion of M. Tegmark in the 1990's, there even carried out polls and statistical analysis of their correlations [130]. There are also known attempts to involve here the biology of consciousness/brain [142, 149], [125, sect. 6], [126, Ch. 9]. Regarding them, however, there have been not merely sceptical but quite opposite opinions [157, sects. 5–6], [93, §XII.5(!)]. Of special note is Ballentine's remark "to stop talking about "consciousness" or "free will" on the last page of the preprint [15].

As a result, we gain "a contribution to philosophy, but not to physics" [98, p. 86]. At the same time, the proposed math 'U-assembler'

$$\underline{\Psi} \xrightarrow{\mathscr{A}} \underline{\alpha}, \qquad (\underline{\Xi})\text{-brace (31)}, \qquad (\vee, \in, \cup)\text{-'logic' (36)} - (39)$$

is quite sufficient for creating the object-language. Giving a natural form to it would be acceptable, however, it is clear that the set-theoretic ∪-base of the language cannot be avoided [20]. Nevertheless, the syntactically more formal description of transitions/brace/numbers is surely of interest and value. This would turn, however, all the above material into a mathematical logic text, what is we eschew in the present work. It is probably for this reason that the very important and extremely thorough works\* by Günther Ludwig [90, 91, 92, 93] and by his school are often left out of the literature on quantum foundations. Among other things, in spite of explicit pointing out a "solution in principle of the measuring problem" in [92, p. V] (and subtitle "Derivation of Hilbert Space Structure" of [92]), name of this author has not been mentioned in the detailed reviews [87, 124, 163] and even in the books [134, 56, 126, 106, 122, 111].

11.2. Well, where's probability? An answer to this question in quantum theory is brief enough—nowhere, because "There is no probability meter" (S. Saunders [122, p. 185]) and relationship of this concept with empiricism is unique [13, p. 46]—the frequencies  $\{\nu_j\}$ . Cf. the famous de Finetti (1970) remark "probability does not exist" [56] and A. Khrennikov's comment "It seems that the machinery of randomness has no applications in quantum physics. Experimenters are only interested in . . . frequencies" [76, p. 36]. Or, expressed differently by von Mises' words,

<sup>\*</sup>Pre-theories, 76 axioms [92, p. 241], ordered sets, morphisms, absence of the word superposition in [90, 92], (valid) criticism of "theories of states" [94], etc.

"If we base the concept of probability, not on the notion of relative frequency, ... at the end of the calculations, the meaning of the word 'probability' is silently changed from that adopted at the start to a definition based on the concept of frequency" [105, p. 134] (emphasis ours).

Otherwise, quantum foundations would require an interpretation of Kolmogorov's axioms, and the latter, in turn, require interpreting the concept of the number—an axiomatic add-on over the ZF theory [82]. Bearing in mind the primary nature of numbers and nontriviality of their emergence in a physical theory (sect. 7.2), it is not just impossible to avoid the relative frequencies [114, p. 25]. Logic forbids them from being subsidiary with reference to probability in any definition: "probability is the picture for reproducible frequencies; and it is the [only] prescription for a correct experiment" [93, p. 144]. Pauli, among the few, had been convinced that "the concept of 'probability' should not occur in the fundamental laws of a satisfying physical theory" (an excerpt from Pauli's letter to Bohr in 1925).

The ensemble empiricism, for its part, is self-sufficient\*, and the only conventionality within it is an infinite number of repetitions. Its formalization is an appropriate axiom in the ZF-theory [82, 68]. Expressed another way, any non-frequency framework for what we have been calling QM-probability 'attracts vague justifications' in terms of its surrogates: potentiality, tendency, propensity (K. Popper), amount of ignorance, subjective uncertainty [122] or likelihood, degree of belief, etc [49]. But even from philosophical point of view "probability is a deeply troublesome notion" (L. Hardy [128, p. 78]), that is supported by the vast literature on this subject [147](!), [145, pp. 41–43], [135, Chs. 3–4], [7, 3, 36, 77, 78]; "philosophy of probability is a scandal" [122, p. 550]. Pauli, again, recollected the frequent Einstein's remarks in this regard: "One can't make a theory out of a lot of 'maybe's' [= probably] ... deep down it is wrong, even if it is empirically and logically right".

Thus, probability in quantum theory is a statistics. It comes from statistische Kollektivs [105] and may only be a shortened term for the relative "frequency in long runs" (von Neumann). This is why the conventional tractability of the quantum-postulates' mathematics —calculation of probabilities for the classical events to occur in the 'reality' (what is that?)—is inadequate neither as a doctrinal point of departure nor as a 'post-math' interpretation. It presents us with a circulus vitiosus of re-exegeses. C. Fuchs, referring to de Finetti's words in an interview with Quanta Magazine (2015), prognosticates that this conception "will go the way of phlogiston".

The ultimate conclusion completes remarks 2 and 7. If we accept the set-theoretic eye on things then sect. 5.1, by all appearances, provides a positive answer to the question about the rigidity of QM-theory [33]—"change any one aspect, and the whole structure collapses" [1, p. 1]. See also the 2-nd epigraph to this section. At least, it is hard to imagine what any other (axiom-free) way of turning empiricism into quantum mathematics would look like, as soon as we abandon the minimalistic entity  $\Psi \xrightarrow{\mathscr{A}} \underline{\alpha}$ .

### ACKNOWLEDGMENTS

The author wishes to express his gratitude to the QFT department staff of TSU for many stimulating conversations. A special word of thanks is due to Ivan Gorbunov, and to Professor V. Bagrov, who initiated considering the points on quantum logic. Gratitude also goes to Denis Saveliev (Steklov Math Institute) for consulting on lattices and mathematical logic.

The work was supported by a grant of Tomsk State University.

<sup>\*</sup>In this connection we cannot agree with statement of theorem III in van Kampen's work [74] and with further comment as to "a single system" and "calculation of spectra".

#### References

- [1] AARONSON S. Is Quantum Mechanics An Island In Theoryspace? https://arxiv.org/abs/quant-ph/0401062 (2004), 1-9.
- [2] AARONSON S. Quantum Computing since Democritus. Cambridge University Press (2013).
- [3] Accardi L. Urne e camaleonti. Dialogo sulla realtà, le leggi del caso e l'interpretazione della teoria quantistica. il Saggiatore (1997).
- [4] ALLAHVERDYAN A. E., BALIAN R. & NIEUWENHUIZEN T. M. Understanding quantum measurement from the solution of dynamical models. Physics Reports (2013) **525**(1), 1–166.
- [5] Alter O. & Yamamoto Y. Can we measure the wave function of a single wave packet of light? In: [60], pp. 103–109.
- [6] Ansmann M., Wang H., Bialczak R. C., Hofheinz M., Lucero E., Neeley M., O'Connell A. D., Sank D., Weides M., Wenner J., Cleland A. N. & Martinis J. M. Violation of Bell's inequality in Josephson phase qubits. Nature (2009) 461, 504–506.
- [7] AULETTA G. Foundations and Interpretation of Quantum Mechanics. World Scientific (2001).
- [8] BAEZ J. C. Division Algebras and Quantum Theory. Found. Phys. (2012) 42, 819–855.
- [9] BAEZ J. C. & DOLAN J. From Finite Sets to Feynman Diagrams. In: Engquist B. & Schmid W. (eds) Mathematics Unlimited — 2001 and Beyond I. Springer (2001), pp. 29–50.
- [10] Ballentine L. E. The Statistical Interpretation of Quantum Mechanics. Rev. Mod. Phys. (1970) 42(4), 358–381.
- [11] Ballentine L. E. The formalism is not the interpretation. Physics Today (1971) April, 36–38.
- [12] Ballentine L. E. Can the Statistical Postulate of Quantum Theory be Derived?—A Critique of the Many-Universes Interpretation. Found. Phys. (1973) 3(2), 229–240.
- [13] BALLENTINE L. E. Quantum Mechanics. A Modern Development. World Scientific (2000).
- [14] Ballentine L. E. Classicality without Decoherence: A Reply to Schlosshauer. Found. Phys. (2008) 38, 916–922.
- [15] BALLENTINE L. E. Ontological Models in Quantum Mechanics: What do they tell us? https://arxiv.org/abs/1402.5689 (2014), 1-9.
- [16] BARRETT J. A. The Quantum Mechanics of Minds and Worlds. Oxford University Press (1999).
- [17] BARRETT J. A. & BYRNE P. The Everett Interpretation of Quantum Mechanics. Collected Works 1955– 1980 with Commentary. Princeton University Press (2012).
- [18] Bell J. S. Speakable and unspeakable in quantum mechanics. Cambridge University Press (2004).
- [19] Beltrametti E. G. & Cassinelli G. *The Logic of Quantum Mechanics*. Encyclopedia of mathematics and its applications **15**. Addison–Wesley (1981).
- [20] Benioff P. A. Models of Zermelo Frankel set theory as carriers for the mathematics of physics. I, II. Journ. Math. Phys. (1976) 17(5), 618–628, 629–640.
- [21] Bergou J. A. & Englert B.-G. Heisenberg's dog and quantum computing. Journ. Mod. Optics (1998) 45(4), 701–711.
- [22] Birkhoff G. Lattice theory. Providence (1967).
- [23] Bourbaki N. Elements of mathematics. Algebra I: Chapters 1–3. Springer (1974).
- [24] Brezhnev Yu. V. The Born rule. https://arxiv.org/abs/1905.03332 (2019), 1-10.
- [25] Briggs G. A. D., Butterfield J. N. & Zeilinger A. The Oxford Questions on the foundations of quantum physics. Proc. Royal Soc. A (2013) 469, 0299(8).
- [26] Brukner Č. On the Quantum Measurement Problem. In: Berltmann R. & Zeilinger A. (eds) Quantum [Un]Speakables II. Springer (2017), pp. 95–117.
- [27] Bub J. & Pitowsky I. Two Dogmas About Quantum Mechanics. In: [122], pp. 433–459.
- [28] BUENO O., FRENCH S. & LADYMAN J. On Representing the Relationship between the Mathematical and the Empirical. Philosophy of Science (2002) 69(3), 497–518.
- [29] Busch P., Lahti P. J. & Mittelstaedt P. The Quantum Theory of Measurement. Springer (1996).
- [30] CLIFFORD A. H. & PRESTON G. B. The algebraic theory of semigroups I. AMS Mathematical Surveys 7 (1961).
- [31] Chomsky N. Language and Mind. Cambridge University Press (2008).
- [32] COHEN P. J. & HERSH R. Non-Cantorian Set Theory. Scientific American (1967) 217, 104–116.
- [33] Colbeck R. & Renner R. No extension of quantum theory can have improved predictive power. Nature communications (2011) 2(411), 1–5.
- [34] Danan A., Farfurnik D., Bar-Ad S. & Vaidman L. Asking Photons Where They Have Been. Phys. Rev. Lett. (2013) 111(24), 240402(5).

- [35] DAVID F. The Formalism of Quantum Mechanics. Lecture Notes in Physics 893. Springer (2015).
- [36] Deutsch D. The Fabric of Reality. Penguin Books (1997).
- [37] DEWITT B. S. & GRAHAM N. (eds) The Many-Worlds Interpretation of Quantum Mechanics. Princeton University Press (1973).
- [38] DIRAC P. A. M. The Principles of Quantum Mechanics. Clarendon Press (1958).
- [39] DMITRIEV N. A. Von Neumann's Theorem on the Impossibility of Introducing Hidden Parameters in Quantum Mechanics. Theor. Math. Phys. (2005) 143(3), 848–853.
- [40] EDWARDS D. A. The mathematical foundations of quantum mechanics. Synthese (1979) 42, 1–70.
- [41] EINSTEIN A. Elementare Uberlegungen zur Interpretation der Grundlagen der Quanten-Mechanik. In: Scientific Papers, Presented to Max Born. Oliver and Boyd (1953), pp. 33–40.
- [42] EINSTEIN A. Remarks on Bertrand Russel's theory of knowledge. In: Schilpp P. A. (ed) The philosophy of Bertrand Russel. The library of living philosophers V. Northwestern University & Southern Illinois University (1971), pp. 277–291.
- [43] ENGLERT B.-G. On Quantum Theory. Europ. Phys. Journ. D (2013) 67, 238(16).
- [44] D'ESPAGNAT B. Conceptual Foundations of Quantum Mechanics. Perseus Books (1999).
- [45] EVERETT III H. The Theory of the Universal Wave Function. PhD Thesis, Princeton University (1956). In: [37], pp. 3–140.
- [46] EVERETT III H. "Relative State" Formulation of Quantum Mechanics. Rev. Mod. Phys. (1957) 29(3), 454–462.
- [47] FADDEEV L. D. & YAKUBOVSKII O. A. Lectures on Quantum Mechanics for Mathematics Students. AMS student mathematical library 47 (2009).
- [48] FEYNMAN R. P. & HIBBS A. R. Quantum Mechanics and Path Integrals. McGraw-Hill, Inc. (1965).
- [49] FINE A. Probability and the Interpretation of Quantum Mechanics. British Journ. Phil. Sci. (1973) 24, 1–37
- [50] FINKELSTEIN D., JAUCH J. M., SCHMINOVICH S. & SPEISER D. Foundations of Quaternion Quantum Mechanics. Journ. Math. Phys. (1962) 3(2), 207–220.
- [51] FOULIS D. J. A Half-Century of Quantum Logic. What Have We Learned? In: Aerts D. & Pykacz J. (eds) Quantum Structures and the Nature of Reality. Kluwer Academic Publishers (1999), pp. 1–36.
- [52] FOULIS D. J. & RANDALL C. H. The empirical logic approach to the physical sciences. In: [65], pp. 230–249.
- [53] Fraenkel A. A. & Bar-Hillel Y. Foundations of Set Theory. North-Holland Publishing Company (1958).
- [54] Freire O. (Junior). The Quantum Dissidents. Rebuilding the Foundations of Quantum Mechanics (1950–1990). Springer (2015).
- [55] FUCHS C. A. Quantum mechanics as quantum information, mostly. Journ. Mod. Optics (2003) 50(6-7), 987-1023.
- [56] Fuchs C. A. Coming of age with quantum information. Cambridge University Press (2011).
- [57] FUCHS C. A. My Struggles with the Block Universe (edited by B. C. Stacey). https://arxiv.org/abs/1405.2390 (2014), lvii+2291 pp.
- [58] FUCHS C. A. & PERES A. Quantum Theory Needs No 'Interpretation'. Physics Today (2000) 70, 70–71.
- [59] GOTTFRIED K. & TUNG-MOW YAN. Quantum Mechanics: Fundamentals. Springer (2003).
- [60] Greenberg D. M. & Zeilinger A. (eds) Fundamental problems in Quantum Theory. New York Academy of Science (1995).
- [61] Greenstein G. & Zajonc A. G. The Quantum Challenge. Modern Research on the Foundations of Quantum Mechanics. Jones and Bartlett Publishers (1997).
- [62] GRYB S. & MERCATI F. Right About Time? In: Aguirre A., Foster B. & Merali Z. (eds) Questioning the foundations of physics. Springer (2015), pp. 87–102.
- [63] GRÖBLACHER S., PATEREK T., KALTENBAEK R., BRUKNER Č., ŻUKOWSKI M., ASPELMEYER M. & ZEILINGER A. An experimental test of non-local realism. Nature (2007) 446(19), 871–875.
- [64] HALATAEI S. M. H. Testing the reality of the quantum state. Nature Physics (2014) 10 March, 174.
- [65] HARTKÄMPER A. & NEUMANN H. Foundations of Quantum Mechanics and Ordered Linear Spaces. Lecture Notes in Physics 29. Springer (1974).
- [66] Hartle J. B. Quantum mechanics of individual systems. Amer. Journ. Phys. (1968) 36(8), 704-712.
- [67] HARTLE J. B. Quantum physics and human language. Journ. Phys. A: Math. Theor. (2007) 40, 3101–3121
- [68] HAUSDORFF F. Set Theory. AMS Chelsea Publishing (1957).

- [69] Home D. & Whitaker A. Einstein's Struggles with Quantum Theory. Springer (2007).
- [70] 'T HOOFT G. The Cellular Automaton Interpretation of Quantum Mechanics. Findamental Theories of Physics 185. Springer (2016).
- [71] JAMMER M. The Conceptual Development of Quantum Mechanics. McGraw-Hill Book Company (1966).
- [72] Jauch J. M. Foundations of Quantum Mechanics. Addison-Wesley (1968).
- [73] JOOS E., ZEH H. D., KIEFER C., GIULINI D., KUPSCH J. & STAMATESCU I.-O. Decoherence and the Appearance of a Classical World in Quantum Theory. Springer (2003).
- [74] VAN KAMPEN N. G. Ten theorems about quantum mechanical measurements. Physica A (1988) 153, 97– 113.
- [75] VAN KAMPEN N. G. The scandal of quantum mechanics. Amer. Journ. Phys. (2008) 76, 989-990.
- [76] Khrennikov A. Contextual Approach to Quantum Formalism. Fundamental Theories of Physics 160. Springer (2009).
- [77] Khrennikov A. Interpretations of Probability. Walter de Gruyter (2009).
- [78] KHRENNIKOV A. Probability and Randomness. Quantum versus Classical. Imperial College Press (2016)
- [79] KLEENE S. C. Introduction to metamathematics. Wolters-Noordhoff Publishing (1971).
- [80] KLYSHKO D. N. Basic quantum mechanical concepts from the operational viewpoint. Phys. Uspekhi (1998) 41(9), 885–922.
- [81] Knott A. The process of mathematisation in mathematical modelling of number patterns in secondary school mathematics. Dissertation, Stellenbosch University (2014).
- [82] Kuratowski K. & Mostowski A. Set theory. North-Holland Publishing Company (1967).
- [83] Kurosh A. G. Lectures on general algebra. Chelsea Publishing Co. (1963).
- [84] Laloë F. Do We Really Understand Quantum Mechanics? Cambridge University Press (2012).
- [85] LANDAU L. D. & LIFSHITZ E. M. Quantum Mechanics. Pergamon Press (1965).
- [86] LEGGETT A. J. Probing quantum mechanics towards the everyday world: where do we stand? Physica Scripta (2002) T102, 69-73.
- [87] Leifer M. S. Is the Quantum State Real? An Extended Review of ψ-ontology Theorems. Quanta (2014) **3**(1), 67–155.
- [88] LIPKIN A. I. Does the phenomenon of 'reduction of the wave function' exist in measurements in quantum mechanics? Phys. Uspekhi (2001) 44(4), 417–421.
- [89] LONDON F. & BAUER E. The theory of observation in quantum mechanics. In: Wheeler J. A. & Zurek W. H. (eds) Quantum Theory of Measurement. Princeton University Press (1983), pp. 217–259.
- [90] Ludwig G. Foundations of Quantum Mechanics I. Springer (1983).
- [91] LUDWIG G. Foundations of Quantum Mechanics II. Springer (1985).
- [92] Ludwig G. An Axiomatic Basis for Quantum Mechanics 1. Springer (1985).
- [93] Ludwig G. An Axiomatic Basis for Quantum Mechanics 2. Springer (1987).
- [94] Ludwig G. & Thurler G. A New Foundation of Physical Theories. Springer (2005).
- [95] Lundeen J. S., Sutherland B., Patel A., Stewart C. & Bamber C. Direct measurement of the quantum wavefunction. Nature (2011) 474, 188–191.
- [96] LUNDEEN J. S. & BAMBER C. Procedure for Direct Measurement of General Quantum States Using Weak Measurement. Phys. Rev. Lett. (2012) 108(7), 070402(5).
- [97] Mackey G. W. The Mathematical Foundations of quantum mechanics. W. A. Benjamin, Inc. (1963).
- [98] MACKINNON E. Why Interpret Quantum Physics? Open Journ. Philosophy (2016) 6, 86–102.
- [99] Mal'cev A. I. Algebraic systems. Springer (1973).
- [100] MAUDLIN T. The Nature of the Quantum State. In: [111], pp. 126–153.
- [101] MENSKII M. B. Quantum mechanics: new experiments, new applications, and new formulations of old questions. Phys. Uspekhi (2000) 43(6), 585–600.
- [102] MAZUR B. When is one thing equal to some other thing? http://www.math.harvard.edu/~mazur/preprints/when\_is\_one.pdf (2007), 1-24.
- [103] MERMIN N. D. In praise of measurement. Quant. Inform. Process. (2006) 5(4), 239–260.
- [104] MERMIN N. D. What's bad about this habit. Physics Today (2009) May 8-9th.
- [105] VON MISES R. Probability, Statistics and Truth. Dover (1981).
- [106] MITTELSTAEDT P. The interpretation of quantum mechanics and the measurement process. Springer (2004).
- [107] MOYAL E. Quantum mechanics as a statistical theory. Proc. Cambridge Phil. Soc. (1949) 45(1), 99–124.
- [108] DE MUYNCK W. M. Foundations of Quantum Mechanics, an Empiricist Approach. Kluwer Academic Publishers (2002).

- [109] Nakhmanson R. S. Physical interpretation of quantum mechanics. Phys. Uspekhi (2001) 44(4), 421–424.
- [110] VON NEUMANN J. Mathematical Foundations of Quantum Mechanics. Princeton University Press (1955).
- [111] NEY A. & ALBERT D. Z. (eds) The Wave Function. Essays on the Metaphysics of Quantum Mechanics. Oxford University Press (2013).
- [112] NIELSEN M. A. What does the quantum state mean? http://cognitivemedium.com/qm-interpretation (2018) Dec 13.
- [113] Peres A. What is a state vector? Amer. Journ. Phys. (1984) **52**(7), 644–650.
- [114] Peres A. Quantum Theory: Concepts and Methods. Kluwer Academic Publishers (2002).
- [115] PILAN A. M. Reality and the main question of quantum information. Phys. Uspekhi (2001) 44(4), 424–427.
- [116] PIRON C. Foundations of Quantum Physics. W. A. Benjamin, Inc. (1976).
- [117] Pontryagin L. Topological Groups. Gordon and Breach (1986).
- [118] PUSEY M. F., BARRETT J. & RUDOLPH T. On the reality of the quantum state. Nature Physics (2012) 8(6), 475–478.
- [119] RASIOWA H. & SIKORSKI R. The mathematics of metamathematics. Panstwowe Wydawnictwo Naukowe (1963).
- [120] RIGBY J. F. & WIEGOLD J. Independent axioms for vector spaces. Math. Gazette (1973) 57(399), 56-62.
- [121] Samuel H. L. Essays in physics. Hartcourt, Brace and Company (1952).
- [122] SAUNDERS S., BARRETT J., KENT A. & WALLACE D. (eds) Many worlds? Everett, Quantum Theory, and Reality. Oxford University Press (2010).
- [123] SCHILPP P. A. (ed) Albert Einstein: Philosopher-Scientist. The library of living philosophers VII. MJF Books (1970).
- [124] SCHLOSSHAUER M. Decoherence, the measurement problem, and interpretations of quantum mechanics. Rev. Mod. Phys. (2004) **76**(4), 1267–1305.
- [125] Schlosshauer M. Experimental motivation and empirical consistency in minimal no-collapse quantum mechanics. Ann. Phys. (2006) **321**, 112–149.
- [126] SCHLOSSHAUER M. Decoherence and the quantum-to-classical transition. Springer (2007).
- [127] Schlosshauer M. Classicality, the ensemble interpretation, and decoherence: Resolving the Hyperion dispute. Found. Phys. (2008) 38, 796–803.
- [128] SCHLOSSHAUER M. (ed) Elegance and Enigma. The Quantum interviews. Springer (2011).
- [129] Schlosshauer M. Implications of the Pusey-Barrett-Rudolph Quantum No-Go Theorem. Phys. Rev. Lett. (2012) 108(26), 260404(4).
- [130] SCHLOSSHAUER M., KOFLER J. & ZEILINGER A. A snapshot of foundational attitudes toward quantum mechanics. Studies Hist. Phil. Mod. Phys. (2013) 44, 222–230.
- [131] Schwinger J. Quantum Kinematics and Dynamics. W. A. Benjamin, Inc. (1970).
- [132] Shapiro S. Philosophy of Mathematics: Structure and Ontology. Oxford University Press (1997).
- [133] Shoenfield J. Mathematical logic. Addison-Wesley Publishing Company (1967).
- [134] SILVERMAN M. P. Quantum Superposition. Springer (2008).
- [135] Sklar L. Physics and chance. Cambridge University Press (1993).
- [136] SLAVNOV D. A. The possibility of reconciling quantum mechanics with classical probability theory. Theor. Math. Phys. (2006) 149(3), 1690–1701.
- [137] SPEKKENS R. W. Evidence for the epistemic view of quantum states: A toy theory. Phys. Rev. A (2007) 75(3), 032110(30).
- [138] SPEKKENS R. W. Why I am not a Psi-ontologist. Talk at Perimeter Institute. PIRSA# 12050021 http://www.perimeterinstitute.ca/videos/why-i-am-not-psi-ontologist (2012) May 8th, 1:12'23".
- [139] STACEY B. C. Von Neumann was not a Quantum Bayesian. Proc. Royal Soc. A (2015) 374, 0235(16).
- [140] STAIRS A. Kriske, Tupman and Quantum Logic: The Quantum Logician's Conundrum.
  In: Demopoulus W. & Pitowsky I. (eds) Physical Theory and its Interpretation. Essays in Honor of Jeffrey Bub. Springer (2006), pp. 253–272.
- [141] STAPP H. P. S-matrix interpretation of quantum theory. Phys. Rev. D (1971) 3(6), 1303–1320.
- [142] Stapp H. P. A theory of mind and matter. In: [60], pp. 822–833.
- [143] STOLL R. R. Sets, Logic, and Axiomatic Theories. Dover Publications, Inc. (1979).
- [144] STUECKELBERG E. C. G. Quantum Theory in Real Hilbert Space. Helvetica Physica Acta (1960) 33, 727–752.

- [145] Sudbery A. Quantum Mechanics and the Particles of Nature: An Outline for Mathematicians. Cambridge University Press (1986).
- [146] Szabó L. Quantum Structures Do Not Exist in Reality. Int. Journ. Theor. Phys. (1998) 37(1), 449-456.
- [147] SZABÓ L. Objective probability-like things with and without objective indeterminism. Studies Hist. Phil. Mod. Phys. (2007) 38, 628–634.
- [148] TAMMARO E. Why Current Interpretations of Quantum Mechanics are Deficient. https://arxiv.org/abs/1408.2093 (2014), 1-17.
- [149] TEGMARK M. The importance of quantum decoherence in brain processes. Phys. Rev. E (2000) 61(4), 4194–4206.
- [150] DE TOUZALIN A., MARCUS C., HEIJMAN F., CIRAC I., MURRAY R. & CALARCO T. Quantum Manifesto. A New Era of Technology. http://qurope.eu/system/files/u7/93056\_Quantum%20Manifesto\_WEB.pdf (2016) May, 1-19.
- [151] ULFBECK O. & BOHR A. Genuine Fortuitousness. Where Did That Click Come From? Found. Phys. (2001) 31(5), 757–774.
- [152] VARADARAJAN V. S. Geometry of Quantum Theory. Springer (2007).
- [153] VAN DER WAERDEN B. L. Algebra I, II. Springer (1970).
- [154] WARTOFSKY M. W. Models. Representation and the Scientific Understanding. D. Reidel Publishing Co. (1979).
- [155] Weinberg S. Collapse of the State Vector. Phys. Rev. A (2012) 85(6), 062116(6).
- [156] Weinberg S. What happens in a measurement? Phys. Rev. A (2016) 93(3), 032124(5).
- [157] WISEMAN H. M. & EISERT J. Nontrivial quantum effects in biology: A skeptical physicist' view. In: Abbott D., Davies P. C. W. & Pati A. K. (eds) Quantum aspects of life. Imperial College Press (2008), pp. 381–401.
- [158] ZEH H. D. There are no quantum jumps, nor are there particles! Phys. Lett. A (1993) 172(4), 189–195.
- [159] Zeilinger A. A Foundational Principle for Quantum Mechanics. Found. Phys. (1999) 29(4), 631-643.
- [160] ZEILINGER A. Quantum Information and the Foundations of Quantum Mechanics. Newton Lecture in Institute of Physics, London. http://www.iop.org/resources/videos/lectures/page\_42696.html (2008) June 17th, 1:08'27".
- [161] ZIERLER N. Axioms for non-relativistic quantum mechanics. Pacific Journ. Math. (1961) 11(3), 1151– 1169.
- [162] ZORICH V. A. Mathematical analysis I. Springer (2004).
- [163] Zurek W. H. Decoherence, einselection, and the quantum origins of the classical. Rev. Mod. Phys. (2003) **75**(3), 715–775.
- [164] Zurek W. H. Wave-packet collapse and the core quantum postulates: Discreteness of quantum jumps from unitarity, repeatability, and actionable information. Phys. Rev. A (2013) 87(5), 052111(6).
- [165] Владимиров В. С., Волович И. В., Зеленов Е. И. *p-адический анализ и математическая физика*. ФизМатЛит (1994).
- [166] Кадомцев Б. Б. Динамика и информация. Редакция журнала УФН (1997).
- [167] Славнов Д. А. Измерения и математический аппарат квантовой физики. Физика элемент. частиц и атомн. ядра (2007) 38(2), 295–359.
- [168] Харин Н. Н. Математическая логика и теория множеств (О соотношении абстрактного и конкретного). РосВузИздат (1963).
- [169] ХРЕННИКОВ А. Ю. Неархимедов анализ и его приложения. ФизМатЛит (2003).
- [170] ХРЕННИКОВ А. Ю. Введение в квантовую теорию информации. ФизМатЛит (2008).

Department of Quantum Field Theory, Tomsk State University, Russia  $E\text{-}mail\ address$ : brezhnev@phys.tsu.ru