


Submission Date : 19/05/2021
Journal Date : 29/05/2021
Chemist :
Catalogue No. : SZ-B038001
Project Name : Baricitinib
Product Name : Baricitinib
CAS No. : 1187594-09-7
Mole. Weight : 371.42
Mole. Formula : C₁₆H₁₇N₇O₂S

Scientist Name : Parth Suthar
Team Leader Name : parth suthar



Batch Code : SRL-C-68
Ref. 1H/HPLC/MS Code : 123
HPLC/GC/ELSD Date : 13/05/2021
MS Analysis : OTHER
State Of Compound : India
No Of Steps of Final Route : 1

Quantity Submitted : 100
1H Status : SER Pending
Chromatography : 20 %
Type Of Compound : Intermediate
If Salt Mention the Name : Free
Earlier Synthesized : Yes

Temp Sensitive Lacrymatory

Additional Analysis : IR,Mass,HPLC/GC/ELSD,NM
 R,APCI Mass,NMR
 Interpretaion

Remark : SRL-C-68

Stability Related Comment :

Stability :

Physical State : Solid

Stability data in solution form after 7 days : Stable

Stability data in solid form after 7 days : Unstable

Any of last 3 step NMR done ? : No

Any of last 2 step crystallization done? : No

Purification By : Flash Chromatography



LABORATORY REPORT



Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

SARS-CoV-2 (COVID-19) QUALITATIVE RT-PCR
Method : Real Time PCR (Qualitative), ICMR Reg No : PGIA001

ORF 1ab	NOT DETECTED
N gene	NOT DETECTED
Conclusion	COVID-19 NEGATIVE
Internal Control	Pass

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final



Dr. Dhaval Nathvani

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 1 of 2

**LABORATORY REPORT**

Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

Interpretation

A "Positive" result indicates presence of SARS-CoV-2 in the sample. Positive result does not rule out infection with bacterial or other viral co-infections.

A "Negative" result indicates absence of SARS-CoV-2 infection in the given specimen with the assay used. A negative result does not exclude the possibility of COVID-19 infection as the results are dependent on many other factors.

Panel Comments:

This molecular test uses Real Time PCR technology based on nucleic acid amplification assay for qualitative detection of RNA of Novel Coronavirus 2019 (COVID-19) from Throat and/or Nasopharyngeal swab, BAL fluid & sputum samples. It is an in-vitro diagnostic test that detects very low levels of SARS-CoV-2 RNA in human clinical samples. The assay includes an internal control with every sample to check for PCR inhibition and sample quality.

Note:

1. Results must be interpreted in conjunction with other clinical and laboratory findings and epidemiological information.
2. Negative results should not be used as the sole basis for patient management decisions. Negative result does not rule out the possibility of COVID-19 infection. Presence of inhibitors in sample, mutations at primer or probe binding sites or insufficient RNA in patient sample can influence the results. Result may vary depending on type of sample and time of collection.
3. Kindly consult the referring physician/authorized government hospital or center for appropriate follow up, if COVID-19 strain reported positive.



.....End Of Report

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final

**Dr. Dhaval Nathvani**

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 2 of 2



LABORATORY REPORT



Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

SARS-CoV-2 (COVID-19) QUALITATIVE RT-PCR
Method : Real Time PCR (Qualitative), ICMR Reg No : PGIA001

ORF 1ab	NOT DETECTED
N gene	NOT DETECTED
Conclusion	COVID-19 NEGATIVE
Internal Control	Pass

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final



Dr. Dhaval Nathvani

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 1 of 2



LABORATORY REPORT



Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

Interpretation

A "Positive" result indicates presence of SARS-CoV-2 in the sample. Positive result does not rule out infection with bacterial or other viral co-infections.

A "Negative" result indicates absence of SARS-CoV-2 infection in the given specimen with the assay used. A negative result does not exclude the possibility of COVID-19 infection as the results are dependent on many other factors.

Panel Comments:

This molecular test uses Real Time PCR technology based on nucleic acid amplification assay for qualitative detection of RNA of Novel Coronavirus 2019 (COVID-19) from Throat and/or Nasopharyngeal swab, BAL fluid & sputum samples. It is an in-vitro diagnostic test that detects very low levels of SARS-CoV-2 RNA in human clinical samples. The assay includes an internal control with every sample to check for PCR inhibition and sample quality.

Note:

1. Results must be interpreted in conjunction with other clinical and laboratory findings and epidemiological information.
2. Negative results should not be used as the sole basis for patient management decisions. Negative result does not rule out the possibility of COVID-19 infection. Presence of inhibitors in sample, mutations at primer or probe binding sites or insufficient RNA in patient sample can influence the results. Result may vary depending on type of sample and time of collection.
3. Kindly consult the referring physician/authorized government hospital or center for appropriate follow up, if COVID-19 strain reported positive.



.....End Of Report

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final



Dr. Dhaval Nathvani

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 2 of 2



LABORATORY REPORT



Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

SARS-CoV-2 (COVID-19) QUALITATIVE RT-PCR
Method : Real Time PCR (Qualitative), ICMR Reg No : PGIA001

ORF 1ab	NOT DETECTED
N gene	NOT DETECTED
Conclusion	COVID-19 NEGATIVE
Internal Control	Pass

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final



Dr. Dhaval Nathvani

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 1 of 2

**LABORATORY REPORT**

Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

Interpretation

A "Positive" result indicates presence of SARS-CoV-2 in the sample. Positive result does not rule out infection with bacterial or other viral co-infections.

A "Negative" result indicates absence of SARS-CoV-2 infection in the given specimen with the assay used. A negative result does not exclude the possibility of COVID-19 infection as the results are dependent on many other factors.

Panel Comments:

This molecular test uses Real Time PCR technology based on nucleic acid amplification assay for qualitative detection of RNA of Novel Coronavirus 2019 (COVID-19) from Throat and/or Nasopharyngeal swab, BAL fluid & sputum samples. It is an in-vitro diagnostic test that detects very low levels of SARS-CoV-2 RNA in human clinical samples. The assay includes an internal control with every sample to check for PCR inhibition and sample quality.

Note:

1. Results must be interpreted in conjunction with other clinical and laboratory findings and epidemiological information.
2. Negative results should not be used as the sole basis for patient management decisions. Negative result does not rule out the possibility of COVID-19 infection. Presence of inhibitors in sample, mutations at primer or probe binding sites or insufficient RNA in patient sample can influence the results. Result may vary depending on type of sample and time of collection.
3. Kindly consult the referring physician/authorized government hospital or center for appropriate follow up, if COVID-19 strain reported positive.



.....End Of Report

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final

**Dr. Dhaval Nathvani**

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 2 of 2



LABORATORY REPORT



Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

SARS-CoV-2 (COVID-19) QUALITATIVE RT-PCR
Method : Real Time PCR (Qualitative), ICMR Reg No : PGIA001

ORF 1ab	NOT DETECTED
N gene	NOT DETECTED
Conclusion	COVID-19 NEGATIVE
Internal Control	Pass

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final



Dr. Dhaval Nathvani

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 1 of 2



LABORATORY REPORT



Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

Interpretation

A "Positive" result indicates presence of SARS-CoV-2 in the sample. Positive result does not rule out infection with bacterial or other viral co-infections.

A "Negative" result indicates absence of SARS-CoV-2 infection in the given specimen with the assay used. A negative result does not exclude the possibility of COVID-19 infection as the results are dependent on many other factors.

Panel Comments:

This molecular test uses Real Time PCR technology based on nucleic acid amplification assay for qualitative detection of RNA of Novel Coronavirus 2019 (COVID-19) from Throat and/or Nasopharyngeal swab, BAL fluid & sputum samples. It is an in-vitro diagnostic test that detects very low levels of SARS-CoV-2 RNA in human clinical samples. The assay includes an internal control with every sample to check for PCR inhibition and sample quality.

Note:

1. Results must be interpreted in conjunction with other clinical and laboratory findings and epidemiological information.
2. Negative results should not be used as the sole basis for patient management decisions. Negative result does not rule out the possibility of COVID-19 infection. Presence of inhibitors in sample, mutations at primer or probe binding sites or insufficient RNA in patient sample can influence the results. Result may vary depending on type of sample and time of collection.
3. Kindly consult the referring physician/authorized government hospital or center for appropriate follow up, if COVID-19 strain reported positive.



.....End Of Report

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final



Dr. Dhaval Nathvani

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 2 of 2



LABORATORY REPORT



Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

SARS-CoV-2 (COVID-19) QUALITATIVE RT-PCR
Method : Real Time PCR (Qualitative), ICMR Reg No : PGIA001

ORF 1ab	NOT DETECTED
N gene	NOT DETECTED
Conclusion	COVID-19 NEGATIVE
Internal Control	Pass

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final



Dr. Dhaval Nathvani

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 1 of 2



LABORATORY REPORT



Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

Interpretation

A "Positive" result indicates presence of SARS-CoV-2 in the sample. Positive result does not rule out infection with bacterial or other viral co-infections.

A "Negative" result indicates absence of SARS-CoV-2 infection in the given specimen with the assay used. A negative result does not exclude the possibility of COVID-19 infection as the results are dependent on many other factors.

Panel Comments:

This molecular test uses Real Time PCR technology based on nucleic acid amplification assay for qualitative detection of RNA of Novel Coronavirus 2019 (COVID-19) from Throat and/or Nasopharyngeal swab, BAL fluid & sputum samples. It is an in-vitro diagnostic test that detects very low levels of SARS-CoV-2 RNA in human clinical samples. The assay includes an internal control with every sample to check for PCR inhibition and sample quality.

Note:

1. Results must be interpreted in conjunction with other clinical and laboratory findings and epidemiological information.
2. Negative results should not be used as the sole basis for patient management decisions. Negative result does not rule out the possibility of COVID-19 infection. Presence of inhibitors in sample, mutations at primer or probe binding sites or insufficient RNA in patient sample can influence the results. Result may vary depending on type of sample and time of collection.
3. Kindly consult the referring physician/authorized government hospital or center for appropriate follow up, if COVID-19 strain reported positive.



.....End Of Report

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final



Dr. Dhaval Nathvani

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 2 of 2



LABORATORY REPORT



Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

SARS-CoV-2 (COVID-19) QUALITATIVE RT-PCR
Method : Real Time PCR (Qualitative), ICMR Reg No : PGIA001

ORF 1ab	NOT DETECTED
N gene	NOT DETECTED
Conclusion	COVID-19 NEGATIVE
Internal Control	Pass

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final



Dr. Dhaval Nathvani

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 1 of 2



LABORATORY REPORT



Name	: Miss. Pallavi Bhambhani	Registration on	: 31-Mar-2021 10:22
Lab ID	: 03214000586	Ref. Id	:
Sex/Age	: Female / 23 Years	Collected on	:
Ref. By	: dr.Rajkumar Ramsinghani M.B.B.S	Approved on	: 31-Mar-2021 22:45
Location	: Sindhu Hospital Opd @ Ahmedabad	Sample Type	: Nasal and Throat Swab
		Patient Source	:

Interpretation

A "Positive" result indicates presence of SARS-CoV-2 in the sample. Positive result does not rule out infection with bacterial or other viral co-infections.

A "Negative" result indicates absence of SARS-CoV-2 infection in the given specimen with the assay used. A negative result does not exclude the possibility of COVID-19 infection as the results are dependent on many other factors.

Panel Comments:

This molecular test uses Real Time PCR technology based on nucleic acid amplification assay for qualitative detection of RNA of Novel Coronavirus 2019 (COVID-19) from Throat and/or Nasopharyngeal swab, BAL fluid & sputum samples. It is an in-vitro diagnostic test that detects very low levels of SARS-CoV-2 RNA in human clinical samples. The assay includes an internal control with every sample to check for PCR inhibition and sample quality.

Note:

1. Results must be interpreted in conjunction with other clinical and laboratory findings and epidemiological information.
2. Negative results should not be used as the sole basis for patient management decisions. Negative result does not rule out the possibility of COVID-19 infection. Presence of inhibitors in sample, mutations at primer or probe binding sites or insufficient RNA in patient sample can influence the results. Result may vary depending on type of sample and time of collection.
3. Kindly consult the referring physician/authorized government hospital or center for appropriate follow up, if COVID-19 strain reported positive.



.....End Of Report

Dr. Krishna Mohan Singh

PhD

Referred Test

Report Status: Final



Dr. Dhaval Nathvani

M.D. Path

This is an Electronically Authenticated Report.

Printed on: 31-Mar-2021 22:45
Page 2 of 2