

Cucumber Report

28-Feb-2024, 4:55:36 pm

Start : Feb 28, 4:17:22.263 pm

End : Feb 28, 4:55:33.307 pm

Duration : 38 m 11.044 s

Features







PASSED - 5
FAILED - 2
SKIPPED - 0

Scenarios

PASSED - 22
FAILED - 48
SKIPPED - 0


Steps

PASSED - 239
FAILED - 48
SKIPPED - 85




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SignUp fuctionality</u>	12 m 35.802 s	20	0	20	0	140	91	20	29
<u>Login Functionality</u>	12 m 49.451 s	28	0	28	0	112	28	28	56
<u>Product Search Functionality</u>	2 m 18.924 s	5	5	0	0	20	20	0	0
<u>Test cart functionality</u>	2 m 56.935 s	4	4	0	0	18	18	0	0
<u>Filter functionality</u>	2 m 29.530 s	4	4	0	0	17	17	0	0
<u>Test Chilternoak Furniture contact us page</u>	3 m 47.132 s	5	5	0	0	45	45	0	0
<u>Subscribe Feature</u>	1 m 12.568 s	4	4	0	0	20	20	0	0


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	<i>@chilternoak</i>	70	22	48	0	7	5	2	0
	<i>@login</i>	48	0	48	0	2	0	2	0
	<i>@search</i>	5	5	0	0	1	1	0	0
	<i>@cart</i>	4	4	0	0	1	1	0	0
	<i>@filter</i>	4	4	0	0	1	1	0	0
	<i>@contactus</i>	5	5	0	0	1	1	0	0
	<i>@subscribe</i>	4	4	0	0	1	1	0	0
	<i>@subscriber</i>	4	4	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>SignUp fuctionality</u>	20	0	20	0	12 m 35.802 s
2	<u>Login Functionality</u>	28	0	28	0	12 m 49.451 s
3	<u>Product Search Functionality</u>	5	5	0	0	2 m 18.924 s
4	<u>Test cart functionality</u>	4	4	0	0	2 m 56.935 s
5	<u>Filter functionality</u>	4	4	0	0	2 m 29.530 s
6	<u>Test Chilternoak Furniture contact us page</u>	5	5	0	0	3 m 47.132 s
7	<u>Subscribe Feature</u>	4	4	0	0	1 m 12.568 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	1 m 8.233 s
2	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	28.169 s
3	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	26.851 s
4	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	24.563 s
5	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	49.484 s
6	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	28.287 s
7	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	29.308 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	1	1	5	29.461 s
9	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	1 m 50.466 s
10	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	16.827 s
11	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	11.520 s
12	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	37.135 s
13	<u>SignUp functionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	38.260 s
14	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	30.525 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	45.325 s
16	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	47.172 s
17	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	28.714 s
18	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	26.199 s
19	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	50.331 s
20	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	26.687 s
21	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	15.186 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	15.056 s
23	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	11.577 s
24	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	11.119 s
25	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	13.588 s
26	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	35.093 s
27	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	13.562 s
28	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	17.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	16.148 s
30	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	36.799 s
31	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	34.762 s
32	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	12.795 s
33	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	58.387 s
34	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	14.326 s
35	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	20.619 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	14.622 s
37	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	31.776 s
38	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	58.345 s
39	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	35.198 s
40	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	53.986 s
41	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	29.204 s
42	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	33.454 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
43	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	16.051 s
44	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	37.734 s
45	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	35.691 s
46	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	31.631 s
47	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	11.954 s
48	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	1	1	2	52.221 s
49	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	31.660 s
50	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	11.087 s
51	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	33.105 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
52	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	30.969 s
53	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	31.795 s
54	<u>Test cart functionality</u>	<u>add to cart</u>	5	5	0	0	55.358 s
55	<u>Test cart functionality</u>	<u>add 3 different products to cart1</u>	7	7	0	0	1 m 23.634 s
56	<u>Test cart functionality</u>	<u>add to cart an invalid item</u>	2	2	0	0	12.763 s
57	<u>Test cart functionality</u>	<u>Increasing the quantity of item</u>	4	4	0	0	24.949 s
58	<u>Filter functionality</u>	<u>Filter Functionality search the product</u>	3	3	0	0	30.897 s
59	<u>Filter functionality</u>	<u>Filter Functionality for choose style</u>	4	4	0	0	38.014 s
60	<u>Filter functionality</u>	<u>Filter Functionality for drag the price</u>	5	5	0	0	21.049 s
61	<u>Filter functionality</u>	<u>Filter Functionality for choose color</u>	5	5	0	0	59.349 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
62	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	52.236 s
63	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	52.132 s
64	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	50.492 s
65	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	37.357 s
66	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	34.347 s
67	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	13.047 s
68	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	12.464 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
69	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	13.058 s
70	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	33.861 s


SignUp fuctionality




To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	7.281 s
2	When the user enters their first name as 'User'	PASSED	0.135 s
3	And the user enters their last name as 'A'	PASSED	0.090 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.213 s
5	And the user enters their password as 'Qs'	PASSED	0.376 s
6	And the user click on create button	PASSED	10.186 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e7f4d3e700a2a45785545c418671c43, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:43282}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:43282/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	0.152 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e7f4d3e700a2a45785545c418671c43 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	4.518 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.443 s
2	When the user enters their first name as 'User'	PASSED	0.129 s
3	And the user enters their last name as 'A'	PASSED	0.073 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.130 s
5	And the user enters their password as 'Qs'	PASSED	0.085 s
6	And the user click on create button	PASSED	10.199 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5c9afca01b6bed9e9eec5af3b653f616, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:43475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:43475/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5c9afca01b6bed9e9eec5af3b653f616 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.024 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.853 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	8.088 s
2	When the user enters their first name as 'User'	PASSED	0.355 s
3	And the user enters their last name as 'A'	PASSED	0.091 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.438 s
5	And the user enters their password as 'Qs'	PASSED	0.143 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	10.135 s
7	<p>Then the user should see the status as "Password is too short (minimum is 5 characters)"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [a54714f3aee0e1dab7d32d90b546e645, findElement {using=xpath, value="//div[@class='errors']/ul/li"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:43638}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:43638/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a54714f3aee0e1dab7d32d90b546e645</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern- Oak/src/test/resource/Features/Asignup.feature:11)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.104 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	1.730 s

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 24.563 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 4:19:25.744 pm // 4:19:50.307 pm /				
SignUp fuctionality				
@chilternoak @login				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.520 s
2	When the user enters their first name as 'User'	PASSED	0.228 s
3	And the user enters their last name as 'A'	PASSED	0.116 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.222 s
5	And the user enters their password as 'Qs'	PASSED	0.105 s
6	And the user click on create button	PASSED	10.304 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [862ee28091d58f72a2a9536f863a9586, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:43810}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:43810/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 862ee28091d58f72a2a9536f863a9586 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.050 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.353 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.433 s
2	When the user enters their first name as 'User'	PASSED	0.165 s
3	And the user enters their last name as 'A'	PASSED	0.565 s
4	And the user enters their email as "	PASSED	0.110 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.080 s
6	And the user click on create button	PASSED	13.169 s
7	Then the user should see the status as "Email can't be blank." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d0e2bcccd79c4b01cc7a2e59c84521ae, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDatadir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:43957}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:43957/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d0e2bcccd79c4b01cc7a2e59c84521ae at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.077 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	3.667 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.700 s
2	When the user enters their first name as 'User'	PASSED	0.117 s
3	And the user enters their last name as 'A'	PASSED	0.101 s
4	And the user enters their email as "	PASSED	0.093 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.094 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	12.624 s
7	<p>Then the user should see the status as "Email can't be blank."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ff34eb16636d5962449d82e19e75aadd, findElement {using>xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:44153}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:44153/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ff34eb16636d5962449d82e19e75aadd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/ Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.054 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	1.286 s

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 29.308 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 4:21:08.296 pm // 4:21:37.604 pm /				
SignUp fuctionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.583 s
2	When the user enters their first name as 'User'	PASSED	0.165 s
3	And the user enters their last name as 'A'	PASSED	0.507 s
4	And the user enters their email as "	PASSED	0.363 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.114 s
6	And the user click on create button	PASSED	12.367 s
7	Then the user should see the status as "Email can't be blank."	FAILED	0.105 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [fccd0deb297f75daddecade672bb2638, findElement {using>xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:44313}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:44313/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fccd0deb297f75daddecade672bb2638 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	2.653 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	17.384 s
2	<p>When the user enters their first name as 'User'</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='first_name']"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [3b317fbc34164d398253cda64103eebe, findElement {using=xpath, value=/input[@id="first_name"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:44491}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:44491/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3b317fbc34164d398253cda64103eebe at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.564 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.sendKeys(Unknown Source) at com.project.rll.pages.SignUpPage.enter_fname(SignUpPage.java:66) at com.project.rll.steps.SignUpStepDefs.the_user_enters_their_first_name_as(SignUpStepDefs.java:27) at ?.the user enters their first name as 'User'(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:6) * Not displayable characters are replaced by '?'. 3 And the user enters their last name as 'A' 4 And the user enters their email as " 5 And the user enters their password as 'Qseasfr@123' 6 And the user click on create button 7 Then the user should see the status as "Email can't be blank." AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page		
3	And the user enters their last name as 'A'	SKIPPED	0.002 s
4	And the user enters their email as "	SKIPPED	0.000 s
5	And the user enters their password as 'Qseasfr@123'	SKIPPED	0.000 s
6	And the user click on create button	SKIPPED	0.001 s
7	Then the user should see the status as "Email can't be blank."	SKIPPED	0.000 s
	PASSED	0.737 s	

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0273a773a26030c03114a74bc41b9129, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities	FAILED	3.736 s

#	Step / Hook Details	Status	Duration
	<pre>{acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:44591}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:44591/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0273a773a26030c03114a74bc41b9129 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'.</pre>		
2	When the user enters their first name as 'User'	SKIPPED	0.001 s
3	And the user enters their last name as "	SKIPPED	0.001 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	SKIPPED	0.000 s
5	And the user enters their password as 'Qsesafrr'	SKIPPED	0.001 s
6	And the user click on create button	SKIPPED	0.002 s
7	Then the user should see the status as "This email address is already associated with an account."	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	3.080 s
	To test the SigUp functionality of Chiltern Oak page		

#	Step / Hook Details	Status	Duration


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a5e443834d7284f49912f0d5fb852e, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Ro...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:44689}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:44689/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c0a5e443834d7284f49912f0d5fb852e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	3.084 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When the user enters their first name as 'User'	SKIPPED	0.001 s
3	And the user enters their last name as "	SKIPPED	0.000 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	SKIPPED	0.000 s
5	And the user enters their password as 'Qsesafrr'	SKIPPED	0.000 s
6	And the user click on create button	SKIPPED	0.000 s
7	Then the user should see the status as "This email address is already associated with an account."	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.881 s
	To test the SigUp functionality of Chiltern Oak page		


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5a8cbf3606bc770303063a600866a3, findElement {using=link text, value>New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Ro...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:44761}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:44761/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5a8cbf3606bc770303063a600866a3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	3.070 s
2	When the user enters their first name as 'User'	SKIPPED	0.000 s
3	And the user enters their last name as ''	SKIPPED	0.000 s
4	And the user enters their email as 'wsfaghgra@gmail.com'	SKIPPED	0.002 s
5	And the user enters their password as 'Qsesafrr'	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
6	And the user click on create button	SKIPPED	0.000 s
7	Then the user should see the status as "This email address is already associated with an account."	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	0.897 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9f131797b8ad8fe58856618768298cd, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Ro...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:44831}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:44831/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9f131797b8ad8fe58856618768298cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499)	FAILED	4.156 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When the user enters their first name as 'User'	SKIPPED	0.000 s
3	And the user enters their last name as "	SKIPPED	0.000 s
4	And the user enters their email as 'wsfaghgra@gmail.com'	SKIPPED	0.001 s
5	And the user enters their password as 'Qsesafrr'	SKIPPED	0.000 s
6	And the user click on create button	SKIPPED	0.001 s
7	Then the user should see the status as "This email address is already associated with an account."	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.474 s
	To test the SigUp functionality of Chiltern Oak page		


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.411 s
2	When the user enters their first name as "	PASSED	0.102 s
3	And the user enters their last name as "	PASSED	0.072 s
4	And the user enters their email as "	PASSED	0.064 s
5	And the user enters their password as "	PASSED	0.075 s
6	And the user click on create button	PASSED	13.230 s
7	Then the user should see the status as "Password can't be blank." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9cd98f6d1fe1ac593e62957c4bfeb9a8, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:44943}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:44943/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9cd98f6d1fe1ac593e62957c4bfeb9a8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.061 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	10.886 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	7.479 s
2	When the user enters their first name as "	PASSED	0.108 s
3	And the user enters their last name as "	PASSED	0.076 s
4	And the user enters their email as "	PASSED	0.201 s
5	And the user enters their password as "	PASSED	0.325 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	10.593 s
7	<p>Then the user should see the status as "Password can't be blank."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [7e18619e1b6b9304d10a44168a676225, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:45087}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:45087/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7e18619e1b6b9304d10a44168a676225 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/ Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.074 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	1.049 s

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 45.325 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 4:26:13.161 pm // 4:26:58.486 pm /				
SignUp fuctionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.419 s
2	When the user enters their first name as "	PASSED	0.091 s
3	And the user enters their last name as "	PASSED	0.128 s
4	And the user enters their email as "	PASSED	0.149 s
5	And the user enters their password as "	PASSED	0.078 s
6	And the user click on create button	PASSED	10.169 s
7	Then the user should see the status as "Password can't be blank."	FAILED	0.066 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [2c1a9262a085e8893ba120fbc4b389ce, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:45263}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:45263/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2c1a9262a085e8893ba120fbc4b389ce at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.993 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.440 s
2	When the user enters their first name as "	PASSED	0.209 s
3	And the user enters their last name as "	PASSED	0.068 s
4	And the user enters their email as "	PASSED	0.115 s
5	And the user enters their password as "	PASSED	0.086 s
6	And the user click on create botton	PASSED	13.250 s
7	Then the user should see the status as "Password can't be blank." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca79febcb2868a08398f632d272cf494, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:45458}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:45458/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ca79febcb2868a08398f632d272cf494 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.132 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.669 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	8.665 s
2	When the user enters their first name as 'User'	PASSED	0.105 s
3	And the user enters their last name as 'A'	PASSED	0.105 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.165 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.254 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	10.156 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [91e3346081e24fe20c67381d7ef7c7c9, findElement {using>xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:45630}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:45630/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 91e3346081e24fe20c67381d7ef7c7c9</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/ Chiltern-Oak/src/test/resource/Features/Asignup.feature:11)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.070 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.193 s
	To test the SigUp functionality of Chiltern Oak page		

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 26.199 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 4:28:14.683 pm // 4:28:40.882 pm /				
SignUp fuctionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.408 s
2	When the user enters their first name as 'User'	PASSED	0.241 s
3	And the user enters their last name as 'A'	PASSED	0.175 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.295 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.147 s
6	And the user click on create button	PASSED	10.514 s
7	Then the user should see the status as "This email address is already associated with an account." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [9f183e614f23f6754f69cb6f2b31a79b, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:45802}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:45802/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9f183e614f23f6754f69cb6f2b31a79b at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.023 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.901 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.565 s
2	When the user enters their first name as 'User'	PASSED	0.243 s
3	And the user enters their last name as 'A'	PASSED	0.086 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.161 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.103 s
6	And the user click on create button	PASSED	13.445 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [8907d704241868873875811171713ecf, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:45994}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:45994/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8907d704241868873875811171713ecf at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/)</pre>	FAILED	0.125 s

#	Step / Hook Details	Status	Duration
	Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page 	PASSED	1.923 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.980 s
2	When the user enters their first name as 'User'	PASSED	0.312 s
3	And the user enters their last name as 'A'	PASSED	0.134 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.592 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.352 s
6	And the user click on create button	PASSED	10.176 s
7	Then the user should see the status as "This email address is already associated with an account." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.ChromeDriver Command: [754c18ad1020f7f189a3ddd0b4eaf078, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46195}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:46195/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,	FAILED	0.087 s

#	Step / Hook Details	Status	Duration
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 754c18ad1020f7f189a3ddd0b4eaf078 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page 	PASSED	1.418 s


Login Functionality





User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.963 s
2	When user enters username and password by giving "login" and 1 <pre>java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDefs.user_enters_and(LoginStepDefs.java:45) at ?.user enters username and password by giving "login" and 1(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	3.213 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.002 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.243 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration
			



User login with different credentials by using excel

FAILED	DURATION - 15.056 s / 4:30:13.373 pm // 4:30:28.429 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--------	---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.755 s
2	When user enters username and password by giving "login" and 1 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 1(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.880 s
3	And clicks the login button	SKIPPED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.562 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration
			

User login with different credentials by using excel

FAILED	DURATION - 11.577 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:30:28.456 pm // 4:30:40.033 pm /				
Login Functionality				
@chilternoak @login				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.033 s
2	When user enters username and password by giving "login" and 1 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 1(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	1.170 s
3	And clicks the login button	SKIPPED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.348 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration



User login with different credentials by using excel

FAILED	DURATION - 11.119 s / 4:30:40.068 pm // 4:30:51.187 pm /	 Login Functionality	Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--------	---	-----------------------------	--	--

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	5.973 s
2	When user enters username and password by giving "login" and 1 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 1(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.875 s
3	And clicks the login button	SKIPPED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.647 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration
			

User login with different credentials by using excel

FAILED	DURATION - 13.588 s / 4:30:51.212 pm // 4:31:04.800 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
	Login Functionality @chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.641 s
2	When user enters username and password by giving "login" and 2 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 2(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	4.097 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.906 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration



User login with different credentials by using excel

FAILED	DURATION - 35.093 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:31:04.869 pm // 4:31:39.962 pm /				
Login Functionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.919 s
2	When user enters username and password by giving "login" and 2 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 2(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	4.288 s
3	And clicks the login button	SKIPPED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.002 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.082 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 13.562 s / 4:31:40.022 pm // 4:31:53.584 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
	Login Functionality @chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.024 s
2	When user enters username and password by giving "login" and 2 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 2(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	4.238 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.836 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration



User login with different credentials by using excel

FAILED	DURATION - 17.003 s / 4:31:53.608 pm // 4:32:10.611 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--------	---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.843 s
2	When user enters username and password by giving "login" and 2 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDefs.user_enters_and(LoginStepDefs.java:45) at ?.user enters username and password by giving "login" and 2(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.883 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.419 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration



User login with different credentials by using excel

FAILED	DURATION - 16.148 s / 4:32:10.677 pm // 4:32:26.825 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--------	---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.037 s
2	When user enters username and password by giving "login" and 3 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 3(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.816 s
3	And clicks the login button	SKIPPED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.773 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 36.799 s / 4:32:26.888 pm // 4:33:03.687 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--------	---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.916 s
2	When user enters username and password by giving "login" and 3 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 3(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.461 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	3.069 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 34.762 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:33:03.696 pm // 4:33:38.458 pm /				
Login Functionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.961 s
2	When user enters username and password by giving "login" and 3 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDefs.user_enters_and(LoginStepDefs.java:45) at ?.user enters username and password by giving "login" and 3(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.921 s
3	And clicks the login button	SKIPPED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.397 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 12.795 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:33:38.496 pm // 4:33:51.291 pm /				
Login Functionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.864 s
2	When user enters username and password by giving "login" and 3 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDefs.user_enters_and(LoginStepDefs.java:45) at ?.user enters username and password by giving "login" and 3(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.545 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.919 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration



User login with different credentials by using excel

FAILED	DURATION - 58.387 s / 4:33:51.319 pm // 4:34:49.706 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--------	---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	4.576 s
2	When user enters username and password by giving "login" and 4 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellValue(XLUtility.java:84) at com.project.rll.steps.LoginStepDefs.user_enters_and(LoginStepDefs.java:45) at ?.user enters username and password by giving "login" and 4(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	4.364 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.079 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 14.326 s / 4:34:49.756 pm // 4:35:04.082 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
	Login Functionality @chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.835 s
2	When user enters username and password by giving "login" and 4 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 4(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	5.121 s
3	And clicks the login button	SKIPPED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"	SKIPPED	0.002 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.067 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 20.619 s / 4:35:04.145 pm // 4:35:24.764 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
	Login Functionality @chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.289 s
2	When user enters username and password by giving "login" and 4 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 4(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	5.275 s
3	And clicks the login button	SKIPPED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"	SKIPPED	0.002 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	4.802 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 14.622 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:35:24.853 pm // 4:35:39.475 pm /				
Login Functionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.837 s
2	When user enters username and password by giving "login" and 4 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellValue(XLUtility.java:84) at com.project.rll.steps.LoginStepDefs.user_enters_and(LoginStepDefs.java:45) at ?.user enters username and password by giving "login" and 4(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.148 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.927 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 31.776 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:35:39.493 pm // 4:36:11.269 pm /				
Login Functionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.455 s
2	When user enters username and password by giving "login" and 5 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 5(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	2.480 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.391 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 58.345 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:36:11.377 pm // 4:37:09.722 pm /				
Login Functionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	25.020 s
2	When user enters username and password by giving "login" and 5 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 5(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.916 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.002 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.585 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 35.198 s / 4:37:09.803 pm // 4:37:45.001 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
	Login Functionality @chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.746 s
2	When user enters username and password by giving "login" and 5 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 5(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	4.264 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.468 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 53.986 s / 4:37:45.101 pm // 4:38:39.087 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
	Login Functionality @chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	44.486 s
2	When user enters username and password by giving "login" and 5 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 5(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	4.243 s
3	And clicks the login button	SKIPPED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.470 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 29.204 s / 4:38:39.184 pm // 4:39:08.388 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--------	---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.977 s
2	When user enters username and password by giving "login" and 6 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 6(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.681 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.192 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration



User login with different credentials by using excel

FAILED	DURATION - 33.454 s / 4:39:08.447 pm // 4:39:41.901 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--------	---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.588 s
2	When user enters username and password by giving "login" and 6 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 6(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.646 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.891 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration
			


User login with different credentials by using excel

FAILED	DURATION - 16.051 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:39:41.919 pm // 4:39:57.970 pm /				



Login Functionality

@chilternoak @login

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	8.285 s
2	When user enters username and password by giving "login" and 6 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 6(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.854 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.928 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration
			



User login with different credentials by using excel

FAILED	DURATION - 37.734 s / 4:39:58.002 pm // 4:40:35.736 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
	Login Functionality @chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	30.844 s
2	When user enters username and password by giving "login" and 6 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 6(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	1.521 s
3	And clicks the login button	SKIPPED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.367 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration
			


User login with different credentials by using excel

FAILED	DURATION - 35.691 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:40:35.849 pm // 4:41:11.540 pm /				
Login Functionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.449 s
2	When user enters username and password by giving "login" and 7 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 7(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.517 s
3	And clicks the login button	SKIPPED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	3.149 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration
			

User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	25.129 s
2	When user enters username and password by giving "login" and 7 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 7(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.634 s
3	And clicks the login button	SKIPPED	0.005 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.660 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration



User login with different credentials by using excel

FAILED	DURATION - 11.954 s / 4:41:43.382 pm // 4:41:55.336 pm /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
	Login Functionality @chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.005 s
2	When user enters username and password by giving "login" and 7 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 7(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.965 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.238 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration
			

User login with different credentials by using excel

FAILED	DURATION - 52.221 s / 4:41:55.369 pm // 4:42:47.590 pm /	 A bar chart with four bars. Bar 1 is at height 3, Bar 2 is at height 1, and Bars 3 and 4 are at height 0.	Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	 A donut chart divided into four segments. The green segment (Pass) is labeled '1'. The red segment (Fail) is labeled '1'. The yellow segment (Skip) is labeled '2'. The white segment (Total) is labeled '4'.
	Login Functionality @chilternoak @login			


#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.899 s
2	When user enters username and password by giving "login" and 7 java.io.FileNotFoundException: .\TestData\loginData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at com.project.rll.utility.XLUtility.setCellData(XLUtility.java:84) at com.project.rll.steps.LoginStepDfs.user_enters_and(LoginStepDfs.java:45) at ?.user enters username and password by giving "login" and 7(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.639 s
3	And clicks the login button	SKIPPED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.429 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration
			

Product Search Functionality




Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.221 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.329 s
3	And I click on the search button	PASSED	2.034 s
4	Then validate '84 results found' are found or not	PASSED	0.241 s

Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as " in the search bar	PASSED	0.471 s
3	And I click on the search button	PASSED	2.029 s
4	Then validate 'Search – Chiltern Oak Furniture' are found or not	PASSED	0.027 s

Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.010 s
2	When I enter a product name as 'Pencil' in the search bar	PASSED	26.123 s
3	And I click on the search button	PASSED	2.424 s
4	Then validate '0 results found' are found or not	PASSED	0.136 s

Enter search term and verify results

PASSED	DURATION - 30.969 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:44:03.759 pm // 4:44:34.728 pm /				
Product Search Functionality				
@chilternoak @search				



#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.017 s
2	When I enter a product name as 'Kabinats' in the search bar	PASSED	0.537 s
3	And I click on the search button	PASSED	1.758 s
4	Then validate '0 results found' are found or not	PASSED	0.028 s

Enter search term and verify results


PASSED	DURATION - 31.795 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:44:34.824 pm // 4:45:06.619 pm /				
Product Search Functionality				
@chilternoak @search				

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.027 s
2	When I enter a product name as 'Banbury White Painted 2 Door Wardrobe with Drawers' in the search bar	PASSED	0.530 s
3	And I click on the search button	PASSED	2.364 s
4	Then validate '1 result found' are found or not	PASSED	0.033 s

Test cart functionality


**add to cart**

#	Step / Hook Details	Status	Duration
1	Given user search sofa	PASSED	6.497 s
2	Then add to cart	PASSED	4.168 s
3	Then validate with added product count	PASSED	0.386 s
4	Then remove from the cart	PASSED	6.140 s
5	Then validate product is removed	PASSED	0.028 s

add 3 different products to cart1


#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	6.587 s
2	Then add to cart and continue	PASSED	8.380 s
3	Then user search sofa	PASSED	4.781 s
4	Then add to cart and continue	PASSED	8.484 s
5	Then user search Tv unit	PASSED	4.238 s
6	Then add to cart	PASSED	4.116 s
7	Then validate multiple products are added	PASSED	0.100 s

add to cart an invalid item



#	Step / Hook Details	Status	Duration
1	Given user search NoteBook	PASSED	4.541 s
2	Then validate invalid item	PASSED	0.029 s

Increasing the quantity of item




#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	4.145 s

#	Step / Hook Details	Status	Duration
2	Then add to cart	PASSED	4.204 s
3	Then incresing the quantity	PASSED	5.191 s
4	Then validate the item quantity increased	PASSED	0.329 s

Filter functionality




Filter Functionality search the product




#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.039 s
2	And search the product	PASSED	4.603 s
3	Then added filter successfully	PASSED	0.001 s

Filter Functionality for choose style




#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.024 s
2	And search the product	PASSED	6.182 s
3	And choose the style	PASSED	3.177 s
4	Then added filter successfully	PASSED	0.002 s

Filter Functionality for drag the price




#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.012 s
2	And search the product	PASSED	5.798 s
3	And drag the price element	PASSED	3.794 s
4	And choose the style	PASSED	3.161 s
5	Then added filter successfully	PASSED	0.001 s

Filter Functionality for choose color




#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.003 s
2	And search the product	PASSED	48.295 s
3	And drag the price element	PASSED	3.659 s
4	And choose the color	PASSED	3.095 s
5	Then added filter successfully	PASSED	0.000 s

Test Chilternoak Furniture contact us page




Testing of ContactUs Page




#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.069 s
2	When I click on ContactUs link	PASSED	4.680 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.028 s
4	And I entered name as 'User' on the page	PASSED	2.179 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.116 s
6	And I entered phone no as '1234567891' on the page	PASSED	2.114 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.324 s
8	Then I click on send button	PASSED	11.700 s
9	Then It should be navigated to Expected Url	PASSED	0.022 s

Testing of ContactUs Page





#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.011 s
2	When I click on ContactUs link	PASSED	3.375 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.001 s
4	And I entered name as 'User' on the page	PASSED	2.228 s
5	And I entered email id as " on the page	PASSED	2.090 s
6	And I entered phone no as '1243567891' on the page	PASSED	2.297 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.310 s
8	Then I click on send button	PASSED	11.721 s
9	Then It should be navigated to Expected Url	PASSED	0.019 s

Testing of ContactUs Page

PASSED	DURATION - 50.492 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:52:18.125 pm // 4:53:08.617 pm /				
Test Chilternoak Furniture contact us page				
@contactus @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.020 s
2	When I click on ContactUs link	PASSED	3.767 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.004 s
4	And I entered name as " on the page	PASSED	2.154 s
5	And I entered email id as " on the page	PASSED	2.092 s
6	And I entered phone no as " on the page	PASSED	2.067 s
7	And I entered message as " on the page	PASSED	2.054 s
8	Then I click on send button	PASSED	11.900 s
9	Then It should be navigated to Expected Url	PASSED	0.021 s


Testing of ContactUs Page

PASSED	DURATION - 37.357 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:53:08.814 pm // 4:53:46.171 pm /				
Test Chilternoak Furniture contact us page				
@contactus @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.004 s
2	When I click on ContactUs link	PASSED	6.310 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.003 s
4	And I entered name as " on the page	PASSED	2.126 s

#	Step / Hook Details	Status	Duration
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.132 s
6	And I entered phone no as '1243567891' on the page	PASSED	2.126 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.183 s
8	Then I click on send button	PASSED	11.823 s
9	Then It should be navigated to Expected Url	PASSED	0.016 s

Testing of ContactUs Page




#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.007 s
2	When I click on ContactUs link	PASSED	4.506 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.000 s
4	And I entered name as 'User' on the page	PASSED	2.218 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.134 s
6	And I entered phone no as " on the page	PASSED	2.091 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.526 s
8	Then I click on send button	PASSED	11.885 s
9	Then It should be navigated to Expected Url	PASSED	0.024 s

Subscribe Feature




Subscribe scenario with differe set of data




#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.063 s
2	When user click Subscribe email text box	PASSED	0.415 s
3	When user fills the email as "saif"	PASSED	2.596 s
4	And user clicks on subscribe button	PASSED	2.316 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.030 s

Subscribe scenario with differe set of data




#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.002 s
2	When user click Subscribe email text box	PASSED	0.447 s
3	When user fills the email as "saif."	PASSED	2.525 s
4	And user clicks on subscribe button	PASSED	2.393 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.025 s

Subscribe scenario with differe set of data



#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.002 s
2	When user click Subscribe email text box	PASSED	0.805 s
3	When user fills the email as ""	PASSED	2.173 s
4	And user clicks on subscribe button	PASSED	2.159 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.019 s

Subscribe scenario with differe set of data



#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.021 s
2	When user click Subscribe email text box	PASSED	0.527 s
3	When user fills the email as "saif@gmail.com"	PASSED	2.256 s
4	And user clicks on subscribe button	PASSED	2.168 s
5	Then it shows sucess message " https://www.chilternoakfurniture.co.uk/challenge#footer_signup_form "	PASSED	1.908 s