Cucumber Report

Feb 28, 2024, 7:07:29 PM

Start : Feb 28, 6:20:37.289 PM	End : Feb 28, 7:07:20.310 PM	Duration : 46 m 43.021 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 4 SKIPPED - 0	PASSED - 29 FAILED - 25 SKIPPED - 0	PASSED - 255 FAILED - 23 SKIPPED - 4

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
SignUp fuctionality	9 m 9.558 s	11	3	8	0	77	69	8	0
Login Functionality	12 m 11.178 s	17	5	12	0	68	53	11	4
Product Search Functionality	4 m 18.901 s	8	4	4	0	32	28	4	0
Test cart functionality	6 m 10.677 s	5	4	1	0	23	23	0	0
Filter functionality	5 m 21.607 s	4	4	0	0	17	17	0	0
Test Chilternoak Furniture contact us page	6 m 14.767 s	5	5	0	0	45	45	0	0
Subscribe Feature	3 m 15.934 s	4	4	0	0	20	20	0	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@chilternoak	54	29	25	0	7	3	4	0
@login	28	8	20	0	2	0	2	0
@search	8	4	4	0	1	0	1	0
@cart	5	4	1	0	1	0	1	0
@filter	4	4	0	0	1	1	0	0
@contactus	5	5	0	0	1	1	0	0
@subscribe	4	4	0	0	1	1	0	0
@subscriber	4	4	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	SignUp fuctionality	11	3	8	0	9 m 9.558 s
2	Login Functionality	17	5	12	0	12 m 11.178 s
3	Product Search Functionality	8	4	4	0	4 m 18.901 s
4	Test cart functionality	5	4	1	0	6 m 10.677 s
5	Filter functionality	4	4	0	0	5 m 21.607 s
6	Test Chilternoak Furniture contact us page	5	5	0	0	6 m 14.767 s
7	Subscribe Feature	4	4	0	0	3 m 15.934 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	7	0	0	1 m 30.401 s
2	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	6	1	0	1 m 0.095 s
3	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	6	1	0	43.962 s
4	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	6	1	0	39.190 s
5	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	6	1	0	41.157 s
6	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	7	0	0	50.501 s
7	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	6	1	0	45.604 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	6	1	0	41.837 s
9	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	6	1	0	52.398 s
10	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	6	1	0	40.863 s
11	SignUp fuctionality	To test the SigUp functionality of Chiltern Oak page	7	7	0	0	42.055 s
12	Login Functionality	User login with different credentials by using excel	4	4	0	0	34.949 s
13	Login Functionality	User login with different credentials by using excel	4	3	1	0	1 m 12.609 s
14	Login Functionality	User login with different credentials by using excel	4	0	0	4	6.343 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
15	Login Functionality	User login with different credentials by using excel	4	3	1	0	30.212 s
16	Login Functionality	User login with different credentials by using excel	4	4	0	0	30.473 s
17	Login Functionality	User login with different credentials by using excel	4	3	1	0	42.645 s
18	Login Functionality	User login with different credentials by using excel	4	4	0	0	49.945 s
19	Login Functionality	User login with different credentials by using excel	4	3	1	0	41.179 s
20	Login Functionality	User login with different credentials by using excel	4	3	1	0	1 m 18.992 s
21	Login Functionality	User login with different credentials by using excel	4	3	1	0	1 m 3.317 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
22	Login Functionality	User login with different credentials by using excel	4	3	1	0	40.350 s
23	Login Functionality	User login with different credentials by using excel	4	3	1	0	1 m 7.862 s
24	Login Functionality	User login with different credentials by using excel	4	3	1	0	33.186 s
25	Login Functionality	User login with different credentials by using excel	4	3	1	0	37.639 s
26	Login Functionality	User login with different credentials by using excel	4	3	1	0	30.701 s
27	Login Functionality	User login with different credentials by using excel	4	4	0	0	32.905 s
28	Login Functionality	User login with different credentials by using excel	4	4	0	0	37.104 s
29	Product Search Functionality	Enter search term and verify results	4	3	1	0	31.227 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30	Product Search Functionality	Enter search term and verify results	4	3	1	0	37.432 s
31	Product Search Functionality	Enter search term and verify results	4	3	1	0	44.833 s
32	Product Search Functionality	Enter search term and verify results	4	3	1	0	22.868 s
33	Product Search Functionality	Enter search term and verify results	4	4	0	0	24.825 s
34	Product Search Functionality	Enter search term and verify results	4	4	0	0	48.757 s
35	Product Search Functionality	Enter search term and verify results	4	4	0	0	23.041 s
36	Product Search Functionality	Enter search term and verify results	4	4	0	0	25.682 s
37	Test cart functionality	add to cart	5	5	0	0	1 m 31.884 s
38	Test cart functionality	add to cart	5	5	0	0	1 m 26.557 s
39	Test cart functionality	add 3 different products to cart1	7	7	0	0	1 m 49.000 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40	Test cart functionality	add to cart an invalid item	2	2	0	0	31.403 s
41	Test cart functionality	Increasing the quantity of item	4	4	0	0	51.293 s
42	Filter functionality	Filter Functionality search the product	3	3	0	0	1 m 11.983 s
43	Filter functionality	Filter Functionality for choose style	4	4	0	0	1 m 0.118 s
44	Filter functionality	Filter Functionality for drag the price	5	5	0	0	1 m 16.259 s
45	Filter functionality	Filter Functionality for choose color	5	5	0	0	1 m 53.098 s
46	Test Chilternoak Furniture contact us page	Testing of ContactUs Page	9	9	0	0	1 m 26.243 s
47	Test Chilternoak Furniture contact us page	Testing of ContactUs Page	9	9	0	0	1 m 26.923 s
48	Test Chilternoak Furniture contact us page	Testing of ContactUs Page	9	9	0	0	49.992 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
49	Test Chilternoak Furniture contact us page	Testing of ContactUs Page	9	9	0	0	1 m 45.536 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
50	Test Chilternoak Furniture contact us page	Testing of ContactUs Page	9	9	0	0	45.959 s
51	Subscribe Feature	Subscribe scenario with differe set of data	5	5	0	0	39.937 s
52	Subscribe Feature	Subscribe scenario with differe set of data	5	5	0	0	1 m 6.808 s
53	Subscribe Feature	Subscribe scenario with differe set of data	5	5	0	0	56.270 s
54	Subscribe Feature	Subscribe scenario with differe set of data	5	5	0	0	32.817 s

SignUp fuctionality

FAILED	DURATION - 9 m 9.558 s	Scenarios		Steps	
/ 6:20:37.289 PM // 6:29:46.847 PM /		Total - 11 Pass - 3 Fail - 8 Skip - 0		Total - 77 Pass - 69 Fail - 8 Skip - 0	

To test the SigUp functionality of Chiltern Oak page

PASSED	DURATION - 1 m 30.401 s		Steps
/ 6:20:37.348 PM // 6:22:07.749 PM /			Total - 7 Pass - 7 Fail - 0 Skip - 0
SignUp fuctionality			
@chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	13.765 s
2	When the user enters their first name as 'User'	PASSED	0.581 s
3	And the user enters their last name as 'A'	PASSED	2.594 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.602 s
5	And the user enters their password as 'Qs'	PASSED	0.997 s
6	And the user click on create botton	PASSED	10.403 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)"	PASSED	0.204 s

To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 1 m 0.095 s
/ 6:22:07.977 PM // 6:23:08.072 PM /	
SignUp fuctionality	
@chilternoak @login	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	10.685 s
2	When the user enters their first name as 'User'	PASSED	1.759 s
3	And the user enters their last name as 'A'	PASSED	4.048 s
4	And the user enters their email as ''	PASSED	8.183 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.589 s
6	And the user click on create botton	PASSED	10.432 s
7	Then the user should see the status as "Email can't be blanK."	FAILED	0.335 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertTrue(Assert.java:56) at org.testng.Assert.assertTrue(Assert.java:66) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:65) at ?.the user should see the status as "Email can't be blanK."(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.719 s
	To test the SigUp functionality of Chiltern Oak page		

To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 43.962 s
/ 6:23:08.245 PM // 6:23:52.207 PM /	
SignUp fuctionality	
@chilternoak @login	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	14.520 s
2	When the user enters their first name as 'User'	PASSED	0.572 s
3	And the user enters their last name as 'A'	PASSED	2.837 s
4	And the user enters their email as ''	PASSED	0.691 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.912 s
6	And the user click on create botton	PASSED	10.586 s
7	Then the user should see the status as "Email can't be blanK."	FAILED	0.124 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertTrue(Assert.java:56) at org.testng.Assert.assertTrue(Assert.java:66) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:65) at ?.the user should see the status as "Email can't be blanK."(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.249 s
	To test the SigUp functionality of Chiltern Oak page		

To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 39.190 s
/ 6:23:52.302 PM // 6:24:31.492 PM /	
SignUp fuctionality	
@chilternoak @login	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	9.210 s
2	When the user enters their first name as 'User'	PASSED	0.702 s
3	And the user enters their last name as 'A'	PASSED	3.138 s
4	And the user enters their email as ''	PASSED	0.404 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	1.028 s
6	And the user click on create botton	PASSED	10.570 s
7	Then the user should see the status as "Email can't be blanK."	FAILED	0.185 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertTrue(Assert.java:56) at org.testng.Assert.assertTrue(Assert.java:66) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:65) at ?.the user should see the status as "Email can't be blanK."(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.294 s
	To test the SigUp functionality of Chiltern Oak page		

To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 41.157 s
/ 6:24:31.586 PM // 6:25:12.743 PM /	
SignUp fuctionality	
@chilternoak @login	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	10.797 s
2	When the user enters their first name as 'User'	PASSED	0.557 s
3	And the user enters their last name as 'A'	PASSED	2.792 s
4	And the user enters their email as ''	PASSED	0.403 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	1.055 s
6	And the user click on create botton	PASSED	10.561 s
7	Then the user should see the status as "Email can't be blanK."	FAILED	0.119 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertTrue(Assert.java:56) at org.testng.Assert.assertTrue(Assert.java:66) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:65) at ?.the user should see the status as "Email can't be blanK."(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.296 s
	To test the SigUp functionality of Chiltern Oak page		

To test the SigUp functionality of Chiltern Oak page

PASSED	DURATION - 50.501 s
/ 6:25:12.890 PM // 6:26:03.391 PM /	
SignUp fuctionality	
@chilternoak @login	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	9.012 s
2	When the user enters their first name as 'User'	PASSED	0.880 s
3	And the user enters their last name as ''	PASSED	4.452 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.806 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.935 s
6	And the user click on create botton	PASSED	10.440 s
7	Then the user should see the status as "This email address is already associated with an account."	PASSED	0.162 s

To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 45.604 s
/ 6:26:03.513 PM // 6:26:49.117 PM /	
SignUp fuctionality	
@chilternoak @login	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	11.160 s
2	When the user enters their first name as ''	PASSED	0.497 s
3	And the user enters their last name as ''	PASSED	0.356 s
4	And the user enters their email as ''	PASSED	0.363 s
5	And the user enters their password as ''	PASSED	0.308 s
6	And the user click on create botton	PASSED	14.852 s

#	Step / Hook Details	Status	Duration
7	Then the user should see the status as "Password can't be blank."	FAILED	0.365 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cd8333c0d97666068bd85cb98340e4b4, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53581}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53581/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cd8333c0d97666068bd85cb98340e4b4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	3.561 s
	To test the SigUp functionality of Chiltern Oak page		

#	Step / Hook Details	Status	Duration

To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 41.837 s
/ 6:26:49.207 PM // 6:27:31.044 PM /	
SignUp fuctionality	
@chilternoak @login	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	10.670 s
2	When the user enters their first name as ''	PASSED	0.351 s
3	And the user enters their last name as ''	PASSED	0.254 s
4	And the user enters their email as ''	PASSED	0.355 s
5	And the user enters their password as ''	PASSED	0.248 s
6	And the user click on create botton	PASSED	14.226 s
7	Then the user should see the status as "Password can't be blank."	FAILED	0.127 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9e603da381f759a5f85c6197dba36819, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53655}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53655/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9e603da381f759a5f85c6197dba36819 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page 	PASSED	3.602 s

To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 52.398 s
/ 6:27:31.270 PM // 6:28:23.668 PM /	
SignUp fuctionality	
@chilternoak @login	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	9.450 s
2	When the user enters their first name as ''	PASSED	0.687 s
3	And the user enters their last name as ''	PASSED	0.390 s
4	And the user enters their email as ''	PASSED	0.583 s
5	And the user enters their password as ''	PASSED	0.376 s
6	And the user click on create botton	PASSED	18.254 s
7	Then the user should see the status as "Password can't be blank."	FAILED	0.198 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [34d207c4417bd567b9e533f2df74f6f1, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53734}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53734/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 34d207c4417bd567b9e533f2df74f6f1

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page 	PASSED	2.544 s

To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 40.863 s
/ 6:28:23.827 PM // 6:29:04.690 PM /	
SignUp fuctionality	
@chilternoak @login	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	8.529 s
2	When the user enters their first name as ''	PASSED	0.644 s
3	And the user enters their last name as ''	PASSED	0.337 s
4	And the user enters their email as ''	PASSED	0.442 s
5	And the user enters their password as ''	PASSED	0.328 s

#	Step / Hook Details	Status	Duration
6	And the user click on create botton	PASSED	13.771 s
7	Then the user should see the status as "Password can't be blank."	FAILED	0.177 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cd0e728eb4929e05c4d1b543e7200069, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53811}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53811/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cd0e728eb4929e05c4d1b543e7200069 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.579 s
	To test the SigUp functionality of Chiltern Oak page		

#	Step / Hook Details	Status	Duration

To test the SigUp functionality of Chiltern Oak page

PASSED	*DURATION - 42.055 s*	Steps	
/ 6:29:04.792 PM // 6:29:46.847 PM /		Total - 7	
SignUp fuctionality		Pass - 7	
@chilternoak @login		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	10.000 s
2	When the user enters their first name as 'User'	PASSED	0.717 s
3	And the user enters their last name as 'A'	PASSED	3.837 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.726 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.884 s
6	And the user click on create botton	PASSED	10.892 s
7	Then the user should see the status as "This email address is already associated with an account."	PASSED	0.227 s

Login Functionality

FAILED	*DURATION - 12 m 11.178 s*	Scenarios		Steps	
/ 6:29:47.033 PM // 6:41:58.211 PM /		Total - 17		Total - 68	
		Pass - 5		Pass - 53	
		Fail - 12		Fail - 11	
		Skip - 0		Skip - 4	

User login with different credentials by using excel

PASSED	DURATION - 34.949 s
/ 6:29:47.035 PM // 6:30:21.984 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	7.179 s
2	When user enters username and password by giving "login" and 1	PASSED	11.724 s
3	And clicks the login button	PASSED	0.037 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.228 s

User login with different credentials by using excel

FAILED	DURATION - 1 m 12.609 s
/ 6:30:22.082 PM // 6:31:34.691 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	5.111 s
2	When user enters username and password by giving "login" and 2	PASSED	9.957 s
3	And clicks the login button	PASSED	0.003 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	FAILED	0.033 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/admin/		

#	Step / Hook Details	Status	Duration
	Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.534 s
	User login with different credentials by using excel		

User login with different credentials by using excel

FAILED	DURATION - 6.343 s
/ 6:31:34.785 PM // 6:31:41.128 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

#	Step / Hook Details	Status	Duration
	BEFORE - com.project.rll.steps.BaseTest.setUp()	FAILED	4.795 s
	org.openqa.selenium.WebDriverException: no such execution context (Session info: chrome=122.0.6261.70) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3a0ae8704eb6316e1ab9273b47ffb31, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54195}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54195/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3a0ae8704eb6316e1ab9273b47ffb31 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:978) at com.project.rll.steps.BaseTest.setUp(BaseTest.java:31)		
1	Given user navigates to the login page	SKIPPED	0.007 s
2	When user enters username and password by giving "login" and 2	SKIPPED	0.001 s
3	And clicks the login button	SKIPPED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.510 s
	User login with different credentials by using excel		

User login with different credentials by using excel

FAILED	*DURATION - 30.212 s*
/ 6:31:41.170 PM // 6:32:11.382 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	4.923 s
2	When user enters username and password by giving "login" and 2	PASSED	10.143 s

#	Step / Hook Details	Status	Duration
3	And clicks the login button	PASSED	0.003 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	FAILED	0.056 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.717 s
	User login with different credentials by using excel		

User login with different credentials by using excel

PASSED	*DURATION - 30.473 s*		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0
/ 6:32:11.421 PM // 6:32:41.894 PM /			
Login Functionality			
@chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	16.869 s
2	When user enters username and password by giving "login" and 2	PASSED	5.391 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.039 s

User login with different credentials by using excel

FAILED	DURATION - 42.645 s
/ 6:32:41.968 PM // 6:33:24.613 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	6.382 s
2	When user enters username and password by giving "login" and 3	PASSED	6.732 s
3	And clicks the login button	PASSED	0.114 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	FAILED	0.102 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	3.589 s
	User login with different credentials by using excel		

User login with different credentials by using excel

PASSED	DURATION - 49.945 s
/ 6:33:24.692 PM // 6:34:14.637 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	16.475 s
2	When user enters username and password by giving "login" and 3	PASSED	5.522 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.361 s

User login with different credentials by using excel

FAILED	DURATION - 41.179 s
/ 6:34:14.662 PM // 6:34:55.841 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	5.537 s
2	When user enters username and password by giving "login" and 4	PASSED	15.011 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"	FAILED	0.100 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.697 s
	User login with different credentials by using excel		

User login with different credentials by using excel

FAILED	*DURATION - 1 m 18.992 s*		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0
/ 6:34:55.873 PM // 6:36:14.865 PM /			
Login Functionality			
@chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	32.072 s
2	When user enters username and password by giving "login" and 4	PASSED	14.023 s
3	And clicks the login button	PASSED	0.009 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"	FAILED	0.658 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	4.038 s
	User login with different credentials by using excel		

#	Step / Hook Details	Status	Duration

User login with different credentials by using excel

FAILED	DURATION - 1 m 3.317 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0
/ 6:36:14.910 PM // 6:37:18.227 PM /			
Login Functionality			
@chilternoak @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	7.005 s
2	When user enters username and password by giving "login" and 4	PASSED	23.051 s
3	And clicks the login button	PASSED	0.009 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"	FAILED	0.080 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.749 s
	User login with different credentials by using excel		

User login with different credentials by using excel

FAILED	DURATION - 40.350 s
/ 6:37:18.267 PM // 6:37:58.617 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	5.112 s
2	When user enters username and password by giving "login" and 4	PASSED	14.423 s
3	And clicks the login button	PASSED	0.004 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"	FAILED	0.048 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.751 s
	User login with different credentials by using excel		

User login with different credentials by using excel

FAILED	DURATION - 1 m 7.862 s
/ 6:37:58.658 PM // 6:39:06.520 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	26.472 s
2	When user enters username and password by giving "login" and 5	PASSED	8.129 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	FAILED	0.037 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.313 s
	User login with different credentials by using excel		

User login with different credentials by using excel

FAILED	DURATION - 33.186 s
/ 6:39:06.553 PM // 6:39:39.739 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	5.112 s
2	When user enters username and password by giving "login" and 5	PASSED	10.902 s
3	And clicks the login button	PASSED	0.005 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	FAILED	0.039 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.916 s
	User login with different credentials by using excel		

User login with different credentials by using excel

FAILED	DURATION - 37.639 s
/ 6:39:39.778 PM // 6:40:17.417 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	5.350 s
2	When user enters username and password by giving "login" and 5	PASSED	12.764 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	FAILED	0.142 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.779 s
	User login with different credentials by using excel		

User login with different credentials by using excel

FAILED	DURATION - 30.701 s
/ 6:40:17.451 PM // 6:40:48.152 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	5.501 s
2	When user enters username and password by giving "login" and 5	PASSED	7.297 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	FAILED	0.037 s
	junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.286 s
	User login with different credentials by using excel		

User login with different credentials by using excel

PASSED	DURATION - 32.905 s
/ 6:40:48.183 PM // 6:41:21.088 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	4.885 s
2	When user enters username and password by giving "login" and 6	PASSED	9.749 s
3	And clicks the login button	PASSED	0.003 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	3.131 s

User login with different credentials by using excel

PASSED	DURATION - 37.104 s
/ 6:41:21.107 PM // 6:41:58.211 PM /	
Login Functionality	
@chilternoak @login	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	6.848 s
2	When user enters username and password by giving "login" and 7	PASSED	10.694 s
3	And clicks the login button	PASSED	0.005 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.964 s

Product Search Functionality

FAILED	DURATION - 4 m 18.901 s	Scenarios		Steps	
/ 6:41:58.246 PM // 6:46:17.147 PM /		Total - 8 Pass - 4 Fail - 4 Skip - 0		Total - 32 Pass - 28 Fail - 4 Skip - 0	

Enter search term and verify results

FAILED	DURATION - 31.227 s		Steps	
/ 6:41:58.249 PM // 6:42:29.476 PM /			Total - 4 Pass - 3 Fail - 1 Skip - 0	
Product Search Functionality				
@chilternoak @search				

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.023 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	1.780 s
3	And I click on the search button	PASSED	14.840 s
4	Then validate '84 results found' are found or not	FAILED	0.260 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateresults_are_found_or_not(Searchsteps.java:48) at ?.validate '84 results found' are found or not(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.338 s
	Enter search term and verify results		

Enter search term and verify results

FAILED	DURATION - 37.432 s
/ 6:42:29.504 PM // 6:43:06.936 PM /	
Product Search Functionality	
@chilternoak @search	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.003 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	3.554 s
3	And I click on the search button	PASSED	15.649 s
4	Then validate '84 results found' are found or not	FAILED	0.266 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateresults_are_found_or_not(Searchsteps.java:48) at ?.validate '84 results found' are found or not(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.590 s
	Enter search term and verify results		

Enter search term and verify results

FAILED	DURATION - 44.833 s
/ 6:43:06.977 PM // 6:43:51.810 PM /	
Product Search Functionality	
@chilternoak @search	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	2.291 s
3	And I click on the search button	PASSED	15.003 s
4	Then validate '84 results found' are found or not	FAILED	0.472 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateresults_are_found_or_not(Searchsteps.java:48) at ?.validate '84 results found' are found or not(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.522 s
	Enter search term and verify results		

Enter search term and verify results

FAILED	DURATION - 22.868 s
/ 6:43:51.853 PM // 6:44:14.721 PM /	
Product Search Functionality	
@chilternoak @search	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.023 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.651 s
3	And I click on the search button	PASSED	7.205 s
4	Then validate '84 results found' are found or not	FAILED	0.072 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateresults_are_found_or_not(Searchsteps.java:48) at ?.validate '84 results found' are found or not(file:///C:/Users/admin/Downloads/ChilternOak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.540 s
	Enter search term and verify results		

Enter search term and verify results

PASSED	DURATION - 24.825 s
/ 6:44:14.762 PM // 6:44:39.587 PM /	
Product Search Functionality	
@chilternoak @search	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as '' in the search bar	PASSED	2.367 s
3	And I click on the search button	PASSED	5.214 s
4	Then validate 'Search – Chiltern Oak Furniture' are found or not	PASSED	0.249 s

Enter search term and verify results

PASSED	DURATION - 48.757 s
/ 6:44:39.610 PM // 6:45:28.367 PM /	
Product Search Functionality	
@chilternoak @search	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as 'Pencil' in the search bar	PASSED	1.306 s
3	And I click on the search button	PASSED	19.926 s
4	Then validate '0 results found' are found or not	PASSED	0.069 s

Enter search term and verify results

PASSED	DURATION - 23.041 s
/ 6:45:28.392 PM // 6:45:51.433 PM /	
Product Search Functionality	
@chilternoak @search	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as 'Kabinats' in the search bar	PASSED	1.767 s
3	And I click on the search button	PASSED	8.147 s
4	Then validate '0 results found' are found or not	PASSED	0.053 s

Enter search term and verify results

PASSED	DURATION - 25.682 s
/ 6:45:51.465 PM // 6:46:17.147 PM /	
Product Search Functionality	
@chilternoak @search	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as 'Banbury White Painted 2 Door Wardrobe with Drawers' in the search bar	PASSED	3.068 s
3	And I click on the search button	PASSED	8.404 s
4	Then validate '1 result found' are found or not	PASSED	0.438 s

Test cart functionality

FAILED	DURATION - 6 m 10.677 s	Scenarios		Steps	
/ 6:46:17.182 PM // 6:52:27.859 PM /		Total - 5 Pass - 4 Fail - 1 Skip - 0		Total - 23 Pass - 23 Fail - 0 Skip - 0	

add to cart

FAILED	DURATION - 1 m 31.884 s		Steps	
/ 6:46:17.182 PM // 6:47:49.066 PM /			Total - 5 Pass - 5 Fail - 0 Skip - 0	
Test cart functionality				
@chilternoak @cart				

#	Step / Hook Details	Status	Duration
1	Given user search sofa	PASSED	25.729 s
2	Then add to cart	PASSED	4.988 s
3	Then validate with added product count	PASSED	2.818 s
4	Then remove from the cart	PASSED	9.367 s
5	Then validate product is removed	PASSED	1.467 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	FAILED	25.213 s
	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6f551c411e79b4a125289816e1e05417, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56348}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56348/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6f551c411e79b4a125289816e1e05417 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:161) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:433) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:351) at com.project.rll.steps.BaseTest.tearDown(BaseTest.java:47) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:157) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:433) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:351) at com.project.rll.steps.BaseTest.tearDown(BaseTest.java:47) at jdk.internal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor79.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:840) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:183) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:117) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:148) at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1768)		

add to cart

PASSED	DURATION - 1 m 26.557 s
/ 6:47:49.525 PM // 6:49:16.082 PM /	
Test cart functionality	
@chilternoak @cart	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user search sofa	PASSED	28.259 s
2	Then add to cart	PASSED	5.984 s
3	Then validate with added product count	PASSED	3.555 s
4	Then remove from the cart	PASSED	6.483 s
5	Then validate product is removed	PASSED	0.101 s

add 3 different products to cart1

PASSED	DURATION - 1 m 49.000 s
/ 6:49:16.105 PM // 6:51:05.105 PM /	
Test cart functionality	
@chilternoak @cart	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	17.655 s
2	Then add to cart and continue	PASSED	15.983 s
3	Then user search sofa	PASSED	10.003 s
4	Then add to cart and continue	PASSED	17.189 s
5	Then user search Tv unit	PASSED	16.244 s
6	Then add to cart	PASSED	4.786 s
7	Then validate multiple products are added	PASSED	6.362 s

add to cart an invalid item

PASSED	DURATION - 31.403 s
/ 6:51:05.140 PM // 6:51:36.543 PM /	
Test cart functionality	
@chilternoak @cart	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user search NoteBook	PASSED	12.012 s
2	Then validate invalid item	PASSED	0.105 s

Increasing the quantity of item

PASSED	DURATION - 51.293 s
/ 6:51:36.566 PM // 6:52:27.859 PM /	
Test cart functionality	
@chilternoak @cart	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	20.723 s
2	Then add to cart	PASSED	4.696 s
3	Then incresing the quantity	PASSED	7.541 s
4	Then validate the item quantity increased	PASSED	1.142 s

Filter functionality

PASSED	DURATION - 5 m 21.607 s
/ 6:52:27.898 PM // 6:57:49.505 PM /	

Scenarios
Total - 4
Pass - 4
Fail - 0
Skip - 0

Steps
Total - 17
Pass - 17
Fail - 0
Skip - 0

Filter Functionality search the product

PASSED	DURATION - 1 m 11.983 s
/ 6:52:27.898 PM // 6:53:39.881 PM /	
Filter functionality	
@filter @chilternoak	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.017 s

#	Step / Hook Details	Status	Duration
2	And search the product	PASSED	22.250 s
3	Then added filter successfully	PASSED	0.007 s

Filter Functionality for choose style

PASSED *DURATION - 1 m 0.118 s*

/ 6:53:39.949 PM // 6:54:40.067 PM /

Filter functionality

@filter @chilternoak

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.005 s
2	And search the product	PASSED	21.132 s
3	And choose the style	PASSED	3.803 s
4	Then added filter successfully	PASSED	0.010 s

Filter Functionality for drag the price

PASSED *DURATION - 1 m 16.259 s*

/ 6:54:40.101 PM // 6:55:56.360 PM /

Filter functionality

@filter @chilternoak

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.004 s
2	And search the product	PASSED	20.153 s
3	And drag the price element	PASSED	6.973 s
4	And choose the style	PASSED	8.345 s

#	Step / Hook Details	Status	Duration
5	Then added filter successfully	PASSED	0.002 s

Filter Functionality for choose color

PASSED	*DURATION - 1 m 53.098 s*		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:55:56.407 PM // 6:57:49.505 PM /				
Filter functionality				
@filter @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.007 s
2	And search the product	PASSED	27.141 s
3	And drag the price element	PASSED	20.894 s
4	And choose the color	PASSED	12.662 s
5	Then added filter successfully	PASSED	0.002 s

Test Chilternoak Furniture contact us page

PASSED	*DURATION - 6 m 14.767 s*	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 45 Pass - 45 Fail - 0 Skip - 0	
/ 6:57:49.570 PM // 7:04:04.337 PM /					

Testing of ContactUs Page

PASSED	DURATION - 1 m 26.243 s
/ 6:57:49.571 PM // 6:59:15.814 PM /	
Test Chilternoak Furniture contact us page	
@contactus @chilternoak	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.013 s
2	When I click on ContactUs link	PASSED	7.189 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.002 s
4	And I entered name as 'User' on the page	PASSED	2.695 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	3.045 s
6	And I entered phone no as '1234567891' on the page	PASSED	5.158 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	22.082 s
8	Then I click on send button	PASSED	13.888 s
9	Then It shoulld be navigated to Expecteed Url	PASSED	5.444 s

Testing of ContactUs Page

PASSED	DURATION - 1 m 26.923 s
/ 6:59:15.850 PM // 7:00:42.773 PM /	
Test Chilternoak Furniture contact us page	
@contactus @chilternoak	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.002 s
2	When I click on ContactUs link	PASSED	13.148 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.003 s
4	And I entered name as 'User' on the page	PASSED	4.198 s

#	Step / Hook Details	Status	Duration
5	And I entered email id as '' on the page	PASSED	17.068 s
6	And I entered phone no as '1243567891' on the page	PASSED	5.016 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.770 s
8	Then I click on send button	PASSED	12.336 s
9	Then It shoulld be navigated to Expecteed Url	PASSED	0.029 s

Testing of ContactUs Page

PASSED *DURATION - 49.992 s*

/ 7:00:42.798 PM // 7:01:32.790 PM /

Test Chilternoak Furniture contact us page

@contactus @chilternoak

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.003 s
2	When I click on ContactUs link	PASSED	5.611 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.004 s
4	And I entered name as '' on the page	PASSED	2.276 s
5	And I entered email id as '' on the page	PASSED	2.222 s
6	And I entered phone no as '' on the page	PASSED	2.311 s
7	And I entered message as '' on the page	PASSED	2.674 s
8	Then I click on send button	PASSED	18.878 s
9	Then It shoulld be navigated to Expecteed Url	PASSED	0.061 s

Testing of ContactUs Page

PASSED	DURATION - 1 m 45.536 s
/ 7:01:32.813 PM // 7:03:18.349 PM /	
Test Chilternoak Furniture contact us page	
@contactus @chilternoak	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.008 s
2	When I click on ContactUs link	PASSED	8.763 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.007 s
4	And I entered name as '' on the page	PASSED	2.946 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.495 s
6	And I entered phone no as '1243567891' on the page	PASSED	5.080 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	5.692 s
8	Then I click on send button	PASSED	12.311 s
9	Then It shoulld be navigated to Expecteed Url	PASSED	0.074 s

Testing of ContactUs Page

PASSED	DURATION - 45.959 s
/ 7:03:18.378 PM // 7:04:04.337 PM /	
Test Chilternoak Furniture contact us page	
@contactus @chilternoak	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.002 s
2	When I click on ContactUs link	PASSED	7.809 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.002 s
4	And I entered name as 'User' on the page	PASSED	2.479 s

#	Step / Hook Details	Status	Duration
5	And I entered email id as 'user@gmail.com' on the page	PASSED	3.431 s
6	And I entered phone no as '' on the page	PASSED	2.301 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.829 s
8	Then I click on send button	PASSED	12.548 s
9	Then It shoulld be navigated to Expecteed Url	PASSED	0.028 s

Subscribe Feature

PASSED	*DURATION - 3 m 15.934 s*	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	
/ 7:04:04.376 PM // 7:07:20.310 PM /					

Subscribe scenario with differe set of data

PASSED	*DURATION - 39.937 s*		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 7:04:04.377 PM // 7:04:44.314 PM /				
Subscribe Feature				
@chilternoak @subscribe @subscriber				

#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.039 s
2	When user click Subscribe email text box	PASSED	22.746 s
3	When user fills the email as "saif"	PASSED	4.571 s
4	And user clicks on subscribe button	PASSED	2.680 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.134 s

Subscribe scenario with differe set of data

PASSED	DURATION - 1 m 6.808 s
/ 7:04:44.353 PM // 7:05:51.161 PM /	
Subscribe Feature	
@chilternoak @subscribe @subscriber	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.009 s
2	When user click Subscribe email text box	PASSED	2.537 s
3	When user fills the email as "saif."	PASSED	16.593 s
4	And user clicks on subscribe button	PASSED	2.899 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	9.769 s

Subscribe scenario with differe set of data

PASSED	DURATION - 56.270 s
/ 7:05:51.196 PM // 7:06:47.466 PM /	
Subscribe Feature	
@chilternoak @subscribe @subscriber	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.008 s
2	When user click Subscribe email text box	PASSED	2.979 s
3	When user fills the email as ""	PASSED	6.204 s
4	And user clicks on subscribe button	PASSED	4.128 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.069 s

Subscribe scenario with differe set of data

PASSED	DURATION - 32.817 s
/ 7:06:47.493 PM // 7:07:20.310 PM /	
Subscribe Feature	
@chilternoak @subscribe @subscriber	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.003 s
2	When user click Subscribe email text box	PASSED	2.309 s
3	When user fills the email as "saif@gmail.com"	PASSED	10.054 s
4	And user clicks on subscribe button	PASSED	5.322 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/challenge#footer_signup_form"	PASSED	0.023 s