

# H1

## H2

### H3

#### H4

##### H5

###### H6

Alternatively, for H1 and H2, an underline-ish style:

# Alt-H1

## Alt-H2

---

Emphasis, aka italics, with *asterisks* or *underscores*.

Strong emphasis, aka bold, with **asterisks** or **underscores**.

Combined emphasis with ***asterisks and underscores***.

Strikethrough uses two tildes. ~~Scratch this.~~

---

- First ordered list item
- Another item
- Unordered sub-list.
- Actual numbers don't matter, just that it's a number
- Ordered sub-list
- And another item.

You can have properly indented paragraphs within list items. Notice the blank line above, and the leading spaces (at least one, but we'll use three here to also align the raw Markdown).

To have a line break without a paragraph, you will need to use two trailing spaces. Note that this line is separate, but within the same paragraph. (This is contrary to the typical GFM line break behaviour, where trailing spaces are not required.)

- Unordered list can use asterisks
  - Or minuses
  - Or pluses
- 

[I'm an inline-style link](#)

[I'm an inline-style link with title](#)

[I'm a reference-style link](#)

[I'm a relative reference to a repository file](#)

[You can use numbers for reference-style link definitions](#)

[I'm a link with ampersands](#)

Or leave it empty and use the [link text itself](#).

URLs and URLs in angle brackets will automatically get turned into links. <http://www.example.com> or <http://www.example.com> and [sometimesexample.com](http://www.example.com) (but not on Github, for example).

Some text to show that the reference links can follow later.

Here's our logo (hover to see the title text):

Inline-style:

Reference-style:

Base64-style:

Base64-SVG:alt text

---

Inline `code` has `back-ticks around` it.

```
var s = "JavaScript syntax highlighting";  
alert(s);
```

```
s = "Python syntax highlighting"
print s
```

No language indicated, so no syntax highlighting.  
But let's throw in a **tag**.

---

Colons can be used to align columns.

Table not implemented

TableHeader not implemented

TableCell not implemented

Tables

TableCell not implemented

Are

TableCell not implemented

Cool

TableRow not implemented

TableCell not implemented

col 3 is

TableCell not implemented

right-aligned

TableCell not implemented

\$1600

TableRow not implemented

TableCell not implemented

col 2 is

TableCell not implemented

centered

TableCell not implemented

\$12

TableRow not implemented

TableCell not implemented

zebra stripes

TableCell not implemented

are neat

TableCell not implemented

There must be at least 3 dashes separating each header cell. The outer pipes (|) are optional, and you don't need to make the Markdown line up prettily. You can also use inline Markdown.

Table not implemented

TableHeader not implemented

TableCell not implemented

Markdown

TableCell not implemented

Less

TableCell not implemented

Pretty

TableRow not implemented

TableCell not implemented

Still

TableCell not implemented

renders

TableCell not implemented

nicely

TableRow not implemented

TableCell not implemented

1

TableCell not implemented

2

TableCell not implemented

3

---

Blockquotes are very handy in email to emulate reply text. This line is part of the same quote.  
Quote break.

This is a very long line that will still be quoted properly when it wraps. Oh boy let's keep writing to make sure this is long enough to actually wrap for everyone. Oh, you can *put* **Markdown** into a blockquote.

---

HTMLBlock not implemented

HTMLBlock not implemented

---

Three or more...

---

Hyphens

---

Asterisks

---

Underscores