# REDCap Recruitment Tracker R Shiny Application - User Manual

Biostatistics Core (BSC), Center for Clinical and Translational Science (CCTS)

The University of Illinois at Chicago

11/26/2022

# <u>Purpose</u>

REDCap (Research Electronic Data Capture) is a nationwide online survey and database. To visualize any project involving a randomized controlled trial (RCT) in REDCap, researchers can use the R Shiny application called "Recruitment Tracker." "Recruitment Tracker" aims to establish a free, interactive, and web-based dashboard

(https://uicccts.shinyapps.io/REDCap\_Tracking/). The platform R Shiny allows users to interact with and visualize the data according to their needs. The main function of this dashboard is to track the recruitment progress of an RCT project using tools and functionalities that provide real-time statistical results. Thus, this dashboard can support users in making decisions about recruitment progress and data collection based on the tracking reports.

The secondary function of the "Recruitment Tracker" is to visualize the characteristics of the participants assigned to receive randomization in RCTs. Researchers can perform univariate and bivariate analyses on all demographic and clinical variables of interest. All the results in the "Recruitment Tracker" presented in graphs and tables are able to be downloaded.

The workflow of the modules of this interactive online dashboard is illustrated in Figure 1. "Recruitment Tracker" displays the dataset in four modules of interest for users: "Verification & Setting," "Project Summary," "Recruitment Tracking," and "Descriptive Statistics." "Recruitment Tracker" was made publicly available in Dec 2022. Advanced R Users may request the R Shiny code to adapt the code for their specific visualization of R Shiny apps.




Figure 1. Workflow and modules of the interactive web-based dashboard for REDCap Recruitment Tracker Shiny App

# **Module 1. Verification & Setting**

This module is designed to import the user's long-form longitudinal dataset involving RCT in REDCap (Figure 2 demonstrates the long-form format of an example dataset). Also, users must provide recruitment goals to compare with recruitment progress. To do so, please follow the instructions as follows (See Figure 3):

**Step 1.** To import the dataset, users need to provide the token of the REDCap project of interest. Please note that it will appear as asterisks to ensure data confidentiality as you enter the token.

Then, the real-time dataset can be pulled from the online REDCap database directly. This dashboard will not import or analyze any variable involving personal information (i.e., identifier) to protect data privacy. Once the data are imported, variables are automatically separated into categorical variables and numerical variables—based on the data dictionary (codebook)—for the purpose of visualization and analyses.

**Step 2.** To produce the tracking statistics of the RCT project, users need to enter the following information into the boxes: Research Period of this Clinical Trial Project, Total Targeted Number of Screened Participants, Expected Rate of Eligibility, and Expected Rate of Randomization.

**Step 3.** To identify the RCT selection process variables in REDCap, users need to provide the five variable names assigned to the information below. This app will present the recruitment progress based on the results of these five variables.

- (1) The date that the participant received the screening process (follow the code rule: yyyy-mm-dd),
- (2) Participant eligibility (following the code rule: 1= Yes and 0 = No),
- (3) Exclusion reason for the RCT project (no cod rule),
- (4) Whether the participant receives the randomization (following the code rule: 1 = Yes and 0 = No), and
- (5) The date that the participant received the randomization (following the code rule: yyyy-mm-dd)

**Step 4 (Optional).** Users can upload the variable list in the "Variable List (Optional)" box to observe specific variables of interest rather than all variables in the dataset. The content of the file should follow the rules below:

- (1) All the variable names match those in REDCap, including both spelling and capitalization. Please note that the variable list does not need to include the five variable names mentioned in Step 3,
- (2) All the variable names are listed in column 1 of the file (See Figure 4),
- (3) Rename "Sheet 1" on the Excel file to "variables," and
- (4) Please save the Excel file as a CSV file format.

Once the file is successfully uploaded, the message below the "Import" button will show "Uploaded file: filename.csv."

**Step 5.** Once all the information is given, please press the green button labeled "Search." If the message below the "Search" button shows "Dataset Successfully Imported," it indicates that the dataset was imported from the REDCap database correctly, and the statistical results are ready to be revealed in the dashboard. However, the message will show "Fail to find the REDCap Data" if users provide the wrong RCT project token in REDCap or the wrong data format rule of the uploaded variable list. Then, users need to follow the above rules and go back to Step 1.

**Step 6. (Optional)** To save time for the future use of this dashboard, users can store all the setting information in Steps 1 to Step 4. After the message "Dataset Successfully Imported" is shown on the window, please press the green button labeled "Export" located below "Setting (Optional)." Then, all the setting information (including the optional variable list) will be exported into a downloaded JSON file to the user's local desktop. Next time, when users want to use "Recruitment Tracker," they can click the green button labeled "Import" and upload the JSON file. After doing this, users can press the green bottom labeled "Search" and import the data directly.

	Α	В	С	D	Е	F	G	Н	1 1
1	study_id	redcap_event_name	screen_date	is_eligible	is_enrolled	exclusion_reason	enrolled_date	site	gender
2	1	baseline_arm_1	10/14/2019	1	1		10/15/2019	4	1
3	1	month_3_arm_1							
4	1	month_6_arm_1							
5	1	month_9_arm_1							
6	1	month_12_arm_1							
7	2	baseline_arm_1	5/10/2019	0				3	0
8	2	month_3_arm_1							
9	2	month_6_arm_1							
10	2	month_9_arm_1							
11	2	month_12_arm_1							
12	3	baseline_arm_1	11/6/2017	0				1	0
13	3	month_3_arm_1							
14	3	month_6_arm_1							
15	3	month_9_arm_1							
16	3	month_12_arm_1							
17	4	baseline_arm_1	11/21/2018	0				2	1
18	4	month_3_arm_1							
19	4	month_6_arm_1							
20	4	month_9_arm_1							
4	· ·	ClinicalTrialRecruit_D	ATA_2022-	+					

Figure 2. An example of a long-form dataset




Figure 3. Import the REDCap dataset via project token and then provide the initial setting information



Figure 4. The data format of the optional variable list file (CSV file only)

# **Example**

This example demonstrates how to use this dashboard's module of "Verification & Setting." (See Figure 5). First, we provide the token "A0C6E1AA3B6FF2F1EBF4A184FABE4378," of an artificial project we created in the REDCap database. The research period of this project is from 2017-07-01 to 2020-06-30. The total targeted number of screened participants is 2450, with an expected eligibility rate of 0.25 and an expected randomization rate of 0.90. In other words, in this RCT project, the total expected number of the randomized participants is 551.25 (= 2450X0.25X0.90). We randomly assigned the participants to receive either standard treatment or new treatment in this project.

The variable names for screening date, participant eligibility, the exclusion reason, randomization, and randomization date are "screen\_date," "is\_eligible," "exclusion\_reason," "is\_enrolled," and "enrolled\_date," respectively. Since we prefer to analyze a specific variable list, we upload a CSV file named "variable.csv.". Once we click the button of "Search," the message below "Search" should show "Dataset Successfully Imported." Then, we can further observe the statistical results in the "Project Summary," "Recruitment Tracking," and "Descriptive Statistics" modules.




Figure 5. Import the REDCap example dataset via token and provide the initial setting information

# **Module 2. Project Summary**

After the data is successfully imported, this module provides the summary report of the RCT project. Figure 6 shows the summary of the example dataset. The research period of this RCT project is from 2017-07-01 to 2020-06-30. The total number of screened participants is 2450 in a total of 4 sites. Among the screened participants, 650 were eligible for the RCT project. Among the eligible participants, there are 75 eligible participants excluded from the randomization step. The exclusion reasons include "Not meeting the inclusion criteria" (38), "Declined to participate" (20), and "Other reasons" (17).

Among the 575 participants (=650-75) who received randomization, 269 received the standard treatment while 306 received the new treatment. The randomization accrual rate is 104.31% (= actual 575/target 551.25). The average number of randomized participants per site is 143.75 (=575/4). The mean number of days from screening to randomization is 15.26, and the median is 15.




Figure 6. Project Summary of the example dataset

# **Module 3. Recruitment Tracking**

This module aims to track the screening, eligibility, and randomization progress. In the input panel, users need to decide the observation period, the unit of time (week/quarter/month/year), the stratified variable, and the substratified variable. Then, the corresponding plot will be revealed in the output panel. Users can utilize the green button labeled "HTML," "PNG," and "Excel" to download the interactive plot, static plot, and tracking report to the local desktop.

#### Tab 1. Screened Data

The tab "Screened Data" helps users visualize the real-time tracking statistics of the participants who received the screening process in the RCT project. For example, suppose users decide to observe the overall weekly statistics without stratifying any variables during the observation period from 2017-07-01 to 2020-06-30. In that case, the plot will be as demonstrated in Figure 7. Users can interact with the plot by clicking any point on the line, and the statistics will be displayed simultaneously. Figure 7 shows that the cumulative number of screened participants in week 51, ending on 2018-06-22, is 973. If users click on "Excel," an excel file that includes the weekly tracking report is downloaded to the local desktop (See Figure 8).




Figure 7. Tracking Statistics - Plot - Screened Weekly Data

	Α	В	С	D	E				
1	Researc	h Period	2017-07-01 t	o 2020-06-30					
2	Observati	on Period	2017-07-01 t	o 2020-06-30					
3									
4	Participants Screened Overtime								
5	Week	Per	iod		Overall				
6	VVCCK	Start Date	End Date	Actual	Cumulative Actual				
7	Week 1	2017-07-01	2017-07-07	13	13				
8	Week 2	2017-07-08	2017-07-14	18	31				
9	Week 3	2017-07-15	2017-07-21	18	49				
10	Week 4	2017-07-22	2017-07-28	19	68				
11	Week 5	2017-07-29	2017-08-04	16	84				
12	Week 6	2017-08-05	2017-08-11	23	107				
13	Week 7	2017-08-12	2017-08-18	23	130				
14	Week 8	2017-08-19	2017-08-25	18	148				
15	Week 9	2017-08-26	2017-09-01	13	161				
16	Week 10	2017-09-02	2017-09-08	19	180				
17	Week 11	2017-09-09	2017-09-15	16	196				
18	Week 12	2017-09-16	2017-09-22	21	217				
19	Week 13	2017-09-23	2017-09-29	23	240				
20	Week 14	2017-09-30	2017-10-06	10	250				
21	Week 15	2017-10-07	2017-10-13	17	267				
22	Week 16	2017-10-14	2017-10-20	21	288				
23	Week 17	2017-10-21	2017-10-27	29	317				
24	Week 18	2017-10-28	2017-11-03	21	338				
25	Week 19	2017-11-04	2017-11-10	32	370				
26	Week 20	2017-11-11	2017-11-17	24	394				
27	Week 21	2017-11-18	2017-11-24	15	409				
28	Week 22	2017-11-25	2017-12-01	16	425				
29	Week 23	2017-12-02	2017-12-08	11	436				
30	Week 24	2017-12-09	2017-12-15	18	454				
31	Week 25	2017-12-16	2017-12-22	16	470				
22	Ov	erall (+)	2047 42 20	4.5	400				

Figure 8. Tracking Statistics - Table - Screened Weekly Data

If users decide to observe the weekly statistics by stratifying the variable gender during the observation period from 2017-07-01 to 2020-06-30, the interactive plot is shown in Figure 9. At the end of week 51 (2018-06-22), the cumulative number of participants who received a screening at Site Chicago, New York, Houston, and Los Angeles were 229, 238, 231, and 275, respectively. Again, the users can also obtain a weekly report stratified by the variable site when clicking on the "EXCEL" button. In the worksheet "Summary," the number of total screened participants stratified by the site is shown in Figure 10. In the worksheet "Stratified," the weekly report is stratified by the site (See Figure 11).




Figure 9. Tracking Statistics - Plot - Screened Weekly Data Stratified by Site




Figure 10. Tracking Statistics - Summary Table - Screened Data Stratified by Site




Figure 11. Tracking Statistics - Stratified Table - Screened Weekly Data Stratified by Site

# Tab 2. Eligible Data

The tab "Eligible Data" helps users visualize the real-time tracking statistics of the eligible participants in the RCT project. Similar to the operation of the "Screened Data" tab, if users decide to observe the monthly statistics by stratifying the variable gender during the observation period from 2017-07-01 to 2017-12-31, the interactive plot is shown in Figure 12. Users can interact with the plot to further monitor the monthly eligibility of different genders. For instance, until the end of month 3 (ending on 2017-09-30), the cumulative number of male participants eligible for this RCT project is 48. Again, the users can also obtain a report stratified by the variable gender when clicking on the "EXCEL" button (See Figure 13).




Figure 12. Tracking Statistics - Plot - Eligible Monthly Data Stratified by the Variable Gender

	А	В	С	D	E		
1	Researc	h Period	2017-07-01 to	2020-06-30			
2	Observati	on Period	2017-07-01 to 2017-12-31				
3							
4	Participants I	Eligible Overti	me by Gende	r			
5	Month	Per	iod		Overall		
6	MONTH	Start Date	End Date	Actual	Cumulative Actual		
7	Month 1	2017-07-01	2017-07-31	16	16		
8	Month 2	2017-08-01	2017-08-31	14	30		
9	Month 3	2017-09-01	2017-09-30	18	48		
10	Month 4	2017-10-01	2017-10-31	21	69		
11	Month 5	2017-11-01	2017-11-30	14	83		
12	Month 6	2017-12-01	2017-12-31	15	98		
13	Month 7	2018-01-01	2018-01-31				
14	Month 8	2018-02-01	2018-02-28				
15	Month 9	2018-03-01	2018-03-31				
16	Month 10	2018-04-01	2018-04-30				
17	Month 11	2018-05-01	2018-05-31				
18	Month 12	2018-06-01	2018-06-30				
19	Month 13	2018-07-01	2018-07-31				
20	Month 14	2018-08-01	2018-08-31				
21	Month 15	2018-09-01	2018-09-30				
22	Month 16	2018-10-01	2018-10-31				
23	Month 17	2018-11-01	2018-11-30				
24	Month 18	2018-12-01	2018-12-31				
4	0.1	Male 1. Fen	nale +				

Figure 13. Tracking Statistics - Table - Eligible Monthly Data stratified by the Variable Gender

# **Tab 3. Randomized Data**

The tab "Randomized Data" helps users visualize the real-time tracking statistics of the participants who received the randomization in the RCT project. Similar to the operation of the "Screened Data" tab, the interactive plot is shown if users decide to observe the monthly statistics by stratifying the variables site and gender during the observation period from 2017-07-01 to 2020-06-30 (See Figure 14). Users can interact with the plot to further monitor the monthly randomization at different sites and genders. For instance, until the end of month 19 (ending on 2019-01-31), the cumulative target and the cumulative actual number of female participants who received the randomization at site Houston were 36.1 and 58, respectively. Again, the users can also obtain a report stratified by the variable site and gender when clicking on the "EXCEL" button (See Figure 15-16).



Figure 14. Tracking Statistics - Plot - Randomized Monthly Data Stratified by the Variable Site and Gender




Figure 16. Tracking Statistics - Summary Table - Randomized Data stratified by the Variable Site and Gender




Figure 16. Tracking Statistics - Table - Randomized Monthly Data stratified by the Variable Site and Gender

#### Module 4. Descriptive Statistics

This module aims to visualize the participants' real-time characteristics who received the treatment's randomization in the RCT project. Users can perform univariate and bivariate analyses on all the variables of interest. In the tab "Univariate Statistics," users need to decide the variables of interest to perform the analysis in the input panel. Users can choose multiple variables in the input panel and then obtain corresponding plots simultaneously in the output panel.

#### **Tab 1. Univariate Analysis**

# (1) Categorical Variable – Bar Chart

The procedure to analyze categorical variables is as follows. Users must select the variables of interest in the "Categorical Variables" box in the input panel. Then the corresponding bar charts will be displayed in the output panel. When users click on one of the bars within the plot, the count and percentage will be revealed. The sample size for the total, valid, and missing participants is displayed under the title of the plot (i.e., the variable name). Users can utilize the green button labels "HTML," "PNG," and "Excel" to download the interactive plot, static plot, and frequency table to the local desktop.

For example, if the variable "Gender" is selected, then the interactive bar chart is shown in Figure 17. The title of the plot is "Gender," and the sample size for the total, valid, and missing participants are 575, 557, and 18, respectively. When users click on the bar "Male," it will show that the count (valid sample size) for the Male group is 346, and that percentage is 62.1% (= 346/557). If users click on the "Excel" button, an excel file that includes the frequency table for the variable "Gender" is downloaded to the local desktop (See Figure 18).




Figure 17. Univariate Statistics - Bar Chart for Categorical Variable "Gender"

	Α	В	C D		E
1	Researc	h Period	2017-07-01 t		
2	Observati	on Period	2017-07-01 t		
3					
4	Gender	Frequency	Percent Cumulative Frequence		Cumulative Percent
5	0. Male	346	62.12	346	62.12
6	1. Female	211	37.88	100.00	
7			Frequency Missing = 18		

Figure 18. Univariate Statistics – Frequency Table for Categorical Variable "Gender"

# (2) Numerical Variable - Histogram

The procedure to analyze numerical variables is as follows. Users must select the variables of interest in the box labeled "Numerical Variable" and decide the number of bins of the histogram (the default value is 10) in the input panel. The corresponding histogram will be displayed on the output panel. When users click on one of the bars within the plot, the bar's count and range will be revealed. The sample size and the summary statistics, including Mean/SD/Median/IQR, will be displayed under the title of the plot.

For example, if the variable "BMI" is selected, the interactive histogram is shown in Figure 19. The title of the plot is "BMI," and the sample size for the total, valid, and missing participants are 575, 575, and 0, respectively. The summary statistics of the variable BMI, including Mean, SD, Median, IQR, are 26.44, 3.55, 26.32, and 5.00, respectively. When users click on the bar between the group "30-32," it will show that the count of this group is 62. Users can also download the table to observe this BMI's minimum, first quartile (Q1), third quartile (Q3), and maximum values (See Figure 20).




Figure 19. Univariate Statistics - Histogram for Numerical Variable "BMI"

	Α	В	С	D	E	F	G	Н	1	J	K
1	. Research Period 2017-07-01 to 2020-06-30										
2	Observation Period 2017-07-01 to 2020-06-30										
3											
4	Variable	N	N.Miss	Mean	Std.Dev	IQR	Minimum	Q1	Median	Q3	Maximum
5	BMI	575	0	26.44	3.55	5.00	18.50	23.95	26.32	28.95	37.52
6											

Figure 20. Univariate Statistics – Summary Statistics for Numerical Variable "BMI"

# **Tab 2. Bivariate Analysis**

In the "Bivariate Statistics" tab is the stratified results. Stratified statistics identify the relationship between two variables by breaking up the data into smaller groups, or strata, to look for differences between and within each stratum. Using this dashboard, users need to decide the primary and the stratified variables to perform the stratified analysis. The stratified variable will separate the primary variable (i.e., the fixed option) into groups. In the input panel, users first select the primary variable from the drop-down variable list, then choose one or multiple stratified variables (i.e., one or more options) to perform the stratification. Once these variables are decided, the corresponding plots will be simultaneously displayed in the output panel.

#### (1) Primary - Categorical Variable vs. Stratified - Categorical Variable: Stratified Bar Chart

The stratified bar chart will be displayed in the output panel if we would like to observe the relationship between two categorical variables. For example, when the primary variable "Treatment" and the stratified variable "Gender" are chosen, the interactive bar chart with the title "Treatment by Gender" is shown in Figure 21. The sample size for the total, valid, and missing participants is 575, 557, and 18. When users click on the bar "Female" within the group of "Standard Treatment," it will show that the count of the female who received "Standard Treatment" is 167, with a percentage of 64.0% (= 167/261). If users click on the "Excel" button, the contingency table—which contains the stratified results—will be downloaded as an excel file (See Figure 22).




Figure 21. Bivariate Statistics – Bar Chart for the Variable "Treatment" Stratified by "Gender"

	А	В	С	D	E			
1	Researc	h Period	2017-07-01 to	2017-07-01 to 2020-06-30				
2	Observat	ion Period	2017-07-01 to	2017-07-01 to 2020-06-30				
3								
4	Erecu	uency		Treatment				
5	гіеці	uency	0. Standard Treatment	1. New Treatment	Total			
6		0. Male	167	179	346			
7	Gender	1. Female	94	117	211			
8		Total	261	296	557			
9	Column	Percent	Treatment					
10	Column	reiteiit	0. Standard Treatment	1. New Treatment	Total			
11		0. Male	63.98	60.47	62.12			
12	Gender	1. Female	36.02	39.53	37.88			
13		Total	100.00	100.00	100.00			
14	Dow D	ercent		Treatment				
15	ROW P	rercent	0. Standard Treatment	1. New Treatment	Total			
16		0. Male	48.27	51.73	100.00			
17	Gender	1. Female	44.55	55.45	100.00			
18		Total	46.86	53.14	100.00			
19			Frequency Missing = 18					
20								
21								
4 →	cate vs cate				1			

Figure 22. Bivariate Statistics – Contingency Table for the Variable "Treatment" Stratified by "Gender"

# (2) Primary - Categorical Variable vs. Stratified - Numerical Variable: Grouped Boxplot

A boxplot is a standardized method of displaying the distribution of the data based on the summary statistics of a given variable, which include minimum (min), first quartile (q1), median (q2), third quartile (q3), and maximum (max). Also, this plot will indicate the value of outliers. A grouped boxplot is the visual representation of the difference in the subgroup distribution, which users can utilize to observe the relationship between a categorical and numerical variable.

For example, Figure 23 demonstrates that the variable "Age" is stratified by "Treatment." The grouped boxplot visualizes the distribution of 2 subgroups of "Treatment," including "Standard Treatment" and "New Treatment." The age distribution among the two types of treatments looks similar. To examine the age distribution of standard treatment, users may click on the green box "Standard Treatment," and then the summary statistics will be shown in the plot. The median age among the participants who received standard treatment is 50, with min of 18 and max of 75. Again, the users can also obtain stratified summary statistics when clicking on the "EXCEL" button (See Figure 24).




Figure 23. Bivariate Statistics – Gropued Boxplot for the Variable "Age" Stratified by "Treatment"

	Α	В	С	D	E	F	G	Н	I	J	K
1	Researc	h Period	2017-07-01 to	0 2020-06-30							
2	Observat	ion Period	2017-07-01 to	0 2020-06-30							
3											
4					Treatmen	t = 0. Standard	Treatment				
5	Variable	N	N.Miss	Mean	Std.Dev	IQR	Minimum	Q1	Median	Q3	Maximum
6	Age	258	11	49.93	9.88	13.75	18.00	43.25	50.00	57.00	75.00
7											
8					Treatm	ent = 1. New Tre	eatment				
9	Variable	N	N.Miss	Mean	Std.Dev	IQR	Minimum	Q1	Median	Q3	Maximum
10	Age	294	12	49.98	10.19	14.00	23.00	43.00	50.00	57.00	81.00

Figure 24. Bivariate Statistics - Stratified Summary Statistics for the Variable "Age" stratified by "Treatment."

# (3) Primary - Numerical Variable vs. Stratified - Numerical Variable: Scatter Plot

The most straightforward stratified plot is an X-Y plot with the measured variable on the vertical axis and a variable describing the different strata on the horizontal axis. Thus, we will use the scatter plot to observe the relationship between two numerical variables. The scatter plot will be displayed in the output panel once the primary and stratified variables are chosen in the input panel. To describe the overall trend of the data, a polynomial model (the blue curve) with its 95% confidence interval (the gray area) is included in the plot. If users want to know the value of the paired data, they can click on any black point on the scatter plot, and the numerical value of the two variables will be displayed.

For example, when the primary variable "Age" and the stratified variable "BMI" are chosen, the interactive bar chart with the title "Treatment by BMI" is shown in Figure 25. The sample size for the total, valid, and missing participants is 575, 552, and 23. The primary variable, "Age," will be on the horizontal axis, and the stratified variable, "BMI," will be on the vertical axis. If users click the point in the lower-left corner, then the value of the point will be revealed (Age = 23, BMI =22.80). Users can further download the table of stratified summary statistics to observe Pearson correlation and Spearman correlation by clicking the "Excel" button (See Figure 26).




Figure 25. Bivariate Statistics – Scatter Plot for Numerical Variables "Age" and "BMI"

	А	В	С	D			
1	Researc	h Period	2017-07-01 to 2020-06-30				
2	Observati	on Period	2017-07-01 t	o 2020-06-30			
3							
4	Pearson	Correlation Coefficients (	N = 552)				
5		Age	BMI				
6	Age	1.0000	-0.0423				
7	BMI	-0.0423	1.0000				
8							
9	Spearmar	Correlation Coefficients	(N = 552)				
10		Age	ВМІ				
11	Age	1.0000	-0.0224				
12	BMI	-0.0224	1.0000				
12							

Figure 26. Bivariate Statistics - Stratified Summary Statistics for Numerical Variables "Age" and "BMI"

# (4) Primary - Numerical Variable vs. Stratified - Categorical Variable: Grouped Boxplot

If the primary variable is a numerical variable "Age" and the stratified variable is a categorical variable "Site", then Figure 27 demonstrates that the variable "Age" is stratified by "Site." The grouped boxplot visualizes the distribution of 4 subgroups of "Site," including "Chicago," "New York," "Houston," and "Los Angeles." The age distribution among the four sites looks similar to each other. To examine the age distribution of the site Chicago, users may click on the green box "Chicago," and then the summary statistics will be shown in the plot. The median age among Chicago participants is 51, with min of 26 and max of 75. Users can further download the table of stratified summary statistics by clicking the "Table" button (See Figure 28).




Figure 27. Bivariate Statistics – Grouped Boxplot for Variable "Age" Stratified by "Site"

	Α	В	С	D	E	F	G	Н		J	K	L
1	Researc	h Period	2017-07-01 t	o 2020-06-30								
2	Observation Period 2017-07-01 to 2020-06-30											
3												
4	4 Age											
5	Variable	Level	N	N Miss	Mean	Std Dev	IQR	Minimum	Q1	Median	Q3	Maximum
6	Ove	erall	575	23	49.95	10.04	14.00	18.00	43.00	50.00	57.00	81.00
7		1. Chicago	140	5	51.31	10.14	12.00	26.00	45.00	51.00	57.00	75.00
8	Site	2. New York	160	2	48.84	9.97	14.00	18.00	42.00	49.00	56.00	72.00
9	Site	3. Houston	142	7	51.06	10.09	14.00	27.00	45.00	51.00	59.00	81.00
10		4. Los Angeles	133	9	48.70	9.74	13.25	24.00	42.00	48.50	55.25	72.00
		11 Loo 7 migoros	100		10170	5	10120	2.1100	12100	10.00	55125	, 2,00

Figure 28. Bivariate Statistics – Stratified Summary Statistics for the Variable "Age" stratified by "Site."