

Jacquenetta

A modern Beamer theme for scientific presentations

Samuel Manchajm

GitHub — Jacquenetta-beamer-theme | April 7, 2026

MY INSTITUTION

Minimal example

Use the Jacquenetta theme with a single line in your preamble:

```
\documentclass[aspectratio=169]{beamer}  
\usetheme{Jacquenetta}  
\title{My Presentation}  
\author{Jane Doe}  
\institute{University of Somewhere}  
  
\begin{document}  
  \titleframe  
  \begin{frame}{Hello, world!}  
    Your content here.  
  \end{frame}  
  
\end{document}
```

Theme options

Jacquenetta supports the following options:

Option	Effect
<code>accent=<color></code>	Change the accent color
<code>noborder</code>	Disable the signature border

```
\usetheme[accent=teal]{Jacquenetta}
```

```
\usetheme[noborder]{Jacquenetta}
```

```
\usetheme[accent=jqorange, noborder]{Jacquenetta}
```

01 Typography

Font styles

Jacquenetta uses **Helvetica** for body text and *serif fonts* for mathematics.

- Regular text for general content
- **Bold text** for emphasis and headings
- *Italic text* for definitions or foreign terms
- Monospace for code and technical identifiers
- **Alerted text** for drawing attention

Footnote-sized text is also available for captions and annotations.

Mathematics

Jacquenetta preserves serif fonts in math mode for readability.

The posterior probability via Bayes' theorem:

$$P(\theta \mid \mathcal{D}) = \frac{P(\mathcal{D} \mid \theta) P(\theta)}{P(\mathcal{D})}$$

An inline example: given n samples, the MLE is $\hat{\theta} = \arg \max_{\theta} \mathcal{L}(\theta; x_1, \dots, x_n)$.

Multi-line alignment:

$$\mathcal{L}(\theta) = \sum_{i=1}^n \log p(x_i \mid \theta) \qquad \nabla_{\theta} \mathcal{L} = \sum_{i=1}^n \nabla_{\theta} \log p(x_i \mid \theta) \qquad (1)$$

02 Elements

Lists

Itemize

- First level item
- Another item
 - Second level
 - Nested item
- Back to first level

Enumerate

1. First step
2. Second step
 - 2.1 Sub-step A
 - 2.2 Sub-step B
3. Third step

Description

Precision Fraction of true positives among predicted positives.

Recall Fraction of true positives among actual positives.

Blocks

All blocks share a unified left-border style, distinguished by color.

 Default block

Used for general information, definitions, or neutral content.

 Alert block

Used to highlight warnings, caveats, or important remarks.

 Example block

Used for examples, demonstrations, or supporting evidence.

Custom environments

Problock — callout with accent border

Ideal for theorems, definitions, or key takeaways. For any events A and B with $P(B) > 0$: $P(A | B) = P(B | A) P(A) / P(B)$

Highlightbox — an orange callout for observations, warnings, or results that need to stand out.

Both use the same left-border language as standard blocks, but with `tcolorbox` for richer content (math, nested lists, etc.).

Tables

Use `booktabs` for clean, professional tables.

Model	Accuracy	F1 Score	Time (s)
Logistic Regression	0.89	0.87	0.3
Random Forest	0.93	0.91	2.1
Neural Network	0.95	0.94	15.7
Ensemble	0.96	0.95	18.1

Columns

Left column

Columns are useful for placing text and figures side by side, or for comparing two approaches.

Right column

You can mix any content: text, math, figures, tables, or code listings.

Key advantages:

- Better use of slide space
- Visual separation of ideas
- Natural comparison layout


A quick formula:

$$\text{ELBO} = \mathbb{E}_q[\log p(x | z)] - D_{\text{KL}}(q||p)$$


03 Colors

Color palette

Jacquenetta defines four theme colors:



#121212



#757575



#4A90E2



#E67E22

Use them directly: `\color{jqblue}` or `\textcolor{jqorange}{...}`.

The **accent** color (default: `blue`) controls the `problock` border and standard block titles.

04 Conclusion

Summary

Jacquenetta at a glance

- Minimalist design with a signature dark border
- Clean typography: Helvetica body, serif math
- Custom environments: `problock` and `highlightbox`
- Section dividers with `\sectionframe`
- Configurable accent color and optional border

Get started: `\usetheme{Jacquenetta}`

Thank you.