

JavaScript ! " # \$ % & ' () * - v1.1

O]

+,	1
- . / O	1
8(—~ Y 6; ™Š	1
3 ´ μ ¶	2
34	2
' ()	2
# <	4
1. mNÔ ! " # \$ %, { wx 89	6
1.1. uÊy t wx	6
1.1.1. { 5y t wx	6
1.1.2. 5y t wx	7
1.2. , { G	7
1.2.1. CD# S §	8
1.2.2. æ• , { G	8
1.2.3. F ´ ; Òž É %	8
1.3. + u	9
1.3.1. Òž É %	9
1.3.2. · ¸ wx ¹ ° ¨ wx	9
1.4. æÃ- Û	10
1.5. ÔO- v	11
1.5.1. wx 16 ĩ —ÊËV	11
1.5.2. wx J K	12
1.5.3. wx Î Ĭ	13
1.5.4. window Ò~ Áñ Ó¾ÓÔ	14
1.5.5. wx id.	15
1.6. 8ÔŠË	16
2. mqÔ ! " # \$ % % wx 89	17
2.1. Bz M% ™C	17
2.2. ` S wx % ™C	17
2.2.1. ^ μ \$	18
2.2.2. \b μ \B	18
2.2.3. (?=p) μ (?!p)	19
2.3. % ; ' ¨	20
2.4. ÷ ø ÔO	20
2.4.1. Dw x RS â ä ; ! "	20
2.4.2. ..., ; † %- ‡ { # S §	21
2.4.3. J ø p s · ¹	23
2.5. 8ÔŠË	25
3. m[Ô ! " # \$ % : ; ; ~ Y	26
3.1. - G μ - ÛË	26
3.1.1. - G	26
3.1.2. - ÛË	26
3.2. - GHY	27
3.2.1. öÚ...F	28

3.2.2. ê©	29
3.3. I 5HY	30
3.3.1. : ; @A' z " C	31
3.3.2. \10 #SBz ™C	32
3.3.3. HYD>Ž; - GE' =C	32
3.3.4. - G_pg+uE' =C	32
3.4. EE° : ;	33
3.5. ÷øÔÖ	33
3.5.1. , { y trim ¿ \$yH	34
3.5.2. ŽæÒI u; 1, < " ©ûfž	34
3.5.3. I Œ¬	34
3.5.4. ª ¤¥¬	35
3.5.5. HTML " xµI " x	35
3.5.6. wx° d. M	36
3.6 8ÔŠĚ	37
4. m<Ô ! " # \$ % => § " }	38
4.1. gg=>; wx	38
4.2. g=>; wx	39
4.3. F ' ; =>É %	41
4.3.1. · ¸ +u	42
4.3.2. ° ¤ +u	42
4.3.3. - ŪĚ	43
4.4. 8ÔŠĚ	44
5. m? Ô ! " # \$ % ; @-	46
5.1. Ě µÒ~ {	46
5.2. ù³ \$Î	47
5.2.1 wx, { y 5ò· ¹	47
5.2.2 +uW' · ¹	48
5.2.3 p, { " x· ¹	49
5.3. ÔÖ- v	50
5.3.1 h" ø	50
5.3.2 IPV4 ó•	51
5.4. 8ÔŠĚ	52
6. mAÔ ! " # \$ % ; j	53
6.1. Û* § "	53
6.2. j ! " +ö	53
6.2.1 M\$XŸY! " C	53
6.2.2 M\$g(\$ŸY! " C	53
6.2.3 M\$g(\$ j NÒ« m; ! " C	54
6.3. /Ě ¤	55
6.3.1. wx ~ • ¢°	55
6.3.2. wx - Î ...	56
6.4. à á	58
6.4.1. ŸYšòU, { Gxİ ê ½x { @x² • =>	59
6.4.2. ŸYEE° U- G	61
6.4.3. ž ~ åĚ • , {	61

6.4.4. öÚ- Û" 3k -	.61
6.4.5.] €- Û; ...+@µŠ• *; CD	.61
6.5. 8ÔŠĚ	.61
7. m4Ô ! " # \$ % • ¥	.62
7.1. ! " # \$ %; < Ê Ò~	.62
7.1.1. J ø	.62
7.1.2. ¾-	.63
7.1.3. öÚ	.64
7.1.4. ê ©	.65
7.2. ÷ ø API ù³ \$Î	.65
7.2.1. search µ match ; Í ...¹	.66
7.2.2. match 7 = Ê a; œ%·¹	.66
7.2.3. exec ý match Mvf	.67
7.2.4. Œf{ g@d exex µ test ; [\	.67
7.2.5. test 5òwxJK\$ŸY ^ µ \$.68
7.2.6. split ÷ ø ù³ ¿ Æ	.68
7.2.7. replace M; v f;	.69
7.2.8. ŸY : ; ...K\$ù³ ; ·¹	.70
7.2.9. Œf{	.70
7.2.10. source < ¼	.71
7.2.11. : ; ...< ¼	.71
7.3. { ÅÔÔ	.72
7.3.1. ŸY : ; ...%° ! " # \$ %	.72
7.3.2. ŸY, { y Ê > ...F	.73
7.3.3. if vª ŸY! " ê Ĭ &&	.73
7.3.4. ŸYvf; replace	.74
7.3.5. ÖÅ•Y	.74
7.4. 8ÔŠĚ	.77
_û	.78
[¿ #	.80
Ö ª £Ód / #	.82
Í² (O	.84

+ ,

- . / O

1 2 3 4 5 6 7 8 9 JavaScript ! " # \$ % & ' (: ; < = > ? @ A B C (D E F G ' ; H I J K L
C (M N O G ; (P @ Q R S T U V W @ A D X Y Z [\ L
] < ^ _ @ ` a ' b c C (d e f ! " # \$ % g h i j @ k l ` ' @ R S m n o p ; q r s t u N o L

D v w ; @ 8 x y M O G ; z L / { ; @ | } D ~ • € @ • C y R S , f „ @ … C † ‡ ^ % Š < Œ L
] • @ | } Ž € @ ` a X c 6 < = ; • R @ • ' ; Š ' " " • E – – ; L

8 (— ~ Y 6 ; ™ Š

8 (> Y Ascii doc œ % • Ž L

Ÿ Y [Asciidoctor](#) | 8 (₣ £ - L

¤ ¥ :

¥ | § ¤ ¥

¥ ¨ © PDF ¤ ¥

(^a Y ; R « ¬ - ® M ⁻ [Regul ex](#) ! " # \$ % R « ¬ ™ Š % ° L

± ² - ® M ⁻ [Processon](#) — ~ L

3 ´ µ ¶ ·

` a g³ ´ ¸ = · ¹ ; ° @RS» ¼½¾So¿ %ÀÁÂ| L

¥ +ÃÄ

¥ ÄÅ

¥ ÆÇ

¥ qdl aoyao@126.com

ĚÉ' ÊŽ5; &' (MĚĬ - 8@Í Î Ĩ 7ĐÑ

¥ 9JavaScript ! " # \$ % & ' (:

34

ˆ Z8(Mˆ Òˆ ÓÔÕÖx° @34ØÙÚ<=; ÛÜL

34Ý Þ @Mß / | à á 7 â ã ä ž å x ; L

34ŠD@ßŽæ¿ pçèé | i j @êpMßëì ; L

34Ší q@ßdî (ĭ đ é ñ ò ó ô d @ ö å é ÷ ø ; ÖÖ³ ´ L

34ùú; ÛÜ@ßû | è ì é æ Ò è p @ Û æ ý þ + ÿ @ ! ç _ " - 8L

Ě_@#±\$34Ø%f&i | ž ; ' () Lß* ; + , D- 2_` oÑf. /O1Ší q1Jack
Lo1 ¥) 2DD1 3Ý^ 45+61 Ó71_891 Dark_NightL

' ()

! " # \$ % N » M | ; NÒ: Î @; æ ^ " • } < | N = > Ž ? @; ABLAM! " # \$ %; ÝYC
DEFGH@#±Ž#I ôJ 7ÔKLoMMDR, NL78Š(YNÒNÒ; ŠOĚPQRåóS
Cé! " # \$ %; TUY\$@VcN<L

Ñ f. /O

| W" 5é) * ŽXY; ! " ÁZ; +[\@] D^_y` ué@xabcde•fé) * @g€6
) * def8hi j kP@] l mNnopyMqr LŽ8ÁZª @| stĚP; uv° MÒ! " #
\$%Mwxy%@\$zwx, { @\$zwx%| ÓµÒdZ%| ; } ~@| * RS} ~° • , { Ó@
7uv° R€M• , f, @½¾..., ; † %- ‡ { 7ÒOĚá^ +N» %DŠ< ; 2ðĚ, • Ž %•
éL{ M• ') * ; } ~µ' ~X" L ÷ " | @½<&' Š(@RS• ' { ! } ~! " õŽ™~ª D
- <@D- Ž! " L• ! " ° û' —, ª ; Ná~™L

Ñ Ší q

7MN8⁻ RQPāšš÷> ; ! " (P@æéup; • ®J Kž 8hŸ 5^é@c Z) * ¥) j ;
 ¢£¤¥¦§¨©ª«¬®¯°±²³´µ¶·¸¹º»¼½¾¿ÀÁÂÃÄÅÆÇÈÉÊË

Ñ Jack Lo

) * • ž ; JavaScript! " # \$ % Á Z Ó Ô ½ ² ³ ¼ ½ @ ´ • SOS JavaScript • ž @AMdZ! " #
 \$ % ; ef ½ Y Z ± ß | , L h S @ D µ Q M + Â ¶ M _ Â ™ ¥ · @ ½ ¾ ¿ < C & ' (¹ º L Ê
 _ @ 3 4) * X » ž å 7 N Á Z Ó Ô @ • f ¼ X » M ½ ¾ ; } ~ µ Ÿ Y ! " # \$ % L

Ñ ¥) 2DD

! " # \$ % M ½ Y ; ¿ X @ À Á ; ä ä Ã Ä Å Æ — L X Ž Å Æ ª ï ð Ç È @ ö É ° X ¹ @ M M N Ê V
 c e f ; ¿ % L } y Ê Ò Š J ; J K @ 5 ^ 7 8 - Ó ò Ì 1 Í Î Å Æ ; ¤ ¥ ^ _ @ ' E , Ê • ' ; Ï
 s ± Å ¶ R S Ð Ñ Ò Ó L

Ñ 3Ý ^ 45+6

8(Ó" 1 Ô O 1 ¨ } Õ Ö @ ' ~ x • @ M N 8 D R æ c ; ! " # \$ % Q Ø 1 ï ù Ú Û Ü Õ µ ' M Ý
 Q Ø ; Š Þ @ ¶ M g ß J ; ¥) j @ ¹ X ... 7 8 (e 6 ; æ å ä L 7 R X M | < ¾ ; È à • ; N 8 !
 " ¤ ¥ L 3 4 ~ =) * ; ™ ~ L

Ñ Ó7

á · ³ c @ ? â w L ™ ~ ª c 6 é) * ; ; æ i j @ ; M 3 4 L Ê Î ã < é) * ; ! " # \$ % N (
 @ ä å R @ ... æ n ç 6 ! " · ¹ @ ... è é 6 • ' (ž @ ¹ ê D — (ª ; Ä f L õ a C (½ ² ³ • @
 ë } Š ® @ æ n ¿ ¹ E c 6 Ì ; ï ° L 3 4) * @ Û Ü ' @ Í Î ±

Ñ _89

d Z ! " ; Ä f @ ^ + 5 c Ç M i ï • • ; @ g g à à ó ð Á ñ e f ¾ @ h S Ž ¿ p Ä f ò Á ÷ d ó
 ô L ½ ¾ 7 8 ! " & ' (@ Ç õ g N Ò Š ® ö ÷ L N » S x ý þ ø ù ~ = ; ú û µ Ó Ô @ • h Ž J S ;
 ° ü ‡ } ä Z * ý i j @ 3 4 ß d 7 8 (; þ å @ ÿ ! 7 8 & ' (X i j M æ € e f ! " ; " e L

Ñ Dark_Night

<

\$%; <=>?@` a' ` —é78(@/O' <| N=@d! " ; 3&' L

€(' } é~! " ;) \$ ¤ L Ž | 5x@! " # \$ % M* +¥) ĭ , Û; NÒ- p. /L

8(; O; @Mÿ! hg• { <^; >? * @X{ ! ó e E õ ø Y! " # \$ % L

8(1 2 3 g 4 Ô @ ^ 5 ó 6 µ é JavaScript ĭ , ; ! " # \$ % ĺ ĺ p p L

š ò Ô 7 ` o Ñ

¥ mNÔ ! " # \$ %, { wx 89

¥ mqÔ ! " # \$ % % | wx 89

¥ m[Ô ! " # \$ % : ; ; ~ Y

¥ m<Ô ! " # \$ % => § `` }

¥ m?Ô ! " # \$ % ; @-

¥ mAÔ ! " # \$ % ; ĭ

¥ m4Ô ! " # \$ % • ¥

opÒl ó / / æ N Ô ¹ 6 µ é B z C

! " M w x y % @ \$ z w x , { @ \$ z w x % | L

mNÔµmqÔS7ÒDéð' ~é! " # \$ % ; ÅÁL

Ž! " R S Ÿ Y : ; E ° ... F @ \$ z Ž API ª ĭ ð - G H Y @ \$ z Ž! " Đ ĭ ð l 5 H Y L

7 M m [Ô ; J ¹ @ ' ~é! " # \$ % ª : ; ; ~ Y L

e f ! " @ M K \$ é ~ ± w x `` } ; L

m<Ô@' ~é! " # \$ % ; => § `` } L

L M Ž m A Ô Ě _ N 7 @ } ' ~é! " ; # \$ % ; 5 ò ™ ~ `` } L

D N X 5 • O ^ ; ! " @ ¶ \$ • ' E Ž ! " L

m?Ô@M...<; Dé@ð@- NÒ! " # \$ % @ x m A Ô M...Ž; Dé@ð ĭ NÒ! " # \$ % L

e f ! " @ M û é Ž { Å P Q Đ ø Y ; L

m4Ô' ~é! " ; Y§@μ÷ø API K\$ù³ ; ó¿L

´ • ' RS» ¼, <' €é~; RSNÔ@A| ¶M¡ T...U6Vó^5, <L8(M&' (@DW; L

Ěà, <uXLmNX@DwY~óZ[, <NXL, <¾¥ª Ć6; · ¹ D\û] ox@} ^, <^__
yX~` ; æL

• _gJ K; ° @Đa b· ¹ õÑ<mqXL

Pcd@—e | * ; ! " # \$ % f ¥gL

| Žhî i ' L

1. mNÔ ! " # \$ %, { wx 89

! " # \$ % M w x y % @ \$ z w x , { @ \$ z w x % | L Í û j 7 v ° L

• x ø Z ! " ` S w x , { ; e f @ f k - ^ 1 b c 7 l ý p m n L

_ o p , { q æ é @ 5 r x g g Á ñ ¤ @ D à û L 8 Ô y ~ ` 7 Ò · 1 L

1 2 s : Ñ

¥ uÊy t w x

¥ , { G

¥ + u

¥ - Û È

¥ Ô O - v

1.1. uÊy t w x

` a ! " w g Ñ È w x M g æ f ³ x ; @ ý ` / h e l l o / @ } w X w x , { y ª ; " h e l l o " 7 Ò £ y L

```
var regex = /hello/;
console.log( regex.test("hello") );
// => true
```

! " # \$ % ^ h S v f @ M z û ± X Å Ê y t w x L

x y t w x @ g u Ò ¿ 5 ‡ ; Ò y t Ó Ñ { 5 y t µ | 5 y t L

1.1.1. { 5y t w x

{ 5 y t } ; M @ N Ò ! " R w x ; , { y ; ü é D M ~ • ; @ R S M æ Ê A B ; L

± Å Ê ; ¿ % M ÿ Y + u L • ` { m , n } @ # S W " å Ê Ë € m n @ Ë æ n n L

ý ` ! " / a b { 2 , 5 } c / # S w x 7 = N Ò , { y Ñ m N Ò , { M " a " @ ¼ o x M 2 6 5 Ò , { " b " @ Ë _ M , { " c " L

± R « ¬ É % ` o Ñ

• , ` o Ñ

```
var regex = /ab{2,5}c/g;
var string = "abc abbc abbbc abbbbc abbbbbc abbbbbbc";
console.log( string.match(regex) );
// => ["abbc", "abbbc", "abbbbc", "abbbbbc"]
```

NOTE ÔO^a Y; ! " M /ab{2,5}c/g@±^a g M! " ; NÒÕf{ L#Sî , wx@...@Ž O
 . , { y^a † b) ± 6 ^ %wx y %; hg£y@v Š; MÒhgÓ@x DwMÒmNÒÓ
 L g MI u global ; 1 , < L

1.1.2. | 5y t wx

| 5y t } ; M@NÒ! " wx; , { y@š ò 6ÆN%, { J @• RSDMÆÒÈ• ; , { @RSgæĚ
 RXL

± Å Ê; ħ %MÿY, { GL• ` [abc]@#Sà, { MRS, { "a"1 "b"1 "c" ^a ; RSNÒL

ý` /a[123]b/ RSwx` o[Ê, { yÑ "a1b"1 "a2b"1 "a3b"1

± R« ¬ É %` o Ñ

• , ` o Ñ

```
var regex = /a[123]b/g;
var string = "a0b a1b a2b a3b a4b";
console.log( string.match(regex) );
// => ["a1b", "a2b", "a3b"]
```

S ‡ yM8Ô' ; J ò 1 2@w\$ö ÷ { 5µ | 5y t wx@yX~` ; f k - ! " wx• ¹ L

¼ox@| * Ž š ò• —x / L

1.2. , { G

K \$ v Š; M@´ • , { Gž, { ? Ÿ@AwM±^a NÒ, { L

O` [abc]@#Swx NÒ, { @• RSM "a"1 "b"1 "c" ^ NL

1.2.1. CD#S§L

` a , { GĐ; , { ' Oæ; ° @' z " CRSŸYCD#S§L

ý` [123456abcdefGHIJKLM]@RSž ° [1-6a-fG-M]LYW, { - x " 9μÒž L

z ùW, { g' • Y— @—z \$wx "a"1 "-"1"z" 7[=^a R³ NÒ, { @à' z ~TMC

DXž ° [a-z]@z ù±#SŠž , { ^a ; RSNÒ, { L

RSž ° ` o; ¿ %Ñ[-az] , [az-] , [a\~z]L

...\$z š Ž—U@\$z š Ž ÈV@\$z `` xLÇ[^] DE • H> • ùMCD#S§yđéL

1.2.2. æ• , { G

| 5y t wx @¶gNÊAÉyM@Æ%, { RSMRSã ä @AyDXM "a"1 "b"1 "c"L

CJ yMæ• , { Gž l x , { GŸ; ž ŸLO` [^abc]@#SMNÒ• "a"1 "b"1 "c" ^ M; R³ NÒ, { L, { G; mN%š ^ž , { Ÿ@#Swl ; ž ŸL

] • @} g ÷ ø; CD#S§L

1.2.3. F ´ ; Òž É %

gé, { G; ž Ÿ_@NâF ´ ; { ; | * } y } ~éLz ù • * ¹ MÃñ • a; Òž É %L

, { G	š òj x
\d	# S [0-9]L # SMN%..., L ù Ç ¿ %Ñ± £ ÓM digitž ..., ŸL
\D	# S [^0-9]L # S • ..., M; R ³ , { L
\w	# S [0-9a-zA-Z_]L # S..., 1 f Šž , < μ o ¢ ¥L ù Ç ¿ %Ñw M word ; Òž @} 4l u, { L
\W	# S [^0-9a-zA-Z_]LEl u, { L
\s	# S [\t\v\n\r\f]L # S • P{ @s: • æ1, Ù—#{ 1 » —#{ 1 © ð { 1 = § { 1 © `` { L ù Ç ¿ %Ñs M space ; 1 , < @ • P{ ; l uM white spaceL
\S	# S [^\t\v\n\r\f]L E • P{ L
.	# S [^\n\r\u2028\u2029]L ½x { @#SĖ ÅR ³ , { L © ð { 1 = § { 1 ð - ‡ { μ © - ‡ { • ML ù Ç ¿ %Ñ€€" 9; É ^a ; æ Ò Î @ ¹ RS} ~° a %{ @#SRS? @; ã ä L

` a \$wx R³ , { ' z " CRSŸY [\d\D]1 [\w\W]1 [\s\S] μ [^] ^a RS; NÒL

S ‡ Ø, { Gdø; R« ¬É %MÑ

1.3. + u

+u} 4) « L ö ÷ {m,n} ; / È j x _ @wK \$ ù j N â Ò ž É % L

1.3.1. Ò ž É %

+ u	š ò j x
{m, }	# S ¬ € â Ê m n L
{m}	i - Z {m,m}@# S â Ê m n L
?	i - Z {0,1}@# S â Ê _ = D â Ê L û ¢ ¿ % Ñ · ; ; ³ ® # Š @ g ⁻ C
+	i - Z {1,}@# S â Ê ¬ € N n L û ¢ ¿ % Ñ í ; M ° í ; ³ ® @ c 2 g N Ò @ • _ ± ² ³ ° í L
*	i - Z {0,}@# S â Ê R ³ n @ g R X D â Ê L û ¢ ¿ % Ñ 5 5 p ‡ ; ´ ´ @ R X N µ g g @ R X ĩ ¶ g Ě µ @ R X ... } ... D ¾ x L

S ‡ + u d ø ; R « ¬ É % M Ñ

1.3.2. · , wx ¹ ° ¢ wx

5 ` o ; O E Ñ

```
var regex = /\d{2,5}/g;
var string = "123 1234 12345 123456";
console.log( string.match(regex) );
// => ["123", "1234", "12345", "12345"]
```

± ¢ ! " /\d{2,5}/@# S ..., W" â Ê 2 6 5 n L E wx 2 % 1 3 % 1 4 % 1 5 % W" ..., L

A M ± M · , ; @ • E » R X æ ; wx L ' X ¢ | 6 Ò @ | y \$ 5 Ò L ' X ¢ | 3 Ò @ | y \$ 3 Ò L
I ! w \$ Ž X " C D 1 @ ¼ æ ¼ à L

| * Ä ½ g J · , D M N ¾ à ¿ ž Í 5 Ó Ô Ě _ N Ò O E ÿ L x ° ¢ wx @ y M » R X € ; wx Ñ

```
var regex = /\d{2,5}?/g;
var string = "123 1234 12345 123456";
console.log( string.match(regex) );
// => ["12", "12", "34", "12", "34", "12", "34", "56"]
```

± ¢ /\d{2,5}?/ # S @ ´ • 2 6 5 n ¹ ð @] 2 Ò y » ; J Ä @ y D Ð Á o Â , é L

½¾Ž +u_pí Ò· ; yXÅÊ° ¤wx@z Chg° ¤wxAÉ` oÑ

° ¤ + u	· , + u
{m,n}?	{m,n}
{m, }?	{m, }
??	?
+?	+
*?	*

TIP | d° ¤wx; ûϕ¿ %MÑ+u_pí Ò· ; @· N· ' Ä%é` @' ; · , ` C

S‡° ¤+udø; R« ¬É %MÑ

1.4. æÃ - Û

NÒy %RSÅÊ{ 5µ| 5y t wx L x æÃ - ÛRSÛÛæÒÉy %RÃ± NL

š òÉ%` oÑ(p1|p2|p3)@±ª p11 p2 µ p3 MÉy %@Y |ž Ä½{ Ÿ - ‡@# S±ª RS^ NL

O` \$wx, { y "good" µ "ni ce" RSŸY /good|ni ce/L

R« ¬É%` oÑ

• , ` oÑ

```
var regex = /good|ni ce/g;
var string = "good idea, nice try.";
console.log( string.match(regex) );
// => ["good", "ni ce"]
```

AgÒ¿ Å| * øà ù³ @ý` | Y /good|goodbye/@ðwx "goodbye" , { yJ @È a M "good"Ñ

```
var regex = /good|goodbye/g;
var string = "goodbye";
console.log( string.match(regex) );
// => ["good"]
```

x á! " Ö° /goodbye|good/@È a MÑ

```
var regex = /goodbye|good/g;
var string = "goodbye";
console.log( string.match(regex) );
// => ["goodbye"]
```

} yM/ @- ÛÈ } M° ¤; @...] +p; wx ‡ é@_p; y DĐÂ, é L

1.5. ÔÖ- v

wx, { @ÛEyM, { G1 + uµ- ÛÈ ; GÅÿYÆé L

op ‡ ÈÖÖ£ÇÈ Nož ±ª @æÒ! " ö DMwgÉ Nž § ÿ Ñ

1.5.1. wx 16 ï —Ê È V

\$wwx Ñ

```
#ffbbad
#Fc01DF
#FFF
#ffE
```

- v Ñ

#SNÒ 16 ï —, { @RSY, { G [0-9a-fA-F] L

±ª, { RSåÊ 3 , 6 n@K\$MY + uµ- ÛÈ L

ÿY- ÛÈ J@K\$ù³ b) L

! " ` oÑ

```
var regex = /#([0-9a-fA-F]{6}|[0-9a-fA-F]{3})/g;
var string = "#ffbbad #Fc01DF #FFF #ffE";
console.log( string.match(regex) );
// => ["#ffbbad", "#Fc01DF", "#FFF", "#ffE"]
```


± R « ¬ É % Ñ

1.5.2. wx J K

S 24 Š J — ŭ OL

\$wwx Ñ

```
23:59
02:07
```

- v Ñ

3 4 %..., @mN%..., RS ŭ [0-2]L

] m 1 % ŭ "2" J @m 2 %RS ŭ [0-3]@±BABJ @m 2 % ŭ [0-9]L

m 3 %..., ŭ [0-5]@m4% ŭ [0-9]L

! " ` o Ñ

```
var regex = /^[01][0-9]|[2][0-3]:[0-5][0-9]$/;
console.log( regex.test("23:59") );
console.log( regex.test("02:07") );
// => true
// => true
```

NOTE

! " ª ŸYé ^ μ \$@- O#S, { y—UμÈVLš òì òí í º mqÔL

` a} \$wwx "7:9"@} yM/J - +p; "0" RS" 9L

CJ! " - ° Ñ

```
var regex = /^(0?[0-9]|1[0-9]|[2][0-3]):(0?[0-9]|[1-5][0-9])$/;
console.log( regex.test("23:59") );
console.log( regex.test("02:07") );
console.log( regex.test("7:9") );
// => true
// => true
// => true
```

± R« ¬ É %Ñ

1.5.3. wx Î Ï

ý` yyyy-mm-dd æ%ûOL

\$wwx Ñ

2017-06-10

- v Ñ

Ð@<%..., ...R@RY [0-9]{4}L

Ñ@3 12 ÒÑ@- uÊAB "01"1 "02"1 É 1 "09" μ "10"1 "11"1 "12"@RY (0[1-9]|1[0-2])L

Î @Ëf 31 p@RY (0[1-9]|[12][0-9]|3[01])L

! " ` o Ñ

```
var regex = /^[0-9]{4}-(0[1-9]|1[0-2])-(0[1-9]|12[0-9]|3[01])$/;
console.log( regex.test("2017-06-10") );
// => true
```

± R« ¬ É %Ñ

1.5.4. window Ò~ Áñ Ó¼ÓÔ

\$wx Ñ

```
F:\study\javascript\regex\regular expression.pdf
F:\study\javascript\regex\
F:\study\javascript
F:\
```

- v Ñ

5òy %M:

```
Õ{ :\Ó¼Ö\Ó¼Ö\Ó¼Ö\
```

```
±ª wx "F:\"@K$ÿÿ [a-zA-Z]:\\@±ª Õ{ Dx - fŠž @ù³ \ , { K$ " xL
```

```
Ó¼+„ = Ó¼Ö+@DXs; Nâ' • , { @CJ | *K$œ• , { G [^\\: *<>|"?\\r\\n/] x#SÅ$
, { L
```

```
LM• *; +, DXû• +@¬∈gNÒ, { @} yM$ÿÿ+u +Lz Cwx Ó¼Ö\@RY
[^\\: *<>|"?\\r\\n/]+\\L
```

```
LM Ó¼Ö\@RSåÊR³ nL} yM ([^\\: *<>|"?\\r\\n/]+\\)*L±ª : ; #S±1k! " MNÒ5
```

òLšòì òí í ² m[ÔL

ÓÔ; Ě_Nk - RSM Ó¾Ö@gg \@z CK\$Øí ([^\\: *<>|"?\\r\\n/]+)?L

Ě_Û¼° éNÒ5r xýþ«m; ! " Ñ

```
var regex = /^[a-zA-Z]:\\([^\\: *<>|"?\\r\\n/]+\\)*([^\\: *<>|"?\\r\\n/]+)?$/;
console.log( regex.test("F:\\study\\j avascript\\regex\\regular expression.pdf") );
console.log( regex.test("F:\\study\\j avascript\\regex\\") );
console.log( regex.test("F:\\study\\j avascript") );
console.log( regex.test("F:\\") );
// => true
// => true
// => true
// => true
```

±ª @Ž JavaScriptª, { y\$#S, { \ J@} K\$¨ xL

±R« ¬É%Ñ

1.5.5. wx id

\$w...

```
<div id="container" class="main"></div>
```

öÚå id="container"L

RXĚ—e€ó; ! " MÑ

```
var regex = /id=".*/;
var string = '<div id="container" class="main"></div>';
console.log(string.match(regex)[0]);
// => id="container" class="main"
```

±R« ¬É%Ñ

z û . M½x { @8hywx ŪH; ; @x + u * ŪM· ¸ ; @] ç 6 container _p ŪH; J @MDE
Ýox@EP" wx@» 6ç 6Ě_NÒŪH; ûβL

~` ^ ½@RSŸY° ¢wx Ñ

```
var regex = /id=".*?"/  
var string = '<div id="container" class="main"></div>';  
console.log(string.match(regex)[0]);  
// => id="container"
```

] • @7=} EgÒ· ¹ Là á ý pâ@z û ± wx ¨ } Eã ¥6Ò=> Ó7Òž Ÿž 7Đ} wMbUöN
o@m<ŌE] ò / OŸLRSä ¬` oÑ

```
var regex = /id="["']*"/  
var string = '<div id="container" class="main"></div>';  
console.log(string.match(regex)[0]);  
// => id="container"
```

1.6. 8ÔŠĚ

ö÷, { Gµ+uyX~` f k - F ´ ; AÉ@} yM/ @] ' E é 7q = @JavaScript ! " öMQØéL

2. mqÔ ! " # \$ % % | wx 89

! " # \$ % Mwx y % @ \$ z wx , { @ \$ z wx % | L Í û j 7 v ° L

• x f k - ^ e f ! " J @ d Z wx % | ;) « ¥ é g g — z å L

8Ô ' ' ! " wx % | ; ÷ ø Ä f Î L

1 2 s : Ñ

¥ B z M % | C

¥ ` S wx % | C

¥ % | ; ' ¤

¥ Ê Ò ø Y Å Ö - v

2.1. B z M % | ™ C

% | ž æ Ÿ M ÷ ç , { ^ K ; % | L ý ` @ o - ª è U h } ; ó ¿ Ñ

2.2. ` S wx % | ™ C

Ž ES5 ª @ 3 g 6 Ò æ Ñ

^ 1 \$ 1 \ b 1 \ B 1 (? = p) 1 (? ! p)

÷ ø ; R « ¬ É % M Ñ

2.2.1. ^ μ \$

^ž , { Ÿwx —U@Ž æðwxª wx ð—UL

\$ž é p{ ; Ÿwx È V@Ž æðwxª wx ð È VL

ý` | * á, { y; —Uμ È VY "# é ©ž %| RS é ©°, { ; ±Ÿ Ñ

```
var result = "hello".replace(/^[a-z]/g, '#');
console.log(result);
// => "#hello"
```

æðwx y %ž ...g Õf{ mŸ J @q = Mð; ž Ÿ @7 NÎ K \$ | * ù³ Ñ

```
var result = "I\\nlove\\njavascript".replace(/^[a-z]/gm, '#');
console.log(result);
/*
#I#
#love#
#javascript#
*/
```

2.2.2. \b μ \B

\b MI uëQ@š ò yM \w¹ \W ^ K; %| @} s: \w¹ ^ ^ K; %| @μ \w¹ \$ ^ K; %| L

ý` ² ì Ó¾+ "[JS] Lesson_01.mp4"ª ; \b@` oÑ

```
var result = "[JS] Lesson_01.mp4".replace(/\b/g, '#');
console.log(result);
// => "[#JS#] #Lesson_01#. #mp4#"
```

ûBz M7 = ™C7K \$ñ ò 55L

1 2@| * Ä½@ \w M, { G [0-9a-zA-Z_] ; Òž É %@... \w M, < ..., _ = o ǻ ¥;ª RSNÒ, { L × \w Mæ•, { G [^0-9a-zA-Z_] ; Òž É %@... \w M \w SM; RSNÒ, { L

CJ | * RS55 "[#JS#] #Lesson_01#. #mp4#"ª ; æNÒí ; @M' z x; L

¥ m 1 Ò@uë, { M "["¹ "J"@M \w¹ \W ^ K; %| L

¥ m 2 Ò@uë, { M "S"¹ "]"@} yM \w¹ \W ^ K; %| L

¥ m 3 Ò@uë, { M•æ¹ "L"@} yM \w¹ \W ^ K; %| L

¥ m 4 Ò@uë, { M "1"¹ "."@} yM \w¹ \W ^ K; %| L

¥ m 5 Ò@uë, { M ". " ¹ "m"@} yM \W ¹ \w ^ K; %| L

¥ m 6 Ò@%ZÈV@+p; , { "4" M \w@... \w ¹ \$ ^ K; %| L

Ä½é \b ; ž Ÿ _@—z \B } y ÷ d à } ~éL

\B yM \b ; l p; ³ ®@EI uëQLO` Ž, { yª hg%|ª @> î \b@ĩ o; ¹ M \B ; L

š ò / x y M \w ¹ \w 1 \W ¹ \W 1 ^ ¹ \W@ \W ¹ \$ ^ K; %| L

ý` ‡ p; O£@áh g \B ê © ° "# " Ñ

```
var result = "[JS] Lesson_01.mp4".replace(/\\B/g, '#');
console.log(result);
// => "#[J#S]# L#e#s#s#o#n#_#0#1.m#p#4"
```

2.2.3. (?=p) μ (?!p)

(?=p)@±ª p MNÒ£y%@... p +p; %| @, = / @à %| _p; , { \$wx pL

ý` (?=l)@#S "l" , { +p; %| @O` Ñ

```
var result = "hello".replace(/(?=l)/g, '#');
console.log(result);
// => "he#l#lo"
```

× (?!p) yM (?=p) ; l p³ ®@ý` Ñ

```
var result = "hello".replace(/(?!l)/g, '#');
console.log(result);
// => "#h#el#lo#"
```

q =; e + - OM positive lookahead μ negative lookaheadL

ª Óðñ - OM! 52ð£, μ ò 52ð£, L

ES5 ^ _; - 8@E ÛÛ positive lookbehind μ negative lookbehindL

š ò M (?<=p) μ (?<!p)L

} g(‡ á 7 < Òã ä @ðñ ° š « @...55óë μ 55ôë L

ANõ (‡ @gg; à v Š 7 < = MÒ %| L

ý` (?=p)@Nõ¹ } ~ ° Ñ \$w¼ox; , { ¹ p wx@ADXS: p wx; —â , { L

x Ž 8 ^ 5 x @ (?=p) y ¹ ^ N = à } ~ @ y M p + p ; — Ò % | L

2.3. % | ; ' ¤

d Z % | ; } ~ @ | * R S } ~ ° • , { "" L

ý ` "hello" , { y i - Z ` o ; É % Ñ

```
"hello" == "" + "h" + "" + "e" + "" + "l" + "" + "l" + "" + "o" + "";
```

} i - Z Ñ

```
"hello" == "" + "" + "hello"
```

z C @ á / ^hello\$/ ž ° / ^hello\$\$\$\$/@Mg g R S · ¹ ; Ñ

```
var result = / ^hello$$$$/.test("hello");
console.log(result);
// => true
```

Y ¬ R S Ž ° M « m ; :

```
var result = /( ?=he) ^he( ?=\w) llo$ \b\b$/ .test("hello");
console.log(result);
// => true
```

} y M / , { ^ K ; % | @ R S Ž ° æ Ò L

TIP á % | } ~ • , { @ M d % | E F g à ; } ~ ¿ % L

2.4. ÷ ø Ô Ô

2.4.1. D w x R S ã ä ; ! "

• ' ž Ò ! " D w x R S ã ä

easy @ / . ^ / L

z û C ! " \$ w w g N Ò , { @ A à , { _ p M — U @ x 7 = ; , { y M D > Ž ; L

2.4.2 ..., ; † %- ‡ { # S S

ý` á "12345678"@- ° "12,345,678"L

R´ MK \$á ÷ ø; %| è ©° ", "L

®ÓMBz ™C

2.4.2.1. ö å Ë _ N Ò ÷ ;

Ÿ Y (?=\d{3}\$) y RS ~ 6 Ñ

```
var result = "12345678".replace(/(?=\d{3}$)/g, ',');
console.log(result);
// => "12345,678"
```

±ª @(?=\d{3}\$) wx \d{3}\$ +p; %| L × \d{3}\$ wx; MO. , { y Ë _ — 3 %..., L

2.4.2.2. ö å hg; ÷ ;

z û ÷ ; å Ê; %| @\$w_p 3 Ò..., NG@} y M \d{3} ¬ € å Ê N n L

CJ RS Ÿ Y + u + Ñ

```
var result = "12345678".replace(/(?=(\d{3})+)$/g, ',');
console.log(result);
// => "12,345,678"
```

2.4.2.3. wx ±² Ô Ö

ž ^! " _ @\$æJ ø Ë Ò Ô Ö @CJ | * E, Ê. ¹ Ñ

```
var result = "123456789".replace(/(?=(\d{3})+)$/g, ',');
console.log(result);
// => ",123,456,789"
```

z û ‡ p; ! " @NN# S á ... È V 5 + ... @NAM 3 ; ù ... @y á ± + p; %| è ©° ÷ ; L z C ± E å Ê 7 Ò. ¹ L

' z ~ ` ™C | * \$ wwx ; 6 7 Ò % | DXM — UL

| * Ä ½ wx — URS Ÿ Y ^ @ A \$ w 7 Ò % | DM — U' z " C

easy@(?!\^)@' € 6 é ¯ C • , ` ° Ñ

```
var regex = /(?!^)(?=(\d{3})+)$/g;

var result = "12345678".replace(regex, ',');
console.log(result);
// => "12,345,678"

result = "123456789".replace(regex, ',');
console.log(result);
// => "123,456,789"
```

2.4.2.4. Û Ü ± ß É %

```
` a $ á "12345678 123456789" è © ° "12,345,678 123,456,789" L
```

```
CJ | * K $ Ö Ö ! " @ á Ð p ; — U ^ µ È V $ @ Ö Ö ° \b Ñ
```

```
var string = "12345678 123456789",
    regex = /(?!\\b)(?=(\\d{3})+\\b)/g;

var result = string.replace(regex, ',');
console.log(result);
// => "12,345,678 123,456,789"
```

```
± ª (?!\\b) ' z } ~ ™ C
```

```
$w] + MN Ò % | @ ADM \b + p ; % | @ ± Å (?!\\b) / ; y M \BL
```

```
z C È h ! " - ° é Ñ /\B(?=(\\d{3})+\\b)/gL
```

```
R « ¬ É % M Ñ
```

2.4.2.5. œ % ¬

```
† - { # S § N Ò F ´ ; ø Y y M ú û œ % ¬ L
```

```
ý ` á o p ; , { y Ñ
```

1888

œ%¬ ° Ñ

\$ 1888.00

gé+p; üý@| *; 2ÂÊ` oÑ

```
function format (num) {
  Ê   return num.toFixed(2).replace(/\\B(?=(\\d{3})+\\b)/g, ",").replace(/\\^/, "$$ ");
};
console.log( format(1888) );
// => "$ 1,888.00"
```

2.4.3. Jøps. ¹

psüé 6-12 %@¬ ..., 1Šž, { μfž, < G° @A(ÿ¬€s: 2 Ê, { L

C¹ @` až ° æÒ! " x! Œ@ýþ2³ LA\$ž ° NÒ! " yýþ" âL

—z @| * yx #ÆNoL55| * d%| ; } ~M\$P%L

2.4.3.1. Ò¬

D² ³ ÒA(ÿ¬€s: 2 Ê, { Ó7Në¾L| * RS2³ ž âÑ

```
var regex = /^[0-9A-Za-z]{6,12}$/;
```

2.4.3.2. ! ŒM\$si gŒENÊ, {

&ë@\$w; (ÿsi ..., @' z" CCJ| * RSÿY (?=.*[0-9]) x~L

z C! " - ° Ñ

```
var regex = /(?!.*[0-9])^[0-9A-Za-z]{6,12}$/;
```

2.4.3.3. " Jsi šòuÊ, {

ý` " Jsi ..., μŠž, < @RSY (?=.*[0-9])(?=.*[a-z]) x~L

z C! " - ° Ñ

```
var regex = /(?!.*[0-9])(?=.*[a-z])^[0-9A-Za-z]{6,12}$/;
```

2.4.3.4. ~'

| * RSá ¨ ¹ - ° o Z Ě Ê AB ^ N Ñ

¥ " J S j ..., μ Š ž , <

¥ " J S j ..., μ f ž , <

¥ " J S j Š ž , < μ f ž , <

¥ " J S j ..., ¹ Š ž , < μ f ž , <

¥ S ‡ ; 4 Ê AB M , ; ø Á ž Å (‡ @ R S D Y m 4 ë Ÿ L

Ě h' Ő M Ñ

```
var regex = /((?=[0-9])(?=[a-z])|(?=[0-9])(?=[A-Z])|(?=[a-z])(?=[A-Z]))^[0-9A-Za-z]{6,12}$/;
console.log( regex.test("1234567") ); // false ĥ M...,
console.log( regex.test("abcdef") ); // false ĥ M Š ž , <
console.log( regex.test("ABCDEFGH") ); // false ĥ M f ž , <
console.log( regex.test("ab23C") ); // false D%6%
console.log( regex.test("ABCDEF234") ); // true f ž , < μ ...,
console.log( regex.test("abcdEF234") ); // true [ = ¹ g
```

R « ¬ É % M Ñ

2.4.3.5. ~)

‡ p ; ! " 5 r x ý p « m @ w \$ } ~ é m q * @ ± ² y ĥ k } ~ é L

/(?=[0-9])^[0-9A-Za-z]{6,12}\$/

d Z 7 Ò ! " @ | * w K \$ ö O P (? = . * [0 - 9]) ^ ... R L

- —x 5yM (?=. *[0-9]) μ ^L

#S—U+p¶gÒ%| ž] • } M—U@..." NÒ%| @€€^ +; • , { ? ý ÿ L

(?=. *[0-9]) #Sà %| _p; , { wx .*[0-9]@...@gRSæÒR³ , { @_pĐ<Ò..., L

ðñ° fP° @yM¼ox; , { @(ÿsᵢ Ò..., L

2.4.3.6. LMNÊ ~ §

Ò¬€sᵢ uÊ , { Ó; ³ ®yM/ @DXî k¹ M..., @} DXî k¹ MŠž , < @} DXî k¹ Mfž , < L

—z \$wÒDXî k¹ M..., Ó@' z ~ ™C (?!p) å + ±

dø; ! " MÑ

```
var regex = /(?!^[0-9]{6,12}$)^[0-9A-Za-z]{6,12}$/;
```

[ÊÒ¹ DXÓ™C

Ëh' ÔMÑ

```
var regex = /(?!^[0-9]{6,12}$)(?!^[a-z]{6,12}$)(?!^[A-Z]{6,12}$)^[0-9A-Za-z]{6,12}$/;
console.log( regex.test("1234567") ); // false î M...,
console.log( regex.test("abcdef") ); // false î MŠž , <
console.log( regex.test("ABCDEFGH") ); // false î Mfž , <
console.log( regex.test("ab23C") ); // false D%œ6%
console.log( regex.test("ABCDEF234") ); // true fž , < μ...,
console.log( regex.test("abcdEF234") ); // true [ =¹ g
```

± R« ¬É %MÑ

2.5. 8ÔŠÈ

) Î ö÷wx %| ; 7 6 Òæ@ç | *; ~` ! " . ¹ ™š , 1Øí é\ ™š L

3. m[Ô ! " # \$ % : ; ; ~ Y

DÄ- Ø | , ^a 1 g : ; L ! " # \$ % } MNØ | , @x : ; ; > Ž Ÿ 7 Ø | , Mû v f L

d : ; ; Ÿ Y M \$ c ' ø . @ M * + d ! " ; ö ÷ , Û ; NÒ - p . / L

: ; ; ~ Y @ ± Ä [, u | y X / O P @ : ; ö / é - G @ U Z | * H Y • L

HY Æ Ò - G @ E g u Ê A É Ñ Ž JavaScript Æ H Y • @ Ž ! " # \$ % Æ H Y • L

8 Ô 1 2 ´ ÷ d Ò I @ A | } \$ ž ü Î L

1 2 s : Ñ

¥ - Gµ - ÛÈ

¥ - GHY

¥ I 5HY

¥ EE° : ;

¥ ÷ ø Ô Ô

3.1. - Gµ - ÛÈ

7 q = M : ; È » b ; ~ Y @ } M È " e ; O X @ v Š : ; 1 ; ! " MNÒ 5 ò @ ... ö / E # \$ % L

3.1.1. - G

| * Ä ½ / a + / w x W " å Ê ; " a " @ x \$ w x W " å Ê ; " a b " J @ K \$ Ÿ Y / (a b) + / L

± ^a : ; M ö / - G O X @ Ÿ + u + ~ Y Z " a b " 7 Ò 5 ò @ • , ` o Ñ

```
var regex = /(ab)+/g;
var string = "ababa abbbb ababab";
console.log( string.match(regex) );
// => ["abab", "ab", "ababab"]
```

3.1.2. - ÛÈ

× Ž æ Ä - ÛÈ (p1|p2) ^a @ C 1 : ; ; ~ Y } M D , × 2 ; @ ö / é - Û # \$ % ; h g R X L

ý ` @ \$ w x ` o ; , { y Ñ

I love JavaScript
I love Regular Expression

RSŸY! " Ñ

```
var regex = /^I love (JavaScript|Regular Expression)$/;
console.log( regex.test("I love JavaScript") );
console.log( regex.test("I love Regular Expressi on") );
// => true
// => true
```

` a ð î ! " ª ; ; ; @...Ñ

/^I love JavaScript|Regular Expression\$/@

wx , { yM "I love JavaScript" μ "Regular Expressi on"@] • 7DM| * € \$; L

3.2. - GHY

7M: ; NÒ) \$; ~ Y@g é • @| * yRSİ ð...FöÚ@S¥Mvf; ê©Ò~ L

× \$ŸY • a x; à 1 @ (ÿ x ÅŸY ÅÊš 3; APIL

SÎ Ĩ ûOL &ëæ%M yyyy-mm-dd ; @| * RS 2ž NÒÒI ; ! " Ñ

```
var regex = /\d{4}-\d{2}-\d{2}/;
```

± R« ¬ É %MÑ

• _ĐÖÖ° : ; - ; Ñ

```
var regex = /(\d{4})-(\d{2})-(\d{2})/;
```

± R« ¬ É %MÑ

d ý 7 u Ò R « ¬ - ® @ | * , Ê @ ¹ + = ÷ ý @ _ = æ é - G • ; @ ` Group #1 L

± Å ! " H > } M 7 z ~ ; @ Ž w x ¾ ¥ ª @ Ç æ N Ò - G ¹ — 4 N Ò • K @ Y x > 5 æ N Ò - G w x 6 ;
... F L

6 • - G R S E ° ... F @ — z | * y R S Ÿ Y • * L

3.2.1. Ö Ú ... F

ý ` ö Ú å Ð 1 Ñ 1 Î @ R S 7 z ~ Ñ

```
var regex = /(\d{4})-(\d{2})-(\d{2})/;
var string = "2017-06-12";
console.log( string.match(regex) );
// => ["2017-06-12", "2017", "06", "12", index: 0, input: "2017-06-12"]
```

NOTE match 7 = ; N Ò ... G @ m N Ò p 8 M 5 ò w x È a @ • _ M Ø Ò - G ž : ; Ð Ÿ w x ;
1 2 @ • _ M w x o . @ Ě _ M 9 Q ; Ó 8 L L M @ ! " # \$ % M \$ g Œ f { g @ match
7 = ; ... G æ % M D N = ; L

L M } R S Ÿ Y ! " Å O d t ; exec ¿ § Ñ

```
var regex = /(\d{4})-(\d{2})-(\d{2})/;
var string = "2017-06-12";
console.log( regex.exec(string) );
// => ["2017-06-12", "2017", "06", "12", index: 0, input: "2017-06-12"]
```

" J @ } R S Ÿ Y : ; ... ; î „ < ¨ \$ 1 ¬ \$ 9 x ° Ú Ñ

```

var regex = /(\d{4})-(\d{2})-(\d{2})/;
var string = "2017-06-12";

regex.test(string); // ! " Ò~ ...R@O`
//regex.exec(string);
//string.match(regex);

console.log(RegExp.$1); // "2017"
console.log(RegExp.$2); // "06"
console.log(RegExp.$3); // "12"

```

3.2.2. ê ©

ý` @€á yyyy-mm-dd œ%@ê ©° mm/dd/yyyy ' z ~ C

```

var regex = /(\d{4})-(\d{2})-(\d{2})/;
var string = "2017-06-12";
var result = string.replace(regex, "$2/$3/$1");
console.log(result);
// => "06/12/2017"

```

±ª replaceª ; @mqÒÍ ...ĐY \$11\$21\$3 } Ĩ ÷ ø; - GLi - Z` o; É%Ñ

```

var regex = /(\d{4})-(\d{2})-(\d{2})/;
var string = "2017-06-12";
var result = string.replace(regex, function () {
    Ê return RegExp.$2 + "/" + RegExp.$3 + "/" + RegExp.$1;
});
console.log(result);
// => "06/12/2017"

```

} i - Z Ñ

```

var regex = /(\d{4})-(\d{2})-(\d{2})/;
var string = "2017-06-12";
var result = string.replace(regex, function (match, year, month, day) {
    Ê return month + "/" + day + "/" + year;
});
console.log(result);
// => "06/12/2017"

```

3.3. I 5HY

• é ŸY ÷ ø API x HY - G@} RSŽ! " 8hÐHY - GLAwXHY^ + å Ê; - G@...I 5HYL

¶ MSÎ Ĩ ůOL

ý` \$ž NÒ! " ŪÜwx` o[Êœ%Ñ

```
2016-06-12
2016/06/12
2016.06.12
```

Ě 2RX€6; ! " M:

```
var regex = /\d{4}(-|\/|\.)\d{2}(-|\/|\.)\d{2}/;
var string1 = "2017-06-12";
var string2 = "2017/06/12";
var string3 = "2017.06.12";
var string4 = "2016-06/12";
console.log( regex.test(string1) ); // true
console.log( regex.test(string2) ); // true
console.log( regex.test(string3) ); // true
console.log( regex.test(string4) ); // true
```

±ª / μ . K\$` xL´ • wx é \$w; AB@A} wx "2016-06/12" 7=; ...FL

&ë | * € \$w- = { + _N>' z" CCJ K\$ŸYI 5HYÑ

```
var regex = /\d{4}(-|\/|\.)\d{2}\1\d{2}/;
var string1 = "2017-06-12";
var string2 = "2017/06/12";
var string3 = "2017.06.12";
var string4 = "2016-06/12";
console.log( regex.test(string1) ); // true
console.log( regex.test(string2) ); // true
console.log( regex.test(string3) ); // true
console.log( regex.test(string4) ); // false
```

± R« ¬ É %MÑ

ù³ Ðp; \1@#S; HY^ +; —Ò- G (-|V|\.)LDÄ•wx 6Bz ž ý` -ÿ@1 1 wx—Ò"
=; šòŒÒ, { L

| * Ä½é \1 ; i x_@—z \2 µ \3 ; ž Ÿ} y} ~é@...- O} ĩ mqÒµm[Ò- GL

567Ð@CJ@?—' EgĚÒ· 1 L

3.3.1. : ; @A' z " C

Sô: ; ž —: ; Ÿû/Lý` Ñ

```
var regex = /^(\\d)(\\d(\\d))\\1\\2\\3\\4$/;
var string = "1231231233";
console.log( regex.test(string) ); // true
console.log( RegExp.$1 ); // 123
console.log( RegExp.$2 ); // 1
console.log( RegExp.$3 ); // 23
console.log( RegExp.$4 ); // 3
```

| * RS557Ò! " wx y %Ñ

¥ mNÒ, { M..., @ý` / "1"@

¥ mqÒ, { M..., @ý` / "2"@

¥ m[Ò, { M..., @ý` / "3"@

¥ ¼ox; M \1@MmNÒ- G1 2@—z 5mNÒ—: ; dø; - GMBz @M "123"@

¥ ¼ox; M \2@‡ 6m2Ò—: ; @dø; - G@wx; 1 2M "1"@

¥ ¼ox; M \3@‡ 6m3Ò—: ; @dø; - G@wx; 1 2M "23"@

¥ Ě_ ; M \4@‡ 6m3Ò—: ; @dø; - G@wx; 1 2M "3"L

C! " ; R« ¬É%MÑ

3.3.2. \10 #SBz™C

LMNÒ¶· RXM@... \10 M#Sm 10 Ò- G@¶M \1 μ 0™C

' ÔM+ =@´ • NÒ! " Đă Ê \10 ýþB´ L• , ` օÑ

```
var regex = /(1)(2)(3)(4)(5)(6)(7)(8)(9)(#) \10+;/
var string = "123456789# #####"
console.log( regex.test(string) );
// => true
```


TIP ` a{ \$wx \1 μ 0 ; ° @Í ŸY (?:\1)0 , = \1(?:0)L

3.3.3. HYD>Ž; - GE' =C

z ûl 5HY@MHY+p; - G@A| * Ž! " ĐHYéD>Ž; - GJ@CJ! " DECD@wMwx
l 5HY; , { 8hLO` \2@ywx "\2"Lù³ "\2" #Sd "2" ĭ đé" xL

```
var regex = /\1\2\3\4\5\6\7\8\9/;
console.log( regex.test("\1\2\3\4\5\6\7\8\9") );
console.log( "\1\2\3\4\5\6\7\8\9".split("") );
```

Chrome EF™` s; ĚažD" ; EF™μ- 8@` s; ĚaRXDN=ŸÑ



3.3.4. - G_pg+uE' =C

- G_pg+u; ° @- GĚhE° 6; ...FMĚ_Nn; wxLý` ` օ; • , ÔOÑ

```
var regex = /(\d)+/;
var string = "12345";
console.log( string.match(regex) );
// => ["12345", "5", index: 0, input: "12345"]
```

...‡ p 5 â @ - G (\ d) E ° ; ... F M " 5 " L

" } d Z I 5 H Y @ } M 7 = ; L • , ` ° Ñ

```
var regex = /(\d)+ \1/;
console.log( regex.test("12345 1") );
// => false
console.log( regex.test("12345 5") );
// => true
```

3.4. E E ° : ;

^ + Ó ^ â Ê ; : ; @ ^ E E ° • * w x 6 ; ... F @ S U _ " H Y @ z C } 4 • * M E ° U - G µ E ° U - Ū L

` a w € \$: ; Ë `` e ; O X @ A D E H Y • @ ... @ 6 D Ž A P I Ð H Y @ } D Ž ! " Ð I 5 H Y L C J R S Ÿ Y E E ° : ; (? : p) µ (? : p 1 | p 2 | p 3) @ O ` 8 Ô m N Ò O E R S Õ Ö û Ñ

```
var regex = /(?:ab)+/g;
var string = "ababa abbb ababab";
console.log( string.match(regex) );
// => ["abab", "ab", "ababab"]
```

" } @ m q O E R S Õ Ö û Ñ

```
var regex = /^I love (?:JavaScript|Regular Expression)$/;
console.log( regex.test("I love JavaScript") );
console.log( regex.test("I love Regular Expression") );
// => true
// => true
```

3.5. ÷ ø Ô Ö

¬ C : ; ; ~ Y G B ' ^ é @ Ç È N v ° @ y M ö / é R / | * Ÿ Y ; - G @ ` S Y y 5 | * ; é L

3.5.1. , { y trim ¿ \$ y H

trim ¿ \$ M ð î , { y ; — U µ È V ; • P { L g u Ê ® Ó ð ~ L

m N Ê @ w x 6 — U µ È V ; • P { @ • _ ê © ° • , { L ` Ñ

```
function trim(str) {
  Ê return str.replace(/^\s+|\s+$/g, '');
}
console.log( trim("  foobar  ") );
// => "foobar"
```

m q Ê @ w x 5 Ò , { y @ • _ Y H Y x ö Ú å ÷ ø ; ... F Ñ

```
function trim (str) {
  Ê return str.replace(/^\s*(.?)\s*$/g, "$1");
}
console.log( trim("  foobar  ") );
// => "foobar"
```

7 Ð ÿ Y é ° ¢ w x * ? @ D • } E w x Ê _ N Ò • æ ^ + ; h g • æ ; L

] • @ + = à á å L

3.5.2. Ž æ Ò I u ; 1 , < " © Ů f ž

```
function titleize (str) {
  Ê return str.toLowerCase().replace(/(?:^|\s)\w/g, function (c) {
  Ê return c.toUpperCase();
  Ê });
}
console.log( titleize('my name is epeli') );
// => "My Name Is Epeli"
```

® Ó M ‡ 6 æ Ò I u ; 1 , < @] • 7 Ð D ÿ Y E E ° w x } M R S ; L

3.5.3. I Œ ↯

```
function camelize (str) {
  Ê return str.replace(/[-_\s]+(?:\w)?/g, function (match, c) {
  Ê return c ? c.toUpperCase() : '';
  Ê });
}
console.log( camelize('-moz-transform') );
// => "MozTransform"
```

±ª - G (.) #S1, < LI u; Q• M@+p; , { RSMæÒW, { 1o ¤¥S¥• P{ L! " _p
; ? ; O; @Mûéød str Vk; , { RXDMI u, { @ý` str M '-moz-transform 'L

3.5.4. ª ¤¥¬

```
function dasherize (str) {
  return str.replace(/([A-Z])/g, '-$1').replace(/[_\s]+/g, '-').toLowerCase();
}
console.log( dasherize('MozTransform') );
// => "-moz-transform"
```

I Æ¬; J ¾¥L

3.5.5. HTML ¨ ¤µI ¨ ¤

```
// ŽHTML' • , { ¨ ©° i V; Åò
function escapeHTML (str) {
  var escapeChars = {
    '<' : '<',
    '>' : '>',
    '"' : '"',
    '&' : '&',
    '\\' : '\\',
  };
  return str.replace(new RegExp('[' + Object.keys(escapeChars).join('') + ']', 'g'),
    function (match) {
      return '&' + escapeChars[match] + ';';
    });
}
console.log( escapeHTML('<div>Blah blah blah</div>') );
// => "&l t;di v&gt;Blah blah blah&l t;/di v&gt;"
```

±ª ŸYéY : ; ...%° ; ! " @• _ê ©÷ø; æ%y ðé@7Ò<8ÔgæføÁL

KM• ; J ¾¥@ŸYé: ; @SUö/HY@} ; ÒI @` oÑ


```
// Åò, { " ©ûi V; HTMLL
function unescapeHTML (str) {
  var htmlEntities = {
    nbsp: ' ',
    lt: '<',
    gt: '>',
    quot: '"',
    amp: '&',
    apos: '\''
  };
  return str.replace(/\&([^\;]+);/g, function (match, key) {
    if (key in htmlEntities) {
      return htmlEntities[key];
    }
    return match;
  });
}
console.log( unescapeHTML('&lt;div&gt;Blah blah blah&lt;/div&gt;') );
// => "<div>Blah blah blah</div>"
```

½¾ key ° Û ÷ ø; - GHY@• _ ~ û dt; LL

3.5.6. wx ° d. M

\$wwx Ñ

```
<title>regular expression</title>
<p>laoyao bye bye</p>
```

Dwx Ñ

```
<title>wrong!</p>
```

wx NÒ—. M@RSÿY! " <[>]+>@

wx NÒN. M@RSÿY <V[>]+>@

AM\$wwx ° d. M@—yK\$ÿYI 5HY@` Ñ

```

var regex = /<([>]+)>[\d\D]*<\/\1>/;
var string1 = "<title>regular expression</title>";
var string2 = "<p>laoyao bye bye</p>";
var string3 = "<title>wrong!</p>";
console.log( regex.test(string1) ); // true
console.log( regex.test(string2) ); // true
console.log( regex.test(string3) ); // false

```

±ª —. M <[^\>]+> Ö° <([>]+)>@ŸY: ; ; O; Mûé_pŸYI 5HY@
 xö/- GLN. MŸYéI 5HY@<\/\1>L

LM@[\\d\\D]; ³ ®M@7Ò, { M..., , =DM..., @z C@} yMwx R³, { ; ³ ®L

3.6 8ÔŠÈ

) Î } ~: ; RSö/- G@| * RSöÚ...F@øàyRSéL

4. m<Ô ! " # \$ % = > § `` }

ef ! " # \$ % @ MK \$ • Î Owx `` } ; L

xi j wx `` } J @guÒ, å Ê ; P á ý p å ÑÒ = > ÓL

Qr x Râ f ‡ @¿ Å ‡ SMNÒý p 2³ } ~ ; ž Ÿ L

z C@8Ôy ÒI T \$ ó / Š < = > 6 Ž MBz ã ä L

1 2s : Ñ

¥ gg = > ; wx

¥ g = > ; wx

¥ F ´ ; = > É %

4.1. gg = > ; wx

&ë | * ; ! " M /ab{1,3}c/@± R« ¬ É %MÑ

x] O. , { yM "abbbc" J @ygggh€ ; Ò = > ÓL ± wx ¾ ¥ MÑ

±^a £ # \$ % **b{1,3}** # S **"b"** , { W" â Ê 1 6 3 n L

4.2. **g = > ; wx**

` a O. , { y M **"abbc"** @^a K y g = > L

-^a m 5 * g U Ê Ë @ # S w x D ° O L C J **b{1,3}** G ß w x 6 é 2 Ò, { **"b"** @ / Ö Â, m [Ò J @
Ê a , Ê ¼ o x ; , { M **"c"** L — z y • û **b{1,3}** y G ß w x ^ _ L • _ V W Ü = 6 ^ + ; V W Ž ...
m 6 * 1 m 4 * N = Ÿ @ Ê _ Ð Y £ # \$ % **c** @ ð w x , { **"c"** L] • @ C J 5 Ò # \$ % w x ° O é L

-^a ; m 6 * @ y M Ò = > Ó L

' R X d C g g 3 b @ 7 Ð | * Ð X N Ò O £ L ! " M Ñ

O. , { y M **"abbbc"** @ w x ¾ ¥ M Ñ

±^a m 7 * μm 10 * M=>Lm 7 * 1 m 4 * N=@CJ **b{1,3}** wxéuÒ "b"@xm 10 * 1
m 3 * N=@CJ **b{1,3}** wwxeNÒ "b"@7} M **b{1,3}** ; ÈhwxÈaL
7ÐÐ5NÒŠ®; =>@! " MÑ

O. , { y MÑ"abc"de@wx ¾¥MÑ

- a " 9éÂ, wx ÛH; YZ; ¾¥LRS5å . * MEF[\ à á; L
ûé] €NâD(\$; =>@RSá! " ÕÖû /"[^"]*" /L

4.3. F ´ ; = > É %

! " # \$ % wx , { y; 7Ê¿ %@gÒe + @• => § L

=>§} 4, ^\$@•; Å8®€MÑ... 1; ĚNĚ VWž Ÿe VWŸå, @_` ...7Ê VWå, hX\$6; hgÖ VWÓ@] Nė Ó† 6Ö» UÓ; J Āž DXĐ+ï Ÿ@Đ_a N* , bc* @... LNĚ RXÖ VWÓå, @P" _` @» 6hg; ÒÓÓÓž VWŸ¹, ^¾L 7Ê DĚĐ+ï Ó1 DĚĐ=>Ód ‡ ~; ¿ \$@y 4~ Ò=>§ ÓL

Ñ è é è e

8f ‡ y MPé ä 2_` ö \$L ±ª a 6^ +; ĚN* 7N¾¥@| * 4û Ò=>ÓL...‡p; ng¾¥ª @RS5å @Ó† D½J @yE, %Ö=>ÓL...@Ā, wxYZJ @¼ox; N* ½F yM=>L

½} @| * M• é L—z JavaScriptª ! " # \$ % E h%=>; ó ¿ ¹ g- â™C

4.3.1 · , + U

^ +; OE¹ M· , +u÷ø; L ý` b{1,3}@z û ± M· , ; @Ā, RX; b) M...æĀ€; ¿ 5đĀ , L 12EĀ, "bbb"@• _Đ55Ò! " M\$Xwx LDXwxJ @i ā NÒ "b"@...Ž "bb" ; ĀĀ ‡ @ĐP" Ā, L` a¶ Dđ@Đi ā NÒ@Đ, L` a¶ Dđ™CwX/OwxYZ é L

´ • , k wx M· , ; @A} \$^ %5ò X! Ě wx L \$" @j ^ D>@k Ž I mC

CJ | * DnE· @` a] æÒ· , +uob>Ž @ö ÷ pgqr J @CJ EM' =C

' ÔM@2o. û v ± z û Pé ä 2_` L• , ` oÑ

```
var string = "12345";
var regex = /(\d{1,3})(\d{1,3})/;
console.log( string.match(regex) );
// => ["12345", "123", "45", index: 0, input: "12345"]
```

±ª @+p; \d{1,3} wx; M "123"@_p; \d{1,3} wx; M "45"L

4.3.2 ° ¤ + U

° ¤ +uyMŽ· , +u_pí Ò· ; L#S» RX€; wx@ý` Ñ

```
var string = "12345";
var regex = /(\d{1,3}?)(\d{1,3})/;
console.log( string.match(regex) );
// => ["1234", "1", "234", index: 0, input: "12345"]
```

±ª \d{1,3}? wwX 6NÒ, { "1"@x_p; \d{1,3} wx é "234"L

´ • ° ¤ +uD· @A} Eg=>; Ê t L ý` ! " MÑ

O. , { y M "12345"@wx ¾¥MÑ

Ä½' D· 1; Ä%@AMûé5òwx° @g" §@} wXç' æsÎ éLz CĚ_ \d{1,3}? wx; ,
{ M "12"@MuÒ..., @xDMNÒL

4.3.3 - ÛÈ

| * Ä½- Û} M° ¤; @ý` /can|candy/@Ǿwx, { y "candy"@c6; ÈaM "can"@z û- ÛE
NÒNÒÂ, @` a+p; ^ %é@_pyDEĐ, J éL

- ÛÈ @RX+p; £y%EÉ° é, kwx@` a¼ox# \$%5òDwxJ@tEP" Â, ï o; -
ÛL7ÊÂ, } RS5° NÊ=>L

ý` ! " Ñ

O. , { y M "candy"@wx ¾¥Ñ

‡ p m 5 * @ ´ • g g = 6 ^ + ; V W @ A t • = 6 é - Û È @ Â , o N Ê R X L h S @ R S • û • M
N Ê = > ; L

4.4. 8ÔŠÈ

± Å = > § @ ; 2³ ö ÷ ; L

Ò I Ç È y M @ ! z û g æ Ê R X @ h S \$ N Ò N Ò , L » 6 @ \$ z 6 Ğ N * J @ 5 ò w x ° O é u \$ z È
_¹ , ^ _ @ , Ê 5 ò w x D ° O L

¥ · ¸ + u Ò, Ó; v 9 M Ñ w x ' y - L - z q å é @ U { Î @ D ð @ Ð U { Î L

¥ ° ¨ + u Ò, Ó; v 9 M Ñ | ã ä í - L ç € é @ Ð æ ç Î ð D @ ¶ | g Î € } @ Ð ç Î L

¥ - Û È Ò, Ó; v 9 M Ñ ú ý [¼ L 7 ¼ D ð @ © N ¼ g @ ¶ | D ð @ Ð © L

6 • g = > ; ¾ ¥ @ — z w x à á " • â Ñ â L ÷ d ~ ™ C ÷ d — â DFA H › , DFA M Ò È • U g • • € • Ó; Ò ž L

× JavaScript ; ! " H › M NFA @ NFA M Ò E È • U g • • € • Ó; Ò ž L

f k - | , ª ; ! " ¹ M NFA @ û , • 7 z f ð ™ C

' Ñ ' O 5 | w x „ @ A M | • ñ Z } @ × a | ¶ | g ' ... L

5. m? Ô ! " # \$ % ; @ -

dZNØ| , ; ö ÷ ¥ é ' z = @RSguÒDéx * + Ñ < μ ž L

DN\$w• ' X ~ ` . ¹ @¶ \$5• O ^ ; ~ ` ¿ Ô L Ĩ s M7 = @! " # \$ % } M7 = L

! " 7Ø| , < ± β | , gNÎ D" @• ½ F y M N f † , { @ × g g h ∈ Ò | v Ó ; ž Ÿ L

` SX! È ó á N f y ! " @ - ° N I N I ; @ ° û é ‡ ~ Ò p (Ó ; ø L L

8Ôy ~ ` 7N• ¹ @12s: Ñ

¥ È μ Ò ~ {

¥ ù³ \$ Î

¥ Ô O - v

5.1. È μ Ò ~ {

• ¥ | , Nō¹ gÒ ~ { Lw\$gÒ ~ { @yEâÊNÒ• ¹ L] Nf†Ò ~ ŽNrJ@2Ò ~ ~@Ü_Ò
~ ~™CûéDh%^{oo} x@yK\$| , 8h• x à Ò ~ b) @...h€; ä2%L

× Ž! " # \$ %^a @Ò ~ { ¹ ò Ê Ž È^a @...~ ' • , { μ Š ½ , { h Ĩ # ; NÒ Ò' • 5ò L

JavaScript ! " # \$ %^a @¹ g - â Ê[™] C

, { , p + 1 , { G1 + u1 æ1 - G1 Ã < - Û1 I 5HYL

š ò | x Ò \$ = € ` o Ñ

È	/ O
, p +	wxNÒš ò , { @s: DY¨ x; μ K\$¨ x; L ý` a wx , { "a"@ Üý` \n wx © ð { @Üý` \. wx Š ... Î L
, { G	wxNÒ , { @RSMæÊRX^ N@ý` [0-9]@#SwxNÒ..., L } g \d ; Ő Ž É %L LM¶ g l x , { G@#SRSM• é' • , { ^ MRSNÒ , { @ý` [^0-9]@ #SNÖE..., , { @} g \D ; Ő Ž É %L
+ u	#SNÒ , { W" â Ê@ý` a{1,3} #S "a" , { W" â Ê 3 nL LM¶ g F´ ; Ő Ž É %@ý` a+ #S "a" , { W" â Ê ¬ ∈ NnL
æ	wxNÒ% @×DM, { L ý` ^ wx , { y; —U@Üý` \b wx l u ë Q@ Üý` (?=\d) #S..., +p; % L
- G	Y: ; #SNÒ5ò@ý` (ab)+@#S "ab" uÒ , { W" â Ê æ n@ } RSŸYEE° - G (?:(ab))+L
- Û	æ Ò £ # \$ % æ Ã N@ý` abc bcd@# \$ % wx "abc" , = "bcd" , { £ y L I 5HY@ý` \2@#SHYm 2 Ò - GL

±^a ã ¥ 6; Ò ~ { g Ñ

Ò~ { ng	Ò~ {	ä 2‰
ˆ x {	\	1
: ; μ ∂ : ;	(É)1 (?·É)1 (?=É)1 (!É)1 [É]	2
+ u · · {	{m}1 {m,n}1 {m,}1 ?1 *1 +	3
% μ) Z	^1 \$1 \p, { 1 Nō, {	4
Ä ½ { ž · Ž Ÿ		5

‡ pÒ~ { ; ä 2‰...‡ ¬ o@~ â 6â L

7Đ@| * x - v NÒ! " Ñ

/ab?(c|de*)+|fg/

¥ ¯ Z: ; ; > Ž@hS@(c|de*) MNÒ5òÈ L

¥ Ž (c|de*) ^a @ù³ ±^a ; + u @z C e MNÒ5òÈ L

¥ Ûz û - ÛÈ | ä 2‰È â @z C c MNÒ5ò1 × de* MLNÒ5òL

¥ " } @5Ò! " - ° é a1 b?1 (É)+1 f1 gL × ¯ Z - Û; ˆ z @

ÜRS - ° ab?(c|de*)+ μ fg 7uk - L

ÿ! ' g · | Ä · @‡ p; - v RY ± R« ¬ É % ng` oÑ

5.2. ù³ \$Î

øZÈ μÒ~ { @¶ MgĖÎ K \$v ŠÑ

5.2.1 wx, { y 5ò· ¹

z ùM\$wx 5Ò, { y@| * ß F E Ž! " + _^a í ‡ æ ^ μ \$L

ý` \$wx O. , { y "abc" , = "bcd" J@` a NDŠ' @y E ž ° /^abc|bcd\$/L

× % | , { μ , {) Z ä 2 % \$ ý • Ž å @ ' ± w x ; È M Ñ

ø à Õ Ö ° :


5.2.2 + u W' . 1

& ë @ \$ w x 7 = ; , { y Ñ

1. æ Ò , { û " a 1 " b " 1 " c " R Ã ± N @

2. , { y ; ü é M 3 ; ù ... L

C J ! " D X €] • ó ž ° / ^ [a b c] { 3 } + \$ / @ 7 = E C D @ / + + p g B z R) « ; Ñ



C J \$ Õ Ö ° Ñ

5.2.3 p, { `` x. 1

h€p, { @yM! " ª g' • i x; , { L

hgÈ Ð@Y6; p, { ÇÈ` oÑ

^1\$1.1*1+1?1|1\1/1(1)1[1]1{1}1=1!1:1- ,
]wx±p; , { 8hJ@RSN" `` xÑ

```
var string = "^$. *+?|\\[/[]{}=!:-, ";
var regex = /^\\$. \\*\\+\\?|\\\\\\[/\\]\\\\\\{}\\=\\!\\:\\-\\,/;
console.log( regex.test(string) );
// => true
```

±ª string ª ; \\ , { } \$ `` x; L

LM@Ž string ª @} RSáæÒ, { `` x@] • @`` x_ ; ÈatM8hÑ

```
var string = "^$. *+?|\\[/[]{}=!:-, ";
var string2 = "^\\$. \\*\\+\\?|\\\\\\[/\\]\\\\\\{}\\=\\!\\:\\-\\,/";
console.log( string == string2 );
// => true
```

ÊŽ; • 1 M@MDMæÒ, { 1 K\$ `` x™C\$@5ABL

5.2.3.1. , { Gª ; p, {

<, { G÷ø; p, { g [1]1^1-LzCŽEHr ^ x; óĹĩ ð `` xLO` —U; ^ (ÿ `` x@D•
Eá5Ò, { G@5° l x, { GL

```
var string = "^$. *+?|\\[/[]{}=!:-, ";
var regex = /[\\^$. *+?|\\\\\\[/\\]{}=!:\\- ,]/g;
console.log( string.match(regex) );
// => ["^", "$", ".", "*", "+", "?", "|", "\", "/", "[", "]", "{", "}", "=", "!", ":", "-", ",", ""]
```

5.2.3.2. wx "[abc]" μ "{3,5}"

| * Ä½ [abc]@MÒ, { GL` a\$wx, { y "[abc]" J@à' z " C

RSž ° /\[abc\]/@} RSž ° /\[abc\]/@• , ` oÑ

```
var string = "[abc]";
var regex = /\[abc]/g;
console.log( string.match(regex)[0] );
// => "[abc]"
```

wK\$ŽmNÒġ: ; ``x...R@z û_p; ġ: ; D° , { G@! " DEH, ^ x@• • DK\$``xL

" } @\$wx, { y "{3,5}"@wK\$á! " ž ° /\{3,5}/ ...RL

LM@| * Ä½+ugÒž É% {m,}@Sgg {,n} ; ABL´ • _=D ° +u; É%@ACJ öDEC
DL] • @wx; , { y} M "{,n}"@• , ` oÑ

```
var string = "{,3}";
var regex = /\{,3}/g;
console.log( string.match(regex)[0] );
// => "{,3}"
```

5.2.3.3. ±² AB

ý` =1!1:1-1, i { ; @w\$DŽ' • Ě ª @öDK\$``xL

AM@: ; K\$+_¹ ``x; @` /\(123\)/L

¬Zĩ o; ^1\$1.1*1+1?1|1\1/ i , { @w\$DŽ, { G1@¹ K\$``x; L

5.3. ÔÖ- v

¼ox - vuÒOE@NÒÒI ; @NÒ«m; L

5.3.1 h" ø

! " # \$ % MÑ

/^\(d{15}|\d{17}[\dxX])\$/

z û • Ž | ; ä2%Ěâ@hS! " - ° éuk - \d{15} µ \d{17}[\dxX]L

\d{15} #S 15 %W" ..., L

\d{17}[\dxX] #S 17 %W" ..., @Ě_N%RSM..., @RSfŠž, < "x"L

R« ¬` oÑ

5.3.2 IPV4 Ⓞ •

! " # \$ % MÑ

/^((0{0,2}\d|0?\d{2}|1\d{2}|2[0-4]\d|25[0-5])\.){3}(0{0,2}\d|0?\d{2}|1\d{2}|2[0-4]\d|25[0-5])\$/

7Ò! " @5r xEF-^ LAM\$—ä 2%_@E~+cå`o; È Ñ

((É)\.){3}(É)

±ª @uÒ (É) MN=; È L#Swx; M 3 %..., Lz C5ÒÈ M

3%....3%....3%....3%...

• _Ðx - v (É)Ñ

(0{0,2}\d|0?\d{2}|1\d{2}|2[0-4]\d|25[0-5])

• MNÒæÃÈ @- ° 5Òk - Ñ

¥ 0{0,2}\d@wx N%...@s: "0" ™š; L ý` @ "9"1 "09"1 "009"u

¥ 0?\d{2}@wx u%...@s: "0" ™š; @} s: N%...u

¥ 1\d{2}@wx "100" 6 "199";

¥ 2[0-4]\d@wx "200" 6 "249"u

¥ 25[0-5]\d@wx "250" 6 "255" L

È_x 5No ± R« ¬ É %Ñ

5.4. 8ÔŠÈ

ö ÷ ! " # \$ % ^ ; ä 2 % _ @ Ð 5 R S ! " ø à ' g " ' - v o ð é L

¬ Z O £ @ D N × % _ @ g g ž q æ L

7 Ð > æ Ç È N o @ • Ž ; ä 2 % Ë â @ ... Ë _ • ò L

w \$ Ä ½ 7 N Î @ y X < • f k - ! " L

L M ø Z p , { " x · ' 1 @] • ' D È • ' \$ J @ » Ä ð " x @ Ç ^ M D E D ; L

6. mAÔ ! " # \$ % ; ¡

dZNØ| , ; ö÷¥é' z=@RSguÒDéx*+Ñ<μžL

DN\$5•O^ ; ~` ¿ Ô@} \$Xž ~ ó ~` . ¹ L Ĭ sM7=@! " # \$ % } M7=L

¹ Ò<Ó÷ý@Òž ÓÁÁMû) \$@7Ò½} MD, ×2; L

d! " ; •Y@1) yMÑ` SŸd. ¹ @ ¡ NÒÅ ; ! " # \$ % C

8Ôy ~` à. ¹ @12s: Ñ

¥ Û* §"

¥ ¡ ! " +Ö

¥ /Èα

¥ à á

6.1. Û* §"

¡ ! " gNÎ EF) \$@K\$~ óopĚÎ ; Û* Ñ

¥ wx¡ Ĭ ; , { y

¥ DwxE¡ Ĭ ; , { y

¥ R<αμRr ϕα

¥ à á

6.2. ¡ ! " +Ö

6.2.1. M\$XŸY! " C

! " qvfé@S¬Z| *TUç6NÒÒ~, { y. ¹ J@¹ Eo³ f óđ€@Y! " à' z~LA| *
eh\$ö£•' @! " ´•vf@ADMαX; @; æ5@; ÒI ; ¿A@¶M~D6; L

ý` wx7=; , { yÑ1010010001ÉL

´• ; gÓ" @AMw•! " yMÜXû" L

6.2.2. M\$g(\$ŸY! " C

\$•f6! " ; „•@D\$ði j ¥8Ü\$^° ; R| L" J@} DX†QLNò\$ÂÑÜhDY! " LX
Y, { y API ~` ; ÒI . ¹ @yDà! " å+L

ý` @...Î Ĭ ª öÚåĐÑÎ @´•RSŸY! " Ñ

```
var string = "2017-07-01";
var regex = /^(\\d{4})-(\\d{2})-(\\d{2})/;
console.log( string.match(regex) );
// => ["2017-07-01", "2017", "07", "01", index: 0, input: "2017-07-01"]
```

± Å@RSŸY, { y; split ¿ Š x ~ @...RÑ

```
var string = "2017-07-01";
var result = string.split("-");
console.log( result );
// => ["2017", "07", "01"]
```

ý` @! ÆM\$g· ; @´ • RSŸYÑ

```
var string = "?id=xx&act=search";
console.log( string.search(/\\?/) );
// => 0
```

± Å@RSŸY, { y; indexOf ¿ Š Ñ

```
var string = "?id=xx&act=search";
console.log( string.indexOf("?") );
// => 0
```

ý` ° ÚEy@´ • RSŸY! " Ñ

```
var string = "JavaScript";
console.log( string.match(/. {4}(.+)/)[1] );
// => Script
```

± Å@RS» ¼ŸY, { y; substring , substr ¿ Š x ~ Ñ

```
var string = "JavaScript";
console.log( string.substring(4) );
// => Script
```

6.2.3. M\$g(\$ j NÒ« m; ! " C

ý` pswx· ¹ @\$wpsüé 6-12 %@⁻ ..., 1 Šž, { μfž, < G° @A(ý¬€s: 2 Ê, { L

Žm2ÔĐ@| *žăé! " MÑ

/(!^[0-9]{6,12}\$)(?!^[a-z]{6,12}\$)(?!^[A-Z]{6,12}\$)^[0-9A-Za-z]{6,12}\$/

± ÅRSÿYæÖŠ! " x ~ Ñ

```
var regex1 = /^[0-9A-Za-z]{6,12}$/;
var regex2 = /^[0-9]{6,12}$/;
var regex3 = /^[A-Z]{6,12}$/;
var regex4 = /^[a-z]{6,12}$/;
function checkPassword (string) {
  if (!regex1.test(string)) return false;
  if (regex2.test(string)) return false;
  if (regex3.test(string)) return false;
  if (regex4.test(string)) return false;
  return true;
}
```

6.3. / È ¤

h€ / È ¤ @yMXwxj ĩ ; O. @õaDwxEj ĩ ; O. L

7Đö6éÒj ĩ Óq, @—z | *yK\$Ä½O. ; G° Ó" L

D• g\$Q• Bz =; O. , { yM{ Åj ĩ ; @Bz =; ÜDM{ Åj ĩ ; L

opŽXO/O@] O. , { y ° ýp«mJ@à`S j ! " @õ²³6-âÛ* L

6.3.1. wx ~ • ¢°

ý` \$wx` oæ%; ~• ¢° ; sÑ

```
055188888888
0551-88888888
(0551)88888888
```

mN* @é ~ Øk - ; y%Ó" L

‡p; ¢° @Çò‡ - ûx; µ; suk - žD²³ - • ; µ "+86" ; AEÿL

x; M "0" —U; 3 6 4 %..., @dø; ! " MÑ0\d{2,3}@

; sME "0" —U; 7 6 8 %..., @dø; ! " MÑ[1-9]\d{6,7}@

zC@wx "055188888888" ; ! " MÑ/^0\d{2,3}[1-9]\d{6,7}\$/@

wx "0551-88888888" ; ! " MÑ/^0\d{2,3}-[1-9]\d{6,7}\$/@

wx "(0551)88888888" ; ! " MÑ/^\\(0\\d{2,3}\\)[1-9]\\d{6,7}\$\$/L

mq * @OÈÉ %øÁL

7[=AÉM_s ; øÁ@RS | - ÛÑ

/^0\\d{2,3}[1-9]\\d{6,7}\$|^0\\d{2,3}-[1-9]\\d{6,7}\$|^\\(0\\d{2,3}\\)[1-9]\\d{6,7}\$/

öÚ" 3k - Ñ

/^(0\\d{2,3}|0\\d{2,3}-|\\(0\\d{2,3}\\))[1-9]\\d{6,7}\$/

ï N* Òž Ñ

/^(0\\d{2,3}-?|\\(0\\d{2,3}\\))[1-9]\\d{6,7}\$/

±R« ¬É %Ñ

‡p; ! " | ¾¥9©ª « @AM7= ~ @XÉø! " M/È; L

‡g[ÊAÉM_s ; øÁ@7NÎ ;) \$@D• ; 2³ †, { M\$åÊ; AÉá! " ž ° Ñ

/^\\(?0\\d{2,3}\\)?-?[1-9]\\d{6,7}\$/

´ • } Xwx ‡gO. , { y@A} Ewx "(0551-88888888" 7=; , { yL] • @7DM| * €\$; L

±Å7Ò! " } DM^é; @z ûÊÅª @õDMæÒ 3 %...µ 4 %...¹ MNÒ{ Å; x; L

7yMNÒÙ* Ú¬. ¹ @Nō» YyðL

6.3.2. wx - Î ...

\$wwx` o; æ%Ñ

1.231 +1.231 -1.23
101 +101 -10
.21 +.21 -.2

RS5å! " - û[k - L

{ ; k - Ñ[+-]@

5...k - Ñ\d+@

Š...k - Ñ\.\d+L

‡g[Òk - @õDMî k¹ åÊL` aCJ ; 2³ ž å` o ; ! " Ñ

/^[+-]?(\d+)?(\.\d+)?\$/

C! " 5@g·¹ @A7Ò! " } Ewx• , { ""L

z ûO. , { y ; É%øÁDM\$wæk -¹ MRÃ ; L

\$wx "1.23"1 "+1.23"1 "-1.23"@RSY/^[+-]?\\d+\\.\\d+\$/@

\$wx "10"1 "+10"1 "-10"@RSY/^[+-]?\\d+\$/@

\$wx ".2"1 "+.2"1 "-.2"@RSY/^[+-]?\\.\\d+\$/L

z C5Ò! " M7[= ; ٫ ; øÁ@öÚ´ ®k - _MÑ

/^[+-]?(\d+\\.\\d+|\\d+|\\.\\d+)\$/

±R« ¬É%MÑ

` a\$wDwx "+.2" µ "-.2"@CJ! " - °Ñ

] • @/^[+-]?(\d+\.\d+|\d+|\.\d+)\$/ } DM^é; @| * } M~ é â Ú¬@ý` Ñ

• } Ewx "012" 7=S "0" —U; 5...L` a \$wDwx; ° @K\$ÖÖ5...k - ; ! " LNõï ðJ
øÒ~ ^ +@¹ \$β¾ trim μ! • L—=; ° @} ^—ÒD⁻ ! " } y»YéL} RSï N* Öž ° Ñ
/^[+-]?(\d+)?(\.)?\d+\$/@7= | * yK\$² ³ R< ¤μRr ¤ ¤éL

6.4. à á

Éøé/È ¤_@±K\$M\$ \$² ³ \$ä¬Lƒæ...AÉMDK\$ä¬; @• E• ð; EF„ LBzAÉ!
" # \$ % • ð±„ ™C | * K\$² ì ! " # \$ % ; • ð¾¥ž `` } ÝL

! " # \$ % ; • ð- û` o; Û©Ñ

¥ 1. • ñu

¥ 2. ë•re%| u

¥ 3. Â, wxu

¥ 4. wxYZ; ° @...oN%—eP" m 3 * u

¥ 5. ĚhĚaÑwx° O„ YZL

opSĩ sũO@x557ĚÒÛ©¹ ~ éBzÑ

```
var regex = /\d+/g;
console.log( regex.lastIndex, regex.exec("123abc34def") );
console.log( regex.lastIndex, regex.exec("123abc34def") );
console.log( regex.lastIndex, regex.exec("123abc34def") );
console.log( regex.lastIndex, regex.exec("123abc34def") );
// => 0 ["123", index: 0, input: "123abc34def"]
// => 3 ["34", index: 6, input: "123abc34def"]
// => 8 null
// => 0 ["123", index: 0, input: "123abc34def"]
```

š ò - v ` o Ñ

```
var regex = /\d+/g;
```

] %° NÒ! " J @H> E d ± i ð • ñ LCD¹ \$ă Ê 7 7 Ò Ù © L

```
regex.exec("123abc34def")
```

] Â, wx J @K \$Ě • ...- N%| —e wx L N Ō A É¹ M, { y; —U @ ...m 0 %L

A] ŸY test µ exec ¿ \$@a! " g g J @r e%| M...! " d t ; lastIndex < ¤ —e L

z CmNn exec M...m 0 %—e @ x m q n M... 3 —e ; L

ë • à r e%| _@y —e Â, wx é L

ý` mNn exec@... 0 —e @ ð Â, wx @ ð a ° O ó wx 6 3 Ò ..., L C J Ě ° J ; o. M 2 @ z Co
Nn ; r e%| M 3 L

x m q n @ r e o. M 3 @ A m 3 Ò, { M "a" @ ð D M ..., L A C J ō D E » ¼ C w x Y Z @ x M ± € 6
o N % | @m 4 % —e P" Â, wx @ A à, { M "b" @ } D M ..., L Đ ± € 6 o N % @ M "c" t D
ð @ Đ ± € N % M ..., "3" @ C J w x 6 é u % ..., "34" L C J @ o N n w x ; % | M "d" ; % | @ ...m
8 % L

m[n @ M ...m 8 % —e w x @ » 6, 6 Ě _ N % @ } g, Ê w x ; @ z C w x Y Z @ 7 = null L " J ë
| lastIndex û 0 @ ...@ ` \$ Đ Â, wx ; ° @ K ...U —e L

... ‡ p R S 5 â @ w x E â Ê à á · ¹ @ J \$ â Ê Ž ‡ p ; m 3 Û © µ m 4 Û © L

z C @ J \$ ä ¬. § } M Ÿ d 7 u Û © ; L

6.4.1. ŸY š ò U, { G x Ĩ ê ½ x { @ x ² • = >

x Ž m[Û © @ Ě f ; · ¹ y M = > L

O` @ w x Ũ H Y ; ^ K ; , { L ` @ w x , { y 123 "abc" 456 ª ; "abc" L

` a! " Y; MÑ/".*"/@EŽm 3 Û©h% 4 n=>ž ³ Ě#S .* wx; 1 2ŸÑ

` a! " Y; MÑ/".*?"/@Eh% 2 n=>ž ³ Ě#S .*? wx; 1 2ŸÑ

z û=>; >Ž@K\$H> É>æÊRXª ´ Â, ¾; VW@SU_" =>J ŸYLû• \$ª YN• ; 1 >

L

CJ \$ŸYšò¬; , { G@xĬ ê½x{ .@SU² • D(\$; , { @CJ ŸY! " /"[^"]*" /@...RL

6.4.2. ŸYEE° U- G

z û: ; ; ~ Y^ NM@RSE° - Gµ - ŪĐ; ...FL—z yK\$1 >x É > • * L

J | * DK\$ŸY- GHYµI 5HYJ @CJ RSŸYEE° - GL

O` @/^[^-]?(\\d\\.\\d+|\\d+|\\.\\d+)\$/ RSÖÖ° Ń/^[^-]?(?:\\d\\.\\d+|\\d+|\\.\\d+)\$/L

6.4.3. ž ~ ǎ È • , {

O` @/a+/ RSÖÖ° /aa*/L

z û_ = Xý + = æÈ • é, { "a"L 7 = E Ž m < *ª @í Z! ŒM\$wxYZ@ĩ xí Z ± %; [é L

6.4.4. ö Ú- Ū¨ 3k -

ý` @/^[abc|^def/ ÖÖ° /^(?: abc|def)/L

Üý` @ /this|that/ÖÖ° /th(?: is|at)/L

7 = ~ @RS] €wx¾¥ª R² • ;) « L

6.4.5.] €- Ū; ...+ @µŠ • * ; CD

/red|read/ RSÖÖ° /rea?d/L

CJ - Ūµ + u h %; = > ; ° 8MDN = ; LA 7 = ä ¬ _ @R < ǻ E ¶ â ; L

6.5. 8ÔŠÈ

8Ôã ¥; 1 2õ DæL

NõABo@ŸdŒ· ¹ Xž ǎ NÒ^ %Kw; ! " @À8‡yRSéL

¬Z / È ǻ µ à á ĸ p; ° w@· < 5Ò^ \$wéL | bc » Yy ð é L

øZ / È ǻ @8Ôø' ; MĚFY; ~` ®ÓÑ

ŸdæÊAÉ@- Ož ǎ! " @• Y- Ūá • * ÅõŽNr @ĐöÚ- Ū¨ 3k - @yXc 6 / È; ! " L

¬Z ä ¬ @8Ôggûé, ...@ðž Nf † L é ~ é wx¨ } @F ´ ; ä ¬. \$} y 7 z È È L

7. m4Ô ! " # \$ % • ¥

Bz • Äf @X} # | * Å¹ ; ã ä ± • Äf L

ef N=ã ä @` a DXŸY@ËæwXõ ~ ° ‡ » ¼L! " # \$ %; ef @} DOML

ö ÷ é! " # \$ %; | § _ @oN* @} MøL; N* @yMŽ { ÅPQª ŸY• L

—z` SŸY! " # \$ %™Cg- âøL; Î ™C8Ôy ~ ` 7Ò· ¹ L

1 2s: Ñ

¥ ! " # \$ %; < Ê Ò~

¥ ÷øAPIù³ \$Î

¥ { ÅÔO

7.1. ! " # \$ %; < Ê Ò~

! " # \$ %Mwx y %@DÄ` SŸY! " # \$ %@¤ - Dê ± ½@¹ K \$ 2Òwx ÓL

géwx 7NÀ8Ò~ _@±g±ß; Ò~ ÑJ ø1¾- 1öÚ1ê©L

ï ðRS÷øÒ~ @} K\$ r J H> ÷ø API ; x ÅŸY L] • @Ž JavaScriptª @÷ø API } DæL

7.1.1. J ø

J øM! " # \$ %Ë » ¼; øY@ý` #I J øL

Ž / J ø^ +@2\$/ Š< wxMBz ž ŸL

h€wx @yM5O. , { y ðM\$g^ %wx; Ey Lz C@Òwx Ó; 8f yMÒ¿ ‡ ÓL

gggwx @MDMwx ‡ @! ÆM\$; Ò~ @...4ûÒJ øÓL

7ÐXNÒOE@x 55` SŸY÷ø API ï ðJ øÒ~ ; L

ý` @! ÆNÒ, { yª M\$g ..., L

ŸY searchÑ

```
var regex = /\d/;
var string = "abc123";
console.log( !!~string.search(regex) );
// => true
```

ŸY testÑ

```
var regex = /\d/;
var string = "abc123";
console.log( regex.test(string) );
// => true
```

YY **match**Ñ

```
var regex = /\d/;
var string = "abc123";
console.log( !!string.match(regex) );
// => true
```

YY **exec**Ñ

```
var regex = /\d/;
var string = "abc123";
console.log( !!regex.exec(string) );
// => true
```

±ª @Ë F Y; M **test**L

7.1.2. ¾-

wx ‡ é @ | * y R S ï ð N â Ò ~ @ ý ` ¾- L

h € Ò ¾- Ó @ y M á O. , { y @ ¾° N © N ©; L Ž JavaScriptª YY; M **split**L

ý ` @ O. , { y M "html,css,javascript"@ † ÷; x ¾- Ñ

```
var regex = /,/;
var string = "html,css,javascript";
console.log( string.split(regex) );
// => ["html", "css", "javascript"]
```

Ü ý ` @ ` o; Î Ĩ œ % Ñ

2017/06/26
2017.06.26
2017-06-26

RS YY **split** Ò¾å Ó Ð Ñ Î Ñ

```
var regex = /\D/;
console.log( "2017/06/26".split(regex) );
console.log( "2017.06.26".split(regex) );
console.log( "2017-06-26".split(regex) );
// => ["2017", "06", "26"]
// => ["2017", "06", "26"]
// => ["2017", "06", "26"]
```

7.1.3. Ö Ü

ˆ • 5ðwx ‡ é@AgJ K \$öÚk - wx ; ...F L

CJ ! " ½F \$ŸY - GHYŽ - GE ° ŸOX@¶ K \$x ÅŸY ÷ ø API L

7Ð@¶ MSÎ Ĩ ûO@öÚå ÐÑÎ L ù³ op! " ª ; : ; Ñ

ŸY **match**Ñ

```
var regex = /^(\d{4})\D(\d{2})\D(\d{2})$/;
var string = "2017-06-26";
console.log( string.match(regex) );
// =>["2017-06-26", "2017", "06", "26", index: 0, input: "2017-06-26"]
```

ŸY **exec**Ñ

```
var regex = /^(\d{4})\D(\d{2})\D(\d{2})$/;
var string = "2017-06-26";
console.log( regex.exec(string) );
// =>["2017-06-26", "2017", "06", "26", index: 0, input: "2017-06-26"]
```

ŸY **test**Ñ

```
var regex = /^(\d{4})\D(\d{2})\D(\d{2})$/;
var string = "2017-06-26";
regex.test(string);
console.log( RegExp.$1, RegExp.$2, RegExp.$3 );
// => "2017" "06" "26"
```

ŸY **search**Ñ

```
var regex = /^(\d{4})\D(\d{2})\D(\d{2})$/;
var string = "2017-06-26";
string.search(regex);
console.log( RegExp.$1, RegExp.$2, RegExp.$3 );
// => "2017" "06" "26"
```

ŸŸ replaceÑ

```
var regex = /^(\d{4})\D(\d{2})\D(\d{2})$/;
var string = "2017-06-26";
var date = [];
string.replace(regex, function (match, year, month, day) {
    date.push(year, month, day);
});
console.log(date);
// => ["2017", "06", "26"]
```

±ª @ËFY; M matchL

7.1.4. ê ©

‡ @ÁÁDMO; @½F oN* Mû é ê ©L Ž JavaScriptª @ŸŸ replace ï ð ê ©L

ý` á î ĩ œ%@... yyyy-mm-dd ê ©° yyyy/mm/ddÑ

```
var string = "2017-06-26";
var today = new Date( string.replace(/-/g, "/") );
console.log( today );
// => Mon Jun 26 2017 00:00:00 GMT+0800 (ª Ä. / J K)
```

7ĐwMÒI óøYéNo replaceLA@replace ¿ \$; Mvf; @MK\$) Î Ò÷; L

7.2. ÷ ø API ù³ \$Î

...‡ pRS5âYZ! " Ò~; ¿ \$@3g 6 Ò@, { yÄO 4 Ò@! " ÄO 2 ÒÑ

```
String#search
String#split
String#match
String#replace
RegExp#test
RegExp#exec
```

8ÔD` òl òó' ~• *; ¿¿ ppò7@š òRSÍ ² 9JavaScript . Á} Â: ; m[k - L8Ô) Î
Z â Nâ 2³ Ã«; ó¿ @SÄ < = L

7.2.1. search μ match ; Í ... ¹

| * Ä½, { y ÅÖ; — 4 Ò¿ §Í ...¹ ÛÜ! " μ, { y L

A search μ match@E á, { y `` ©û! " ; L

```
var string = "2017.06.27";
console.log( string.search(".") );
// => 0
//K $ ÖÖ° o Z É % ^ N
console.log( string.search("\\.") );
console.log( string.search(/./) );
// => 4
// => 4

console.log( string.match(".") );
// => ["2", index: 0, input: "2017.06.27"]
//K $ ÖÖ° o Z É % ^ N
console.log( string.match("\\.") );
console.log( string.match(/./) );
// => [".", index: 4, input: "2017.06.27"]
// => [".", index: 4, input: "2017.06.27"]

console.log( string.split(".") );
// => ["2017", "06", "27"]

console.log( string.replace(".", "/") );
// => "2017/06.27"
```

7.2.2. match 7 = È a ; œ%· ¹

match 7 = È a ; œ%@¹ ! " d t M\$g Öf{ g gøL

```
var string = "2017.06.27";
var regex1 = /\b(\d+)\b/;
var regex2 = /\b(\d+)\b/g;
console.log( string.match(regex1) );
console.log( string.match(regex2) );
// => ["2017", "2017", index: 0, input: "2017.06.27"]
// => ["2017", "06", "27"]
```

gg g@7=; M. /wx œ%@...@...G; mNÒp8M5òwx; 12@¼oxM- GE°; 12@•
_M5òwx; mNÒo. @È_M9Q; O. , { y L

g g@7=; Mhgwx; 12L

] ggwxJ @DÄgÜ g@¹ 7= null L

7.2.3. exec ý match Mv f

] ! " gg g J @ÿY match 7=; " ÅýþæLAMg g _@yggøL; " Å index éL

× exec ¿ \$yX~` 7Ö· ¹ @• X¼b±Nnwx_P" wx Ñ

```
var string = "2017.06.27";
var regex2 = /\b(\d+)\b/g;
console.log( regex2.exec(string) );
console.log( regex2.lastIndex );
console.log( regex2.exec(string) );
console.log( regex2.lastIndex );
console.log( regex2.exec(string) );
console.log( regex2.lastIndex );
console.log( regex2.exec(string) );
console.log( regex2.lastIndex );
// => ["2017", "2017", index: 0, input: "2017.06.27"]
// => 4
// => ["06", "06", index: 5, input: "2017.06.27"]
// => 7
// => ["27", "27", index: 8, input: "2017.06.27"]
// => 10
// => null
// => 0
```

±ª ! " ÅO lastIndex < ¢@#SoNnwx—e; %| L

ý` mNnwxé "2017"@—eo. M 0@3 4 Ö, { @zC7nwxË° ; %| M 3@oNn—ewx
; %| M 4L

...‡gĩ s5â@ŽÿY exec J @BFK\$xAÿY while ° šÑ

```
var string = "2017.06.27";
var regex2 = /\b(\d+)\b/g;
var result;
while ( result = regex2.exec(string) ) {
  console.log( result, regex2.lastIndex );
}
// => ["2017", "2017", index: 0, input: "2017.06.27"] 4
// => ["06", "06", index: 5, input: "2017.06.27"] 7
// => ["27", "27", index: 8, input: "2017.06.27"] 10
```

7.2.4. Öf{ g@d exex µ test ; [\

‡pö6é! " ÅO; lastIndex < ¢@#SÂ, wxJ @..., { y; lastIndex %—eöwxL

, { y; < Ò¿ \$ @ænw x J @¹ M... 0 —e; @... **lastIndex** < ¤ e h D- L

×! " Å Ö; u Ò¿ \$ **exec1 test**@] ! " M î , wx J @æNnw x ^ ° _@¹ E Õ Ö **lastIndexLop**
 • | * S **test** û O@55' M \$ E & t Ñ

```
var regex = /a/g;
console.log( regex.test("a"), regex.lastIndex );
console.log( regex.test("aba"), regex.lastIndex );
console.log( regex.test("ababc"), regex.lastIndex );
// => true 1
// => true 3
// => false 0
```

ù³ ‡ p ĩ s ª ; m[n Š Y **test**@z û 7 N n Â, wx @—e ...o. **lastIndex**@... 3 %| 1 —e ¿
 ‡ @•• y ‡ D 6 é L

` agg **g**@••¹ M..., { y m 0 Ò, { 1 —e Â, wx Ñ

```
var regex = /a/;
console.log( regex.test("a"), regex.lastIndex );
console.log( regex.test("aba"), regex.lastIndex );
console.log( regex.test("ababc"), regex.lastIndex );
// => true 0
// => true 0
// => true 0
```

7.2.5. test 5 ò wx J K \$ ÿ Y ^ µ \$

7 Ò ÷ d 2³ } ~ @z û **test** M 5 O. , { y ª M \$ g £ y wx! " @...g k - wx ...RL

` a @ \$ 5 ò wx @! " + _ K \$ Ø í — U µ È V Ñ

```
console.log( /123/.test("a123b") );
// => true
console.log( /^123$/.test("a123b") );
// => false
console.log( /^123$/.test("123") );
// => true
```

7.2.6. split ÷ ø ù³ ¿ Æ

split ¿ \$ 5 r x D r Ç @ A \$ ù³ ; ó ¿ g u Ò; L

m N @• R S g m q Ò í ...@ # S È a ...G; Ë f ü é Ñ

```
var string = "html,css,javascript";
console.log( string.split(/,/ , 2) );
// =>["html", "css"]
```

mq@! " ŸY - GJ @È a ...Gª Ms j - ‡ { ; Ñ

```
var string = "html,css,javascript";
console.log( string.split(/(,)/) );
// =>["html", ",", "css", ",", "javascript"]
```

7.2.7. replace M; v f;

9JavaScript . Á} Â: • û exec M7 6 Ò APIª È v f; @x | e h • û replace ± MÈ v f; L
z û • } XÈ 6 à È 6; " Â@• _RS&É ê © ^ + @ ~ â ± ß ¿ AL

Ç ò x / replace g u È ŸY É % @ 7 M z û • ; mq Ò Í ...@RSM, { y @ } RSM; ...L

] mq Ò Í ...M, { y J @ ` o ; , { g ' • ; j x Ñ

< ¤	ng
\$1,\$2,É,\$99	wx m 1-99 Ò - GÈE ° ; Ó8
\$&	wx 6; É y Ó8
\$`	wx 6; É y; ô è Ó8
\$'	wx 6; É y; ó è Ó8
\$\$	ép { ;

O` @á "2,3,5"@- ° "5=2+3"Ñ

```
var result = "2,3,5".replace(/(\d+),(\d+),(\d+)/, "$3=$1+$2");
console.log(result);
// => "5=2+3"
```

ÜO` @á "2,3,5"@- ° "222,333,555":

```
var result = "2,3,5".replace(/(\d+)/g, "$&$&$&");
console.log(result);
// => "222,333,555"
```

ÐO` @á "2+3=5"@- ° "2+3=2+3=5=5":

```
var result = "2+3=5".replace(/=/, "$&$`$&$' $&");
console.log(result);
// => "2+3=2+3=5=5"
```

| * d Ę _ 7 Ò ï ð No / OL \$ á "2+3=5"@- ° "2+3=2+3=5=5"@± Å y M € " Š á = ê © °
 =2+3=5=@±ª @ \$ & wx ; M =@ \$ ` wx ; M 2+3@\$` wx ; M 5 L z C Ÿ Y "\$&\$`\$&\$' \$&" U \$ ° é
 O ; L

] m q Ò Í ... M ; ... J @ | * K \$ ù ³ à = Š ; ... ; Í ... š ò M B z Ñ

```
"1234 2345 3456".replace(/(\d)\d{2}(\d)/g, function (match, $1, $2, index, input) {
  console.log([match, $1, $2, index, input]);
});
// => ["1234", "1", "4", 0, "1234 2345 3456"]
// => ["2345", "2", "5", 5, "1234 2345 3456"]
// => ["3456", "3", "6", 10, "1234 2345 3456"]
```

C J | * R S 5 6 replace Ę 6 ; " Å @ ò D ý exec € L

7.2.8. Ÿ Y : ; ... K \$ ù ³ ; . ¹

N Ò D ' (Ÿ Y : ; ... % ° ! " @ x ø à ä 2 Ÿ Y , p + L z ù Y : ; ... E æ ž ; æ \ L

```
var string = "2017-06-27 2017.06.27 2017/06/27";
var regex = /\d{4}(-|\.\|\/)\d{2}\1\d{2}/g;
console.log( string.match(regex) );
// => ["2017-06-27", "2017.06.27", "2017/06/27"]

regex = new RegExp("\\d{4}(-|\\.|\\/|\\|)\\d{2}\\1\\d{2}", "g");
console.log( string.match(regex) );
// => ["2017-06-27", "2017.06.27", "2017/06/27"]
```

7.2.9. Œ f {

ES5ª Œ f { @ 3 3 Ò Ñ

Œ f {	ng
g	î , wx @ ... ‡ 6 h g wx ; @ l u M g l o b a l L
i	Ã 9 , < f Š ž @ l u M i n g o r e C a s e L
m	æ ð wx @ w [\ ^ µ \$ @ q = - ° ð ; ž Ÿ @ ... ð — U µ ð Ę V L l u M m u l t i l i n e L

] • ! " d t } g ÷ ø ; w < < ¨ Ñ

```
var regex = /\w/img;
console.log( regex.global );
console.log( regex.ignoreCase );
console.log( regex.multiline );
// => true
// => true
// => true
```

7.2.10. `source` < ȧ

! " ÅOd t < ȧ@• é global 1 ignoreCase 1 multiline 1 lastIndex < ȧ^ M@¶ g NÒ source
< ȧL

• Bz J Åg Y™C

ý` @Ž ĭ €W; ! " # \$ % J @RS ½¾¿ 5à < ȧ@x Ě• ĭ å; ! " 6Ž MBz Ñ

```
var className = "high";
var regex = new RegExp("(^|\\s)" + className + "(\\s|$)");
console.log( regex.source )
// => (^|\\s)high(\\s|$) ..., { y "(^|\\s)high(\\s|$)"
```

7.2.11. : ; ...< ȧ

: ; ...; ĚW< ȧÅZh Ěō; ĚÎ Nn! " Õ~ x - ¬L• éM \$1,É,\$9 ^ M@¶ g Ě ÒDqFY;
< ȧž g Õ2ȧ• ¹ ÿÑ

ĚW< ȧ	ng	Òž É %
<code>RegExp.input</code>	ĚÎ NnO. , { y	<code>RegExp["\$ _"]</code>
<code>RegExp.lastMatch</code>	ĚÎ Nnwx; Ó8	<code>RegExp["\$&"]</code>
<code>RegExp.lastParen</code>	ĚÎ NnE°; Ó8	<code>RegExp["\$+"]</code>
<code>RegExp.leftContext</code>	O. , { yª lastMatch^ +; Ó8	<code>RegExp["\$`"]</code>
<code>RegExp.rightContext</code>	O. , { yª lastMatch^ _; Ó8	<code>RegExp["\$'"]</code>

• , Ĭ s` oÑ

```

var regex = /([abc])(\d)/g;
var string = "a1b2c3d4e5";
string.match(regex);

console.log( RegExp.input );
console.log( RegExp["$_"]);
// => "a1b2c3d4e5"

console.log( RegExp.lastMatch );
console.log( RegExp["$&"] );
// => "c3"

console.log( RegExp.lastParen );
console.log( RegExp["$+"] );
// => "3"

console.log( RegExp.leftContext );
console.log( RegExp["$`"] );
// => "a1b2"

console.log( RegExp.rightContext );
console.log( RegExp["$'"] );
// => "d4e5"

```

7.3. { ÅÖÖ

7.3.1. ŸŸ : ; ...%° ! " # \$ %

| * Ä½\$ä 2ŸŸ, p+xİ Ĩ ! " @AgJ! " # \$ %; J òMDÈ• ; @CJ RSŸŸ : ; ...xİ
 Ĩ LyH **getElementsByName** ¿ \$@yM; X/Oà· ¹ ; NÒO£L

7Ð **getElementsByName** ; ...; ÅÊ®ÓMÑ

¥ ý` \$° Ú **className** û "hi gh" ; dom p8u

¥ 1 2%° NÒ! " Ñ/(^|\\s)hi gh(\\s|\$)/,

¥ • _ÐY±Í NJ ø¨ p‡ ; hgdomp8; ? +@È 6^ %wx ; p8...RL

İ s` o(RS» ¼« —68ó¿ 5• ðà a)Ñ

```

<p class="hi gh">1111</p>
<p class="hi gh">2222</p>
<p>3333</p>
<script>
function getElementsByName (className) {
  var elements = document.getElementsByTagName("*");
  var regex = new RegExp("(^|\\s)" + className + "(\\s|$)");
  var result = [];
  for (var i = 0; i < elements.length; i++) {
    var element = elements[i];
    if (regex.test(element.className)) {
      result.push(element)
    }
  }
  return result;
}
var highs = getElementsByName('hi gh');
highs.forEach(function (item) {
  item.style.color = 'red';
});
</script>

```

7.3.2. ŸŸ, { y É > ...F

NõABo@| * ¹ B³ ŸŸ...Gx É > ...FLA| 56g; Î Ĩª @ŸŸ; SM, { yL

ŸŸJ@tK\$á, { y¾- ° ...GL´ • DN• Y6! " @AÇ3bÐÐ; @7Ð- Ñ` oÑ

```

var utils = {};
"Boolean|Number|String|Function|Array|Date|RegExp|Object|Error".split("|").forEach(function (item) {
  utils["is" + item] = function (obj) {
    return {}.toString.call(obj) == "[object " + item + "]";
  };
});
console.log( utils.isArray([1, 2, 3]) );
// => true

```

7.3.3. if ! vª ŸŸ! " êĭ &&

ý` @yH ready ; ...@...í Ò^__ÐĖð=Šž DŌ2 IE ; ŸÑ

```

var readyRE = /complete|loaded|interactive/;

function ready (callback) {
  if (readyRE.test(document.readyState) && document.body) {
    callback()
  }
  else {
    document.addEventListener(
      'DOMContentLoaded',
      function () {
        callback()
      },
      false
    );
  }
};

ready(function () {
  alert("í Ö^__±")
});

```

7.3.4. ÿŸvƒ; replace

z û replace ¿ Šýþvƒ@gJY• ¥8DMûéè©@wMË ±wx 6; " Åx ~ ÓÔL

7ÐS¿ Ó, { y ž querystringŸ Ôµ¿ ŌûO@ù³ op replace ¿ Šª @=Š; ...¥8gg7=RS
 ā ä L

```

function compress (source) {
  var keys = {};
  source.replace(/([^\&]+)=([^\&]*)/g, function (full, key, value) {
    keys[key] = (keys[key] ? keys[key] + ',' : '') + value;
  });
  var result = [];
  for (var key in keys) {
    result.push(key + '=' + keys[key]);
  }
  return result.join('&');
}

console.log( compress("a=1&b=2&a=3&b=4") );
// => "a=1,3&b=2,4"

```

7.3.5. ÖÅ•Ÿ

Ė_7ÐÐ~ ÒÒl ÅŸ; ! " • , ™L

šòàa` oÑ

• ðà a` oÑ

İ s @» ¼Í é @÷ " ' X5c • ž İ s Ö • Z [JavaScript Regular Expressions](#): Ý Ñ

```
<section>
Ê   <div id="err"></div>
Ê   <input id="regex" placeholder="Í 9Q! " # $ % ">
Ê   <input id="text" placeholder="Í 9Q• , Ó8">
Ê   <button id="run">• , No</button>
Ê   <div id="result"></div>
</section>
<style>
section{
Ê   display: flex;
Ê   flex-direction: column;
Ê   justify-content: space-around;
Ê   height: 300px;
Ê   padding: 0 200px;
}
section *{
Ê   min-height: 30px;
}
#err {
Ê   color: red;
```



```

}
#result{
  line-height: 30px;
}
.info {
  background: #00c5ff;
  padding: 2px;
  margin: 2px;
  display: inline-block;
}
</style>
<script>
(function () {
  // ° Ū ÷ ø d o m p 8
  var regexInput = document.getElementById("regex");
  var textInput = document.getElementById("text");
  var runBtn = document.getElementById("run");
  var errBox = document.getElementById("err");
  var resultBox = document.getElementById("result");

  // × • î ĩ ĵ ¾
  runBtn.onclick = function () {
    // Š • D ⁀ μ È a
    errBox.innerHTML = "";
    resultBox.innerHTML = "";

    // ° Ū ! " μ Ó 8
    var text = textInput.value;
    var regex = regexInput.value;

    if (regex == "") {
      errBox.innerHTML = "¡ 9Q! " # $ % ";
    } else if (text == "") {
      errBox.innerHTML = "¡ 9Q• , Ó 8";
    } else {
      regex = createRegex(regex);
      if (!regex) return;
      var result, results = [];

      // gg Œ f { g; ° @ E Ø ° Š
      if (regex.global) {
        while(result = regex.exec(text)) {
          results.push(result);
        }
      } else {
        results.push(regex.exec(text));
      }

      if (results[0] == null) {
        resultBox.innerHTML = "wx 60 Ò È a ";
        return;
      }
    }
  }
}

```

```

    }

    // K) Mg ( $;
    for (var i = results.length - 1; i >= 0; i--) {
        var result = results[i];
        var match = result[0];
        var prefix = text.substr(0, result.index);
        var suffix = text.substr(result.index + match.length);
        text = prefix
            + '<span class="info">'
            + match
            + '</span>'
            + suffix;
    }
    resultBox.innerHTML = "wx 6" + results.length + "ÖË a :<br>" + text;
}
};

// %° ! " # $ % @ Û ' ; ...
function createRegex (regex) {
    try {
        if (regex[0] == "/" ) {
            regex = regex.split("/");
            regex.shift();
            var flags = regex.pop();
            regex = regex.join("/");
            regex = new RegExp(regex, flags);
        } else {
            regex = new RegExp(regex, "g");
        }
        return regex;
    } catch(e) {
        errBox.innerHTML = "Üà ; ! " # $ % ";
        return false;
    }
}
})();
</script>

```

7.4. 8ÔŠË

÷ Ø API ; ù³ Î @8ÔÀ8‡ ö MNÃ` » é L

¬ C@ÚÛ' @' e ^ é JavaScript ! " # \$ % ; hg1 2L

_û

| o • ž é N 8 (± € € y R — ' ; L

7 M Ò ^ ; m N 8 (@ ´ • D W @ A } õ M ^ ° é Ò ^ ; N Ò Š Û € é L

/ r ! " # \$ % @ | ^ h S E ð ĩ ò ó i j • @ Ě Ÿ ; € • M @] | - v + Â F ´ ; Î Ĩ µ Ÿ ; Þ s J @ ,
Ê N ò • ß j ; ó ĳ y M • L _ x Í à e f õ 5 • é Ò p (Ó @ á â ĩ Q é N Ò Ĩ P Q Lg â ™ š y M 7 = @] ' g g • J @ R X õ ´ b c g , D à @ R M N ā ' ä g é • @ Ð } š D o . é L Ö ÷
! " é _ @ d , { y N â « m Ò ~ @ o • X ; Z ó Å Ê L 5 å · ¹ ; D é } , % é Ö - @ æ n 5 b Ñ æ ; !
" Ĩ s @ Ç M 3 b { M ç D R , L] • @ d | x , @ ! " # \$ % D N ø Y Ž Ĩ s Ð L % è ª } E B F Ÿ Y • L ý ` Ò ^ Û J = ' Ä ? · ¹ J @
N â Ä é ê " Ð Í ; Ĩ s ª , { ¹ M ¨ x ; L C J | ¹ E Í 6 Ě Ò • £ ™ Ð @ • _ ž Ò ! " @ Ð N n ª ê
© @ { ĳ U LL M N Ò O £ M @ N â Ĩ s • £ ™ ; Ĩ s æ % ¬ O X @ Ç g • ^ D è ´ ; ó ĳ @ C J | ¹ E Y ž à ! " # \$
% @ Ð æ % ¬ N o L

¶ g N Ò ; ø L ; O £ @ Ž • £ 8 (J @ ß F \$ Ž } • % | ĩ Q ´ • ; | § æ % @ ý ` Ĩ s © + p \$ ĩ Q Ñ

```
[source,javascript]\n----
```

C J @ | , Ê | ; f k - Ĩ s © @ ¹ M var — U ; @ õ a + p g N • ð L C J | ` — ĳ ‡ ê © O X @ ĳ ‡ Ñ

```
(^\\r\\n)var
```

ê © û Ñ

```
[source,javascript]\n----\nvar
```

7 È Å } i | ~ ` N k - ™ ~ L

] • @ ! " # \$ % M < š ò | , ž ý ` JavaScript Ÿ Û ø ; L z û ! " # \$ % M Y x 1 } , { y · ¹ ; @
À 8 ‡ æ Ø | , ¹ g , { y ? U @ — z } ¹ E Û Û ! " # \$ % ; L ! " # \$ % M - f í ; @ } < Å Ê H > g
ø L x JavaScript Y 6 ; ! " # \$ % ; | § @ M î p F ´ | , ¹ Û Û ; Û ´ £ ĩ L ø Z A P I @ Ø | , À 8
f " Š ð @ € Y ; ° @ ø à ; Z y X § — r x L

ø Z ! " # \$ % y / 6 7 Ð @ o p / N / • ´ ž 7 8 (; ĩ ° L

g ^ / Ě à ; e f ĳ § y M ž N 8 (L ± Å @ \$ € á Ä f ö ÷ ñ ~ @ ò ¥ 6 Ž y M Y r x L ž (, = / ž ~
M N Ê ; à ; S ª û e ; . © L _ o @ Ě ° Ó , @ ª ç O ^ õ M d Ä f ; Ě » ¼ ; ø Y é L 5 @ û é ª @ ±
Å M û é e L w g ª E O ^ ± / O ' ö ÷ é L Ò S ª û e Ó ; . © • é ž ä ä ^ M @ ¶ g ð ñ 1 S ¥ p d p
; ó # i L

SO. û#5; ~ª e@Mýþgà; ef. ©L8(MY Ascii doc ž°; L•?@Z Markdown@AŽ
C(^+8^¹ ggY¼LSKwûô€@Í *èéõ` @•' ±Í à á(5} àéL±ª ç6é; æ¹ |
§Üø; ·¹ @ý` ¨ © pdf; ¾¥ª Y; ™š• ðDr x@•' d‡¨ z@öb3bÕÖ- 8; i LÜ
ý` #å; pdf gN, ; ·¹ @èéOP_±, Ê<, ògøLëcëe@æ~` î NÒ·¹ @¹ Rg^
%3; Lab·¹ ði j ðef@7MNÊ·¹ ®r L• xNJ; ~` ¿ Ô¶D» @_x | Ì òó, <é
Ascii doc ÝY. ÷@} BFgÒ¨ x@¶RS7=ž±Ó; òEL

7NÎ @<| * ÛF™~; ø@SÆOû#5@Y, e, L ý` ÝeNÒÎ Ĩ @2cr x@ë5Óù@ëú
Ĩ sLĨ s ú^é@¶\$Ĩ òó5NXÓù@ûJ E, Ê¶gMà; ÅÊ¿ %LDwgÇ+; üa@¶Eg
Op; ýĨ L

LMNÎ @| PPðE6é@cbÒI þm; ™~ M' =; òJ LNXXôd@NXXÕÖLæn@5¹ E
, ÊĨ; å^ÿ; ó¿ LS¬ZÊŽ | 3bGBXá8(! oxé@I Š; ™~ ÈÅ²J^; " ' L

yž67ÐgL` a' bcC(DD; ° @#\$t uL

Ė_@| * à€r %&' ^ d+Â~ å; () Ñ

° ‡cxhbR@bÄC¿ \$* ðL

^L

[٪

	, p +
y %	/ O
, < 1 ...,	wx , p + 8 h L ý` /f/@wx , < "f" L
\0	wx NUL , { L
\t	wx , Û—#{ L
\v	wx » —#{ L
\n	wx © ð { L
\r	wx = § { L
\f	wx © `` { L
\xnn	wx + , , { L ý` \x0A i - Z \n L
\uxxxx	wx Unicode , { L ý` \u2028 wx ð h ß { @ \u2029 wx © h ß { L
\cX	wx ctrl+X L ý` \cI wx ctrl+I @i - Z \t L
[\b]	wx Backspace L ž ' • û Ø Ÿ L
	, { G
y %	/ O
[abc]	wx "a"1 "b"1 "c" ± ^a RSN ò , { L
[a-d1-4]	wx "a"1 "b"1 "c"1 "d"1 "1"1 "2"1 "3"1 "4" ± ^a RSN ò , { L
[^abc]	wx • é "a"1 "b"1 "c" ^ M; RSN ò , { L
[^a-d1-4]	wx • é "a"1 "b"1 "c"1 "d"1 "1"1 "2"1 "3"1 "4" ^ M; RSN ò , { L
.	½ x { @wx • é ∈ ..., { ž \n Ÿ ^ M; R ³ , { L
\d	wx ..., @i - Z [0-9] L
\D	wx E ..., @i - Z [^0-9] L
\w	wx I u , { @i - Z [a-zA-Z0-9_] L
\W	wx E I u , { @i - Z [^a-zA-Z0-9_] L
\s	wx • P { @i - Z [\t \v \n \r \f] L
\S	wx E • P { @i - Z [^ \t \v \n \r \f] L
	+ u
y %	/ O
{n,m}	W" á Ê n 6 m n L • , y % L
{n,}	¬ ∈ W" á Ê n n L • , y % L
{n}	W" á Ê n n L • , y % L
?	i - Z {0,1} L • , y % L
+	i - Z {1,} L • , y % L
*	i - Z {0,} L • , y % L
{n,m}?	W" á Ê n 6 m n L ° x y % L
{n,}?	¬ ∈ W" á Ê n n L ° x y % L
{n}?	W" á Ê n n L ° x y % L
??	i - Z {0,1}? L ° x y % L
+?	i - Z {1,}? L ° x y % L
*?	i - Z {0,}? L ° x y % L
	%
y %	/ O

<code>^</code>	<code>wx —U; % @] ! " gÖf{ m J @# Swx ð—U% L</code>
<code>\$</code>	<code>wx ÈV; % @] ! " gÖf{ m J @# Swx ðÈV% L</code>
<code>\b</code>	<code>wx l uëQ@...@w 1 \W1 ^ 1 \w1\w 1 \$ ^ K; % L</code>
<code>\B</code>	<code>wx E l uëQ@...@w 1 \w1\W 1 \W1 ^ 1 \W@\W 1 \$ ^ K; % L</code>
<code>(?=abc)</code>	<code>wx "abc" +p; % @...C% _pwx "abc"L</code>
<code>(?!abc)</code>	<code>wx E "abc" +p; % @...C% _pDwx "abc"L</code>
<code>: ; ; ~ Y</code>	
<code>y %</code>	<code>/ O</code>
<code>(ab)</code>	<code>E ° U- GL á "ab"] ° NÒ5ò@ý` (ab)+ #S "ab" ¬€W" å Ê NnL</code>
<code>(?:ab)</code>	<code>EE ° U- GL 1 (ab) ; xOM@• DE ° ...FL</code>
<code>(good ni ce)</code>	<code>E ° U- ÛÈ L wx "good" , "ni ce"L</code>
<code>(?:good ni ce)</code>	<code>EE ° U- ÛÈ L 1 (good ni ce) ; xOM@• DE ° ...FL</code>
<code>\num</code>	<code>l 5HYLy` \2@#SHY; MmqÒ: ; Đ; E ° ; ...FL</code>
<code>Öf{</code>	
<code>{ ;</code>	<code>/ O</code>
<code>g</code>	<code>î „ wx@‡6hg^ %wx; £yL</code>
<code>i</code>	<code>wx ¾¥ª @Ã9ÉÓ, < fŠž L</code>
<code>m</code>	<code>æðwx@á ^ µ \$ - ° ð—UµðÈVL</code>
<code>String÷ ø Å Ö ¿ Š</code>	
<code>< ¢</code>	<code>¿ Š ~ Y / O</code>
<code>search</code>	<code>7=! " wx 6; mNÒ£yŽO. , { yª ; o. % L</code>
<code>split</code>	<code>S! " wx 6; £y@dO. , { yĩ ð¾- L 7=NÒ...GL</code>
<code>match</code>	<code>dO. , { yÈð! " wx Ò~ @7=; wx Èa...Gª s; šò; wx" ÅL</code>
<code>replace</code>	<code>dO. , { yĩ ðê©Ò~ L! " M±mNÒÍ ...L 7=ê©_ ; , { yL</code>
<code>replacemqÒÍ ...ª ; ' • , {</code>	
<code>, {</code>	<code>/ O</code>
<code>\$1,\$2,É,\$99</code>	<code>wx m 1-99 Ò- GÐE ° ; Ó8</code>
<code>\$&</code>	<code>wx 6; £yÓ8</code>
<code>\$`</code>	<code>wx 6; £y; ôëÓ8</code>
<code>\$'</code>	<code>wx 6; £y; óëÓ8</code>
<code>\$\$</code>	<code>ép{ ;</code>
<code>RegExp÷ ø Å Ö ¿ Š</code>	
<code>< ¢</code>	<code>¿ Š ~ Y / O</code>
<code>test</code>	<code>! ÆO. , { yª M\$g^ %! " wx; £yL 7=- . VL</code>
<code>exec</code>	<code>ý match Mvf; ! " wx Ò~ L 7=Èa¹ match N>L</code>
<code>RegExpÊ W< ¢</code>	
<code>< ¢</code>	<code>¿ Š ~ Y / O</code>
<code>\$1,É,\$9</code>	<code>ÊÎ Nnm 1-9 Ò- GE ° ; ...FL</code>
<code>input</code>	<code>ÊÎ NnO. , { y@RSÒž ° \$ _ L</code>
<code>lastMatch</code>	<code>ÊÎ Nnwx; Ó8@RSÒž ° \$& L</code>
<code>lastParen</code>	<code>ÊÎ NnE ° ; Ó8@RSÒž ° \$+ L</code>
<code>leftContext</code>	<code>O. , { yª lastMatch ^ +; Ó8@RSÒž ° \$` L</code>
<code>rightContext</code>	<code>O. , { yª lastMatch ^ _; Ó8@RSÒž ° \$' L</code>

Ö | ª £ Ó d /

! " # \$ %	regular expressions
, { G	character classes
x, { G	negated character classes
CD# \$ % \$	range expressions
p, {	metacharacters
½x {	wildcard character
©ð{	newline character
=§{	carriage return character
, Û—#{	tab character
» —#{	vertical tab character
©· {	form feed character
• P{	whitespace
©hß{	paragraph terminator
ðhß{	line terminator
u, {	word characters
E u, {	non-word characters
..., , {	digits
E..., , {	non-digits
, < ..., , {	alphanumeric characters
+u	quantifiers
· ¸ +u	greedy quantifiers
° º +u	lazy quantifiers
%	positions
æ	anchors
ð—U	beginning of a line
ðÈV	end of a line
uëQ	word boundaries
E uëQ	non-word boundaries
5+¿ ‡	lookahead
! 55+¿ ‡	positive lookahead
ò55+¿ ‡	negative lookahead
5_¿ ‡	lookbehind
! 55_¿ ‡	positive lookbehind
ò55_¿ ‡	negative lookbehind
- G	groups
E° - G	capturing groups
EE° - G	non-capturing groups
- ÛÈ	alternations
5HY	back references
= >	backtracks
• Õ{	operators

ä 2%	priority level
Öf{	flags
î „ wx Öf{	global flag
Ã 9f Šž Öf{	ignoreCase flag
æ ð wx Öf{	multiline flag

Í ² (Ö

8(MÜ8^ 9@J \$Í ² ; MĚ 8(PLS o(Pª Û' Ô7¹ • { , <¾@Y¬ , <æXL

9JavaScript . Å} Â: @5^8ÅZ@Ðð5(ª ; m 10 Ô@' yÄ½éBz • , , O1L

9Ñ½! " # \$ % : @. Áaýþmn@| , < ; mN8! " # \$ % (PL

9! " # \$ % (Ä(E: @7M| 5; mq8! " @5^_@È••' õMQØéL

9! " } H: @9Ñ½! " # \$ % : ; ñ=ž ; @÷dŠ®L

9! " # \$ % QØ: @| 5; MEÓ- ; @dZGBQØ; | @À8gæ€ì ° éL

9! " # \$ % BT ÅÖ: @• é m 3 Ô@ýþmM@} gì ° @SÅÖûJ #; N8(L

9JavaScript Regular Expressions: @û...Dæ¨' JavaScript ! " ; @} gì ° L

9å ðX JavaScript : m 5 Ô@| 5; MEÓ- ; Lm 5 Ô@' é =>µä¬L

9JavaScript 2=3P: m 7 Ô@fž' éNo! " ; Y\$@ÈÒÖ£¶DDL

9JavaScript å%¥) èì : m 5.4 7@ýþÒ4; 56L