External Hybrid-Method Follow-up

This separate addendum uses E-numbered tables. The configured external method is SMOTE-ENN from imbalanced-learn 0.14.2. All differences are SMOTE-ENN minus comparator. Bootstrap intervals are individual exploratory 95% intervals, not simultaneous intervals or adjusted hypothesis tests. The experiment crosses Gaussian, moons and circles geometries with clean, dispersed and boundary-near label corruption, with 30 replications per setting. LR and RBF-SVM have fixed configurations. Each model is evaluated at its default rule and a threshold selected using independent trusted validation. Count denotes SMOTE matched to the number of synthetics surviving SMOTE-ENN. Count + retention additionally retains exactly the same original observations as SMOTE-ENN. The comparator synthetics receive no additional editing. Tables E1–E4 provide 5000-resample paired percentile intervals; E5–E8 provide metric means. Full settings, provenance and ranking intervals are in the accompanying code and CSV files.

Table E1: G-mean: LR, default decision rule

Setting	Comparator	Mean Δ	Individual 95% CI
Gaussian / clean	None	+0.19442	[+0.18480, +0.20434]
Gaussian / clean	SMOTE	-0.00046	[−0.00176, +0.00083]
Gaussian / clean	Count	+0.00136	[−0.00082, +0.00376]
Gaussian / clean	Count + retention	+0.00528	[+0.00276, +0.00782]
Gaussian / dispersed	None	+0.31005	[+0.28751, +0.33317]
Gaussian / dispersed	SMOTE	-0.00318	[−0.00705, +0.00073]
Gaussian / dispersed	Count	-0.03920	[−0.04467, −0.03350]
Gaussian / dispersed	Count + retention	+0.04442	[+0.04053, +0.04837]
Gaussian / boundary	None	+0.04109	[+0.03365, +0.04894]
Gaussian / boundary	SMOTE	-0.01620	[−0.01844, −0.01401]
Gaussian / boundary	Count	-0.02080	[−0.02375, −0.01795]
Gaussian / boundary	Count + retention	+0.00172	[+0.00110, +0.00237]
Moons / clean	None	+0.08596	[+0.08172, +0.09044]
Moons / clean	SMOTE	+0.00007	[−0.00018, +0.00036]
Moons / clean	Count	+0.00009	[−0.00014, +0.00032]
Moons / clean	Count + retention	-0.00002	[−0.00018, +0.00010]
Moons / dispersed	None	+0.11578	[+0.10317, +0.12840]
Moons / dispersed	SMOTE	+0.00838	[+0.00577, +0.01108]
Moons / dispersed	Count	-0.02002	[−0.02334, −0.01693]
Moons / dispersed	Count + retention	+0.03371	[+0.02949, +0.03774]
Moons / boundary	None	+0.04407	[+0.02567, +0.06446]
Moons / boundary	SMOTE	-0.00093	[−0.00191, +0.00007]
Moons / boundary	Count	-0.00159	[−0.00267, −0.00050]
Moons / boundary	Count + retention	+0.00000	[−0.00033, +0.00034]
Circles / clean	None	+0.50539	[+0.50089, +0.51027]
Circles / clean	SMOTE	+0.00908	[+0.00657, +0.01165]
Circles / clean	Count	+0.01889	[+0.01298, +0.02565]
Circles / clean	Count + retention	-0.00073	[−0.00201, +0.00043]
Circles / dispersed	None	+0.38730	[+0.30125, +0.46478]
Circles / dispersed	SMOTE	-0.11273	[−0.20034, −0.03393]
Circles / dispersed	Count	+0.38594	[+0.30008, +0.46335]
Circles / dispersed	Count + retention	+0.00845	[−0.03377, +0.06017]
Circles / boundary	None	+0.50806	[+0.50155, +0.51498]
Circles / boundary	SMOTE	+0.01723	[+0.01170, +0.02341]
Circles / boundary	Count	+0.04468	[+0.02554, +0.07543]
Circles / boundary	Count + retention	-0.00004	[−0.00125, +0.00155]

Table E2: G-mean: LR, selected decision rule

Setting	Comparator	Mean Δ	Individual 95% CI
Gaussian / clean	None	+0.00060	$[-0.00115, +0.00246]$
Gaussian / clean	SMOTE	+0.00073	$[-0.00082, +0.00253]$
Gaussian / clean	Count	+0.00044	$[-0.00114, +0.00249]$
Gaussian / clean	Count + retention	+0.00127	$[-0.00002, +0.00268]$
Gaussian / dispersed	None	-0.00253	$[-0.00500, +0.00021]$
Gaussian / dispersed	SMOTE	-0.00116	$[-0.00274, +0.00043]$
Gaussian / dispersed	Count	-0.00224	$[-0.00386, -0.00058]$
Gaussian / dispersed	Count + retention	+0.00008	$[-0.00180, +0.00201]$
Gaussian / boundary	None	-0.00116	$[-0.00314, +0.00055]$
Gaussian / boundary	SMOTE	-0.00063	$[-0.00165, +0.00038]$
Gaussian / boundary	Count	-0.00144	$[-0.00260, -0.00038]$
Gaussian / boundary	Count + retention	-0.00008	$[-0.00107, +0.00097]$
Moons / clean	None	-0.00042	$[-0.00180, +0.00092]$
Moons / clean	SMOTE	+0.00014	$[-0.00009, +0.00044]$
Moons / clean	Count	+0.00020	$[-0.00004, +0.00051]$
Moons / clean	Count + retention	+0.00006	$[-0.00015, +0.00028]$
Moons / dispersed	None	-0.00315	$[-0.00545, -0.00064]$
Moons / dispersed	SMOTE	-0.00050	$[-0.00192, +0.00089]$
Moons / dispersed	Count	-0.00090	$[-0.00246, +0.00063]$
Moons / dispersed	Count + retention	+0.00070	$[-0.00107, +0.00267]$
Moons / boundary	None	-0.01523	$[-0.02064, -0.01064]$
Moons / boundary	SMOTE	+0.00058	$[-0.00016, +0.00138]$
Moons / boundary	Count	+0.00059	$[-0.00009, +0.00136]$
Moons / boundary	Count + retention	+0.00005	$[-0.00049, +0.00062]$
Circles / clean	None	-0.00050	$[-0.00274, +0.00175]$
Circles / clean	SMOTE	+0.00074	$[+0.00000, +0.00156]$
Circles / clean	Count	+0.00080	$[-0.00058, +0.00267]$
Circles / clean	Count + retention	-0.00017	$[-0.00120, +0.00078]$
Circles / dispersed	None	-0.00054	$[-0.00448, +0.00246]$
Circles / dispersed	SMOTE	-0.00168	$[-0.00495, +0.00089]$
Circles / dispersed	Count	+0.00088	$[-0.00158, +0.00334]$
Circles / dispersed	Count + retention	+0.00220	$[+0.00014, +0.00411]$
Circles / boundary	None	-0.00064	$[-0.00194, +0.00079]$
Circles / boundary	SMOTE	-0.00096	$[-0.00205, +0.00009]$
Circles / boundary	Count	-0.00113	$[-0.00209, -0.00031]$
Circles / boundary	Count + retention	-0.00049	$[-0.00147, +0.00045]$

Table E3: G-mean: SVM, default decision rule

Setting	Comparator	Mean Δ	Individual 95% CI
Gaussian / clean	None	+0.23384	[+0.21992, +0.24849]
Gaussian / clean	SMOTE	-0.00095	[−0.00240, +0.00044]
Gaussian / clean	Count	+0.00217	[−0.00034, +0.00474]
Gaussian / clean	Count + retention	+0.00281	[+0.00015, +0.00539]
Gaussian / dispersed	None	+0.23443	[+0.21656, +0.25234]
Gaussian / dispersed	SMOTE	-0.00805	[−0.01263, −0.00380]
Gaussian / dispersed	Count	+0.02455	[+0.01543, +0.03427]
Gaussian / dispersed	Count + retention	+0.02148	[+0.01042, +0.03525]
Gaussian / boundary	None	+0.07162	[+0.05795, +0.08709]
Gaussian / boundary	SMOTE	-0.00850	[−0.01427, −0.00370]
Gaussian / boundary	Count	-0.01698	[−0.02557, −0.00958]
Gaussian / boundary	Count + retention	+0.00140	[−0.00096, +0.00398]
Moons / clean	None	+0.00953	[+0.00781, +0.01137]
Moons / clean	SMOTE	+0.00003	[−0.00012, +0.00018]
Moons / clean	Count	+0.00004	[−0.00011, +0.00019]
Moons / clean	Count + retention	-0.00005	[−0.00016, +0.00003]
Moons / dispersed	None	+0.01849	[+0.01124, +0.02531]
Moons / dispersed	SMOTE	-0.00519	[−0.01004, −0.00113]
Moons / dispersed	Count	-0.00497	[−0.01072, +0.00011]
Moons / dispersed	Count + retention	+0.02610	[+0.01493, +0.03878]
Moons / boundary	None	-0.05942	[−0.06463, −0.05413]
Moons / boundary	SMOTE	-0.00111	[−0.00163, −0.00061]
Moons / boundary	Count	-0.00136	[−0.00188, −0.00088]
Moons / boundary	Count + retention	+0.00029	[+0.00001, +0.00058]
Circles / clean	None	+0.02302	[+0.02073, +0.02527]
Circles / clean	SMOTE	+0.00018	[−0.00030, +0.00066]
Circles / clean	Count	+0.00018	[−0.00035, +0.00070]
Circles / clean	Count + retention	-0.00015	[−0.00067, +0.00029]
Circles / dispersed	None	+0.03561	[+0.02503, +0.04532]
Circles / dispersed	SMOTE	-0.01371	[−0.02118, −0.00753]
Circles / dispersed	Count	-0.01515	[−0.02476, −0.00706]
Circles / dispersed	Count + retention	+0.05108	[+0.03979, +0.06422]
Circles / boundary	None	-0.06783	[−0.07074, −0.06502]
Circles / boundary	SMOTE	-0.00526	[−0.00634, −0.00438]
Circles / boundary	Count	-0.00630	[−0.00749, −0.00522]
Circles / boundary	Count + retention	+0.00015	[−0.00038, +0.00070]

Table E4: G-mean: SVM, selected decision rule

Setting	Comparator	Mean Δ	Individual 95% CI
Gaussian / clean	None	+0.04284	[+0.03661, +0.04962]
Gaussian / clean	SMOTE	-0.00151	[−0.00471, +0.00103]
Gaussian / clean	Count	-0.00208	[−0.00613, +0.00129]
Gaussian / clean	Count + retention	+0.00122	[−0.00142, +0.00382]
Gaussian / dispersed	None	+0.01292	[+0.00526, +0.02016]
Gaussian / dispersed	SMOTE	-0.00679	[−0.01162, −0.00222]
Gaussian / dispersed	Count	-0.01281	[−0.01906, −0.00669]
Gaussian / dispersed	Count + retention	+0.01018	[+0.00462, +0.01641]
Gaussian / boundary	None	-0.02332	[−0.03055, −0.01650]
Gaussian / boundary	SMOTE	-0.00353	[−0.00698, −0.00041]
Gaussian / boundary	Count	-0.00886	[−0.01453, −0.00401]
Gaussian / boundary	Count + retention	-0.00403	[−0.00653, −0.00171]
Moons / clean	None	+0.00113	[+0.00024, +0.00211]
Moons / clean	SMOTE	-0.00015	[−0.00035, −0.00003]
Moons / clean	Count	+0.00006	[−0.00028, +0.00044]
Moons / clean	Count + retention	+0.00021	[−0.00007, +0.00061]
Moons / dispersed	None	-0.00416	[−0.00873, −0.00022]
Moons / dispersed	SMOTE	-0.00257	[−0.00535, −0.00021]
Moons / dispersed	Count	-0.00476	[−0.00879, −0.00117]
Moons / dispersed	Count + retention	+0.01601	[+0.00956, +0.02294]
Moons / boundary	None	-0.03785	[−0.04290, −0.03312]
Moons / boundary	SMOTE	-0.00117	[−0.00332, +0.00118]
Moons / boundary	Count	-0.00089	[−0.00282, +0.00110]
Moons / boundary	Count + retention	-0.00042	[−0.00173, +0.00078]
Circles / clean	None	-0.00043	[−0.00148, +0.00063]
Circles / clean	SMOTE	-0.00001	[−0.00038, +0.00041]
Circles / clean	Count	+0.00020	[−0.00028, +0.00066]
Circles / clean	Count + retention	+0.00012	[−0.00032, +0.00054]
Circles / dispersed	None	-0.01345	[−0.02043, −0.00773]
Circles / dispersed	SMOTE	-0.00676	[−0.01012, −0.00387]
Circles / dispersed	Count	-0.01258	[−0.01901, −0.00739]
Circles / dispersed	Count + retention	+0.03062	[+0.02258, +0.03927]
Circles / boundary	None	-0.00474	[−0.00683, −0.00294]
Circles / boundary	SMOTE	-0.00064	[−0.00173, +0.00026]
Circles / boundary	Count	-0.00111	[−0.00239, −0.00008]
Circles / boundary	Count + retention	-0.00150	[−0.00271, −0.00049]

Table E5: All metrics: LR, default decision rule

Setting	Method	G-mean	ROC-AUC	AP
Gaussian / clean	None	0.6432	0.9203	0.6429
Gaussian / clean	SMOTE	0.8381	0.9197	0.6410
Gaussian / clean	SMOTE-ENN	0.8377	0.9195	0.6402
Gaussian / clean	Count	0.8363	0.9198	0.6411
Gaussian / clean	Count + retention	0.8324	0.9194	0.6397
Gaussian / dispersed	None	0.4829	0.9196	0.6400
Gaussian / dispersed	SMOTE	0.7961	0.9178	0.6340
Gaussian / dispersed	SMOTE-ENN	0.7930	0.9163	0.6292
Gaussian / dispersed	Count	0.8322	0.9183	0.6353
Gaussian / dispersed	Count + retention	0.7486	0.9157	0.6272
Gaussian / boundary	None	0.7660	0.9197	0.6406
Gaussian / boundary	SMOTE	0.8233	0.9188	0.6377
Gaussian / boundary	SMOTE-ENN	0.8071	0.9186	0.6367
Gaussian / boundary	Count	0.8279	0.9189	0.6379
Gaussian / boundary	Count + retention	0.8054	0.9187	0.6372
Moons / clean	None	0.7932	0.9597	0.8192
Moons / clean	SMOTE	0.8790	0.9597	0.8187
Moons / clean	SMOTE-ENN	0.8791	0.9597	0.8187
Moons / clean	Count	0.8790	0.9597	0.8187
Moons / clean	Count + retention	0.8791	0.9597	0.8187
Moons / dispersed	None	0.7359	0.9589	0.8184
Moons / dispersed	SMOTE	0.8433	0.9580	0.8172
Moons / dispersed	SMOTE-ENN	0.8517	0.9577	0.8159
Moons / dispersed	Count	0.8717	0.9585	0.8180
Moons / dispersed	Count + retention	0.8180	0.9571	0.8149
Moons / boundary	None	0.7926	0.9553	0.8123
Moons / boundary	SMOTE	0.8376	0.9478	0.7970
Moons / boundary	SMOTE-ENN	0.8366	0.9481	0.7976
Moons / boundary	Count	0.8382	0.9479	0.7972
Moons / boundary	Count + retention	0.8366	0.9482	0.7978
Circles / clean	None	0.0000	0.5025	0.0828
Circles / clean	SMOTE	0.4963	0.5016	0.0827
Circles / clean	SMOTE-ENN	0.5054	0.5016	0.0827
Circles / clean	Count	0.4865	0.5016	0.0827
Circles / clean	Count + retention	0.5061	0.5019	0.0827
Circles / dispersed	None	0.0000	0.5015	0.0827
Circles / dispersed	SMOTE	0.5000	0.5020	0.0828
Circles / dispersed	SMOTE-ENN	0.3873	0.5003	0.0825
Circles / dispersed	Count	0.0014	0.5003	0.0825
Circles / dispersed	Count + retention	0.3789	0.4998	0.0824
Circles / boundary	None	0.0000	0.5029	0.0828
Circles / boundary	SMOTE	0.4908	0.5028	0.0828
Circles / boundary	SMOTE-ENN	0.5081	0.5027	0.0828
Circles / boundary	Count	0.4634	0.5027	0.0828
Circles / boundary	Count + retention	0.5081	0.5028	0.0828

Table E6: All metrics: LR, selected decision rule

Setting	Method	G-mean	ROC-AUC	AP
Gaussian / clean	None	0.8368	0.9203	0.6429
Gaussian / clean	SMOTE	0.8366	0.9197	0.6410
Gaussian / clean	SMOTE-ENN	0.8373	0.9195	0.6402
Gaussian / clean	Count	0.8369	0.9198	0.6411
Gaussian / clean	Count + retention	0.8361	0.9194	0.6397
Gaussian / dispersed	None	0.8353	0.9196	0.6400
Gaussian / dispersed	SMOTE	0.8340	0.9178	0.6340
Gaussian / dispersed	SMOTE-ENN	0.8328	0.9163	0.6292
Gaussian / dispersed	Count	0.8351	0.9183	0.6353
Gaussian / dispersed	Count + retention	0.8327	0.9157	0.6272
Gaussian / boundary	None	0.8363	0.9197	0.6406
Gaussian / boundary	SMOTE	0.8358	0.9188	0.6377
Gaussian / boundary	SMOTE-ENN	0.8352	0.9186	0.6367
Gaussian / boundary	Count	0.8366	0.9189	0.6379
Gaussian / boundary	Count + retention	0.8352	0.9187	0.6372
Moons / clean	None	0.8754	0.9597	0.8192
Moons / clean	SMOTE	0.8749	0.9597	0.8187
Moons / clean	SMOTE-ENN	0.8750	0.9597	0.8187
Moons / clean	Count	0.8748	0.9597	0.8187
Moons / clean	Count + retention	0.8750	0.9597	0.8187
Moons / dispersed	None	0.8708	0.9589	0.8184
Moons / dispersed	SMOTE	0.8682	0.9580	0.8172
Moons / dispersed	SMOTE-ENN	0.8677	0.9577	0.8159
Moons / dispersed	Count	0.8686	0.9585	0.8180
Moons / dispersed	Count + retention	0.8670	0.9571	0.8149
Moons / boundary	None	0.8601	0.9553	0.8123
Moons / boundary	SMOTE	0.8443	0.9478	0.7970
Moons / boundary	SMOTE-ENN	0.8449	0.9481	0.7976
Moons / boundary	Count	0.8443	0.9479	0.7972
Moons / boundary	Count + retention	0.8448	0.9482	0.7978
Circles / clean	None	0.5612	0.5025	0.0828
Circles / clean	SMOTE	0.5599	0.5016	0.0827
Circles / clean	SMOTE-ENN	0.5607	0.5016	0.0827
Circles / clean	Count	0.5599	0.5016	0.0827
Circles / clean	Count + retention	0.5608	0.5019	0.0827
Circles / dispersed	None	0.5612	0.5015	0.0827
Circles / dispersed	SMOTE	0.5623	0.5020	0.0828
Circles / dispersed	SMOTE-ENN	0.5606	0.5003	0.0825
Circles / dispersed	Count	0.5598	0.5003	0.0825
Circles / dispersed	Count + retention	0.5584	0.4998	0.0824
Circles / boundary	None	0.5616	0.5029	0.0828
Circles / boundary	SMOTE	0.5619	0.5028	0.0828
Circles / boundary	SMOTE-ENN	0.5610	0.5027	0.0828
Circles / boundary	Count	0.5621	0.5027	0.0828
Circles / boundary	Count + retention	0.5615	0.5028	0.0828

Table E7: All metrics: SVM, default decision rule

Setting	Method	G-mean	ROC-AUC	AP
Gaussian / clean	None	0.5956	0.7841	0.5682
Gaussian / clean	SMOTE	0.8304	0.8885	0.4442
Gaussian / clean	SMOTE-ENN	0.8295	0.8827	0.4366
Gaussian / clean	Count	0.8273	0.8875	0.4654
Gaussian / clean	Count + retention	0.8267	0.8812	0.4033
Gaussian / dispersed	None	0.5755	0.7726	0.5696
Gaussian / dispersed	SMOTE	0.8179	0.8849	0.4619
Gaussian / dispersed	SMOTE-ENN	0.8099	0.8735	0.4305
Gaussian / dispersed	Count	0.7853	0.8798	0.5452
Gaussian / dispersed	Count + retention	0.7884	0.8673	0.4091
Gaussian / boundary	None	0.7166	0.8653	0.5771
Gaussian / boundary	SMOTE	0.7967	0.8647	0.3580
Gaussian / boundary	SMOTE-ENN	0.7882	0.8596	0.3506
Gaussian / boundary	Count	0.8052	0.8689	0.3742
Gaussian / boundary	Count + retention	0.7868	0.8611	0.3499
Moons / clean	None	0.9858	0.9998	0.9984
Moons / clean	SMOTE	0.9953	0.9999	0.9989
Moons / clean	SMOTE-ENN	0.9953	0.9999	0.9988
Moons / clean	Count	0.9953	0.9999	0.9989
Moons / clean	Count + retention	0.9954	0.9999	0.9988
Moons / dispersed	None	0.9628	0.9994	0.9954
Moons / dispersed	SMOTE	0.9865	0.9987	0.9868
Moons / dispersed	SMOTE-ENN	0.9813	0.9973	0.9712
Moons / dispersed	Count	0.9862	0.9994	0.9956
Moons / dispersed	Count + retention	0.9552	0.9917	0.9295
Moons / boundary	None	0.9753	0.9944	0.9221
Moons / boundary	SMOTE	0.9170	0.9670	0.6384
Moons / boundary	SMOTE-ENN	0.9159	0.9729	0.7131
Moons / boundary	Count	0.9173	0.9673	0.6427
Moons / boundary	Count + retention	0.9156	0.9733	0.7186
Circles / clean	None	0.9631	0.9992	0.9941
Circles / clean	SMOTE	0.9860	0.9992	0.9937
Circles / clean	SMOTE-ENN	0.9862	0.9992	0.9936
Circles / clean	Count	0.9860	0.9992	0.9937
Circles / clean	Count + retention	0.9863	0.9992	0.9936
Circles / dispersed	None	0.9310	0.9992	0.9940
Circles / dispersed	SMOTE	0.9803	0.9979	0.9862
Circles / dispersed	SMOTE-ENN	0.9666	0.9965	0.9786
Circles / dispersed	Count	0.9817	0.9990	0.9928
Circles / dispersed	Count + retention	0.9155	0.9885	0.9390
Circles / boundary	None	0.9828	0.9986	0.9891
Circles / boundary	SMOTE	0.9203	0.9979	0.9852
Circles / boundary	SMOTE-ENN	0.9150	0.9979	0.9851
Circles / boundary	Count	0.9213	0.9980	0.9854
Circles / boundary	Count + retention	0.9149	0.9980	0.9857

Table E8: All metrics: SVM, selected decision rule

Setting	Method	G-mean	ROC-AUC	AP
Gaussian / clean	None	0.7864	0.7841	0.5682
Gaussian / clean	SMOTE	0.8308	0.8885	0.4442
Gaussian / clean	SMOTE-ENN	0.8292	0.8827	0.4366
Gaussian / clean	Count	0.8313	0.8875	0.4654
Gaussian / clean	Count + retention	0.8280	0.8812	0.4033
Gaussian / dispersed	None	0.8015	0.7726	0.5696
Gaussian / dispersed	SMOTE	0.8212	0.8849	0.4619
Gaussian / dispersed	SMOTE-ENN	0.8144	0.8735	0.4305
Gaussian / dispersed	Count	0.8273	0.8798	0.5452
Gaussian / dispersed	Count + retention	0.8043	0.8673	0.4091
Gaussian / boundary	None	0.8257	0.8653	0.5771
Gaussian / boundary	SMOTE	0.8059	0.8647	0.3580
Gaussian / boundary	SMOTE-ENN	0.8024	0.8596	0.3506
Gaussian / boundary	Count	0.8112	0.8689	0.3742
Gaussian / boundary	Count + retention	0.8064	0.8611	0.3499
Moons / clean	None	0.9930	0.9998	0.9984
Moons / clean	SMOTE	0.9943	0.9999	0.9989
Moons / clean	SMOTE-ENN	0.9942	0.9999	0.9988
Moons / clean	Count	0.9941	0.9999	0.9989
Moons / clean	Count + retention	0.9940	0.9999	0.9988
Moons / dispersed	None	0.9879	0.9994	0.9954
Moons / dispersed	SMOTE	0.9863	0.9987	0.9868
Moons / dispersed	SMOTE-ENN	0.9837	0.9973	0.9712
Moons / dispersed	Count	0.9885	0.9994	0.9956
Moons / dispersed	Count + retention	0.9677	0.9917	0.9295
Moons / boundary	None	0.9781	0.9944	0.9221
Moons / boundary	SMOTE	0.9414	0.9670	0.6384
Moons / boundary	SMOTE-ENN	0.9402	0.9729	0.7131
Moons / boundary	Count	0.9411	0.9673	0.6427
Moons / boundary	Count + retention	0.9406	0.9733	0.7186
Circles / clean	None	0.9867	0.9992	0.9941
Circles / clean	SMOTE	0.9863	0.9992	0.9937
Circles / clean	SMOTE-ENN	0.9863	0.9992	0.9936
Circles / clean	Count	0.9861	0.9992	0.9937
Circles / clean	Count + retention	0.9861	0.9992	0.9936
Circles / dispersed	None	0.9867	0.9992	0.9940
Circles / dispersed	SMOTE	0.9800	0.9979	0.9862
Circles / dispersed	SMOTE-ENN	0.9732	0.9965	0.9786
Circles / dispersed	Count	0.9858	0.9990	0.9928
Circles / dispersed	Count + retention	0.9426	0.9885	0.9390
Circles / boundary	None	0.9819	0.9986	0.9891
Circles / boundary	SMOTE	0.9778	0.9979	0.9852
Circles / boundary	SMOTE-ENN	0.9772	0.9979	0.9851
Circles / boundary	Count	0.9783	0.9980	0.9854
Circles / boundary	Count + retention	0.9787	0.9980	0.9857