Using Combine

Joseph Heck
Version 1.1, 2020-03-07

Table of Contents

tryCompactMap

filter

tryFilter

removeDuplicates

tryRemoveDuplicates

replaceEmpty

replaceError

replaceNil

Reducing elements

collect

ignoreOutput

reduce

tryReduce

Mathematic opertions on elements

max

tryMax

min

tryMin

count

Applying matching criteria to elements

allSatisfy

tryAllSatisfy

contains

containsWhere

tryContainsWhere

Applying sequence operations to elements

first

firstWhere

tryFirstWhere

last

lastWhere

tryLastWhere

dropUntilOutput

dropWhile

tryDropWhile

prepend

drop

prefixUntilOutput

prefixWhile

tryPrefixWhile

output

Mixing elements from multiple publishers

combineLatest

merge

zip

Error Handling

About This Book

Version: 1.1

Version Date: 2020-03-07

This is an intermediate to advanced book, focusing narrowly on how to use the Combine framework. The writing and examples expect that you have a solid understanding of Swift including reference and value types, protocols, and familiarity with using common elements from the Foundation framework.

If you are starting with Swift, Apple provides a number of resources (https://developer.apple.com/swift/resources/) to learn it. There are truly amazing tutorials and introductions available as books from a number of authors, including A Swift Kickstart (https://gumroad.com/l/swift-kickstart) by Daniel Steinberg and Hacking with Swift (https://www.hackingwithswift.com) by Paul Hudson.

This book provides a very abbreviated introduction to the concept of functional reactive programming, which is what Combine is meant to provide.

Supporting this effort

If you find the content useful, please purchase a copy of the DRM-free PDF or ePub version at http://gumroad.com/l/usingcombine.

The book is available online (https://heckj.github.io/swiftui-notes/) at no cost.

To report a problem (typo, grammar, or technical fault) please Open an issue (https://github.com/heckj/swiftui-notes/issues/new/choose) in GitHub. If you are so inclined, feel free to fork the project and send me pull requests (https://github.com/heckj/swiftui-notes/compare?expand=1) with updates or corrections.

Acknowledgements

<div style="border:1px solid">

Thank you

Michael Critz designed and provided the cover art.

Reviews, corrections, and updates from:

Benjamin Barnard, Mycroft Canner, Max Desiatov, Tim Ekl, Arthur Hammer, Nanu Jogi, Serhii Kyrylenko, Michel Mohrmann, Lee O'Mara, Kai Özer, Zachary Recolan, Dave Reed, Andrius Shiaulis, Antoine Weber, Paul Wood III, Federico Zanetello

</div>

Thank you all for taking the time and effort to submit a pull request to make this work better!

Author Bio

Joe Heck has broad software engineering development and management experience across startups and large companies. He works across all the layers of solutions, from architecture, development, validation, deployment, and operations.

Joe has developed projects ranging from mobile and desktop application development to cloud-based distributed systems. He has established teams, development processes, CI and CD pipelines, and developed validation and operational automation. Joe also builds and mentors people to learn, build, validate, deploy and run software services

and infrastructure.

Joe works extensively with and in open source, contributing and collaborating with a wide variety of open source projects. He writes online across a variety of topics at https://rhonabwy.com/.

(https://github.com/heckj)   (https://www.linkedin.com/in/josephheck/)   (http://twitter.com/heckj)

Where to get this book

The online version of this book is available online as HTML (https://heckj.github.io/swiftui-notes/), provided at no cost.

DRM-free PDF or ePub versions are available for purchase at http://gumroad.com/l/usingcombine.

Updates of the content will be made to the online version as development continues. Larger updates and announcements will also be provided through the author's profile at Gumroad (https://gumroad.com/heckj).

The content for this book, including sample code and tests, are sourced from the GitHub repository: https://github.com/heckj/swiftui-notes.

Download the project

The contents of this book, as well as example code and unit tests referenced from the book, are linked in an Xcode project (`SwiftUI-Notes.xcodeproj`). The Xcode project includes fully operational sample code that shows examples of Combine integrating with UIKit and SwiftUI. The project also includes extensive unit tests exercising the framework to illustrate the behavior of framework components.

The project associated with this book requires Xcode 11 and MacOS 10.14 or later.

Welcome to Xcode

Version 11.0 beta 2 (11M337n)

Get started with a playground
Explore new ideas quickly and easily.

Create a new Xcode project
Create an app for iPhone, iPad, Mac, Apple Watch, or Apple TV.

Clone an existing project
Start working on something from a Git repository.

- From the Welcome to Xcode window, choose **Clone an existing project**
- Enter `https://github.com/heckj/swiftui-notes.git` and click `Clone`

- Choose the `master` branch to check out

Introduction to Combine

In Apple's words, Combine is:

> " *a declarative Swift API for processing values over time.*

Combine is Apple's take on a functional reactive programming library, akin to <u>RxSwift</u> (https://github.com/ReactiveX/RxSwift).
RxSwift itself is a port of <u>ReactiveX</u> (http://reactivex.io). Combine uses many of the same functional reactive concepts that
can be found in other languages and libraries, applying the staticly typed nature of Swift to their solution.

> ℹ️   If you are already familar with RxSwift there is <u>a good collected cheat-sheet</u>
> (https://github.com/CombineCommunity/rxswift-to-combine-cheatsheet) for how to map concepts and APIs from
> RxSwift to Combine.

Functional reactive programming

<u>Functional reactive programming</u> (https://en.wikipedia.org/wiki/Functional_reactive_programming), also known as data-flow
programming, builds on the concepts of <u>functional programming</u> (https://en.wikipedia.org/wiki/Functional_programming).
Where functional programming applies to lists of elements, functional reactive programming is applied to streams of
elements. The kinds of functions in functional programming, such as `map` , `filter` , and `reduce` have analogues that
can be applied to streams. In addition to functional programming primitives, functional reactive programming includes
functions to split and merge streams. Like functional programming, you may create operations to transform the data
flowing through the stream.

There are many parts of the systems we program that can be viewed as asynchronous streams of information - events,
objects, or pieces of data. The observer pattern watches a single object, providing notifications of changes and updates. If
you view these notifications over time, they make up a stream of objects. Functional reactive programming, Combine in
this case, allows you to create code that describes what happens when getting data in a stream.

You may want to create logic to watch more than one element that is changing. You may also want to include logic that
does additional asynchronous operations, some of which may fail. You may want to change the content of the streams
based on timing, or change the timing of the content. Handling the flow of these event streams, the timing, errors when
they happen, and coordinating how a system responds to all those events is at the heart of functional reactive
programming.

A solution based on functional reactive programming is particularly effective when programming user interfaces. Or
more generally for creating pipelines that process data from external sources or rely on asynchronous APIs.

Combine specifics

Applying these concepts to a strongly typed language like Swift is part of what Apple has created in Combine. Combine
extends functional reactive programming by embedding the concept of back-pressure. Back-pressure is the idea that the
subscriber should control how much information it gets at once and needs to process. This leads to efficient operation
with the added notion that the volume of data processed through a stream is controllable as well as cancellable.

Combine elements are set up to be composed, including affordances to integrate existing code to incrementally support
adoption.

Combine is leveraged by some of Apple's other frameworks. SwiftUI is the obvious example that has the most attention,
with both subscriber and publisher elements. RealityKit also has publishers that you can use to react to events. And
Foundation has a number of Combine specific additions including NotificationCenter, URLSession, and Timer as

publishers.

Any asynchronous API *can* be leveraged with Combine. For example, you could use some of the APIs in the Vision framework, composing data flowing to it, and from it, by leveraging Combine.

> In this work, I'm going to call a set of composed operations in Combine a **pipeline**. Pipeline is not a term that Apple is (yet?) using in its documentation.

When to use Combine

Combine fits most naturally when you want to set up something that reacts to a variety of inputs. User interfaces fit very naturally into this pattern.

The classic examples using functional reactive programming in user interfaces frequently show form validation, where user events such as changing text fields, taps, or mouse-clicks on UI elements make up the data being streamed. Combine takes this further, enabling watching of properties, binding to objects, sending and receiving higher level events from UI controls, and supporting integration with almost all of Apple's existing API ecosystem.

Some things you can do with Combine include:

- You can set up pipelines to enable a button for submission only when values entered into the fields are valid.

- A pipeline can also do asynchronous actions (such as checking with a network service) and using the values returned to choose how and what to update within a view.

- Pipelines can also be used to react to a user typing dynamically into a text field and updating the user interface view based on what they're typing.

Combine is not limited to user interfaces. Any sequence of asynchronous operations can be effective as a pipeline, especially when the results of each step flow to the next step. An example of such might be a series of network service requests, followed by decoding the results.

Combine can also be used to define how to handle errors from asynchronous operations. Combine supports doing this by setting up pipelines and merging them together. One of Apple's examples with Combine include a pipeline to fall back to getting a lower-resolution image from a network service when the local network is constrained.

Many of the pipelines you create with Combine will only be a few operations. Even with just a few operations, Combine can still make it much easier to view and understand what's happening when you compose a pipeline. Combine pipelines are a declarative way to define what processing should happen to a stream of values over time.

Apple's Combine Documentation

The <u>online documentation for Combine</u> (https://developer.apple.com/documentation/combine) can be found at https://developer.apple.com/documentation/combine. Apple's developer documentation is hosted at https://developer.apple.com/documentation/.

WWDC 2019 content

Apple provides video, slides, and some sample code in sessions at its developer conferences. Details on Combine are primarily from <u>WWDC 2019</u> (https://developer.apple.com/videos/play/wwdc2019).

> Combine has evolved since its initial release at WWDC 2019. Some of the content in these presentations are now slightly dated or changed from what currently exists. The majority of this content is still immensely valuable in getting an introduction or feel for what Combine is and can do.

A number of these introduce and go into some depth on Combine:

- <u>Introducing Combine</u> (https://developer.apple.com/videos/play/wwdc2019/722/)
  - <u>PDF of presentation notes</u> (https://devstreaming-cdn.apple.com/videos/wwdc/2019/722l6blhn0efespfgx/722/722_introducing_combine.pdf?dl=1)
- <u>Combine in Practice</u> (https://developer.apple.com/videos/play/wwdc2019/721/)
  - <u>PDF of presentation notes</u> (https://devstreaming-cdn.apple.com/videos/wwdc/2019/721ga0kflgr4ypfx/721/721_combine_in_practice.pdf?dl=1)

A number of additional WWDC19 sessions mention Combine:

- <u>Modern Swift API Design</u> (https://developer.apple.com/videos/play/wwdc2019/415/)
- <u>Data Flow Through SwiftUI</u> (https://developer.apple.com/videos/play/wwdc2019/226)
- <u>Introducing Combine and Advances in Foundation</u> (https://developer.apple.com/videos/play/wwdc2019/711)
- <u>Advances in Networking, Part 1</u> (https://developer.apple.com/videos/play/wwdc2019/712/)
- <u>Building Collaborative AR Experiences</u> (https://developer.apple.com/videos/play/wwdc2019/610/)
- <u>Expanding the Sensory Experience with Core Haptics</u> (https://developer.apple.com/videos/play/wwdc2019/223/)

Additional Online Combine Resources

In addition to Apple's documentation, there are a number of other online resources where you can find questions, answers, discussion, and descriptions of how Combine operates.

- The <u>Swift Forums</u> (https://forums.swift.org/) (hosted from the <u>swift open source project</u> (https://swift.org/)) has a <u>combine tag</u> (https://forums.swift.org/tags/combine) with a number of interesting threads. While the Combine framework is **not** open source, some of its implementation and specifics are discussed in these forums.

- <u>Stackoverflow</u> (https://stackoverflow.com) also has a sizable (and growing) collection of <u>Combine related Q&A</u> (https://stackoverflow.com/questions/tagged/combine).

Core Concepts

There are only a few core concepts that you need to know to use Combine effectively, but they are very important to understand. Each of these concepts is mirrored in the framework with a generic protocol, formalizing the concepts into expected functions.

These core concepts are:

- Publisher and Subscriber
- Operators
- Subjects

Publisher and Subscriber

Two key concepts, **publisher** (https://developer.apple.com/documentation/combine/publisher) and **subscriber** (https://developer.apple.com/documentation/combine/subscriber), are described in Swift as protocols.

When you are talking about programming (and especially with Swift and Combine), quite a lot is described by the types. When you say a function or method returns a value, that value is generally described as being "one of this type".

Combine is all about defining the process of what you do with many possible values over time. Combine also goes farther than defining the result, it also defines how it can fail. It not only talks about the types that can be returned, but the failures that might happen as well.

The first core concept to introduce in this respect is the publisher. A publisher provides data when available and upon request. A publisher that has not had any subscription requests will not provide any data. When you are describing a Combine publisher, you describe it with two associated types: one for Output and one for Failure.

These are often written using the generics syntax which uses the `<` and `>` symbol around text describing the types. This represents that we are talking about a generic instance of this type of value. For example, if a publisher returned an instance of `String`, and could return a failure in the form of an instance of `URLError`, then the publisher might be described with the string `<String, URLError>`.

The corresponding concept that matches with a publisher is a subscriber, and is the second core concept to introduce.

A subscriber is responsible for requesting data and accepting the data (and possible failures) provided by a publisher. A subscriber is described with two associated types, one for Input and one for Failure. The subscriber initiates the request for data, and controls the amount of data it receives. It can be thought of as "driving the action" within Combine, as without a subscriber, the other components stay idle.

Publishers and subscribers are meant to be connected, and make up the core of Combine. When you connect a subscriber to a publisher, both types must match: Output to Input, and Failure to Failure. One way to visualize this is as a series of operations on two types in parallel, where both types need to match in order to plug the components together.

The third core concept is an operator - an object that acts both like a subscriber and a publisher. Operators are classes that adopt both the Subscriber protocol (https://developer.apple.com/documentation/combine/subscriber) and Publisher protocol (https://developer.apple.com/documentation/combine/publisher). They support subscribing to a publisher, and sending results to any subscribers.

You can create chains of these together, for processing, reacting, and transforming the data provided by a publisher, and requested by the subscriber.

I'm calling these composed sequences **pipelines**.

Operators can be used to transform either values or types - both the Output and Failure type. Operators may also split or duplicate streams, or merge streams together. Operators must always be aligned by the combination of Output/Failure types. The compiler will enforce the matching types, so getting it wrong will result in a compiler error (and, if you are lucky, a useful *fixit* snippet suggesting a solution).

A simple Combine pipeline written in swift might look like:

```swift
                                                                                     SWIFT
let _ = Just(5)  1
    .map { value -> String in  2
        // do something with the incoming value here
        // and return a string
        return "a string"
    }
    .sink { receivedValue in  3
        // sink is the subscriber and terminates the pipeline
        print("The end result was \(receivedValue)")
    }
```

1   The pipeline starts with the publisher `Just`, which responds with the value that its defined with (in this case, the Integer `5`). The output type is `<Integer>`, and the failure type is `<Never>`.

2   The pipeline then has a `map` operator, which is transforming the value and its type. In this example it is ignoring the published input and returning a string. This is also transforming the output type to `<String>`, and leaving the failure type still set as `<Never>`.

3   The pipeline then ends with a `sink` subscriber.

When you are thinking about a pipeline you can think of it as a sequence of operations linked by both output and failure types. This pattern will come in handy when you start constructing your own pipelines. When creating pipelines, you are often selecting operators to help you transform the data, types, or both to achieve your end goal. That end goal might be enabling or disabling a user interface element, or it might be retrieving some piece of data to be displayed. Many Combine operators are specifically created to help with these transformations.

There are a number of operators that have a similar operator prefixed with `try`, which indicates they return an `<Error>` failure type. An example of this is map and tryMap. The `map` operator allows for any combination of Output and Failure type and passes them through. `tryMap` accepts any Input, Failure types, and allows any Output type, but will always output an `<Error>` failure type.

Operators like `map` allow you to define the output type being returned by infering the output type based on what you return in a closure provided to the operator. In the example above, the `map` operator is returning a `String` output type since that it what the closure returns.

To illustrate the example of changing types more concretely, we expand upon the logic to use the values being passed. This example still starts with a publisher providing the types `<Int, Never>` and end with a subscription taking the types `<String, Never>`.

[SwiftUI-NotesTests/CombinePatternTests.swift](https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-NotesTests/CombinePatternTests.swift)
(https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-NotesTests/CombinePatternTests.swift)

```swift
let _ = Just(5)                          1
    .map { value -> String in            2
        switch value {
        case _ where value < 1:
            return "none"
        case _ where value == 1:
            return "one"
        case _ where value == 2:
            return "couple"
        case _ where value == 3:
            return "few"
        case _ where value > 8:
            return "many"
        default:
            return "some"
        }
    }
    .sink { receivedValue in             3
        print("The end result was \(receivedValue)")
    }
```

1   Just is a publisher that creates an `<Int, Never>` type combination, provides a single value and then completes.

2   the closure provided to the `.map()` function takes in an `<Int>` and transforms it into a `<String>`. Since the failure type of `<Never>` is not changed, it is passed through.

3   `sink`, the subscriber, receives the `<String, Never>` combination.

> When you are creating pipelines in Xcode and don't match the types, the error message from Xcode may include a helpful *fixit*. In some cases, such as the example above, the compiler is unable to infer the return types of closure provided to `map` without specifying the return type. Xcode (11 beta 2 and beta 3) displays this as the error message: `Unable to infer complex closure return type; add explicit type to disambiguate`. In the example above, we explicitly specified the type being returned with the line `value → String in`.

You can view Combine publishers, operators, and subscribers as having two parallel types that both need to be aligned - one for the functional case and one for the error case. Designing your pipeline is frequently choosing how to convert one or both of those types and the associated data with it.

Describing pipelines with marble diagrams

A functional reactive pipeline can be tricky to understand. A publisher is generating and sending data, operators are reacting to that data and potentially changing it, and subscribers requesting and accepting it. That in itself would be complicated, but some operators in Combine also may change the timing when events happen - introducing delays, collapsing multiple values into one, and so forth. Because these can be complex to understand, the functional reactive programming community illustrates these changes with a visual description called a **marble diagram**.

As you explore the concepts behind Combine, you may find yourself looking at other functional reactive programming systems, such as RxSwift or ReactiveExtensions. The documentation associated with these systems often use marble diagrams.

Marble diagrams focus on describing how a specific pipeline changes the stream of data. It shows data changing over time, as well as the timing of those changes.

Figure 1. An example marble diagram

How to read a marble diagram:

- The diagram centers around whatever element is being described, an operator in this case. The name of the operator is often on the central block.

- The lines above and below represent data moving through time. The left is earlier and the right is later. The symbols on the line represent discrete bits of data.

- It is often assumed that data is flowing downward. With this pattern, the top line is indicating the inputs to the operator and the bottom line represents the outputs.

- In some diagrams, the symbols on the top line may differ from the symbols on the bottom line. When they are different, the diagram is typically implying that the type of the output is different from the type of the input.

- In other places, you may also see a vertical bar or an X on the timeline, or ending the timeline. That is used to indicate the end of a stream. A bar at the end of a line implies the stream has terminated normally. An X indicates that an error or exception was thrown.

These diagrams intentionally ignore the setup (or teardown) of a pipeline, preferring to focus on one element to describe how that element works.

Marble diagrams for Combine

This book uses an expansion of the basic marble diagram, modified slightly to highlight some of the specifics of Combine. The most notable difference are two lines for input and output. Since Combine explicitly types both the input and the failure, these are represented separately and the types described in the diagram.

Figure 2. An expanded Combine specific marble diagram

If a publisher is being described, the two lines are below the element, following the pattern of "data flows down". An operator, which acts as both a publisher and subscriber, would have two sets - one above and one below. A subscriber has the lines above it.

To illustrate how these diagrams relate to code, let's look at a simple example. In this case, we will focus on the map operator and how it can be described with this diagram.

```swift
let _ = Just(5)
    .map { value -> String in  1
        switch value {
        case _ where value < 1:
            return "none"
        case _ where value == 1:
            return "one"
        case _ where value == 2:
            return "couple"
        case _ where value == 3:
            return "few"
        case _ where value > 8:
            return "many"
        default:
            return "some"
        }
    }
    .sink { receivedValue in
        print("The end result was \(receivedValue)")
    }
```

1   The closure provided to the `.map()` function takes in an `<Int>` and transforms it into a `<String>`. Since the failure type of <Never> is not changed, it is passed through.

The following diagram represents this code snippet. This diagram goes further than others in this book; it includes the closure from the sample code in the diagram to show how it relates.

```
{ value -> String in
    switch value {
    case _ where value < 1:
        return "none"
    case _ where value == 1:
        return "one"
    case _ where value == 2:
        return "couple"
    case _ where value == 3:
        return "few"
    case _ where value > 8:
        return "many"
    default:
        return "some"
}
```

Figure 3. The example map operator from the code above:

Many combine operators are configured with code provided by you, written in a closure. Most diagrams will not attempt to include it in the diagram. It is implied that any code you provide through a closure in Combine will be used within the box rather than explicitly detailed.

The input type for this map operator is `<Int>`, which is described with generic syntax on the top line. The failure type that is being passed to this operator is `<Never>`, described in the same syntax just below the Input type.

The map operator doesn't change or interact with the failure type, only passing it along. To represent that, the failure types - both input (above) and output (below) - have been lightened.

A single input value provided (`5`) is represented on the top line. The location on the line isn't meaningful in this case, only representing that it is a single value. If multiple values were on the line, the ones on the left would be presented to the map operator before any on the right.

When it arrives, the value `5` is passed to the closure as the variable `value`. The return type of the closure (`<String>` in this case), defines the output type for the map operator. When the code within the closure completes and returns its value. In this case, the string `some` is returned for the input value `5`. The string `some` is represented on the output line directly below its input value, implying there was no explicit delay.

> Most diagrams in this book won't be as complex or detailed as this example. Most of these diagrams will focus on describing the operator. This one is more complex to illustrate how the diagrams can be interpreted and how they relate to your code.

Back pressure

Combine is designed such that the subscriber controls the flow of data, and because of that it also controls processing that happens in the pipeline. This is a feature of Combine called **back-pressure**.

This means that the subscriber drives the processing within a pipeline by providing information about how much information it wants or can accept. When a subscriber is connected to a publisher, it requests data based with a specific Demand (https://developer.apple.com/documentation/combine/subscribers/demand).

The demand request is propagated up through the composed pipeline. Each operator in turn accepting the request for data and in turn requesting information from the publishers to which it is connected.

> In the first release of the Combine framework - in iOS 13 prior to iOS 13.3 and macOS prior to 10.15.2 - when the subscriber requested data with a Demand, that call itself was asynchronous. Because this process acted as the driver which triggered attached operators and ultimately the source publisher, it meant that there were scenarios where data might appear to be lost. Due to this, in iOS 13.3 and later Combine releases, the process of requesting demand has been updated to a synchronous/blocking call. In practice, this means that you can be a bit more certain of having any pipelines created and fully engaged prior to a publisher receiving the request to send any data.
>
> There is an extended thread on the Swift forums (https://forums.swift.org/t/combine-receive-on-runloop-main-loses-sent-value-how-can-i-make-it-work/28631/39) about this topic, if you are interested in reading the history.

With the subscriber driving this process, it allows Combine to support cancellation. Subscribers all conform to the Cancellable (https://developer.apple.com/documentation/combine/cancellable) protocol. This means they all have a function `cancel()` that can be invoked to terminate a pipeline and stop all related processing.

> When a pipeline has been cancelled, the pipeline is not expected to be restarted. Rather than restarting a cancelled pipeline, the developer is expected to create a new pipeline.

Lifecycle of Publishers and Subscribers

The end to end lifecycle is enabled by subscribers and publishers communicating in a well defined sequence:

Figure 4. An The lifecycle of a combine pipeline

1. When the subscriber is attached to a publisher, it starts with a call to `.subscribe(_: Subscriber)`.

2. The publisher in turn acknowledges the subscription calling `receive(subscription: Subscription)`.

3. After the subscription has been acknowledged, the subscriber requests *N* values with `request(_: Demand)`.

4. The publisher may then (as it has values) send *N* (or fewer) values using `receive(_: Input)`. A publisher should never send **more** than the demand requested.

5. Any time after the subscription has been acknowledged, the subscriber may send a cancellation (https://developer.apple.com/documentation/combine/subscribers/completion) with `.cancel()`

6. A publisher may optionally send completion (https://developer.apple.com/documentation/combine/subscribers/completion): `receive(completion:)`. A completion can be either a normal termination, or may be a `.failure` completion, optionally propagating an error type. A pipeline that has been cancelled will not send any completions.

Included in the above diagram is a stacked up set of the example marble diagrams. This is to highlight where Combine marble diagrams focus in the overall lifecycle of a pipeline. Generally the diagrams infer that all of the setup has been done and data requested. The heart of a combine marble diagram is the series of events between when data was requested and any completions or cancellations are triggered.

Publishers

The publisher is the provider of data. The <u>publisher protocol</u> (https://developer.apple.com/documentation/combine/publisher) has a strict contract returning values when asked from subscribers, and possibly terminating with an explicit completion enumeration.

Just and Future are common sources to start your own publisher from a value or asynchronous function.

Many publishers will immediately provide data when requested by a subscriber. In some cases, a publisher may have a separate mechanism to enable it to return data after subscription. This is codified by the protocol <u>ConnectablePublisher</u> (https://developer.apple.com/documentation/combine/connectablepublisher). A publisher conforming to `ConnectablePublisher` will have an additional mechanism to start the flow of data after a subscriber has provided a request. This could be a separate `.connect()` call on the publisher itself. The other option is `.autoconnect()`, which will start the flow of data as soon as a subscriber requests it.

Combine provides a number of additional convenience publishers:

Just	Future	Deferred
Empty	Sequence	Fail
Record	Share	Multicast
ObservableObject	@Published	

A number of Apple API outside of Combine provide publishers as well.

- SwiftUI uses the `@Published` and `@ObservedObject` property wrappers, provided by Combine, to implicitly creates a publisher and support its declarative view mechanisms.
- Foundation
  - URLSession.dataTaskPublisher
  - .publisher on KVO instance
  - NotificationCenter
  - Timer
  - Result

Operators

Operators are a convenient name for a number of pre-built functions that are included under Publisher in Apple's reference documentation. Operators are meant to be composed into pipelines. Many will accept one or more closures from the developer to define the business logic while maintaining the adherance to the publisher/subscriber lifecycle.

Some operators support bringing together outputs from different pipelines, changing the timing of data, or filtering the data provided. Operators may also have constraints on the types they will operate on. Operators can also be used to define error handling and retry logic, buffering and prefetch, and supporting debugging.

Mapping elements		
scan	tryScan	setFailureType
map	tryMap	flatMap

Filtering elements		
compactMap	tryCompactMap	replaceEmpty
filter	tryFilter	replaceError
removeDuplicates	tryRemoveDuplicates	

Reducing elements		
collect	reduce	tryReduce
ignoreOutput		

Mathematic operations on elements		
max	tryMax	count
min	tryMin	

Applying matching criteria to elements		
allSatisfy	tryAllSatisfy	contains
containsWhere	tryContainsWhere	

Applying sequence operations to elements		
firstWhere	tryFirstWhere	first
lastWhere	tryLastWhere	last
dropWhile	tryDropWhile	dropUntilOutput
prepend	drop	prefixUntilOutput
prefixWhile	tryPrefixWhile	output

Combining elements from multiple publishers		
combineLatest	merge	zip

Handling errors		
catch	tryCatch	assertNoFailure
retry	mapError	

Adapting publisher types		
switchToLatest	eraseToAnyPublisher	

Controlling timing		
debounce	delay	measureInterval
throttle	timeout	

Encoding and decoding		
encode	decode	

Working with multiple subscribers		
multicast		

Debugging		
breakpoint	handleEvents	print

Subjects

Subjects are a special case of publisher that also adhere to the Subject
(https://developer.apple.com/documentation/combine/subject) protocol. This protocol requires subjects to have a `.send(_:)`
method to allow the developer to send specific values to a subscriber (or pipeline).

Subjects can be used to "inject" values into a stream, by calling the subject's `.send(_:)` method. This is useful for
integrating existing imperative code with Combine.

A subject can also broadcast values to multiple subscribers. If multiple subscribers are connected to a subject, it will fan
out values to the multiple subscribers when `send(_:)` is invoked. A subject is also frequently used to connect or
cascade multiple pipelines together, especially to fan out to multiple pipelines.

A subject does not blindly pass through the demand from its subscribers. Instead, it provides an aggregation point for
demand. A subject will not signal for demand to its connected publishers until it has received at least one subscriber
itself. When it receives any demand, it then signals for `unlimited` demand to connected publishers. With the subject
supporting multiple subscribers, any subscribers that have not requested data with a demand are not provided the data
until they do.

There are two types of built-in subjects with Combine: CurrentValueSubject and PassthroughSubject. They act similiarly,
the difference being CurrentValueSubject remembers and requires an initial state, where PassthroughSubject does not.
Both will provide updated values to any subscribers when `.send()` is invoked.

Both `CurrentValueSubject` and `PassthroughSubject` are also useful for creating publishers for objects conforming to
ObservableObject (https://developer.apple.com/documentation/combine/observableobject). This protocol is supported by a
number of declarative components within SwiftUI.

Subscribers

While __Subscriber__ (https://developer.apple.com/documentation/combine/subscriber) is the protocol used to receive data throughout a pipeline, *the subscriber* typically refers to the end of a pipeline.

There are two subscribers built-in to Combine: Assign and Sink. There is a subscriber built in to SwiftUI: onReceive.

Subscribers can support cancellation, which terminates a subscription and shuts down all the stream processing prior to any Completion sent by the publisher. Both `Assign` and `Sink` conform to the __Cancellable protocol__ (https://developer.apple.com/documentation/combine/cancellable).

When you are storing a reference to your own subscriber in order to clean up later, you generally want a reference to cancel the subscription. AnyCancellable provides a type-erased reference that converts any subscriber to the type AnyCancellable, allowing the use of `.cancel()` on that reference, but not access to the subscription itself (which could, for instance, request more data). It is important to store a reference to the subscriber, as when the reference is deallocated it will implicitly cancel its operation.

__Assign__ (https://developer.apple.com/documentation/combine/subscribers/assign) applies values passed down from the publisher to an object defined by a keypath. The keypath is set when the pipeline is created. An example of this in Swift might look like:

```swift
                                                                                                                      SWIFT
.assign(to: \.isEnabled, on: signupButton)
```

__Sink__ (https://developer.apple.com/documentation/combine/subscribers/sink) accepts a closure that receives any resulting values from the publisher. This allows the developer to terminate a pipeline with their own code. This subscriber is also extremely helpful when writing unit tests to validate either publishers or pipelines. An example of this in Swift might look like:

```swift
                                                                                                                      SWIFT
.sink { receivedValue in
    print("The end result was \(String(describing: receivedValue))")
}
```

Other subscribers are part of other Apple frameworks. For example, nearly every control in SwiftUI can act as a subscriber. The __View protocol__ (https://developer.apple.com/documentation/swiftui/view/) in SwiftUI defines an `.onReceive(publisher)` function to use views as a subscriber. The `onReceive` function takes a closure akin to `sink` that can manipulate `@State` or `@Bindings` within SwiftUI.

An example of that in SwiftUI might look like:

```swift
                                                                                                                      SWIFT
struct MyView : View {

    @State private var currentStatusValue = "ok"
    var body: some View {
        Text("Current status: \(currentStatusValue)")
            .onReceive(MyPublisher.currentStatusPublisher) { newStatus in
                self.currentStatusValue = newStatus
            }
    }
}
```

For any type of UI object (UIKit, AppKit, or SwiftUI), Assign can be used with pipelines to update properties.

Developing with Combine

A common starting point is composing pipelines, leveraging existing publishers, operators, and subscribers. A number of examples within this book highlight various patterns, many of which are aimed at providing declarative responses to user inputs within interfaces.

You may also want to create APIs that integrate more easily into Combine. For example, creating a publisher that encapsulates a remote API, returning a single result or a series of results. Or you might be creating a subscriber to consume and process data over time.

Reasoning about pipelines

When developing with Combine, there are two broader patterns of publishers are that frequently recur: expecting a publisher to return a single value and complete and expecting a publisher to return many values over time.

The first is what I'm calling a "one-shot" publisher or pipeline. These publishers are expected to create a single response (or perhaps no response) and then terminate normally.

The second is what I'm calling a "continuous" publisher. These publishers and associated pipelines are expected to be always active and providing the means to respond to ongoing events. In this case, the lifetime of the pipeline is significantly longer, and it is often not desirable to have such pipelines fail or terminate.

When you are thinking about your development and how to use Combine, it is often beneficial to think about pipelines as being one of these types, and mixing them together to achieve your goals. For example, the pattern Using flatMap with catch to handle errors explicitly uses one-shot pipelines to support error handling on a continual pipeline.

When you are creating an instance of a publisher or a pipeline, it is worthwhile to be thinking about how you want it to work - to either be a one-shot, or continous. This choice will inform how you handle errors or if you want to deal with operators that manipulate the timing of the events (such as debounce or throttle).

In addition to how much data the pipeline or publisher will provide, you will often want to think about what type pair the pipeline is expected to provide. A number of pipelines are more about transforming data through various types, and handling possible error conditions in that processing. An example of this is returning a pipeline returning a list in the example Declarative UI updates from user input to provide a means to represent an "empty" result, even though the list is never expected to have more than 1 item within it.

Ultimately, using Combine types are grounded at both ends; by the originating publisher, and how it is providing data (when it is available), and the subscriber ultimately consuming the data.

Swift types with Combine publishers and subscribers

When you compose pipelines within Swift, the chaining of functions results in the type being aggregated as nested generic types. If you are creating a pipeline, and then wanting to provide that as an API to another part of your code, the type definition for the exposed property or function can be exceptionally (and un-usefully) complex for the developer.

To illustrate the exposed type complexity, if you created a publisher from a PassthroughSubject such as:

```swift
let x = PassthroughSubject<String, Never>()
    .flatMap { name in
        return Future<String, Error> { promise in
            promise(.success(""))
        }.catch { _ in
            Just("No user found")
        }.map { result in
            return "\(result) foo"
        }
    }
```

The resulting type is:

```swift
Publishers.FlatMap<Publishers.Map<Publishers.Catch<Future<String, Error>, Just<String>>, String>,
PassthroughSubject<String, Never>>
```

When you want to expose the subject, all of that composition detail can be very distracting and make your code harder to use.

To clean up that interface, and provide a nice API boundary, there are type-erased classes which can wrap either publishers or subscribers. These explicitly hide the type complexity that builds up from chained functions in Swift.

The two classes used to expose simplified types for subscribers and publishers are:

- AnySubscriber (https://developer.apple.com/documentation/combine/anysubscriber)

- AnyPublisher (https://developer.apple.com/documentation/combine/anypublisher)

Every publisher also inherits a convenience method `eraseToAnyPublisher()` that returns an instance of AnyPublisher. `eraseToAnyPublisher()` is used very much like an operator, often as the last element in a chained pipeline, to simplify the type returned.

If you updated the above code to add `.eraseToAnyPublisher()` at the end of the pipeline:

```swift
let x = PassthroughSubject<String, Never>()
    .flatMap { name in
        return Future<String, Error> { promise in
            promise(.success(""))
        }.catch { _ in
            Just("No user found")
        }.map { result in
            return "\(result) foo"
        }
}.eraseToAnyPublisher()
```

The resulting type would simplify to:

```swift
AnyPublisher<String, Never>
```

This same technique can be immensely useful when constructing smaller pipelines within closures. For example, when you want to return a publisher in the closure for a flatMap operator, you get simpler reasoning about types by explicitly asserting the closure should expect `AnyPublisher`. An example of this can be seen in the pattern Sequencing operations with Combine.

Pipelines and threads

Combine is not just a single threaded construct. Operators, as well as publishers, can run on different dispatch queues or runloops. Composed pipelines can run across a single queue, or transfer across a number of queues or threads.

Combine allows for publishers to specify the scheduler used when either receiving from an upstream publisher (in the case of operators), or when sending to a downstream subscriber. This is critical when working with a subscriber that updates UI elements, as that should always be called on the main thread.

For example, you may see this in code as an operator:

```swift
.receive(on: RunLoop.main)
```

A number of operators can impact what thread or queue is being used to do the relevant processing. receive and subscribe are the two most common, explicitly moving execution of operators after and prior to their invocation respectively.

A number of additional operators have parameters that include a scheduler. Examples include delay, debounce, and throttle. These also have an impact on the queue executing the work - both for themselves and then any operators following in a pipeline. These operators all take a `scheduler` parameter, which switches to the relevant thread or queue to do the work. Any operators following them will also be invoked on their scheduler, giving them an impact somewhat like receive.

> If you want to be explicit about which thread context an operator or subsequent operation will run within, define it with the receive operator.

Leveraging Combine with your development

There are two common paths to developing code leveraging Combine.

- First is simply leveraging synchronous (blocking) calls within a closure to one of the common operators. The two most prevalent operators leveraged for this are map and tryMap, for when your code needs to throw an Error.
- Second is integrating your own code that is asynchronous, or APIs that provide a completion callback. If the code you are integrating is asynchronous, then you can't (quite) as easily use it within a closure. You need to wrap the asynchronous code with a structure that the Combine operators can work with and invoke. In practice, this often implies creating a call that returns a publisher instance, and then using that within the pipeline.

The Future publisher was specifically created to support this kind of integration, and the pattern Wrapping an asynchronous call with a Future to create a one-shot publisher shows an example.

If you want to use data provided by a publisher as a parameter or input to creating this publisher, there are two common means of enabling this:

1. Using the flatMap operator, using the data passed in to create or return a Publisher instance. This is a variation of the pattern illustrated in Using flatMap with catch to handle errors.
2. Alternately, map or tryMap can be used to create an instance of a publisher, followed immediately by chaining switchToLatest to resolve that publisher into a value (or values) to be passed within the pipeline.

The patterns Cascading UI updates including a network request and Declarative UI updates from user input illustrate these patterns.

You may find it worthwhile to create objects which return a publisher. Often this enables your code to encapsulate the details of communicating with a remote or network based API. These can be developed using URLSession.dataTaskPublisher or your own code. A simple example of this is detailed in the pattern Cascading UI updates including a network request.

Patterns and Recipes

Included are a series of patterns and examples of Publishers, Subscribers, and pipelines. These examples are meant to illustrate how to use the Combine framework to accomplish various tasks.

Creating a subscriber with sink

Goal

- To receive the output, and the errors or completion messages, generated from a publisher or through a pipeline, you can create a subscriber with sink.

References

- sink

See also

- Creating a subscriber with assign
- Testing a publisher with XCTestExpectation
- Testing a subscriber with scheduled sends from PassthroughSubject

Code and explanation

Sink creates an all-purpose subscriber to capture or react to the data from a Combine pipeline, while also supporting cancellation and the publisher subscriber lifecycle.

simple sink

```swift
let cancellablePipeline = publishingSource.sink { someValue in    1
    // do what you want with the resulting value passed down
    // be aware that depending on the publisher, this closure
    // may be invoked multiple times.
    print(".sink() received \(someValue)")
})
```

1 The simple version of a sink is very compact, with a single trailing closure receiving data when presented through the pipeline.

sink with completions and data

```swift
let cancellablePipeline = publishingSource.sink(receiveCompletion: { completion in    1
    switch completion {
    case .finished:
        // no associated data, but you can react to knowing the
        // request has been completed
        break
    case .failure(let anError):
        // do what you want with the error details, presenting,
        // logging, or hiding as appropriate
        print("received the error: ", anError)
        break
    }
}, receiveValue: { someValue in
    // do what you want with the resulting value passed down
    // be aware that depending on the publisher, this closure
    // may be invoked multiple times.
    print(".sink() received \(someValue)")
})

cancellablePipeline.cancel()    2
```

1   Sinks are created by chaining the code from a publisher or pipeline, and provide an end point for the pipeline.
    When the sink is created or invoked on a publisher, it implicitly starts the lifecycle with the `subscribe` method,
    requesting unlimited data.

2   Sinks are cancellable subscribers. At any time you can take the reference that terminated with sink and invoke
    `.cancel()` on it to invalidate and shut down the pipeline.

Creating a subscriber with assign

Goal

- To use the results of a pipeline to set a value, often a property on a user interface view or control, but any KVO compliant object can be the provider.

References

- assign

- receive

See also

- Creating a subscriber with sink

Code and explanation

Assign is a subscriber that's specifically designed to apply data from a publisher or pipeline into a property, updating that property whenever it receives data. Like sink, it activates when created and requests an unlimited data. Assign requires the failure type to be specified as `<Never>`, so if your pipeline could fail (such as using an operator like tryMap) you will need to convert or handle the failure cases before using `.assign`.

simple assign

```swift
let cancellablePipeline = publishingSource  1
    .receive(on: RunLoop.main)  2
    .assign(to: \.isEnabled, on: yourButton)  3

cancellablePipeline.cancel()  4
```

1 `.assign` is typically chained onto a publisher when you create it, and the return value is cancellable.

2 If `.assign` is being used to update a user interface element, you need to make sure that it is being updated on the main thread. This call makes sure the subscriber is received on the main thread.

3 Assign references the property being updated using a [key path](https://developer.apple.com/documentation/swift/referencewritablekeypath), and a reference to the object being updated.

4 At any time you can cancel to terminate and invalidate pipelines with `cancel()`. Frequently, you cancel the pipelines when you deactivate the objects (such as a viewController) that are getting updated from the pipeline.

Making a network request with dataTaskPublisher

Goal

- One common use case is requesting JSON data from a URL and decoding it.

References

- URLSession.dataTaskPublisher

- map

- decode

- sink

- subscribe

See also

- Stricter request processing with dataTaskPublisher

- Using catch to handle errors in a one-shot pipeline

- Retrying in the event of a temporary failure

Code and explanation

This can be readily accomplished with Combine using URLSession.dataTaskPublisher followed by a series of operators that process the data. Minimally, dataTaskPublisher (https://developer.apple.com/documentation/foundation/urlsession/3329708-datataskpublisher) on URLSession (https://developer.apple.com/documentation/foundation/urlsession) uses map and decode before going to the subscriber.

The simplest case of using this might be:

```swift
let myURL = URL(string: "https://postman-echo.com/time/valid?timestamp=2016-10-10")
// checks the validity of a timestamp - this one returns {"valid":true}
// matching the data structure returned from https://postman-echo.com/time/valid
fileprivate struct PostmanEchoTimeStampCheckResponse: Decodable, Hashable {  1
    let valid: Bool
}

let remoteDataPublisher = URLSession.shared.dataTaskPublisher(for: myURL!)  2
    // the dataTaskPublisher output combination is (data: Data, response: URLResponse)
    .map { $0.data }  3
    .decode(type: PostmanEchoTimeStampCheckResponse.self, decoder: JSONDecoder())  4

let cancellableSink = remoteDataPublisher
    .sink(receiveCompletion: { completion in
            print(".sink() received the completion", String(describing: completion))
            switch completion {
                case .finished:  5
                    break
                case .failure(let anError):  6
                    print("received error: ", anError)
            }
    }, receiveValue: { someValue in  7
        print(".sink() received \(someValue)")
    })
```

1   Commonly you will have a struct defined that supports at least Decodable (https://developer.apple.com/documentation/swift/decodable) (if not the full Codable protocol

(https://developer.apple.com/documentation/swift/codable)). This struct can be defined to only pull the pieces you are interested in from the JSON provided over the network. The complete JSON payload does not need to be defined.

2   `dataTaskPublisher` is instantiated from `URLSession`. You can configure your own options on `URLSession`, or use a shared session.

3   The data that is returned is a tuple: `(data: Data, response: URLResponse)`. The map operator is used to get the data and drops the `URLResponse`, returning just `Data` down the pipeline.

4   decode is used to load the data and attempt to parse it. Decode can throw an error itself if the decode fails. If it succeeds, the object passed down the pipeline will be the struct from the JSON data.

5   If the decoding completed without errors, the finished completion will be triggered and the value will be passed to the `receiveValue` closure.

6   If the a failure happens (either with the original network request or the decoding), the error will be passed into with the `failure` closure.

7   Only if the data succeeded with request and decoding will this closure get invoked, and the data format received will be an instance of the struct `PostmanEchoTimeStampCheckResponse`.

Stricter request processing with dataTaskPublisher

Goal

- When URLSession makes a connection, it only reports an error if the remote server does not respond. You may want to consider a number of responses, based on status code, to be errors. To accomplish this, you can use tryMap to inspect the http response and throw an error in the pipeline.

References

- URLSession.dataTaskPublisher

- tryMap

- decode

- sink

- subscribe

- mapError

See also

- Making a network request with dataTaskPublisher

- Using catch to handle errors in a one-shot pipeline

- Retrying in the event of a temporary failure

Code and explanation

To have more control over what is considered a failure in the URL response, use a `tryMap` operator on the tuple response from `dataTaskPublisher`. Since `dataTaskPublisher` returns both the response data and the `URLResponse` into the pipeline, you can immediately inspect the response and throw an error of your own if desired.

An example of that might look like:

SWIFT

```swift
let myURL = URL(string: "https://postman-echo.com/time/valid?timestamp=2016-10-10")
// checks the validity of a timestamp - this one returns {"valid":true}
// matching the data structure returned from https://postman-echo.com/time/valid
fileprivate struct PostmanEchoTimeStampCheckResponse: Decodable, Hashable {
    let valid: Bool
}
enum TestFailureCondition: Error {
    case invalidServerResponse
}

let remoteDataPublisher = URLSession.shared.dataTaskPublisher(for: myURL!)
    .tryMap { data, response -> Data in    1
            guard let httpResponse = response as? HTTPURLResponse,    2
                httpResponse.statusCode == 200 else {    3
                    throw TestFailureCondition.invalidServerResponse    4
            }
            return data    5
    }
    .decode(type: PostmanEchoTimeStampCheckResponse.self, decoder: JSONDecoder())

let cancellableSink = remoteDataPublisher
    .sink(receiveCompletion: { completion in
            print(".sink() received the completion", String(describing: completion))
            switch completion {
                case .finished:
                    break
                case .failure(let anError):
                    print("received error: ", anError)
            }
    }, receiveValue: { someValue in
        print(".sink() received \(someValue)")
    })
```

Where the previous pattern used a map operator, this uses tryMap, which allows us to identify and throw errors in the pipeline based on what was returned.

1. tryMap still gets the tuple of `(data: Data, response: URLResponse)`, and is defined here as returning just the type of Data down the pipeline.

2. Within the closure for `tryMap`, we can cast the response to `HTTPURLResponse` and dig deeper into it, including looking at the specific status code.

3. In this case, we want to consider **anything** other than a 200 response code as a failure. `HTTPURLResponse.statusCode` is an Int type, so you could also have logic such as `httpResponse.statusCode > 300`.

4. If the predicates are not met it throws an instance of an error of our choosing; `invalidServerResponse` in this case.

5. If no error has occured, then we simply pass down `Data` for further processing.

Normalizing errors from a dataTaskPublisher

When an error is triggered on the pipeline, a `.failure` completion is sent with the error encapsulated within it, regardless of where it happened in the pipeline.

This pattern can be expanded to return a publisher that accomodates any number of specific error conditions using this general pattern. In many of the examples, we replace the error conditions with a default value. If we want to have a function that returns a publisher that **doesn't** choose what happens on failure, then the same tryMap operator can be used in conjunction with mapError to translate review the response object as well as convert URLError error types.

```swift
enum APIError: Error, LocalizedError {   1
    case unknown, apiError(reason: String), parserError(reason: String), networkError(from: URLError)

    var errorDescription: String? {
        switch self {
        case .unknown:
            return "Unknown error"
        case .apiError(let reason), .parserError(let reason):
            return reason
        case .networkError(let from):   2
            return from.localizedDescription
        }
    }
}

func fetch(url: URL) -> AnyPublisher<Data, APIError> {
    let request = URLRequest(url: url)

    return URLSession.DataTaskPublisher(request: request, session: .shared)   3
        .tryMap { data, response in   4
            guard let httpResponse = response as? HTTPURLResponse else {
                throw APIError.unknown
            }
            if (httpResponse.statusCode == 401) {
                throw APIError.apiError(reason: "Unauthorized");
            }
            if (httpResponse.statusCode == 403) {
                throw APIError.apiError(reason: "Resource forbidden");
            }
            if (httpResponse.statusCode == 404) {
                throw APIError.apiError(reason: "Resource not found");
            }
            if (405..<500 ~= httpResponse.statusCode) {
                throw APIError.apiError(reason: "client error");
            }
            if (500..<600 ~= httpResponse.statusCode) {
                throw APIError.apiError(reason: "server error");
            }
            return data
        }
        .mapError { error in   5
            // if it's our kind of error already, we can return it directly
            if let error = error as? APIError {
                return error
            }
            // if it is a TestExampleError, convert it into our new error type
            if error is TestExampleError {
                return APIError.parserError(reason: "Our example error")
            }
            // if it is a URLError, we can convert it into our more general error kind
            if let urlerror = error as? URLError {
                return APIError.networkError(from: urlerror)
            }
            // if all else fails, return the unknown error condition
            return APIError.unknown
        }
        .eraseToAnyPublisher()   6
}
```

1   APIError is a Error enumeration that we are using in this example to collect all the variant errors that can occur.

2   .networkError is one of the specific cases of APIError that we will translate into when URLSession.dataTaskPublisher returns an error.

3   We start the generation of this publisher with a standard dataTaskPublisher.

4   We then route into the tryMap operator to inspect the response, creating specific error conditions based on the

server response.

5   And finally we use mapError to convert any lingering error types down into a common Failure type of
    `APIError`.

Wrapping an asynchronous call with a Future to create a one-shot publisher

Goal

- Using `Future` to turn an asynchronous call into publisher to use the result in a Combine pipeline.

References

- Future

See also

- Creating a repeating publisher by wrapping a delegate based API

Code and explanation

```swift
import Contacts
let futureAsyncPublisher = Future<Bool, Error> { promise in    1
    CNContactStore().requestAccess(for: .contacts) { grantedAccess, err in    2
        // err is an optional
        if let err = err {    3
            return promise(.failure(err))
        }
        return promise(.success(grantedAccess))    4
    }
}.eraseToAnyPublisher()
```

1. `Future` itself has you define the return types and takes a closure. It hands in a `Result` object matching the type description, which you interact.

2. You can invoke the async API however is relevant, including passing in its required closure.

3. Within the completion handler, you determine what would cause a failure or a success. A call to `promise(.failure(<FailureType>))` returns the failure.

4. Or a call to `promise(.success(<OutputType>))` returns a value.

> A Future immediately calls the enclosed asynchronous API call when it is created, **not** when it receives a subscription demand. This may not be the behavior you want or need. If you want the call to be bound to subscribers requesting data, you probably want to wrap the Future with Deferred.

If you want to return a resolved promise as a `Future` publisher, you can do so by immediately returning the result you desire its closure.

The following example returns a single value as a success, with a boolean `true` value. You could just as easily return `false`, and the publisher would still act as a successful promise.

```swift
let resolvedSuccessAsPublisher = Future<Bool, Error> { promise in
    promise(.success(true))
}.eraseToAnyPublisher()
```

An example of returning a `Future` publisher that immediately resolves as an error:

```swift
enum ExampleFailure: Error {
    case oneCase
}

let resolvedFailureAsPublisher = Future<Bool, Error> { promise in
    promise(.failure(ExampleFailure.oneCase))
}.eraseToAnyPublisher()
```

Sequencing asynchronous operations

Goal

- To explicitly order asynchronous operations with a Combine pipeline

> This is similiar to a concept called "promise chaining". While you can arrange combine such that it acts similiarly, it is likely not a good replacement for using a promise library. The primary difference is that promise libraries always deal with a single result per promise, and a Combine brings along the complexity of needing to handle the possibility of many values.

References

- Future
- flatMap
- zip
- sink

See also

- Creating a repeating publisher by wrapping a delegate based API
- The ViewController with this code is in the github project at UIKit-Combine/AsyncCoordinatorViewController.swift (https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/AsyncCoordinatorViewController.swift).

Code and explanation

Any asynchronous (or synchronous) set of tasks that need to happen in a specific order can also be coordinated using a Combine pipeline. By using Future operator, the act of completing an asynchronous call can be captured, and sequencing operators provides the structure of that coordination.

By wrapping any asynchronous API calls with the Future publisher and then chaining them together with the flatMap operator, you invoke the wrapped asynchronous API calls in a specific order. Multiple parallel asynchronous efforts can be created by creating multiple pipelines, with Future or another publisher, and waiting for the pipelines to complete in parallel by merging them together with the zip operator.

If you want force an Future publisher to not be invoked until another has completed, then creating the future publisher in the flatMap closure causes it to wait to be created until a value has been passed to the flatMap operator.

These techniques can be composed to create any structure of parallel or serial tasks.

This technique of coordinating asynchronous calls can be especially effective if later tasks need data from earlier tasks. In those cases, the data results needed can be passed directly the pipeline.

An example of this sequencing follows below. In this example, buttons (arranged visually to show the ordering of actions) are highlighted when they complete. The whole sequence is triggered by a seperate button action, which also resets the state of all the buttons and cancels any existing running sequence if it's not yet finished. In this example, the asynchronous API call is a call that simply takes a random amount of time to complete to provide an example of how the timing works.

The workflow that is created is represented in steps:

- step 1 runs first.

- step 2 has three parallel efforts, running after step 1 completes.

- step 3 waits to start until all three elements of step 2 complete.

- step 4 runs after step 3 has completed.

Additionally, there is an activity indicator that is triggered to start animating when the sequence begins, stopping when step 4 has completed.

UIKit-Combine/AsyncCoordinatorViewController.swift
(https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/AsyncCoordinatorViewController.swift)

SWIFT

```swift
import UIKit
import Combine

class AsyncCoordinatorViewController: UIViewController {

    @IBOutlet weak var startButton: UIButton!

    @IBOutlet weak var step1_button: UIButton!
    @IBOutlet weak var step2_1_button: UIButton!
    @IBOutlet weak var step2_2_button: UIButton!
    @IBOutlet weak var step2_3_button: UIButton!
    @IBOutlet weak var step3_button: UIButton!
    @IBOutlet weak var step4_button: UIButton!
    @IBOutlet weak var activityIndicator: UIActivityIndicatorView!

    var cancellable: AnyCancellable?
    var coordinatedPipeline: AnyPublisher<Bool, Error>?

    @IBAction func doit(_ sender: Any) {
        runItAll()
    }

    func runItAll() {
        if self.cancellable != nil {    1
            print("Cancelling existing run")
            cancellable?.cancel()
            self.activityIndicator.stopAnimating()
        }
        print("resetting all the steps")
        self.resetAllSteps()   2
        // driving it by attaching it to .sink
        self.activityIndicator.startAnimating()   3
        print("attaching a new sink to start things going")
        self.cancellable = coordinatedPipeline?   4
            .print()
            .sink(receiveCompletion: { completion in
                print(".sink() received the completion: ", String(describing: completion))
                self.activityIndicator.stopAnimating()
            }, receiveValue: { value in
                print(".sink() received value: ", value)
            })
    }
    // MARK: - helper pieces that would normally be in other files

    // this emulates an async API call with a completion callback
    // it does nothing other than wait and ultimately return with a boolean value
    func randomAsyncAPI(completion completionBlock: @escaping ((Bool, Error?) -> Void)) {
        DispatchQueue.global(qos: .background).async {
            sleep(.random(in: 1...4))
            completionBlock(true, nil)
        }
    }

    /// Creates and returns pipeline that uses a Future to wrap randomAsyncAPI
```

```swift
    /// and then updates a UIButton to represent the completion of the async
    /// work before returning a boolean True.
    /// - Parameter button: button to be updated
    func createFuturePublisher(button: UIButton) -> AnyPublisher<Bool, Error> {   5
        return Future<Bool, Error> { promise in
            self.randomAsyncAPI() { (result, err) in
                if let err = err {
                    promise(.failure(err))
                } else {
                    promise(.success(result))
                }
            }
        }
        .receive(on: RunLoop.main)
            // so that we can update UI elements to show the "completion"
            // of this step
        .map { inValue -> Bool in   6
            // intentially side effecting here to show progress of pipeline
            self.markStepDone(button: button)
            return true
        }
        .eraseToAnyPublisher()
    }

    /// highlights a button and changes the background color to green
    /// - Parameter button: reference to button being updated
    func markStepDone(button: UIButton) {
        button.backgroundColor = .systemGreen
        button.isHighlighted = true
    }

    func resetAllSteps() {
        for button in [self.step1_button, self.step2_1_button, self.step2_2_button, self.step2_3_button,
    self.step3_button, self.step4_button] {
            button?.backgroundColor = .lightGray
            button?.isHighlighted = false
        }
        self.activityIndicator.stopAnimating()
    }

    // MARK: - view setup

    override func viewDidLoad() {
        super.viewDidLoad()
        self.activityIndicator.stopAnimating()

        // Do any additional setup after loading the view.

        coordinatedPipeline = createFuturePublisher(button: self.step1_button)   7
            .flatMap { flatMapInValue -> AnyPublisher<Bool, Error> in
            let step2_1 = self.createFuturePublisher(button: self.step2_1_button)
            let step2_2 = self.createFuturePublisher(button: self.step2_2_button)
            let step2_3 = self.createFuturePublisher(button: self.step2_3_button)
            return Publishers.Zip3(step2_1, step2_2, step2_3)
                .map { _ -> Bool in
                    return true
                }
                .eraseToAnyPublisher()
            }
        .flatMap { _ in
            return self.createFuturePublisher(button: self.step3_button)
        }
        .flatMap { _ in
            return self.createFuturePublisher(button: self.step4_button)
        }
        .eraseToAnyPublisher()
    }
}
```

1   `runItAll` coordinates the operation of this workflow, starting with checking to see if one is currently running. If defined, it invokes `cancel()` on the existing subscriber.

2   `resetAllSteps` iterates through all the existing buttons used represent the progress of this workflow, and resets them to gray and unhighlighted to reflect an initial state. It also verifies that the activity indicator is not currently animated.

3   Then we get things started, first with activating the animation on the activity indicator.

4   Creating the subscriber with sink and storing the reference initiates the workflow. The publisher to which it is subscribing is setup outside this function, allowing it to be re-used multiple times. The print operator in the pipeline is for debugging, showing console output when the pipeline is triggered.

5   Each step is represented by the invocation of a Future publisher, followed immediately by pipeline elements to switch to the main thread and then update a UIButton's background to show the step has completed. This is encapsulated in a `createFuturePublisher` call, using eraseToAnyPublisher to simplify the type being returned.

6   The map operator is used to create this specific side effect of updating the a UIbutton to show the step has been completed.

7   The creation of the overall pipeline and its structure of serial and parallel tasks is created from the combination of calls to `createFuturePublisher` using the operators flatMap and zip.

Error Handling

Previous examples above expect that the subscriber would handle the error conditions, if they occured. However, you are not always able to control what the subscriber requires - as might be the case if you are using SwiftUI. In these cases, you need to build your pipeline so that the output types match the subscriber types. This implies that you are handling any errors within the pipeline.

For example, if you are working with SwiftUI and the you want to use assign to set the `isEnabled` property on a button, the subscriber will have a few requirements:

1. the subcriber should match the type output of `<Bool, Never>`

2. the subscriber should be called on the main thread

With a publisher that can throw an error (such as URLSession.dataTaskPublisher), you need to construct a pipeline to convert the output type, but also handle the error within the pipeline to match a failure type of `<Never>`.

How you handle the errors within a pipeline is dependent on how the pipeline is defined. If the pipeline is set up to return a single result and terminate, a good example is Using catch to handle errors in a one-shot pipeline. If the pipeline is set up to continually update, the error handling needs to be a little more complex. In this case, look at the example Using flatMap with catch to handle errors.

Verifying a failure hasn't happened using assertNoFailure

Goal

- Verify no error has occured within a pipeline

References

- assertNoFailure

See also

- catchx

- flatMap

Code and explanation

Useful in testing invariants in pipelines, the assertNoFailure operator also converts the failure type to `<Never>`. The operator will cause the application to terminate (or tests to crash to a debugger) if the assertion is triggered.

This is useful for verifying the invariant of having dealt with an error. If you are sure you handled the errors and need to map a pipeline which technically can generate a failure type of `<Error>` to a subscriber that requires a failure type of `<Never>`.

It is far more likely that you want to handle the error with and not have the application terminate. Look forward to Using catch to handle errors in a one-shot pipeline and Using flatMap with catch to handle errors for patterns of how to provide logic to handle errors in a pipeline.

Using catch to handle errors in a one-shot pipeline

Goal

- If you need to handle a failure within a pipeline, for example before using the `assign` operator or another operator that requires the failure type to be `<Never>`, you can use `catch` to provide the appropriate logic.

References

- catch
- Just

See also

- Retrying in the event of a temporary failure
- Using flatMap with catch to handle errors
- Requesting data from an alternate URL when the network is constrained

Code and explanation

catch handles errors by replacing the upstream publisher with another publisher that you provide as a return in a closure.

⚠️   Be aware that this effectively terminates the pipeline. If you're using a one-shot publisher (one that doesn't create more than a single event), then this is fine.

For example, URLSession.dataTaskPublisher is a one-shot publisher and you might use catch with it to ensure that you get a response, returning a placeholder in the event of an error. Extending our previous example to provide a default response:

```swift
struct IPInfo: Codable {
    // matching the data structure returned from ip.jsontest.com
    var ip: String
}
let myURL = URL(string: "http://ip.jsontest.com")
// NOTE(heckj): you'll need to enable insecure downloads in your Info.plist for this example
// since the URL scheme is 'http'

let remoteDataPublisher = URLSession.shared.dataTaskPublisher(for: myURL!)
    // the dataTaskPublisher output combination is (data: Data, response: URLResponse)
    .map({ (inputTuple) -> Data in
        return inputTuple.data
    })
    .decode(type: IPInfo.self, decoder: JSONDecoder())   1
    .catch { err in   2
        return Publishers.Just(IPInfo(ip: "8.8.8.8"))   3
    }
    .eraseToAnyPublisher()
```

1 Often, a catch operator will be placed after several operators that could fail, in order to provide a fallback or placeholder in the event that any of the possible previous operations failed.

2 When using catch, you get the error type in and can inspect it to choose how you provide a response.

3 The Just publisher is frequently used to either start another one-shot pipeline or to directly provide a placeholder response in the event of failure.

A possible problem with this technique is that the if the original publisher generates more values to which you wish to react, the original pipeline has been ended. If you are creating a pipeline that reacts to a @Published property, then after any failed value that activates the catch operator, the pipeline will cease to react further. See catch for more details of how this works.

If you want to continue to respond to errors and handle them, see the pattern Using flatMap with catch to handle errors.

Retrying in the event of a temporary failure

Goal

- The retry operator can be included in a pipeline to retry a subscription when a `.failure` completion occurs.

References

- catch

- retry

- delay

- tryMap

See also

- Using catch to handle errors in a one-shot pipeline

- Using flatMap with catch to handle errors

Code and explanation

When requesting data from a `dataTaskPublisher`, the request may fail. In that case you will receive a `.failure` completion with an error. When it fails, the retry operator will let you retry that same request for a set number of attempts. The `retry` operator passes through the resulting values when the publisher does not send a `.failure` completion. `retry` only reacts within a combine pipeline when a `.failure` completion is sent.

When `retry` receives a `.failure` completion, the way it retries is by recreating the subscription to the operator or publisher to which it was chained.

The retry operator is commonly desired when attempting to request network resources with an unstable connection, or other situations where the request might succeed if the request happens again. If the number of retries specified all fail, then the `.failure` completion is passed down to the subscriber.

In our example below, we are using retry in combination with a delay operator. Our use of the delay operator puts a small random delay before the next request. This spaces out the retry attempts, so that the retries do not happen in quick succession.

This example also includes the use of the tryMap operator to more fully inspect any URLResponse returned from the `dataTaskPublisher`. Any response from the server is encapsaulted by `URLSession`, and passed forward as a valid response. `URLSession` does not treat a *404 Not Found* http response as an error response, nor any of the *50x* error codes. Using `tryMap` lets us inspect the response code that was sent, and verify that it was a 200 response code. In this example, if the response code is anything but a 200 response, it throws an exception - which in turn causes the tryMap operator to pass down a `.failure` completion rather than data. This example sets the `tryMap` **after** the retry operator so that retry will only re-attempt the request when the site didn't respond.

```swift
                                                                                            SWIFT
let remoteDataPublisher = urlSession.dataTaskPublisher(for: self.URL!)
    .delay(for: DispatchQueue.SchedulerTimeType.Stride(integerLiteral: Int.random(in: 1..<5)), scheduler:
backgroundQueue)  1
    .retry(3)  2
    .tryMap { data, response -> Data in  3
        guard let httpResponse = response as? HTTPURLResponse,
            httpResponse.statusCode == 200 else {
                throw TestFailureCondition.invalidServerResponse
        }
        return data
    }
    .decode(type: PostmanEchoTimeStampCheckResponse.self, decoder: JSONDecoder())
    .subscribe(on: backgroundQueue)
    .eraseToAnyPublisher()
```

1 The delay operator will hold the results flowing through the pipeline for a short duration, in this case for a random selection of 1 to 5 seconds. By adding delay here in the pipeline, it will always occur, even if the original request is successful.

2 Retry is specified as trying 3 times. This will result in a total of four attempts if each fails - the original request and 3 additional attempts.

3 tryMap is being used to inspect the data result from dataTaskPublisher and return a `.failure` completion if the response from the server is valid, but not a 200 HTTP response code.

⚠️ When using the retry operator with URLSession.dataTaskPublisher, verify that the URL you are requesting isn't going to have negative side effects if requested repeatedly or with a retry. Ideally such requests are be expected to be idempotent. If they are not, the retry operator may make multiple requests, with very unexpected side effects.

Using flatMap and catch to handle errors without cancelling the pipeline

Goal

- The `flatMap` operator can be used with `catch` to continue to handle errors on new publrished values.

References

- flatMap

- Just

- catch

See also

- Using catch to handle errors in a one-shot pipeline

- Retrying in the event of a temporary failure

Code and explanation

The `flatMap` operator is the operator to use in handling errors on a continual flow of events.

You provide a closure to `flatMap` that can read in the value that was provided, and creates a one-shot publisher that does the possibly failing work. An example of this is requesting data from a network and then decoding the returned data. You can include a catch operator to capture any errors and provide an appropriate value.

This is a perfect mechanism for when you want to maintain updates up an upstream publisher, as it creates one-shot publisher or short pipelines that send a single value and then complete for every incoming value. The completion from the created one-shot publishers terminates in the flatMap and is not passed to downstream subscribers.

An example of this with a `dataTaskPublisher` :

```swift
let remoteDataPublisher = Just(self.testURL!)   1
    .flatMap { url in   2
        URLSession.shared.dataTaskPublisher(for: url)   3
        .tryMap { data, response -> Data in   4
            guard let httpResponse = response as? HTTPURLResponse,
                httpResponse.statusCode == 200 else {
                    throw TestFailureCondition.invalidServerResponse
            }
            return data
        }
        .decode(type: PostmanEchoTimeStampCheckResponse.self, decoder: JSONDecoder())   5
        .catch {_ in   6
            return Just(PostmanEchoTimeStampCheckResponse(valid: false))
        }
    }
    .eraseToAnyPublisher()
```

1   `Just` starts this publisher as an example by passing in a URL.

2   `flatMap` takes the URL as input and the closure goes on to create a one-shot publisher pipeline.

3   `dataTaskPublisher` uses the input url to make the request.

4   The result output (a tuple of `(Data, URLResponse)`) flows intoto `tryMap` to be parsed for additional errors.

5   `decode` attempts to refine the returned data into a locally defined type.

6   If any of this has failed, `catch` will convert the error into a placeholder sample. In this case an object with a preset `valid = false` property.

Requesting data from an alternate URL when the network is constrained

Goal

- From Apple's WWDC 2019 presentation <u>Advances in Networking, Part 1</u>
  (https://developer.apple.com/videos/play/wwdc2019/712/), a sample pattern was provided using `tryCatch` and `tryMap`
  operators to react to the specific error of the network being constrained.

References

- URLSession.dataTaskPublisher

- tryCatch

- tryMap

See also

- Using catch to handle errors in a one-shot pipeline

- Retrying in the event of a temporary failure

Code and explanation

```swift
// Generalized Publisher for Adaptive URL Loading
func adaptiveLoader(regularURL: URL, lowDataURL: URL) -> AnyPublisher<Data, Error> {
    var request = URLRequest(url: regularURL)  1
    request.allowsConstrainedNetworkAccess = false  2
    return URLSession.shared.dataTaskPublisher(for: request)  3
        .tryCatch { error -> URLSession.DataTaskPublisher in  4
            guard error.networkUnavailableReason == .constrained else {
                throw error
            }
            return URLSession.shared.dataTaskPublisher(for: lowDataURL)  5
        .tryMap { data, response -> Data in
            guard let httpResponse = response as? HTTPUrlResponse,  6
                httpResponse.statusCode == 200 else {
                    throw MyNetworkingError.invalidServerResponse
            }
            return data
    }
    .eraseToAnyPublisher()  7
```

This example, from Apple's WWDC, provides a function that takes two URLs - a primary and a fallback. It returns a publisher that will request data and fall back requesting a secondary URL when the network is constrained.

1 The request starts with an attempt requesting data.

2 Setting `request.allowsConstrainedNetworkAccess` will cause the `dataTaskPublisher` to error if the network is constrained.

3 Invoke the `dataTaskPublisher` to make the request.

4 `tryCatch` is used to capture the immediate error condition and check for a specific error (the constrained network).

5 If it finds an error, it creates a new one-shot publisher with the fall-back URL.

6 The resulting publisher can still fail, and `tryMap` can map this a failure by throwing an error on HTTP response codes that map to error conditions

7 `eraseToAnyPublisher` enables type erasure on the chain of operators so the resulting signature of the

adaptiveLoader function is `AnyPublisher<Data, Error>`

In the sample, if the error returned from the original request wasn't an issue of the network being constrained, it passes on the `.failure` completion down the pipeline. If the error is that the network is constrained, then the `tryCatch` operator creates a new request to an alternate URL.

UIKit or AppKit Integration

Declarative UI updates from user input

Goal

- Querying a web based API and returning the data to be displayed in your UI

References

- The Xcode project ViewController with this code is in the github project at `UIKit-Combine/GithubViewController.swift` (https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubViewController.swift)

- Publishers: @Published, URLSession.dataTaskPublisher

- Operators: map, switchToLatest, receive, throttle, removeDuplicates

- Subscribers: assign

See also

- Using flatMap with catch to handle errors

- Using catch to handle errors in a one-shot pipeline

- Stricter request processing with dataTaskPublisher

Code and explanation

One of the primary benefits of a framework like Combine is setting up a declarative structure that defines how an interface will update to user input.

A pattern for integrating Combine with UIKit is setting up a variable which will hold a reference to the updated state, and linking the controls using IBAction.

The sample is a portion of the code at in a larger view controller implementation.

This example overlaps with the next pattern Cascading UI updates including a network request, which builds upon the initial publisher.

UIKit-Combine/GithubAPI.swift (https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubAPI.swift)

```swift
import UIKit
import Combine

class ViewController: UIViewController {

    @IBOutlet weak var github_id_entry: UITextField!   1

    var usernameSubscriber: AnyCancellable?

    // username from the github_id_entry field, updated via IBAction
    // @Published is creating a publisher $username of type <String, Never>
    @Published var username: String = ""   2

    // github user retrieved from the API publisher. As it's updated, it
    // is "wired" to update UI elements
    @Published private var githubUserData: [GithubAPIUser] = []

    // MARK - Actions

    @IBAction func githubIdChanged(_ sender: UITextField) {
        username = sender.text ?? ""   3
        print("Set username to ", username)
    }

    override func viewDidLoad() {
        super.viewDidLoad()
        // Do any additional setup after loading the view.

        usernameSubscriber = $username   4
            .throttle(for: 0.5, scheduler: myBackgroundQueue, latest: true)   5
            // ^^ scheduler myBackGroundQueue publishes resulting elements
            // into that queue, resulting on this processing moving off the
            // main runloop.
            .removeDuplicates()   6
            .print("username pipeline: ") // debugging output for pipeline
            .map { username -> AnyPublisher<[GithubAPIUser], Never> in   7
                return GithubAPI.retrieveGithubUser(username: username)
            }
            // ^^ type returned by retrieveGithubUser is a Publisher, so we use
            // switchToLatest to resolve the publisher to its value
            // to return down the chain, rather than returning a
            // publisher down the pipeline.
            .switchToLatest()   8
            // using a sink to get the results from the API search lets us
            // get not only the user, but also any errors attempting to get it.
            .receive(on: RunLoop.main)
            .assign(to: \.githubUserData, on: self)   9
```

1 The UITextField is the interface element which is driving the updates from user interaction.

2 We defined a @Published property to both hold the data and reflect updates when they happen. Because its a @Published property, it provides a publisher that we can use with Combine pipelines to update other variables or elements of the interface.

3 We set the variable username from within an IBAction, which in turn triggers a data flow if the publisher $username has any subscribers.

4 We in turn set up a subscriber on the publisher $username that does further actions. In this case it uses updated values of username to retrives an instance of a GithubAPIUser from Github's REST API. It will make a new HTTP request to the every time the username value is updated.

5 The throttle is there to keep from triggering a network request on every possible edit of the text field. The throttle keeps it to a maximum of 1 request every half-second.

6 removeDuplicates collapses events from the changing username so that API requests are not made on the same value twice in a row. The removeDuplicates prevents redundant requests from being made, should the user

edit and the return the previous value.

7   map is used similiarly to flatMap in error handling here, returning an instance of a publisher. The API object
    returns a publisher, which this map is invoking. This doesn't return the value from the call, but the publisher
    itself.

8   switchToLatest operator takes the instance of the publisher and resolves out the data. `switchToLatest` resolves
    a publisher into a value and passes that value down the pipeline, in this case an instance of `[GithubAPIUser]`.

9   And `assign` at the end up the pipeline is the subscriber, which assigns the value into another variable:
    `githubUserData`.

The pattern Cascading UI updates including a network request expands upon this code to multiple cascading updates of
various UI elements.

Cascading multiple UI updates, including a network request

Goal

- Have multiple UI elements update triggered by an upstream subscriber

References

- The ViewController with this code is in the github project at UIKit-Combine/GithubViewController.swift
(https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubViewController.swift). You can see this code in
operation by running the UIKit target within the github project.

- The GithubAPI is in the github project at UIKit-Combine/GithubAPI.swift
(https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubAPI.swift)

- Publishers: @Published, URLSession.dataTaskPublisher, Just, Empty

- Operators: decode, catch, map, tryMap, switchToLatest, filter, handleEvents, subscribe, receive, throttle,
removeDuplicates

- Subscribers: sink, assign

See also

- Using flatMap with catch to handle errors

- Using catch to handle errors in a one-shot pipeline

- Stricter request processing with dataTaskPublisher

Code and explanation

The example provided expands on a publisher updating from Declarative UI updates from user input, adding
additional Combine pipelines to update multiple UI elements as someone interacts with the provided interface.

The general pattern of this view starts with a textfield that accepts user input, from which the following actions flow:

1. Using an IBAction the @Published `username` variable is updated.

2. We have a subscriber (`usernameSubscriber`) attached `$username` publisher, which publishes the value on change
and attempts to retrieve the GitHub user. The resulting variable `githubUserData` (also @Published) is a list of
GitHub user objects. Even though we only expect a single value here, we use a list because we can conveniently
return an empty list on failure scenarios: unable to access the API or the username isn't registered at GitHub.

3. We have the `passthroughSubject apiNetworkActivitySubscriber` to reflect when the GithubAPI object starts or
finishes making network requests.

4. We have a another subscriber `repositoryCountSubscriber` attached to `$githubUserData` publisher that pulls the
repository count off the github user data object and assigns it to a text field to be displayed.

5. We have a final subscriber `avatarViewSubscriber` attached to `$githubUserData` that attempts to retrieve the
image associated with the user's avatar for display.

> The empty list is useful to return because when a username is provided that doesn't resolve, we want
> to explicitly remove any avatar image that was previously displayed. To do this, we need the pipelines
> to fully resolve to some value, so that further pipelines are triggered and the relevant UI interfaces

updated. If we used an optional `String?` instead of an array of `String[]`, the optional does not trigger some of the pipeline when it is nil, and we always want a result value - even an empty value - to come from the pipeline.

The subscribers (created with assign and sink) are stored as `AnyCancellable` variables on the view controller instance. Because they are defined on the class instance, the Swift compiler creates deinitializers which will cancel and clean up the publishers when the class is torn down.

> A number of developers comfortable with RxSwift are using a "CancelBag" object to collect cancellable references, and cancel the pipelines on tear down. An example of this can be seen at https://github.com/tailec/CombineExamples/blob/master/CombineExamples/Shared/CancellableBag.swift. This is accomodated within Combine with the `store` function on `AnyCancellable` that easily allows you to put a reference to the subscriber into a collection, such as `Set<AnyCancellable>`.

The pipelines have been explicitly configured to work on a background queue using the subscribe operator. Without that additional detail configured, the pipelines would be invoked and run on the main runloop since they were invoked from the UI, which may cause a noticable slow-down in responsiveness in the user interface. Likewise when the resulting pipelines assign or update UI elements, the receive operator is used to transfer that work back onto the main runloop.

> To have the UI continuously updated from changes propagating through @Published properties, we want to make sure that any configured pipelines have a <Never> failure type. This is required for the assign operator. It is also a potential source of bugs when using a sink operator. If the pipeline from a @Published variable terminates to a sink that accepts an Error failure type, the sink will send a termination signal if an error occurs. This will then stop the pipeline from any further processing, even when the variable is updated.

[UIKit-Combine/GithubAPI.swift](https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubAPI.swift) *(https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubAPI.swift)*

```swift
                                                                                          SWIFT
import Founation
import Combine

enum APIFailureCondition: Error {
    case invalidServerResponse
}

struct GithubAPIUser: Decodable {  1
    // A very *small* subset of the content available about
    //  a github API user for example:
    // https://api.github.com/users/heckj
    let login: String
    let public_repos: Int
    let avatar_url: String
}

struct GithubAPI {  2
    // NOTE(heckj): I've also seen this kind of API access
    // object set up with with a class and static methods on the class.
    // I don't know that there's a specific benefit to making this a value
    // type/struct with a function on it.

    /// externally accessible publsher that indicates that network activity is happening in the API proxy
    static let networkActivityPublisher = PassthroughSubject<Bool, Never>()  3

    /// creates a one-shot publisher that provides a GithubAPI User
    /// object as the end result. This method was specifically designed to
    /// return a list of 1 object, as opposed to the object itself to make
```

```
        /// it easier to distinguish a "no user" result (empty list)
        /// representation that could be dealt with more easily in a Combine
        /// pipeline than an optional value. The expected return type is a
        /// Publisher that returns either an empty list, or a list of one
        /// GithubAPIUser, with a failure return type of Never, so it's
        /// suitable for recurring pipeline updates working with a @Published
        /// data source.
        /// - Parameter username: username to be retrieved from the Github API
        static func retrieveGithubUser(username: String) -> AnyPublisher<[GithubAPIUser], Never> {  4

            if username.count < 3 {  5
                return Just([]).eraseToAnyPublisher()
            }
            let assembledURL = String("https://api.github.com/users/\(username)")
            let publisher = URLSession.shared.dataTaskPublisher(for: URL(string: assembledURL)!)
                .handleEvents(receiveSubscription: { _ in  6
                    networkActivityPublisher.send(true)
                }, receiveCompletion: { _ in
                    networkActivityPublisher.send(false)
                }, receiveCancel: {
                    networkActivityPublisher.send(false)
                })
                .tryMap { data, response -> Data in  7
                    guard let httpResponse = response as? HTTPURLResponse,
                        httpResponse.statusCode == 200 else {
                            throw APIFailureCondition.invalidServerResponse
                    }
                    return data
                }
                .decode(type: GithubAPIUser.self, decoder: JSONDecoder())  8
                .map {
                    [$0]  9
                }
                .catch { err in  10
                    // When I originally wrote this method, I was returning
                    // a GithubAPIUser? optional.
                    // I ended up converting this to return an empty
                    // list as the "error output replacement" so that I could
                    // represent that the current value requested didn't *have* a
                    // correct github API response.
                    return Just([])
                }
                .eraseToAnyPublisher()  11
            return publisher
        }
    }
```

1   The decodable struct created here is a subset of what's returned from the GitHub API. Any pieces not defined in the struct are simply ignored when processed by the decode operator.

2   The code to interact with the GitHub API was broken out into its own object, which I would normally have in a separate file. The functions on the API struct return publishers, and are then mixed and merged with other pipelines in the ViewController.

3   This struct also exposes a publisher using passthroughSubject to reflect Boolean values when it is actively making network requests.

4   I first created the pipelines to return an optional GithubAPIUser instance, but found that there wasn't a convenient way to propagate "nil" or empty objects on failure conditions. The code was then recreated to return a list, even though only a single instance was ever expected, to conveniently represent an "empty" object. This was important for the use case of wanting to erase existing values in following pipelines reacting to the GithubAPIUser object "disappearing" - removing the repository count and avatar images in this case.

5   The logic here is simply to prevent extraneous network requests, returning an empty result if the username being requested has less than 3 characters.

6   the handleEvents operator is how we are triggering updates for the network activity publisher. We define closures that trigger on subscription and finalization (both completion and cancel) that invoke `send()` on the passthroughSubject. This is an example of how we can provide metadata about a pipeline's operation as a separate publisher.

7   tryMap adds additional checking on the API response from github to convert correct responses from the API that aren't valid User instances into a pipeline failure condition.

8   decode takes the Data from the response and decodes it into a single instance of `GithubAPIUser`

9   map is used to take the single instance and convert it into a list of 1 item, changing the type to a list of `GithubAPIUser` : `[GithubAPIUser]` .

10   catch operator captures the error conditions within this pipeline, and returns an empty list on failure while also converting the failure type to `Never` .

11   eraseToAnyPublisher collapses the complex types of the chained operators and exposes the whole pipeline as an instance of `AnyPublisher` .

UIKit-Combine/GithubViewController.swift
(https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubViewController.swift)

```swift
                                                                                                              SWIFT
import UIKit
import Combine

class ViewController: UIViewController {

    @IBOutlet weak var github_id_entry: UITextField!
    @IBOutlet weak var activityIndicator: UIActivityIndicatorView!
    @IBOutlet weak var repositoryCountLabel: UILabel!
    @IBOutlet weak var githubAvatarImageView: UIImageView!

    var repositoryCountSubscriber: AnyCancellable?
    var avatarViewSubscriber: AnyCancellable?
    var usernameSubscriber: AnyCancellable?
    var headingSubscriber: AnyCancellable?
    var apiNetworkActivitySubscriber: AnyCancellable?

    // username from the github_id_entry field, updated via IBAction
    @Published var username: String = ""

    // github user retrieved from the API publisher. As it's updated, it
    // is "wired" to update UI elements
    @Published private var githubUserData: [GithubAPIUser] = []

    // publisher reference for this is $username, of type <String, Never>
    var myBackgroundQueue: DispatchQueue = DispatchQueue(label: "viewControllerBackgroundQueue")
    let coreLocationProxy = LocationHeadingProxy()

    // MARK - Actions

    @IBAction func githubIdChanged(_ sender: UITextField) {
        username = sender.text ?? ""
        print("Set username to ", username)
    }

    // MARK - lifecycle methods

    override func viewDidLoad() {
        super.viewDidLoad()
        // Do any additional setup after loading the view.

        let apiActivitySub = GithubAPI.networkActivityPublisher  1
        .receive(on: RunLoop.main)
            .sink { doingSomethingNow in
                if (doingSomethingNow) {
```

```
                    self.activityIndicator.startAnimating()
                } else {
                    self.activityIndicator.stopAnimating()
                }
            }
        }
        apiNetworkActivitySubscriber = AnyCancellable(apiActivitySub)

        usernameSubscriber = $username 2
            .throttle(for: 0.5, scheduler: myBackgroundQueue, latest: true)
            // ^^ scheduler myBackGroundQueue publishes resulting elements
            // into that queue, resulting on this processing moving off the
            // main runloop.
            .removeDuplicates()
            .print("username pipeline: ") // debugging output for pipeline
            .map { username -> AnyPublisher<[GithubAPIUser], Never> in
                return GithubAPI.retrieveGithubUser(username: username)
            }
            // ^^ type returned in the pipeline is a Publisher, so we use
            // switchToLatest to flatten the values out of that
            // pipeline to return down the chain, rather than returning a
            // publisher down the pipeline.
            .switchToLatest()
            // using a sink to get the results from the API search lets us
            // get not only the user, but also any errors attempting to get it.
            .receive(on: RunLoop.main)
            .assign(to: \.githubUserData, on: self)

        // using .assign() on the other hand (which returns an
        // AnyCancellable) *DOES* require a Failure type of <Never>
        repositoryCountSubscriber = $githubUserData 3
            .print("github user data: ")
            .map { userData -> String in
                if let firstUser = userData.first {
                    return String(firstUser.public_repos)
                }
                return "unknown"
            }
            .receive(on: RunLoop.main)
            .assign(to: \.text, on: repositoryCountLabel)

        let avatarViewSub = $githubUserData 4
            .map { userData -> AnyPublisher<UIImage, Never> in
                guard let firstUser = userData.first else {
                    // my placeholder data being returned below is an empty
                    // UIImage() instance, which simply clears the display.
                    // Your use case may be better served with an explicit
                    // placeholder image in the event of this error condition.
                    return Just(UIImage()).eraseToAnyPublisher()
                }
                return URLSession.shared.dataTaskPublisher(for: URL(string: firstUser.avatar_url)!)
                    // ^^ this hands back (Data, response) objects
                    .handleEvents(receiveSubscription: { _ in
                        DispatchQueue.main.async {
                            self.activityIndicator.startAnimating()
                        }
                    }, receiveCompletion: { _ in
                        DispatchQueue.main.async {
                            self.activityIndicator.stopAnimating()
                        }
                    }, receiveCancel: {
                        DispatchQueue.main.async {
                            self.activityIndicator.stopAnimating()
                        }
                    })
                    .receive(on: self.myBackgroundQueue)
                    // ^^ do this work on a background Queue so we don't impact
                    // UI responsiveness
                    .map { $0.data }
                    // ^^ pare down to just the Data object
                    .map { UIImage(data: $0)!}
```

```
                    // ^^ convert Data into a UIImage with its initializer
                    .catch { err in
                        return Just(UIImage())
                    }
                    // ^^ deal the failure scenario and return my "replacement"
                    // image for when an avatar image either isn't available or
                    // fails somewhere in the pipeline here.
                    .eraseToAnyPublisher()
                    // ^^ match the return type here to the return type defined
                    // in the .map() wrapping this because otherwise the return
                    // type would be terribly complex nested set of generics.
                }
                .switchToLatest()
                // ^^ Take the returned publisher that's been passed down the chain
                // and "subscribe it out" to the value within in, and then pass
                // that further down.
                .receive(on: RunLoop.main)
                // ^^ and then switch to receive and process the data on the main
                // queue since we're messin with the UI
                .map { image -> UIImage? in
                    image
                }
                // ^^ this converts from the type UIImage to the type UIImage?
                // which is key to making it work correctly with the .assign()
                // operator, which must map the type *exactly*
                .assign(to: \.image, on: self.githubAvatarImageView)

        // convert the .sink to an `AnyCancellable` object that we have
        // referenced from the implied initializers
        avatarViewSubscriber = AnyCancellable(avatarViewSub)

        // KVO publisher of UIKit interface element
        let _ = repositoryCountLabel.publisher(for: \.text)  5
            .sink { someValue in
                print("repositoryCountLabel Updated to \(String(describing: someValue))")
            }
        }

    }
```

1 We add a subscriber to our previous controller from that connects notifications of activity from the GithubAPI object to our activity indicator.

2 Where the username is updated from the IBAction (from our earlier example Declarative UI updates from user input) we have the subscriber make the network request and put the results in a new variable (also @Published) on our ViewController.

3 The first subscriber is on the publisher `$githubUserData` . This pipeline extracts the count of repositories and updates the UI label instance. There is a bit of logic in the middle of the pipeline to return the string "unknown" when the list is empty.

4 The second subscriber is connected to the publisher `$githubUserData` . This triggers a network request to request the image data for the github avatar. This is a more complex pipeline, extracting the data from `githubUser` , assembling a URL, and then requesting it. We also use handleEvents operator to trigger updates to the activityIndicator in our view. We use receive to make the requests on a background queue and later to push the results back onto the main thread in order to update UI elements. The catch and failure handling returns an empty `UIImage` instance in the event of failure.

5 A final subscriber is attached to the UILabel itself. Any Key-Value Observable object from Foundation can produce a publisher. In this example, we attach a publisher that triggers a print statement that the UI element was updated.

While we could simply attach pipelines to UI elements as we're updating them, it more closely couples interactions to the actual UI elements themselves. While easy and direct, it is often a good idea to make explicit state and updates to seperate out actions and data for debugging and understandability. In the example above, we use two @Published properties to hold the state associated with the current view. One of which is updated by an `IBAction`, and the second updated declaratively using a Combine publisher pipeline. All other UI elements are updated publishers hanging from those properties getting updated.

Merging multiple pipelines to update UI elements

Goal

- Watch and react to multiple UI elements publishing values, and updating the interface based on the combination of values updated.

References

- The ViewController with this code is in the github project at <u>UIKit-Combine/FormViewController.swift</u> (https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/FormViewController.swift)
- Publishers: @Published,
- Operators: combineLatest, map, receive
- Subscribers: assign

See also

- Declarative UI updates from user input

Code and explanation

This example intentionally mimics a lot of web form style validation scenarios, but within UIKit and using Comine.

A view controller is set up with multiple elements to declaratively update. The view controller hosts 3 primary text input fields:

- `value1`
- `value2`
- `value2_repeat`

It also hosts a button to submit the combined values, and two labels to provide feedback.

The rules of these update that are implemented:

- The entry in `value1` has to be at least 5 characters.
- The entry in `value2` has to be at least 5 characters.
- The entry in `value2_repeat` has to be the same as `value2`.

If any of these rules aren't met, then we want the submit button to be disabled and relevant messages displayed explaining what needs to be done.

This can be achieved by setting up a cascade of pipelines that link and merge together.

- There is a @Published property matching each of the user input fields. combineLatest is used to take the continually published updates from the properties and merge them into a single pipeline. A map operator enforces the rules about characters required and the values needing to be the same. If the values don't match the required output, we pass a nil value down the pipeline.
- Another validation pipeline is set up for value1, just using a map operator to validate the value, or return nil.
- The logic within the map operators doing the validation is also used to update the label messages in the user interface.

- A final pipeline uses combineLatest to merge the two validation pipelines into a single pipeline. A subscriber is attached to this combined pipeline to determine if the submission button should be enabled.

The example below shows these all connected.

UIKit-Combine/FormViewController.swift *(https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/FormViewController.swift)*

```swift
                                                                                                          SWIFT
import UIKit
import Combine

class FormViewController: UIViewController {

    @IBOutlet weak var value1_input: UITextField!
    @IBOutlet weak var value2_input: UITextField!
    @IBOutlet weak var value2_repeat_input: UITextField!
    @IBOutlet weak var submission_button: UIButton!
    @IBOutlet weak var value1_message_label: UILabel!
    @IBOutlet weak var value2_message_label: UILabel!

    @IBAction func value1_updated(_ sender: UITextField) {    1
        value1 = sender.text ?? ""
    }
    @IBAction func value2_updated(_ sender: UITextField) {
        value2 = sender.text ?? ""
    }
    @IBAction func value2_repeat_updated(_ sender: UITextField) {
        value2_repeat = sender.text ?? ""
    }

    @Published var value1: String = ""
    @Published var value2: String = ""
    @Published var value2_repeat: String = ""

    var validatedValue1: AnyPublisher<String?, Never> {    2
        return $value1.map { value1 in
            guard value1.count > 2 else {
                DispatchQueue.main.async {    3
                    self.value1_message_label.text = "minimum of 3 characters required"
                }
                return nil
            }
            DispatchQueue.main.async {
                self.value1_message_label.text = ""
            }
            return value1
        }.eraseToAnyPublisher()
    }

    var validatedValue2: AnyPublisher<String?, Never> {    4
        return Publishers.CombineLatest($value2, $value2_repeat)
            .receive(on: RunLoop.main)    5
            .map { value2, value2_repeat in
                guard value2_repeat == value2, value2.count > 4 else {
                    self.value2_message_label.text = "values must match and have at least 5 characters"
                    return nil
                }
                self.value2_message_label.text = ""
                return value2
            }.eraseToAnyPublisher()
    }

    var readyToSubmit: AnyPublisher<(String, String)?, Never> {    6
        return Publishers.CombineLatest(validatedValue2, validatedValue1)
            .map { value2, value1 in
                guard let realValue2 = value2, let realValue1 = value1 else {
                    return nil
                }
                return (realValue2, realValue1)
```

```
        }
        .eraseToAnyPublisher()
    }

    private var cancellableSet: Set<AnyCancellable> = []   7

    override func viewDidLoad() {
        super.viewDidLoad()

        self.readyToSubmit
            .map { $0 != nil }   8
            .receive(on: RunLoop.main)
            .assign(to: \.isEnabled, on: submission_button)
            .store(in: &cancellableSet)   9
    }
}
```

1   The start of this code follows the same patterns laid out in Declarative UI updates from user input. IBAction messages are used to update the @Published properties, triggering updates to any subscribers attached.

2   The first validation pipeline uses a map operator to take the string value intput and convert it to nil if it doesn't match the validation rules. This is also converting the output type from the published property of `<String>` to the optional `<String?>`. The same logic is also used to trigger updates to the messages label to provide information about what is required.

3   Since we are updating user interface elements, we explicitly make those updates wrapped in `DispatchQueue.main.async` to invoke on the main thread.

4   combineLatest takes two publishers and merges them into a single pipeline with an output type that is the combined values of each of the upstream publishers. In this case, the output type is a tuple of `(<String>, <String>)`.

5   Rather than use `DispatchQueue.main.async`, we can use the receive operator to explicitly run the next operator on the main thread, since it will be doing UI updates.

6   The two validation pipelines are combined with combineLatest, and the output of those checked and merged into a single tuple output.

7   We could store the assignment pipeline as an `AnyCancellable?` reference (to map it to the life of the viewcontroller) but another option is to create something to collect all the cancellable references. This starts as an empty set, and any sinks or assignment subscribers can be added to it to keep a reference to them so that they operate over the full lifetime of the view controller. If you are creating a number of pipelines, this can be a convenient way to maintain references to all of them.

8   If any of the values are nil, the map operator returns nil down the pipeline. Checking against a nil value provides the boolean used to enable (or disable) the submission button.

9   the `store` method is available on the Cancellable (https://developer.apple.com/documentation/combine/cancellable) protocol, which is explicitly set up to support saving off references that can be used to cancel a pipeline.

Creating a repeating publisher by wrapping a delegate based API

Goal

- To use one of the Apple delegate APIs to provide values for a Combine pipeline.

References

- passthroughSubject
- currentValueSubject

See also

- Wrapping an asynchronous call with a Future to create a one-shot publisher
- passthroughSubject
- delay

Code and explanation

Where a Future publisher is great for wrapping existing code to make a single request, it doesn't serve as well to make a publisher that produces lengthy, or potentially unbounded, amount of output.

Apple's Cocoa APIs have tended to use a object/delegate pattern, where you can opt in to receiving any number of different callbacks (often with data). One such example of that is included within the CoreLocation library, which offers a number of different data sources.

If you want to consume data provided by one of these kinds of APIs within a pipeline, you can wrap the object and use passthroughSubject to expose a publisher. The sample code belows shows an example of wrapping CoreLocation's CLManager object and consuming the data from it through a UIKit view controller.

UIKit-Combine/LocationHeadingProxy.swift
(https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/LocationHeadingProxy.swift)

```swift
import Foundation
import Combine
import CoreLocation

final class LocationHeadingProxy: NSObject, CLLocationManagerDelegate {

    let mgr: CLLocationManager    1
    private let headingPublisher: PassthroughSubject<CLHeading, Error>    2
    var publisher: AnyPublisher<CLHeading, Error>    3

    override init() {
        mgr = CLLocationManager()
        headingPublisher = PassthroughSubject<CLHeading, Error>()
        publisher = headingPublisher.eraseToAnyPublisher()

        super.init()
        mgr.delegate = self    4
    }

    func enable() {
        mgr.startUpdatingHeading()    5
    }

    func disable() {
        mgr.stopUpdatingHeading()
    }
    // MARK - delegate methods

    /*
     *  locationManager:didUpdateHeading:
     *
     *  Discussion:
     *    Invoked when a new heading is available.
     */
    func locationManager(_ manager: CLLocationManager, didUpdateHeading newHeading: CLHeading) {
        headingPublisher.send(newHeading)    6
    }

    /*
     *  locationManager:didFailWithError:
     *  Discussion:
     *    Invoked when an error has occurred. Error types are defined in "CLError.h".
     */
    func locationManager(_ manager: CLLocationManager, didFailWithError error: Error) {
        headingPublisher.send(completion: Subscribers.Completion.failure(error))    7
    }
}
```

1. <u>CLLocationManager</u> (https://developer.apple.com/documentation/corelocation/cllocationmanager) is the heart of what is being wrapped, part of CoreLocation. Because it has additional methods that need to be called for using the framework, I exposed it as a public read-only property. This is useful for requesting user permission to use the location API, which the framework exposes as a method on `CLLocationManager` .

2. A private instance of `PassthroughSubject` with the data type we want to publish provides our inside-the-class access to forward data.

3. A public property `publisher` exposes the publisher from that subject for external subscriptions.

4. The heart of this works by assigning this class as the delegate to the `CLLocationManager` instance, which is set up at the tail end of initialization.

5. The CoreLocation API doesn't immediately start sending information. There are methods that need to be called to start (and stop) the data flow, and these are wrapped and exposed on this proxy object. Most publishers are set up to subscribe and drive consumption based on subscription, so this is a bit out of the norm for how a publisher starts generating data.

6   With the delegate defined and the `CLLocationManager` activated, the data will be provided via callbacks defined on the CLLocationManagerDelegate (https://developer.apple.com/documentation/corelocation/cllocationmanagerdelegate). We implement the callbacks we want for this wrapped object, and within them we use passthroughSubject `.send()` to forward the information to any existing subscribers.

7   While not strictly required, the delegate provided an `Error` reporting callback, so we included that as an example of forwarding an error through passthroughSubject.

UIKit-Combine/HeadingViewController.swift
(https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/HeadingViewController.swift)

```swift
                                                                                       SWIFT
import UIKit
import Combine
import CoreLocation

class HeadingViewController: UIViewController {

    var headingSubscriber: AnyCancellable?

    let coreLocationProxy = LocationHeadingProxy()
    var headingBackgroundQueue: DispatchQueue = DispatchQueue(label: "headingBackgroundQueue")

    // MARK - lifecycle methods

    @IBOutlet weak var permissionButton: UIButton!
    @IBOutlet weak var activateTrackingSwitch: UISwitch!
    @IBOutlet weak var headingLabel: UILabel!
    @IBOutlet weak var locationPermissionLabel: UILabel!

    @IBAction func requestPermission(_ sender: UIButton) {
        print("requesting corelocation permission")
        let _ = Future<Int, Never> { promise in     1
            self.coreLocationProxy.mgr.requestWhenInUseAuthorization()
            return promise(.success(1))
        }
        .delay(for: 2.0, scheduler: headingBackgroundQueue)   2
        .receive(on: RunLoop.main)
        .sink { _ in
            print("updating corelocation permission label")
            self.updatePermissionStatus()   3
        }
    }

    @IBAction func trackingToggled(_ sender: UISwitch) {
        switch sender.isOn {
        case true:
            self.coreLocationProxy.enable()   4
            print("Enabling heading tracking")
        case false:
            self.coreLocationProxy.disable()
            print("Disabling heading tracking")
        }
    }

    func updatePermissionStatus() {
        let x = CLLocationManager.authorizationStatus()
        switch x {
        case .authorizedWhenInUse:
            locationPermissionLabel.text = "Allowed when in use"
        case .notDetermined:
            locationPermissionLabel.text = "notDetermined"
        case .restricted:
            locationPermissionLabel.text = "restricted"
        case .denied:
            locationPermissionLabel.text = "denied"
        case .authorizedAlways:
```

```
            locationPermissionLabel.text = "authorizedAlways"
        @unknown default:
            locationPermissionLabel.text = "unknown default"
        }
    }

    override func viewDidLoad() {
        super.viewDidLoad()
        // Do any additional setup after loading the view.

        // request authorization for the corelocation data
        self.updatePermissionStatus()

        let corelocationsub = coreLocationProxy
            .publisher
            .print("headingSubscriber")
            .receive(on: RunLoop.main)
            .sink { someValue in    5
                self.headingLabel.text = String(someValue.trueHeading)
            }
        headingSubscriber = AnyCancellable(corelocationsub)
    }

}
```

1   One of the quirks of CoreLocation is the requirement to ask for permission from the user to access the data. The API provided to initiate this request returns immediately, but provides no detail if the user allowed or denied the request. The `CLLocationManager` class includes the information, and exposes it as a class method when you want to retrieve it, but there is no information provided to know when, or if, the user has responded to the request. Since the operation doesn't provide any return, we provide an integer as the pipeline data, primarily to represent that the request has been made.

2   Since there isn't a clear way to judge when the user will grant permission, but the permission is persistent, we simply use a delay operator before attempting to retrieve the data. This use simply delays the propagation of the value for two seconds.

3   After that delay, we invoke the class method and attempt to update informtion in the interface with the results of the current provided status.

4   Since CoreLocation requires methods to be explicitly enabled or disabled to provide the data, this connects a `UISwitch` toggle `IBAction` to the methods exposed on our publisher proxy.

5   The heading data is received in this sink subscriber, where in this example we write it to a text label.

Responding to updates from NotificationCenter

Goal

- Receiving notifications from NotificationCenter as a publisher to declaratively react to the information provided.

References

- NotificationCenter

See also

- The unit tests at <u>UsingCombineTests/NotificationCenterPublisherTests.swift</u>
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/NotificationCenterPublisherTests.swift)

Code and explanation

A large number of frameworks and user interface components provide information about their state and interactions via Notifications from NotificationCenter. Apple's documentation includes an article on <u>receiving and handling events with Combine</u> (https://developer.apple.com/documentation/combine/receiving_and_handling_events_with_combine) specifically referencing NotificationCenter.

<u>Notifications</u> (https://developer.apple.com/documentation/foundation/notification) flowing through <u>NotificationCenter</u> (https://developer.apple.com/documentation/foundation/notificationcenter) provide a common, central location for events within your application.

You can also add your own notifications to your application, and upon sending them may include an additional dictionary in their `userInfo` property. An example of defining your own notification `.myExampleNotification`:

```swift
extension Notification.Name {
    static let myExampleNotification = Notification.Name("an-example-notification")
}
```

Notification names are structured, and based on Strings. Object references can be passed when a notification is posted to the NotificationCenter, indicating which object sent the notification. Additionally, Notifications may include a `userInfo`, which has a type of `[AnyHashable : Any]?`. This allows for arbitrary dictionaries, either reference or value typed, to be included with a notification.

```swift
let myUserInfo = ["foo": "bar"]

let note = Notification(name: .myExampleNotification, userInfo: myUserInfo)
NotificationCenter.default.post(note)
```

> While commonly in use within AppKit and macOS applications, not all developers are comfortable with heavily using NotificationCenter. Originating within the more dynamic Objective-C runtime, Notifications leverage Any and optional types quite extensively. Using them within Swift code, or a pipeline, implies that the pipeline will have to provide the type assertions and deal with any possible errors related to data that may or may not be expected.

When creating the NotificationCenter publisher, you provide the name of the notification for which you want to receive, and optionally an object reference to filter to specific types of objects. A number of AppKit components that are subclasses of <u>NSControl</u> (https://developer.apple.com/documentation/appkit/nscontrol) share a set of notifications, and filtering can be critical to getting the right notification.

An example of subscribing to AppKit generated notifications:

```swift
                                                                                                    SWIFT
let sub = NotificationCenter.default.publisher(for: NSControl.textDidChangeNotification,  1
                                               object: filterField)  2
    .map { ($0.object as! NSTextField).stringValue }  3
    .assign(to: \MyViewModel.filterString, on: myViewModel)  4
```

1. TextFields within AppKit generate a `textDidChangeNotification` when the values are updated.

2. An AppKit application can frequently have a large number of text fields that may be changed. Including a reference to the sending control can be used to filter to text changed notifications to which you are specifically interested in responding.

3. the map operator can be used to get into the object references included with the notification, in this case the `.stringValue` property of the text field that sent the notification, providing its updated value

4. The resulting string can be assigned using a writable `KeyValue` path.

An example of subscribing to your own notifications:

```swift
                                                                                                    SWIFT
let cancellable = NotificationCenter.default.publisher(for: .myExampleNotification, object: nil)
    // can't use the object parameter to filter on a value reference, only class references, but
    // filtering on 'nil' only constrains to notification name, so value objects *can* be passed
    // in the notification itself.
    .sink { receivedNotification in
        print("passed through: ", receivedNotification)
        // receivedNotification.name
        // receivedNotification.object - object sending the notification (sometimes nil)
        // receivedNotification.userInfo - often nil
    }
```

SwiftUI Integration

Using ObservableObject with SwiftUI models as a publisher source

Goal

- SwiftUI includes @ObservedObject and the ObservableObject protocol, which provides a means of exterrnalizing state for a SwiftUI view while alerting SwiftUI to the model changing.

References

- @Published

- ObservableObject

- currentValueSubject

- combineLatest

- map

- onReceive

See also

The SwiftUI example code:

- `SwiftUI-Notes/ReactiveForm.swift` (https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-Notes/ReactiveForm.swift)

- `SwiftUI-Notes/ReactiveFormModel.swift` (https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-Notes/ReactiveFormModel.swift)

Code and explanation

SwiftUI views are declarative structures that are rendered based on some known state, being invalidated and updated when that state changes. We can use Combine to provide reactive updates to manipulate this state and expose it back to SwiftUI. The example provided here is a simple form entry input, with the goal of providing reactive and dynamic feedback based on the inputs to two fields.

The following rules are encoded into Combine piplines: 1. the two fields need to be identical - as in entering a password or email address and then validating it by a second entry. 2. the value entered is required to be a minimum of 5 characters in length. 3. A button to submit is enabled or disabled based on the results of these rules.

This is accomplished with SwiftUI by externalizing the state into properties on a class and referencing that class into the model using the `ObservableObject` protocol. Two properties are directly represented: `firstEntry` and `secondEntry` as Strings using the @Published property wrapper to allow SwiftUI to bind to their updates, as well as update them. A third property `submitAllowed` is exposed as a Combine publisher to be used within the view, which maintains the @State internally to the view. A fourth property - an array of Strings called `validationMessages` - is computed within the Combine pipelines from the first two properties, and also exposed to SwiftUI using the @Published property wrapper.

SwiftUI-Notes/ReactiveFormModel.swift (https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-Notes/ReactiveFormModel.swift)

SWIFT

```swift
import Foundation
import Combine

class ReactiveFormModel : ObservableObject {

    @Published var firstEntry: String = "" {
        didSet {
            firstEntryPublisher.send(self.firstEntry)    1
        }
    }
    private let firstEntryPublisher = CurrentValueSubject<String, Never>("")    2

    @Published var secondEntry: String = "" {
        didSet {
            secondEntryPublisher.send(self.secondEntry)
        }
    }
    private let secondEntryPublisher = CurrentValueSubject<String, Never>("")

    @Published var validationMessages = [String]()
    private var cancellableSet: Set<AnyCancellable> = []

    var submitAllowed: AnyPublisher<Bool, Never>

    init() {

        let validationPipeline = Publishers.CombineLatest(firstEntryPublisher, secondEntryPublisher)    3
            .map { (arg) -> [String] in    4
                var diagMsgs = [String]()
                let (value, value_repeat) = arg
                if !(value_repeat == value) {
                    diagMsgs.append("Values for fields must match.")
                }
                if (value.count < 5 || value_repeat.count < 5) {
                    diagMsgs.append("Please enter values of at least 5 characters.")
                }
                return diagMsgs
            }

        submitAllowed = validationPipeline    5
            .map { stringArray in
                return stringArray.count < 1
            }
            .eraseToAnyPublisher()

        let _ = validationPipeline    6
            .assign(to: \.validationMessages, on: self)
            .store(in: &cancellableSet)
    }
}
```

1   The firstEntry and secondEntry properties are both set with default values of an empty string.

2   These properties are then also mirrored with a currentValueSubject, which is updated using `didSet` from each of the `@Published` properties. This drives the combine piplines defined below to trigger the reactive updates when the values are changed from the SwiftUI view.

3   combineLatest is used to merge updates from either of `firstEntry` or `secondEntry` so that updates will be triggered from either source.

4   map takes the input values and uses them to determine and publish a list of validating messages. This overall flow is the source for two follow on pipelines.

5   The first of the follow on pipelines uses the list of validation messages to determine a true or false Boolean publisher that is used to enable, or disable, the submit button.

6   The second of the follow on pipelines takes the validation messages and updates them locally on this

ObservedObject reference for SwiftUI to watch and use as it sees fit.

The two different methods of exposing state changes - as a publisher, or as external state, are presented as examples for how you can utilize either pattern. The submit button enable/disable choice could be exposed as a `@Published` property, and the validation messages could be exposed as a publisher of `<String[], Never>`. If the need involves tracking as explicit state, it is likely cleaner and less directly coupled by exposing `@Published` properties - but either mechanism can be used.

The model above is coupled to a SwiftUI View declaration that uses the externalized state.

[SwiftUI-Notes/ReactiveForm.swift](https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-Notes/ReactiveForm.swift) *(https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-Notes/ReactiveForm.swift)*

```swift
                                                                                SWIFT
import SwiftUI

struct ReactiveForm: View {

    @ObservedObject var model: ReactiveFormModel   1
    // $model is a ObservedObject<ExampleModel>.Wrapper
    // and $model.objectWillChange is a Binding<ObservableObjectPublisher>
    @State private var buttonIsDisabled = true   2
    // $buttonIsDisabled is a Binding<Bool>

    var body: some View {
        VStack {
            Text("Reactive Form")
                .font(.headline)

            Form {
                TextField("first entry", text: $model.firstEntry)   3
                    .textFieldStyle(RoundedBorderTextFieldStyle())
                    .lineLimit(1)
                    .multilineTextAlignment(.center)
                    .padding()

                TextField("second entry", text: $model.secondEntry)
                    .textFieldStyle(RoundedBorderTextFieldStyle())
                    .multilineTextAlignment(.center)
                    .padding()

                VStack {
                    ForEach(model.validationMessages, id: \.self) { msg in   4
                        Text(msg)
                            .foregroundColor(.red)
                            .font(.callout)
                    }
                }
            }

            Button(action: {}) {
                Text("Submit")
            }.disabled(buttonIsDisabled)
                .onReceive(model.submitAllowed) { submitAllowed in   5
                    self.buttonIsDisabled = !submitAllowed
                }
                .padding()
                .background(RoundedRectangle(cornerRadius: 10)
                    .stroke(Color.blue, lineWidth: 1)
                )

            Spacer()
        }
    }
}

struct ReactiveForm_Previews: PreviewProvider {
    static var previews: some View {
        ReactiveForm(model: ReactiveFormModel())
    }
}
```

1   The model is exposed to SwiftUI using `@ObservedObject`.

2   `@State` buttonIsDisabled is declared locally to this view, with a default value of `true`.

3   The projected value from the property wrapper (`$model.firstEntry` and `$model.secondEntry`) are used to pass a Binding to the TextField view element. The `Binding` will trigger updates back on the reference model when the user changes a value, and will let SwiftUI's components know that changes are about to happen if the exposed model is changing.

4

The validation messages, which are generated and assigned within the model is invisible to SwiftUI here as a combine publisher pipeline. Instead this only reacts to the model changes being exposed by those values changing, irregardless of what mechanism changed them.

5   As an example of how to use a published with onReceive, an `onReceive` subscriber is used to listen to a publisher which is exposed from the model reference. In this case, we take the value and store is locally as `@State` within the SwiftUI view, but it could also be used after some transformation if that logic were more relevant to just the view display of the resulting values. In this case, we use it with `disabled` on `Button` to enabled SwiftUI to enable or disable that UI element based on the value stored in the `@State`.

Testing and Debugging

The Publisher/Subscriber interface in Combine is beautifully suited to be an easily testable interface.

With the composability of Combine, you can use this to your advantage, creating APIs that present, or consume, code that conforms to Publisher (https://developer.apple.com/documentation/combine/publisher).

With the publisher protocol (https://developer.apple.com/documentation/combine/publisher) as the key interface, you can replace either side to validate your code in isolation.

For example, if your code was focused on providing its data from external web services through Combine, you might make the interface to this conform to `AnyPublisher<Data, Error>`. You could then use that interface to test either side of that pipeline independently.

- You can mock data responses that emulate the underlying API calls and possible responses, including various error conditions. This might include returning data from a publisher created with Just or Fail, or something more complex using Future. None of these options require you to make actual network interface calls.

- Likewise you can isolate the testing of making the publisher do the API calls and verify the various success and failure conditions expected.

Testing a publisher with XCTestExpectation

Goal

- For testing a publisher (and any pipeline attached)

References

- UsingCombineTests/DataTaskPublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DataTaskPublisherTests.swift)

- UsingCombineTests/EmptyPublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/EmptyPublisherTests.swift)

- UsingCombineTests/FuturePublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FuturePublisherTests.swift)

- UsingCombineTests/PublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/PublisherTests.swift)

- UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift)

See also

- Testing a publisher with XCTestExpectation

- Testing a subscriber with scheduled sends from PassthroughSubject

- Testing a subscriber with a PassthroughSubject

Code and explanation

When you are testing a publisher, or something that creates a publisher, you may not have the option of controlling when the publisher returns data for your tests. Combine, being driven by its subscribers, can set up a sync that initiates the data flow. You can use an XCTestExpectation (https://developer.apple.com/documentation/xctest/xctestexpectation) to wait an explicit amount of time for the test to run to completion.

A general pattern for using this with Combine includes:

1. set up the expectation within the test

2. establish the code you are going to test

3. set up the code to be invoked such that on the success path you call the expectation's `.fulfill()` function

4. set up a `wait()` function with an explicit timeout that will fail the test if the expectation isn't fulfilled within that time window.

If you are testing the data results from a pipeline, then triggering the `fulfill()` function within the sink operator `receiveValue` closure can be very convenient. If you are testing a failure condition from the pipeline, then often including `fulfill()` within the sink operator `receiveCompletion` closure is effective.

The following example shows testing a one-shot publisher (URLSession.dataTaskPublisher in this case) using expectation, and expecting the data to flow without an error.

[UsingCombineTests/DataTaskPublisherTests.swift - testDataTaskPublisher](https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DataTaskPublisherTests.swift#L47)

```swift
                                                                                             SWIFT
func testDataTaskPublisher() {
    // setup
    let expectation = XCTestExpectation(description: "Download from \(String(describing: testURL))")   1
    let remoteDataPublisher = URLSession.shared.dataTaskPublisher(for: self.testURL!)
        // validate
        .sink(receiveCompletion: { fini in
            print(".sink() received the completion", String(describing: fini))
            switch fini {
            case .finished: expectation.fulfill()   2
            case .failure: XCTFail()   3
            }
        }, receiveValue: { (data, response) in
            guard let httpResponse = response as? HTTPURLResponse else {
                XCTFail("Unable to parse response an HTTPURLResponse")
                return
            }
            XCTAssertNotNil(data)
            // print(".sink() data received \(data)")
            XCTAssertNotNil(httpResponse)
            XCTAssertEqual(httpResponse.statusCode, 200)   4
            // print(".sink() httpResponse received \(httpResponse)")
        })

    XCTAssertNotNil(remoteDataPublisher)
    wait(for: [expectation], timeout: 5.0)   5
}
```

1 The expectation is set up with a string that makes debugging in the event of failure a bit easier. This string is really only seen when a test failure occurs. The code we are testing here is `dataTaskPublisher` retrieving data from a preset test URL, defined earlier in the test. The publisher is invoked by attaching the sink subscriber to it. Without the expectation, the code will still run, but the test running structure wouldn't wait to see if there were any exceptions. The expectation within the test "holds the test" waiting for a response to let the operators do their work.

2 In this case, the test is expected to complete successfully and terminate normally, therefore the `expectation.fulfill()` invocation is set within the receiveCompletion closure, specifically linked to a received `.finished` completion.

3 Since we don't expect a failure, we also have an explicit `XCTFail()` invocation if we receive a `.failure` completion.

4   We have a few additional assertions within the receiveValue. Since this publisher set returns a single value and then terminates, we can make inline assertions about the data received. If we received multiple values, then we could collect those and make assertions on what was received after the fact.

5   This test uses a single expectation, but you can include multiple independent expectations to require fulfillment. It also sets that maximum time that this test can run to five seconds. The test will not always take five seconds, as it will complete the test as soon as the fulfill is received. If for some reason the test takes longer than five seconds to respond, the XCTest will report a test failure.

Testing a subscriber with a PassthroughSubject

Goal

- For testing a subscriber, or something that includes a subscriber, we can emulate the publishing source with PassthroughSubject to provide explicit control of what data gets sent and when.

References

- UsingCombineTests/EncodeDecodeTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/EncodeDecodeTests.swift)

- UsingCombineTests/FilterPublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FilterPublisherTests.swift)

- UsingCombineTests/FuturePublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FuturePublisherTests.swift)

- UsingCombineTests/RetryPublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/RetryPublisherTests.swift)

- UsingCombineTests/SinkSubscriberTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SinkSubscriberTests.swift)

- UsingCombineTests/SwitchAndFlatMapPublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SwitchAndFlatMapPublisherTests.swift)

- UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift)

See also

- Testing a publisher with XCTestExpectation
- passthroughSubject
- Testing a subscriber with scheduled sends from PassthroughSubject
- Using EntwineTest to create a testable publisher and subscriber

Code and explanation

When you are testing a subscriber in isolation, you can get more fine-grained control of your tests by emulating the publisher with a passthroughSubject and using the associated `.send()` method to trigger updates.

This pattern relies on the subscriber setting up the initial part of the publisher-subscriber lifecycle upon construction, and leaving the code to stand waiting until data is provided. With a `PassthroughSubject`, sending the data to trigger the pipeline and subscriber closures, or following state changes that can be verified, is at the control of the test code itself.

This kind of testing pattern also works well when you are testing the response of the subscriber to a failure, which might otherwise terminate a subscription.

A general pattern for using this kind of test construct is:

1. Set up your subscriber and any pipeline leading to it that you want to include within the test.

2. Create a `PassthroughSubject` in the test that produces an output type and failure type to match with your subscriber.

3. Assert any initial values or preconditions.

4. Send the data through the subject.

5. Test the results of having sent the data - either directly or asserting on state changes that were expected.

6. Send additional data if desired.

7. Test further evolution of state or other changes.

An example of this pattern follows:

UsingCombineTests/SinkSubscriberTests.swift - testSinkReceiveDataThenError
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SinkSubscriberTests.swift#L44)

```swift
func testSinkReceiveDataThenError() {

    // setup - preconditions  1
    let expectedValues = ["firstStringValue", "secondStringValue"]
    enum TestFailureCondition: Error {
        case anErrorExample
    }
    var countValuesReceived = 0
    var countCompletionsReceived = 0

    // setup
    let simplePublisher = PassthroughSubject<String, Error>()  2

    let _ = simplePublisher  3
        .sink(receiveCompletion: { completion in
            countCompletionsReceived += 1
            switch completion {  4
            case .finished:
                print(".sink() received the completion:", String(describing: completion))
                // no associated data, but you can react to knowing the
                // request has been completed
                XCTFail("We should never receive the completion, the error should happen first")
                break
            case .failure(let anError):
                // do what you want with the error details, presenting,
                // logging, or hiding as appropriate
                print("received the error: ", anError)
                XCTAssertEqual(anError.localizedDescription,
                            TestFailureCondition.anErrorExample.localizedDescription)  5
                break
            }
        }, receiveValue: { someValue in  6
            // do what you want with the resulting value passed down
            // be aware that depending on the data type being returned,
            // you may get this closure invoked multiple times.
            XCTAssertNotNil(someValue)
            XCTAssertTrue(expectedValues.contains(someValue))
            countValuesReceived += 1
            print(".sink() received \(someValue)")
        })

    // validate
    XCTAssertEqual(countValuesReceived, 0)  7
    XCTAssertEqual(countCompletionsReceived, 0)

    simplePublisher.send("firstStringValue")  8
    XCTAssertEqual(countValuesReceived, 1)
    XCTAssertEqual(countCompletionsReceived, 0)

    simplePublisher.send("secondStringValue")
    XCTAssertEqual(countValuesReceived, 2)
    XCTAssertEqual(countCompletionsReceived, 0)

    simplePublisher.send(completion: Subscribers.Completion.failure(TestFailureCondition.anErrorExample))
    9
    XCTAssertEqual(countValuesReceived, 2)
    XCTAssertEqual(countCompletionsReceived, 1)

    // this data will never be seen by anything in the pipeline above because
    // we have already sent a completion
    simplePublisher.send(completion: Subscribers.Completion.finished)  10
    XCTAssertEqual(countValuesReceived, 2)
    XCTAssertEqual(countCompletionsReceived, 1)
}
```

1 This test sets up some variables to capture and modify during test execution that we use to validate when and how the sink code operates. Additionally, we have an error defined here because it's not coming from other code

elsewhere.

2   The setup for this code uses the passthroughSubject to drive the test, but the code we are interested in testing is the subscriber.

3   The subscriber setup under test (in this case, a standard sink). We have code paths that trigger on receiving data and completions.

4   Within the completion path, we switch on the type of completion, adding an assertion that will fail the test if a finish is called, as we expect to only generate a `.failure` completion.

5   Testing error equality in Swift can be awkward, but if the error is code you are controlling, you can sometimes use the `localizedDescription` as a convenient way to test the type of error received.

6   The `receiveValue` closure is more complex in how it asserts against received values. Since we are receiving multiple values in the process of this test, we have some additional logic to check that the values are within the set that we send. Like the completion handler, We also increment test specific variables that we will assert on later to validate state and order of operation.

7   The count variables are validated as preconditions before we send any data to double check our assumptions.

8   In the test, the `send()` triggers the actions, and immediately after we can test the side effects through the test variables we are updating. In your own code, you may not be able to (or want to) modify your subscriber, but you may be able to provide private/testable properties or windows into the objects to validate them in a similiar fashion.

9   We also use `send()` to trigger a completion, in this case a failure completion.

10 And the final `send()` is validating the operation of the failure that just happened - that it was not processed, and no further state updates happened.

Testing a subscriber with scheduled sends from PassthroughSubject

Goal

- For testing a pipeline, or subscriber, when what you want to test is the timing of the pipeline.

References

- UsingCombineTests/PublisherTests.swift
   (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/PublisherTests.swift)

- UsingCombineTests/FuturePublisherTests.swift
   (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FuturePublisherTests.swift)

- UsingCombineTests/SinkSubscriberTests.swift
   (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SinkSubscriberTests.swift)

- UsingCombineTests/SwitchAndFlatMapPublisherTests.swift
   (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SwitchAndFlatMapPublisherTests.swift)

- UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift
   (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift)

See also

- Testing a subscriber with a PassthroughSubject

- Using EntwineTest to create a testable publisher and subscriber

- Testing a publisher with XCTestExpectation

- passthroughSubject

Code and explanation

There are a number of operators in Combine that are specific to the timing of data, including debounce, throttle, and delay. You may want to test that your pipeline timing is having the desired impact, indepedently of doing UI testing.

One way of handling this leverages the both XCTestExpectation
 (https://developer.apple.com/documentation/xctest/xctestexpectation) and a passthroughSubject, combining the two. Building on both Testing a publisher with XCTestExpectation and Testing a subscriber with a PassthroughSubject, add DispatchQueue (https://developer.apple.com/documentation/dispatch/dispatchqueue) in the test to schedule invocations of PassthroughSubject's `.send()` method.

An example of this:

UsingCombineTests/PublisherTests.swift - testKVOPublisher
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/PublisherTests.swift#L178)

```swift
                                                                    SWIFT
  func testKVOPublisher() {
      let expectation = XCTestExpectation(description: self.debugDescription)
      let foo = KVOAbleNSObject()
      let q = DispatchQueue(label: self.debugDescription)   1

      let _ = foo.publisher(for: \.intValue)
          .print()
          .sink { someValue in
              print("value of intValue updated to: >>\(someValue)<<")
          }

      q.asyncAfter(deadline: .now() + 0.5, execute: {   2
          print("Updating to foo.intValue on background queue")
          foo.intValue = 5
          expectation.fulfill()   3
      })
      wait(for: [expectation], timeout: 5.0)   4
  }
```

1. This adds a `DispatchQueue` to your test, naming the queue after the test itself. This really only shows when debugging test failures, and is convenient as a reminder of what is happening in the test code vs. any other background queues that might be in use.

2. `.asyncAfter` is used along with the deadline parameter to define when a call gets made.

3. The simplest form embeds any relevant assertions into the subscriber or around the subscriber. Additionally, invoking the `.fulfill()` on your expectation as the last queued entry you send lets the test know that it is now complete.

4. Make sure that when you set up the wait that allow for sufficient time for your queue'd calls to be invoked.

A definite downside to this technique is that it forces the test to take a minimum amount of time matching the maximum queue delay in the test.

Another option is a 3rd party library named EntwineTest, which was inspired by the RxTest library. EntwineTest is part of Entwine, a Swift library that expands on Combine with some helpers. The library can be found on Github at https://github.com/tcldr/Entwine.git, available under the MIT license.

One of the key elements included in EnwtineTest is a virtual time scheduler, as well as additional classes that schedule (`TestablePublisher`) and collect and record (`TestableSubscriber`) the timing of results while using this scheduler.

An example of this from the EntwineTest project README is included:

UsingCombineTests/EntwineTestExampleTests.swift - testExampleUsingVirtualTimeScheduler
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/EntwineTestExampleTests.swift)

```swift
func testExampleUsingVirtualTimeScheduler() {
    let scheduler = TestScheduler(initialClock: 0)  1
    var didSink = false
    let cancellable = Just(1)  2
        .delay(for: 1, scheduler: scheduler)
        .sink { _ in
            didSink = true
        }

    XCTAssertNotNil(cancellable)
    // where a real scheduler would have triggered when .sink() was invoked
    // the virtual time scheduler requires resume() to commence and runs to
    // completion.
    scheduler.resume()  3
    XCTAssertTrue(didSink)  4
}
```

1   Using the virtual time scheduler requires you create one at the start of the test, initializing its clock to a starting value. The virtual time scheduler in EntwineTest will commence subscription at the value 200 and times out at 900 if the pipeline isn't complete by that time.

2   You create your pipeline, along with any publishers or subscribers, as normal. EntwineTest also offers a testable publisher and a testable subscriber that could be used as well. For more details on these parts of EntwineTest, see Using EntwineTest to create a testable publisher and subscriber.

3   .resume() needs to be invoked on the virtual time scheduler to commence its operation and run the pipeline.

4   Assert against expected end results after the pipeline has run to completion.

Using EntwineTest to create a testable publisher and subscriber

Goal

- For testing a pipeline, or subscriber, when what you want to test is the timing of the pipeline.

References

- UsingCombineTests/EntwineTestExampleTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/EntwineTestExampleTests.swift)

See also

- Testing a publisher with XCTestExpectation
- Testing a subscriber with a PassthroughSubject
- Testing a subscriber with scheduled sends from PassthroughSubject
- passthroughSubject

Code and explanation

The EntwineTest library, available from Gitub at https://github.com/tcldr/Entwine.git, provides some additional options for making your pipelines testable. In addition to a virtual time scheduler, EntwineTest has a `TestablePublisher` and a `TestableSubscriber`. These work in coordination with the virtual time scheduler to allow you to specify the timing of the publisher generating data, and to valid the data received by the subscriber.

> ⚠️ As of Xcode 11.2, there is a bug with SwiftPM that impacts the use of Entwine as a testing library. The details can be found at SR-11564 (https://bugs.swift.org/plugins/servlet/mobile#issue/SR-11564) in Swift's open source bug reporting.
>
> The workaround, which you may need to apply if using Xcode 11.2, is to set the project setting `DEAD_CODE_STRIPPING=NO`.

An example of this from the EntwineTest project is included:

UsingCombineTests/EntwineTestExampleTests.swift - testMap
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/EntwineTestExampleTests.swift)

SWIFT

```swift
import XCTest
import EntwineTest
// library loaded from
// https://github.com/tcldr/Entwine/blob/master/Assets/EntwineTest/README.md
// as a Swift package https://github.com/tcldr/Entwine.git : 0.6.0,
// Next Major Version

class EntwineTestExampleTests: XCTestCase {

    func testMap() {

        let testScheduler = TestScheduler(initialClock: 0)

        // creates a publisher that will schedule its elements relatively
        // at the point of subscription
        let testablePublisher: TestablePublisher<String, Never> =
testScheduler.createRelativeTestablePublisher([    1
            (100, .input("a")),
            (200, .input("b")),
            (300, .input("c")),
        ])

        // a publisher that maps strings to uppercase
        let subjectUnderTest = testablePublisher.map { $0.uppercased() }

        // uses the method described above (schedules a subscription at 200
        // to be cancelled at 900)
        let results = testScheduler.start { subjectUnderTest }   2

        XCTAssertEqual(results.recordedOutput, [   3
            (200, .subscription),
            // subscribed at 200
            (300, .input("A")),
            // received uppercased input @ 100 + subscription time
            (400, .input("B")),
            // received uppercased input @ 200 + subscription time
            (500, .input("C")),
            // received uppercased input @ 300 + subscription time
        ])
    }
}
```

1   The `TestablePublisher` lets you set up a publisher that returns specific values at specific times. In this case, it's returning 3 items at consistent intervals.

2   When you use the virtual time scheduler, it is important to make sure to invoke it with start. This runs the virtual time scheduler, which can run faster than a clock since it only needs to increment the virtual time and not wait for elapsed time.

3   `results` is a TestableSubscriber object, and includes a `recordedOutput` property which provides an ordered list of all the data and combine control path interactions with their timing.

If this test sequence had been done with asyncAfter, then the test would have taken a minimum of 500ms to complete. When I ran this test on my laptop, it was recording 0.0121 seconds to complete the test (12.1ms).

> A side effect of EntwineTest is that tests using the virtual time scheduler can run much faster than a real time clock. The same tests being created using real time scheduling mechanisms to delay data sending values can take significantly longer to complete.

Debugging pipelines with the print operator

Goal

- To gain understanding of what is happening in a pipeline, seeing all control and data interactions.

References

- print

- sink

- retry

- The ViewController with this code is in the github project at UIKit-Combine/GithubViewController.swift (https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubViewController.swift)

- The retry unit tests in the github project at UsingCombineTests/RetryPublisherTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/RetryPublisherTests.swift)

See also

- Cascading UI updates including a network request

- Sequencing operations with Combine

- Declarative UI updates from user input

- Debugging pipelines with the debugger

- Debugging pipelines with the handleEvents operator

Code and explanation

I have found the greatest detail of information comes from selectively using the print operator. The downside is that it prints quite a lot of information, so the output can quickly become overwhelming. For understanding a simple pipeline, using the `.print()` as an operator without any parameters is very straightforward. As soon as you want to add more than one print operator, you will likely want to use the string parameter, which is puts in as a prefix to the output.

The example Cascading UI updates including a network request uses it in several places, with long descriptive prefixes to make it clear which pipeline is providing the information.

The two pipelines cascade together by connecting through a private published variable - the github user data. The two relevant pipelines from that example code:

UIKit-Combine/GithubViewController.swift
(https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubViewController.swift)

```swift
usernameSubscriber = $username
    .throttle(for: 0.5, scheduler: myBackgroundQueue, latest: true)
    // ^^ scheduler myBackGroundQueue publishes resulting elements
    // into that queue, resulting on this processing moving off the
    // main runloop.
    .removeDuplicates()
    .print("username pipeline: ") // debugging output for pipeline
    .map { username -> AnyPublisher<[GithubAPIUser], Never> in
        return GithubAPI.retrieveGithubUser(username: username)
    }
    // ^^ type returned in the pipeline is a Publisher, so we use
    // switchToLatest to flatten the values out of that
    // pipeline to return down the chain, rather than returning a
    // publisher down the pipeline.
    .switchToLatest()
    // using a sink to get the results from the API search lets us
    // get not only the user, but also any errors attempting to get it.
    .receive(on: RunLoop.main)
    .assign(to: \.githubUserData, on: self)

// using .assign() on the other hand (which returns an
// AnyCancellable) *DOES* require a Failure type of <Never>
repositoryCountSubscriber = $githubUserData
    .print("github user data: ")
    .map { userData -> String in
        if let firstUser = userData.first {
            return String(firstUser.public_repos)
        }
        return "unknown"
    }
    .receive(on: RunLoop.main)
    .assign(to: \.text, on: repositoryCountLabel)
```

When you run the UIKit-Combine example code, the terminal shows the following output as I slowly enter the username heckj . In the course of doing these lookups, two other github accounts are found and retrieved (hec and heck) before the final one.

interactive output from simulator

```
username pipeline: : receive subscription: (RemoveDuplicates)
username pipeline: : request unlimited
github user data: : receive subscription: (CurrentValueSubject)
github user data: : request unlimited
github user data: : receive value: ([])
username pipeline: : receive value: ()
github user data: : receive value: ([])

Set username to  h
username pipeline: : receive value: (h)
github user data: : receive value: ([])

Set username to  he
username pipeline: : receive value: (he)
github user data: : receive value: ([])

Set username to  hec
username pipeline: : receive value: (hec)

Set username to  heck
github user data: : receive value: ([UIKit_Combine.GithubAPIUser(login: "hec", public_repos: 3, avatar_url:
"https://avatars3.githubusercontent.com/u/53656?v=4")])

username pipeline: : receive value: (heck)
github user data: : receive value: ([UIKit_Combine.GithubAPIUser(login: "heck", public_repos: 6, avatar_url:
"https://avatars3.githubusercontent.com/u/138508?v=4")])

Set username to  heckj
username pipeline: : receive value: (heckj)
github user data: : receive value: ([UIKit_Combine.GithubAPIUser(login: "heckj", public_repos: 69, avatar_url:
"https://avatars0.githubusercontent.com/u/43388?v=4")])
```

Some of the extraneous print statements placed in sink closures to see final results have been removed.

You see the initial subscription setup at the very beginning, and then notifications, including the debug representation of the value passed through the `print` operator. Although it is not shown in the example content above, you will also see cancellations when an error occurs, or completions when they emit from a publisher reporting no further data is available.

It can also be beneficial to use a `print` operator on either side of an operator to understand how it is operating.

An example of doing this, leveraging the prefix to show the retry operator and how it works:

UsingCombineTests/RetryPublisherTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/RetryPublisherTests.swift)

```swift
                                                                                                              SWIFT
func testRetryWithOneShotFailPublisher() {
    // setup

    let _ = Fail(outputType: String.self, failure: TestFailureCondition.invalidServerResponse)
        .print("(1)>")   1
        .retry(3)
        .print("(2)>")   2
        .sink(receiveCompletion: { fini in
            print(" ** .sink() received the completion:", String(describing: fini))
        }, receiveValue: { stringValue in
            XCTAssertNotNil(stringValue)
            print(" ** .sink() received \(stringValue)")
        })
}
```

1   The (1) prefix is to show the interactions above the `retry` operator

2   The (2) prefix shows the interactions after the `retry` operator

output from unit test

```
Test Suite 'Selected tests' started at 2019-07-26 15:59:48.042
Test Suite 'UsingCombineTests.xctest' started at 2019-07-26 15:59:48.043
Test Suite 'RetryPublisherTests' started at 2019-07-26 15:59:48.043
Test Case '-[UsingCombineTests.RetryPublisherTests testRetryWithOneShotFailPublisher]' started.
(1)>: receive subscription: (Empty)  1
(1)>: receive error: (invalidServerResponse)
(1)>: receive subscription: (Empty)
(1)>: receive error: (invalidServerResponse)
(1)>: receive subscription: (Empty)
(1)>: receive error: (invalidServerResponse)
(1)>: receive subscription: (Empty)
(1)>: receive error: (invalidServerResponse)
(2)>: receive error: (invalidServerResponse)  2
 ** .sink() received the completion:
failure(UsingCombineTests.RetryPublisherTests.TestFailureCondition.invalidServerResponse)
(2)>: receive subscription: (Retry)
(2)>: request unlimited
(2)>: receive cancel
Test Case '-[UsingCombineTests.RetryPublisherTests testRetryWithOneShotFailPublisher]' passed (0.010 seconds).
Test Suite 'RetryPublisherTests' passed at 2019-07-26 15:59:48.054.
     Executed 1 test, with 0 failures (0 unexpected) in 0.010 (0.011) seconds
Test Suite 'UsingCombineTests.xctest' passed at 2019-07-26 15:59:48.054.
     Executed 1 test, with 0 failures (0 unexpected) in 0.010 (0.011) seconds
Test Suite 'Selected tests' passed at 2019-07-26 15:59:48.057.
     Executed 1 test, with 0 failures (0 unexpected) in 0.010 (0.015) seconds
```

1   In the test sample, the publisher always reports a failure, resulting in seeing the prefix `(1)` receiving the error, and then the resubscription from the `retry` operator.

2   And after 4 of those attempts (3 "retries"), then you see the error falling through the pipeline. After the error hits the sink, you see the `cancel` signal propagated back up, which stops at the retry operator.

While very effective, the `print` operator can be a blunt tool, generating a lot of output that you have to parse and review. If you want to be more selective with what you identify and print, or if you need to process the data passing through for it to be used more meaningfully, then you look at the handleEvents operator. More detail on how to use this opeartor for debugging is in Debugging pipelines with the handleEvents operator.

Debugging pipelines with the handleEvents operator

Goal

- To get more targetted understanding of what is happening within a pipeline, employing breakpoints, print or logging statements, or additional logic.

References

- handleEvents

- A ViewController using handleEvents is in the github project at <u>UIKit-Combine/GithubViewController.swift</u> (https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubViewController.swift)

- The handleEvents unit tests in the github project at <u>UsingCombineTests/HandleEventsPublisherTests.swift</u> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/HandleEventsPublisherTests.swift)

See also

- Debugging pipelines with the print operator

- Cascading UI updates including a network request

- Sequencing operations with Combine

- Declarative UI updates from user input

- Debugging pipelines with the debugger

Code and explanation

handleEvents passes data through, making no modifications to the output and failure types, or the data. When you put in the operator, you can specify a number of optional closures, allowing you to focus on the aspect of what you want to see. The handleEvents operator with specific closures can be a great way to get a window to see what is happening when a pipeline is cancelling, erroring, or otherwise terminating expectedly.

The closures you can provide include:

- `receiveSubscription`

- `receiveRequest`

- `receiveCancel`

- `receiveOutput`

- `receiveCompletion`

If the closures each included a print statement, this operator would be acting very much like the print operator, as detailed in Debugging pipelines with the print operator.

The power of handleEvents for debugging is in selecting what you want to view, reducing the amount of output, or manipulating the data to get a better understanding of it.

In the example viewcontroller at <u>UIKit-Combine/GithubViewController.swift</u> (https://github.com/heckj/swiftui-notes/blob/master/UIKit-Combine/GithubViewController.swift), the subscription, cancellation, and completion handlers are used to provide a side effect of starting, or stopping, an activity indicator.

If you only wanted to see the data being passed on the pipeline, and didn't care about the control messages, then providing a single closure for receiveOutput and ignoring the other closures can let you focus on just that detail.

The unit test example showing handleEvents has all options active with comments:

[UsingCombineTests/HandleEventsPublisherTests.swift](https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/HandleEventsPublisherTests.swift)
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/HandleEventsPublisherTests.swift)

```swift
.handleEvents(receiveSubscription: { aValue in
    print("receiveSubscription event called with \(String(describing: aValue))")  2
}, receiveOutput: { aValue in  3
    print("receiveOutput was invoked with \(String(describing: aValue))")
}, receiveCompletion: { aValue in  4
    print("receiveCompletion event called with \(String(describing: aValue))")
}, receiveCancel: {  5
    print("receiveCancel event invoked")
}, receiveRequest: { aValue in  1
    print("receiveRequest event called with \(String(describing: aValue))")
})
```

1   The first closure called is `receiveRequest` , which will have the demand value passed into it.

2   The second closure `receiveSubscription` is commonly the returning subscription from the publisher, which passes in a reference to the publisher. At this point, the pipeline is operational, and the publisher will provide data based on the amount of data requested in the original request.

3   This data is passed into `receiveOutput` as the publisher makes it available, invoking the closure for each value passed. This will repeat for as many values as the publisher sends.

4   If the pipeline is closed - either normally or terminated due to a failure - the `receiveCompletion` closure will get the completion. Just the like the sink closure, you can switch on the completion provided, and if it is a `.failure` completion, then you can inspect the enclosed error.

5   If the pipeline is cancelled, then the `receiveCancel` closure will be called. No data is passed into the cancellation closure.

> ℹ️ While you can also use breakpoint and breakpointOnError operators to break into a debugger (as shown in Debugging pipelines with the debugger), the `handleEvents()` operator with closures allows you to set breakpoints within Xcode. This allows you to immediately jump into the debugger to inspect the data flowing through the pipeline, or to get references to the subscriber, or the error in the case of a failed completion.

Debugging pipelines with the debugger

Goal

- To force the pipeline to trap into a debugger on specific scenarios or conditions.

References

- handleEvents

- map

See also

- Debugging pipelines with the print operator

- Debugging pipelines with the handleEvents operator

Code and explanation

You can set a breakpoint within any closure to any operator within a pipeline, triggering the debugger to activate to inspect the data. Since the map operator is frequently used for simple output type conversions, it is often an excellent candidate that has a closure you can use. If you want to see into the control messages, then a breakpoint within any of the closures provided to handleEvents makes a very convenient target.

You can also use the breakpoint operator to trigger the debugger, which can be a very quick and convenient way to see what is happening in a pipeline. The breakpoint operator acts very much like handleEvents, taking a number of optional parameters, closures that are expected to return a boolean, and if true will invoke the debugger.

The optional closures include:

- receiveSubscription

- receiveOutput

- receiveCompletion

```swift
.breakpoint(receiveSubscription: { subscription in
    return false // return true to throw SIGTRAP and invoke the debugger
}, receiveOutput: { value in
    return false // return true to throw SIGTRAP and invoke the debugger
}, receiveCompletion: { completion in
    return false // return true to throw SIGTRAP and invoke the debugger
})
```

This allows you to provide logic to evaluate the data being passed through, and only triggering a breakpoint when your specific conditions are met. With very active pipelines processing a lot of data, this can be a great tool to be more surgical in getting the debugger active when you need it, and letting the other data move on by.

If you are only interested in the breaking into the debugger on error conditions, then convenience operator breakPointOnError is perfect. It takes no parameters or closures, simply invoking the debugger when an error condition of any form is passed through the pipeline.

```swift
.breakpointOnError()
```

The location of the breakpoint that is triggered by the breakpoint operator isn't in your code, so getting to local frames and information can be a bit tricky. This does allow you to inspect global application state in highly specific instances (whenever the closure returns `true`, with logic you provide), but you may find it more effective to use regular breakpoints within closures. The breakpoint() and breakpointOnError() operators don't immediately drop you into a closure where you can see the data being passed, error thrown, or control signals that may have triggered the breakpoint. You can often walk back up the stack trace within the debugging window to see the publisher.

When you trigger a breakpoint within an operator's closure, the debugger immediately gets the context of that closure as well, so you can see/inspect the data being passed.

Reference

The reference section of this book is intended to link to, reference, and expand on Apple's Combine documentation.

Publishers

For general information about publishers see Publishers and Lifecycle of Publishers and Subscribers.

Just

Summary

 `Just` provides a single result and then terminates, providing a publisher with a failure type of `<Never>`

🍎 *docs*

`Just` (https://developer.apple.com/documentation/combine/just)

Usage

- Using catch to handle errors in a one-shot pipeline

- Using flatMap with catch to handle errors

- Declarative UI updates from user input

- Cascading UI updates including a network request

Details

Often used within a closure to flatMap in error handling, it creates a single-response pipeline for use in error handling of continuous values.

Future

Summary

A `Future` is initialized with a closure that eventually resolves to a single output value or failure completion.

🍎 *docs*

Future (https://developer.apple.com/documentation/combine/future).

Usage

- unit tests illustrating using `Future`: `UsingCombineTests/FuturePublisherTests.swift`
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FuturePublisherTests.swift)

Details

 `Future` is a publisher that let's you combine in any asynchronous call and use that call to generate a value or a completion as a publisher. It is ideal for when you want to make a single request, or get a single response, where the API you are using has a completion handler closure.

The obvious example that everyone immediately thinks about is `URLSession`. Fortunately, URLSession.dataTaskPublisher exists to make a call with a `URLSession` and return a publisher. If you already have an API object that wraps the direct calls to `URLSession`, then making a single request using `Future` can be a great way to integrate the result into a Combine pipeline.

There are a number of APIs in the Apple frameworks that use a completion closure. An example of one is requesting permission to access the contacts store in Contacts. An example of wrapping that request for access into a publisher using `Future` might be:

```swift
                                                                                               SWIFT
import Contacts
let futureAsyncPublisher = Future<Bool, Error> { promise in  1
    CNContactStore().requestAccess(for: .contacts) { grantedAccess, err in  2
        // err is an optional
        if let err = err {  3
            promise(.failure(err))
        }
        return promise(.success(grantedAccess))  4
    }
}
```

1   Future itself has you define the return types and takes a closure. It hands in a Result object matching the type description, which you interact.

2   You can invoke the async API however is relevant, including passing in its required closure.

3   Within the completion handler, you determine what would cause a failure or a success. A call to promise(.failure(<FailureType>)) returns the failure.

4   Or a call to promise(.success(<OutputType>)) returns a value.

If you want to wrap an async API that could return many values over time, you should not use Future directly, as it only returns a single value. Instead, you should consider creating your own publisher based on passthroughSubject or currentValueSubject, or wrapping the Future publisher with Deferred.

⚠️   Future creates and invokes its closure to do the asynchronous request **at the time of creation**, not when the publisher receives a demand request. This can be counter-intuitive, as many other publishers invoke their closures when they receive demand. This also means that you can't directly link a Future publisher to an operator like retry.

The retry operator works by making another subscription to the publisher, and Future doesn't not currently re-invoke the closure you provide upon additional request demands. This means that chaining a retry operator after Future will not result in Future's closure being invoked repeatedly when a .failure completion is returned.

The failure of the retry and Future to work together directly has been submitted to Apple as feedback: FB7455914.

The Future publisher can be wrapped with Deferred to have it work based on demand, rather than as a one-shot at the time of creation of the publisher. You can see unit tests illustrating Future wrapped with Deferred in the tests at UsingCombineTests/FuturePublisherTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FuturePublisherTests.swift).

If you are wanting repeated requests to a Future (for example, wanting to use a a retry operator to retry failed requests), wrap the Future publisher with Deferred.

```swift
                                                                                               SWIFT
let deferredPublisher = Deferred {  1
    return Future<Bool, Error> { promise in  2
        self.asyncAPICall(sabotage: false) { (grantedAccess, err) in
            if let err = err {
                return promise(.failure(err))
            }
            return promise(.success(grantedAccess))
        }
    }
}.eraseToAnyPublisher()
```

1   The closure provided in to `Deferred` will be invoked as demand requests come to the publisher.

2   This in turn resolves the underlying api call to generate the result as a Promise, with internal closures to resolve the promise.

Empty

Summary

`empty` never publishes any values, and optionally finishes immediately.

docs

Empty (https://developer.apple.com/documentation/combine/empty)

Usage

- Using catch to handle errors in a one-shot pipeline shows an example of using `catch` to handle errors with a one-shot publisher.

- Using flatMap with catch to handle errors shows an example of using `catch` with `flatMap` to handle errors with a continual publisher.

- Declarative UI updates from user input

- Cascading UI updates including a network request

- The unit tests at UsingCombineTests/EmptyPublisherTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/EmptyPublisherTests.swift)

Details

`Empty` is useful in error handling scenarios where the value is an optional, or where you want to resolve an error by simply not sending anything. Empty can be invoked to be a publisher of any output and failure type combination.

`Empty` is most commonly used where you need to return a publisher, but don't want to propagate any values (a possible error handling scenario). If you want a publisher that provides a single value, then look at Just or Deferred publishers as alternatives.

When subscribed to, an instance of the `Empty` publisher will not return any values (or errors) and will immediately return a finished completion message to the subscriber.

An example of using `Empty`

```swift
let myEmptyPublisher = Empty<String, Never>()   1
```
SWIFT

1   Because the types are not be able to be inferred, expect to define the types you want to return.

Fail

Summary

`Fail` immediately terminates publishing with the specified failure.

docs

Fail (https://developer.apple.com/documentation/combine/fail)

Usage

- The unit tests at <u>UsingCombineTests/FailedPublisherTests.swift</u>
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FailedPublisherTests.swift)

Details

    `Fail` is commonly used when implementing an API that returns a publisher. In the case where you want to return an immediate failure, Fail provides a publisher that immediately triggers a failure on subscription. One way this might be used is to provide a failure response when invalid parameters are passed. The Fail publisher lets you generate a publisher of the correct type that provides a failure completion when demand is requested.

Initializing a `Fail` publisher can be done two ways: with the type notation specifying the output and failure types or with the types implied by handing parameters to the initializer.

For example:

Initializing `Fail` by specifying the types

```swift
let cancellable = Fail<String, Error>(error: TestFailureCondition.exampleFailure)
```

Initializing `Fail` by providing types as parameters:

```swift
let cancellable = Fail(outputType: String.self, failure: TestFailureCondition.exampleFailure)
```

Publishers.Sequence

Summary

    `Sequence` publishes a provided sequence of elements, most often used through convenience initializers.

docs

    <u>Publishers.Sequence</u> (https://developer.apple.com/documentation/combine/publishers/sequence)

Usage

- The unit tests at <u>UsingCombineTests/SequencePublisherTests.swift</u>
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequencePublisherTests.swift)

Details

    `Sequence` provides a way to return values as subscribers demand them initialized from a collection. Formally, it provides elements from any type conforming to the <u>sequence protocol</u> (https://developer.apple.com/documentation/swift/sequence).

If a subscriber requests unlimited demand, all elements will be sent, and then a `.finished` completion will terminate the output. If the subscribe requests a single element at a time, then individual elements will be returned based on demand.

If the type within the sequence is denoted as `optional`, and a nil value is included within the sequence, that will be sent as an instance of the optional type.

Combine provides an extension onto the `Sequence` protocol so that anything that corresponds to it can act as a sequence publisher. It does so by making a `.publisher` property available, which implicitly creates a Publishers.Sequence publisher.

```swift
let initialSequence = ["one", "two", "red", "blue"]
_ = initialSequence.publisher
    .sink {
        print($0)
    }
}
```

Record

Summary

A publisher that allows for recording a series of inputs and a completion, for later playback to each subscriber.

docs

- Record (https://developer.apple.com/documentation/combine/record)

- Recording (https://developer.apple.com/documentation/combine/record/recording)

Usage

- Record is illustrated in the unit tests UsingCombineTests/RecordPublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/RecordPublisherTests.swift)

Details

Record allows you to create a publisher with pre-recorded values for repeated playback. Record acts very similiarly to Publishers.Sequence if you want to publish a sequence of values and then send a .finished completion. It goes beyond that allowing you to specify a .failure completion to be sent from the recording. Record does not allow you to control the timing of the values being returned, only the order and the eventual completion following them.

Record can also be serialized (encoded and decoded) as long as the output and failure values can be serialized as well.

An example of a simple recording that sends several string values and then a .finished completion:

```swift
// creates a recording
let recordedPublisher = Record<String, Never> { example in
    // example : type is Record<String, Never>.Recording
    example.receive("one")
    example.receive("two")
    example.receive("three")
    example.receive(completion: .finished)
}
```

The resulting instance can be used as a publisher immediately:

```swift
let cancellable = recordedPublisher.sink(receiveCompletion: { err in
    print(".sink() received the completion: ", String(describing: err))
    expectation.fulfill()
}, receiveValue: { value in
    print(".sink() received value: ", value)
})
```

Record also has a property recording that can be inspected, with its own properties of output and completion. Record and recording do not conform to Equatable (https://developer.apple.com/documentation/swift/equatable), so can't be easily compared within tests. It is fairly easy to compare the properties of output or completion, which are Equatable if the underlying contents (output type and failure type) are equatable.

💡 No convenience methods exist for creating a recording as a subscriber. You can use the `receive` methods to create one, wrapping a sink subscriber.

Deferred

Summary

The `Deferred` publisher waits for a subscriber before running the provided closure to create values for the subscriber.

docs

[Deferred](https://developer.apple.com/documentation/combine/deferred) (https://developer.apple.com/documentation/combine/deferred)

Usage

- The unit tests at [UsingCombineTests/DeferredPublisherTests.swift](https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DeferredPublisherTests.swift)
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DeferredPublisherTests.swift)

- The unit tests at [UsingCombineTests/FuturePublisherTests.swift](https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FuturePublisherTests.swift)
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FuturePublisherTests.swift)

Details

`Deferred` is useful when creating an API to return a publisher, where creating the publisher is an expensive effort, either computationally or in the time it takes to set up. `Deferred` holds off on setting up any publisher data structures until a subscription is requested. This provides a means of deferring the setup of the publisher until it is actually needed.

The `Deferred` publisher is particularly useful with Future, which does not wait on demand to start the resolution of underlying (wrapped) asynchronous APIs.

MakeConnectable

Summary

Creates a or converts a publisher to one that explicitly conforms to the `ConnectablePublisher` (https://developer.apple.com/documentation/combine/connectablepublisher) protocol.

Constraints on connected publisher

- The failure type of the publisher must be `<Never>`

docs

`MakeConnectable` (https://developer.apple.com/documentation/combine/publishers/makeconnectable)

Usage

- `makeConnectable` is illustrated in the unit tests `UsingCombineTests/MulticastSharePublisherTests.swift` (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MulticastSharePublisherTests.swift)

Details

A connectable publisher has an explicit mechaninism for enabling when a subscription and the flow of demand from subscribers will be allowed to the publisher. By conforming to the `ConnectablePublisher` (https://developer.apple.com/documentation/combine/connectablepublisher) protocol, a publisher will have two additional methods exposed for this control: `connect` and `autoconnect`. Both of these methods return a `Cancellable` (similiar to sink or assign).

When using `connect`, the receipt of subscription will be under imperative control. Normally when a subscriber is linked to a publisher, the connection is made automatically, subscriptions get sent, and demand gets negotiated per the Lifecycle of Publishers and Subscribers. With a connectable publisher, in addition to setting up the subscription `connect()` needs to be explicitly invoked. Until `connect()` is invoked, the subscription won't be received by the publisher.

```swift
                                                                                          SWIFT
var cancellables = Set<AnyCancellable>()
let publisher = Just("woot")
    .makeConnectable()

publisher.sink { value in
    print("Value received in sink: ", value)
}
.store(in: &cancellables)
```

The above code will not activate the subscription, and in turn show any results. In order to enable the subscription, an explicit `connect()` is required:

```swift
                                                                                          SWIFT
publisher
    .connect()
    .store(in: &cancellables)
```

One of the primary uses of having a connectable publisher is to coordinate the timing of connecting multiple subscribers with multicast. Because multicast only shares existing events and does not replay anything, a subscription joining late could miss some data. By explicitly enabling the `connect()`, all subscribers can be attached before any upstream processing begins.

In comparison, `autoconnect()` makes a `Connectable` publisher act like a non-connectable one. When you enabled `autoconnect()` on a `Connectable` publisher, it will automate the connection such that the first subscription will activate upstream publishers.

```swift
var cancellables = Set<AnyCancellable>()
let publisher = Just("woot")
    .makeConnectable()  1
    .autoconnect()  2

publisher.sink { value in
    print("Value received in sink: ", value)
}
.store(in: &cancellables)
```

1   `makeConnectable` wraps an existing publisher and makes it explicitly connectable.

2   `autoconnect` automates the process of establishing the connection for you; The first subscriber will establish the connection, subscriptions will be forwards and demand negotiated.

> Making a publisher connectable and then immediately enabling `autoconnect` is an odd example, as you typically want one explicit pattern of behavior or the other. The two mechahisms allow you to choose which you want for the needs of your code. As such, it is extremely unlikely that you would ever want to use `makeConnectable()` followed immediately by `autoconnect()`.

Both Timer and multicast are examples of connectable publishers.

SwiftUI

The SwiftUI framework is based upon displaying views from explicit state; as the state changes, the view updates.

SwiftUI uses a variety of property wrappers within its Views to reference and display content from outside of those views. `@ObservedObject`, `@EnvironmentObject`, and `@Published` are the most common that relate to Combine. SwiftUI uses these property wrappers to create a publisher that will inform SwiftUI when those models have changed, creating a objectWillChange publisher. Having an object conform to ObservableObject will also get a default `objectWillChange` publisher.

SwiftUI uses ObservableObject, which has a default concrete class implementation called `ObservableObjectPublisher` that exposes a publisher for reference objects (classes) marked with `@ObservedObject`.

Binding

SwiftUI does this primarily by tracking the state and changes to the state using the SwiftUI struct `Binding`. A binding is **not** a Combine pipeline, or even usable as one. A `Binding` is based on closures that are used when you get or set data through the binding. When creating a `Binding`, you can specify the closures, or use the defaults, which handles the needs of SwiftUI elements to react when data is set or request data when a view requires it.

There are a number of SwiftUI property wrappers that create bindings:

`@State` : creates a binding to a local view property, and is intended to be used only in one view

when you create:

```swift
@State private var exampleString = ""
```

then: `exampleString` is the state itself and the property wrapper creates `$exampleString` (also known as property wrapper's projected value) which is of type `Binding<String>`.

- `@Binding` : is used to reference an externally provided binding that the view wants to use to present itself. You will see there upon occasion when a view is expected to be component, and it is watching for its relevant state data from an enclosing view.

- `@EnvironmentObject` : make state visible and usable across a set of views. `@EnvironmentObject` is used to inject your own objects or state models into the environment, making them available to be used by any of the views within the current view hierarchy.

> ⓘ The exception to `@EnvironmentObject` cascading across the view hierarchy in SwiftUI is notably when using sheets. Sheets don't inherit the environment from the view through which they are presented.

- `@Environment` is used to expose environmental information already available from within the frameworks, for example:

```swift
@Environment(\.horizontalSizeClass) var horizontalSizeClass
```

SwiftUI and Combine

All of this detail on Binding is important to how SwiftUI works, but irrelevant to Combine - Bindings are not combine pipelines or structures, and the classes and structs that SwiftUI uses are directly transformable from Combine publishers or subscribers.

SwiftUI does, however, use combine in coordination with Bindings. Combine fits in to SwiftUI when the state has been externalized into a reference to a model object, most often using the property wrappers `@ObservedObject` to reference a class conforming to the `ObservableObject` protocol. The core of the `ObservableObject` protocol is a combine publisher `objectWillChange`, which is used by the SwiftUI framework to know when it needs to invalidate a view based on a model changing. The `objectWillChange` publisher only provides an indicator that **something** has changed on the model, not which property, or what changed about it. The author of the model class can "opt-in" properties into triggering that change using the `@Published` property wrapper. If a model has properties that aren't wrapped with `@Published`, then the automatic `objectWillChange` notification won't get triggered when those values are modified. Typically the model properties will be referenced directly within the View elements. When the view is invalidated by a value being published through the `objectWillChange` publisher, the SwiftUI View will request the data it needs, as it needs it, directly from the various model references.

The other way that Combine fits into SwiftUI is the method onReceive, which is a generic instance method on SwiftUI views.

onReceive can be used when a view needs to be updated based on some external event that isn't directly reflected in a model's state being updated.

While there is no explicit guidance from Apple on how to use `onReceive` vs. models, as a general guideline it will be a cleaner pattern to update the model using Combine, keeping the combine publishers and pipelines external to SwiftUI views. In this mode, you would generally let the `@ObservedObject` SwiftUI declaration automatically invalidate and update the view, which separates the model updating from the presentation of the view itself. The alternative ends up having the view bound fairly tightly to the combine publishers providing asynchronous updates, rather than a coherent view of the end state. There are still some edge cases and needs where you want to trigger a view update directly from a publishers output, and that is where `onReceive` is most effectively used.

ObservableObject

Summary

Used with <u>SwiftUI</u> (https://developer.apple.com/documentation/swiftui), objects conforming to <u>ObservableObject</u> (https://developer.apple.com/documentation/combine/observableobject) protocol can provide a publisher.

🍎 *docs*

- <u>ObservableObject</u> (https://developer.apple.com/documentation/combine/observableobject)

- <u>ObservableObjectPublisher</u> (https://developer.apple.com/documentation/combine/observableobjectpublisher)

- <u>@ObservedObject</u> (https://developer.apple.com/documentation/swiftui/observedobject)

Usage

- The unit tests at <u>UsingCombineTests/ObservableObjectPublisherTests.swift</u> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/ObservableObjectPublisherTests.swift)

Details

When a class includes a Published property and conforms to the <u>ObservableObject protocol</u> (https://developer.apple.com/documentation/combine/observableobject), this class instances will get a `objectWillChange` publisher endpoint providing this publisher. The `objectWillChange` publisher will not return any of the changed data, only an indicator that the referenced object has changed.

The output type of `ObservableObject.Output` is type aliased to Void, so while it is not nil, it will not provide any meaningful data. Because the output type does not include what changes on the referenced object, the best method for responding to changes is probably best done using sink.

In practice, this method is most frequently used by the SwiftUI framework. SwiftUI views use the `@ObservedObject` property wrapper to know when to invalidate and refresh views that reference classes implementing ObservableObject.

Classes implementing ObservedObject are also expected to use @Published to provide notifications of changes on specific properties, or to optionally provide a custom announcement that indicates the object has changed.

It can also be used locally to watch for updates to a reference-type model.

@Published

Summary

A property wrapper that adds a Combine publisher to any property

🍎 *docs*

<u>Published</u> (https://developer.apple.com/documentation/combine/published)

Usage

- Declarative UI updates from user input

- Cascading UI updates including a network request

- unit tests illustrating using Published: <u>UsingCombineTests/PublisherTests.swift</u> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/PublisherTests.swift)

Details

@Published is part of Combine, but allows you to wrap a property, enabling you to get a publisher that triggers data updates whenever the property is changed. The publisher's output type is inferred from the type of the property, and the error type of the provided publisher is <Never>.

A smaller examples of how it can be used:

```swift
@Published var username: String = ""   1

$username  2
    .sink { someString in
        print("value of username updated to: ", someString)
    }

$username  3
    .assign(\.text, on: myLabel)

@Published private var githubUserData: [GithubAPIUser] = []   4
```

1   @Published wraps the property, username, and will generate events whenever the property is changed. If there is a subscriber at initialization time, the subscriber will also receive the initial value being set. The publisher for the property is available at the same scope, and with the same permissions, as the property itself.

2   The publisher is accessible as $username, of type Published<String>.publisher.

3   A Published property can have more than one subscriber pipeline triggering from it.

4   If you are publishing your own type, you may find it convenient to publish an array of that type as the property, even if you only reference a single value. This allows you represent an "Empty" result that is still a concrete result within Combine pipelines, as assign and sink subscribers will only trigger updates on non-nil values.

If the publisher generated from @Published receives a cancellation from any subscriber, it is expected to, and will cease, reporting property changes. Because of this expectation, it is common to arrange pipelines from these publishers that have an error type of <Never> and do all error handling within the pipelines. For example, if a sink subscriber is set up to capture errors from a pipeline originating from a ` @Published ` property, when the error is received, the sink will send a cancel message, causing the publisher to cease generating any updates on change. This is illustrated in the test testPublishedSinkWithError at UsingCombineTests/PublisherTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/PublisherTests.swift)

Additional examples of how to arrange error handling for a continous publisher like @Published can be found at Using flatMap with catch to handle errors.

> Using @Published should only be done within reference types - that is, within classes. An early beta (beta2) allowed @Published wrapped within a struct. This is no longer allowed or supported. As of beta5, the compiler will not throw an error if this is attempted:
>
> ```
> <unknown>:0: error: 'wrappedValue' is unavailable: @Published is only available on properties of
> classes
>         Combine.Published:5:16: note: 'wrappedValue' has been explicitly marked unavailable here
>             public var wrappedValue: Value { get set }
>                        ^
> ```

Foundation

NotificationCenter

Summary

Foundation's NotificationCenter added the capability to act as a publisher, providing Notifications (https://developer.apple.com/documentation/foundation/notifications) to pipelines.

Constraints on connected publisher

- *none*

docs

NotificationCenter (https://developer.apple.com/documentation/foundation/notificationcenter/)

Usage

- Responding to updates from NotificationCenter

- The unit tests at UsingCombineTests/NotificationCenterPublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/NotificationCenterPublisherTests.swift)

Details

AppKit (https://developer.apple.com/documentation/appkit) and MacOS applications have heavily relied on Notifications (https://developer.apple.com/documentation/foundation/notification) to provide general application state information. A number of components also use Notifications through NotificationCenter (https://developer.apple.com/documentation/foundation/notificationcenter) to provide updates on user interactions, such as

NotificationCenter provides a publisher upon which you may create pipelines to declaratively react to application or system notifications. The publisher optionally takes an object reference which further filters notifications to those provided by the specific reference.

Notifications are identified primarily by name, defined by a string in your own code, or a constant from a relevant framework. You can find a good general list of existing Notifications by name at https://developer.apple.com/documentation/foundation/nsnotification/name. A number of specific notifications are often included within cocoa frameworks. For example, within AppKit, there are a number of common notifications under NSControl (https://developer.apple.com/documentation/appkit/nscontrol).

A number of AppKit controls provide notifications when the control has been updated. For example, AppKit's TextField (https://developer.apple.com/documentation/appkit/views_and_controls/text_field) triggers a number of notifications including:

- `textDidBeginEditingNotification`

- `textDidChangeNotification`

- `textDidEndEditingNotification`

```swift
extension Notification.Name {
    static let yourNotification = Notification.Name("your-notification")  1
}

let cancellable = NotificationCenter.default.publisher(for: .yourNotification, object: nil)  2
    .sink {
        print ($0)  3
    }
```

1   Notifications are defined by a string for their name. If defining your own, be careful to define the strings uniquely.

2   A `NotificationCenter` publisher can be created for a single type of notification, `.yourNotification` in this case, defined previously in your code.

3   Notifications (https://developer.apple.com/documentation/foundation/notifications) are received from the publisher. These include at least their name, and optionally a `object` reference from the sending object - most commonly provided from Apple frameworks. Notifications may also include a `userInfo` dictionary of arbitrary values, which can be used to pass additional information within your application.

Timer

Summary

Foundation's `Timer` added the capability to act as a publisher, providing a publisher to repeatedly send values to pipelines based on a `Timer` instance.

Constraints on connected publisher

- *none*

docs

Timer (https://developer.apple.com/documentation/foundation/timer)

Usage

- The unit tests at UsingCombineTests/TimerPublisherTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/TimerPublisherTests.swift)

Details

`Timer.publish` returns an instance of Timer.TimerPublisher (https://developer.apple.com/documentation/foundation/timer/timerpublisher). This publisher is a connectable publisher, conforming to ConnectablePublisher (https://developer.apple.com/documentation/combine/connectablepublisher). This means that even when subscribers are connected to it, it will not start producing values until `connect()` or `autoconnect()` is invoked on the publisher.

Creating the timer publisher requires an interval in seconds, and a RunLoop and mode upon which to run. The publisher may optionally take an additional parameter `tolerance`, which defines a variance allowed in the generation of timed events. The default for toleranace is nil, allowing any variance.

The publisher has an output type of Date (https://developer.apple.com/documentation/foundation/date) and a failure type of `<Never>`.

If you want the publisher to automatically connect and start receiving values as soon as subscribers are connected and make requests for values, then you may include `autoconnect()` in the pipeline to have it automatically start to generate values as soon as a subscriber requests data.

```swift
let cancellable = Timer.publish(every: 1.0, on: RunLoop.main, in: .common)
    .autoconnect()
    .sink { receivedTimeStamp in
        print("passed through: ", receivedTimeStamp)
    }
```

Alternatively, you can connect up the subscribers, which will receive no values until you invoke `connect()` on the publisher, which also returns a Cancellable (https://developer.apple.com/documentation/combine/cancellable) reference.

```swift
let timerPublisher = Timer.publish(every: 1.0, on: RunLoop.main, in: .default)
let cancellableSink = timerPublisher
    .sink { receivedTimeStamp in
        print("passed through: ", receivedTimeStamp)
    }
// no values until the following is invoked elsewhere/later:
let cancellablePublisher = timerPublisher.connect()
```

publisher from a KeyValueObserving instance

Summary

Foundation added the ability to get a publisher on any `NSObject` that can be watched with Key Value Observing.

docs

'KeyValueObservingPublisher' (https://developer.apple.com/documentation/objectivec/nsobject/keyvalueobservingpublisher)

Usage

- The unit tests at UsingCombineTests/PublisherTests.swift
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/PublisherTests.swift)

Details

Any key-value-observing instance can produce a publisher. To create this publisher, you call the function `publisher` on the object, providing it with a single (required) KeyPath value.

For example:

```swift
private final class KVOAbleNSObject: NSObject {
    @objc dynamic var intValue: Int = 0
    @objc dynamic var boolValue: Bool = false
}

let foo = KVOAbleNSObject()

let _ = foo.publisher(for: \.intValue)
    .sink { someValue in
        print("value updated to: >>\(someValue)<<")
    }
```

> KVO publisher access implies that with macOS 10.15 release or iOS 13, most of Appkit and UIKit interface instances will be accessible as publishers. Relying on the interface element's state to trigger updates into pipelines can lead to your state being very tightly bound to the interface elements, rather than your model. You may be better served by explicitly creating your own state to react to from a @Published property wrapper.

URLSession.dataTaskPublisher

Summary

Foundation's URLSession (https://developer.apple.com/documentation/foundation/urlsession) has a publisher specifically for requesting data from URLs: `dataTaskPublisher`

Constraints on connected publisher

- *none*

docs

<u>URLSession.DataTaskPublisher</u> (https://developer.apple.com/documentation/foundation/urlsession/datataskpublisher)

Usage

- Making a network request with dataTaskPublisher

- Using catch to handle errors in a one-shot pipeline

- Retrying in the event of a temporary failure

- Requesting data from an alternate URL when the network is constrained

- Declarative UI updates from user input

- Cascading UI updates including a network request

Details

`dataTaskPublisher` , on URLSession, has two variants for creating a publisher. The first takes an instance of <u>URL</u> (https://developer.apple.com/documentation/foundation/url), the second <u>URLRequest</u> (https://developer.apple.com/documentation/foundation/urlrequest). The data returned from the publisher is a tuple of `(data: Data, response:` <u>URLResponse</u> `(https://developer.apple.com/documentation/foundation/urlResponse))`.

```swift
let request = URLRequest(url: regularURL)
return URLSession.shared.dataTaskPublisher(for: request)
```

Result

Summary

Foundation also adds `Result` as a publisher.

Constraints on connected publisher

- *none*

docs

https://developer.apple.com/documentation/swift/result

Usage

- `Result.publisher` is illustrated in the unit tests <u>UsingCombineTests/MulticastSharePublisherTests.swift</u> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MulticastSharePublisherTests.swift)

Details

Combine augments `Result` from the swift standard library with a `.publisher` property, returning a publisher with an output type of `Success` and a failure type of `Failure` , defined by the `Result` instance.

Any method that returns an instance of `Result` can use this property to get a publisher that will provide the resulting value and followed by a `.finished` completion, or a `.failure` completion with the relevant `Error` .

RealityKit

`RealityKit` (https://developer.apple.com/documentation/realitykit) `.Scene`
(https://developer.apple.com/documentation/realitykit/scene) `.publisher()`
(https://developer.apple.com/documentation/realitykit/scene/3254685-publisher)

Scene Publisher (from RealityKit (https://developer.apple.com/documentation/realitykit))

Scene.Publisher (https://developer.apple.com/documentation/realitykit/scene/publisher)

- SceneEvents (https://developer.apple.com/documentation/realitykit/sceneevents)

- AnimationEvents (https://developer.apple.com/documentation/realitykit/animationevents)

- AudioEvents (https://developer.apple.com/documentation/realitykit/audioevents)

- CollisionEvents (https://developer.apple.com/documentation/realitykit/collisionevents)

Operators

The chapter on Core Concepts includes an overview of all available Operators.

Mapping elements

scan

Summary

scan acts like an accumulator, collecting and modifying values according to a closure you provide, and publishing intermediate results with each change from upstream.

Constraints on connected publisher

> none

docs

> https://developer.apple.com/documentation/combine/publishers/scan

While the published docs are unfortunately anemic, the generated swift headers has useful detail:

```SWIFT
/// Transforms elements from the upstream publisher by providing the current element to a closure along with the last
value returned by the closure.
///
///     let pub = (0...5)
///         .publisher
///         .scan(0, { return $0 + $1 })
///         .sink(receiveValue: { print ("\($0)", terminator: " ") })
///      // Prints "0 1 3 6 10 15 ".
///
///
/// - Parameters:
///   - initialResult: The previous result returned by the `nextPartialResult` closure.
///   - nextPartialResult: A closure that takes as its arguments the previous value returned by the closure and the
next element emitted from the upstream publisher.
/// - Returns: A publisher that transforms elements by applying a closure that receives its previous return value and
the next element from the upstream publisher.
```

Usage

> unit tests illustrating using scan : <u>UsingCombineTests/ScanPublisherTests.swift</u>
>
> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/ScanPublisherTests.swift)

Details

Scan lets you accumulate values or otherwise modify a type as changes flow through the pipeline. You can use this to collect values into an array, implement a counter, or any number of other interesting use cases.

If you want to be able to throw an error from within the closure doing the accumulation to indicate an error condition, use the tryScan operator. If you want to accumulate and process values, but refrain from publishing any results until the upstream publisher completes, consider using the reduce or tryReduce operators.

When you create a scan operator, you provide an initial value (of the type determined by the upstream publisher) and a closure that takes two parameters - the result returned from the previous invocation of the closure and a new value from the upstream publisher. You do not need to maintain the type of the upstream publisher, but can convert the type in your closure, returning whatever is appropriate to your needs.

For example, the following scan operator implementation counts the number of characters in strings provided by an upstream publisher, publishing an updated count every time a new string is received:

```swift
.scan(0, { prevVal, newValueFromPublisher -> Int in
    return prevVal + newValueFromPublisher.count
})
```

tryScan

Summary

tryScan is a variant of the scan operator which allows for the provided closure to throw an error and cancel the pipeline. The closure provided updates and modifies a value with based on any inputs from an upstream publisher and publishing intermediate results.

Constraints on connected publisher

none

docs

https://developer.apple.com/documentation/combine/publishers/tryscan

While the published docs are unfortunately anemic, the generated swift headers has some detail:

```swift
/// Transforms elements from the upstream publisher by providing the current element to an error-throwing closure
/// along with the last value returned by the closure.
///
/// If the closure throws an error, the publisher fails with the error.
/// - Parameters:
///   - initialResult: The previous result returned by the `nextPartialResult` closure.
///   - nextPartialResult: An error-throwing closure that takes as its arguments the previous value returned by the
/// closure and the next element emitted from the upstream publisher.
/// - Returns: A publisher that transforms elements by applying a closure that receives its previous return value and
/// the next element from the upstream publisher.
```

Usage

unit tests illustrating using `tryScan` : <u>UsingCombineTests/ScanPublisherTests.swift</u>
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/ScanPublisherTests.swift)

Details

`tryScan` lets you accumulate values or otherwise modify a type as changes flow through the pipeline while also supporting an error state. If either the combined and updates values, or the incoming value, matches logic you define within the closure, you can throw an error, terminating the pipeline.

map

Summary

`map` is most commonly used to convert one data type into another along a pipeline.

Constraints on connected publisher

docs

https://developer.apple.com/documentation/combine/publishers/map

Usage

Making a network request with dataTaskPublisher

Using catch to handle errors in a one-shot pipeline

Retrying in the event of a temporary failure

Declarative UI updates from user input

Cascading UI updates including a network request

unit tests illustrating using map with dataTaskPublisher: <u>UsingCombineTests/DataTaskPublisherTests.swift</u>
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DataTaskPublisherTests.swift)

Details

The `map` operator does not allow for any additional failures to be thrown and does not transform the failure type. If you want to throw an error within your closure, use the tryMap operator.

`map` takes a single closure where you provide the logic for the map operation.

> 💡 `map` is the all purpose workhorse operator in Combine. It provides the ability to manipulate the data, or the type of data, and is the most commonly used operator in pipelines.

For example, the URLSession.dataTaskPublisher provides a tuple of `(data: Data, response: URLResponse)`` as its output. You can use `map` to pass along the data, for example to use with decode.

```swift
.map { $0.data }   ①
```

① the `$0` indicates to grab the first parameter passed in, which is a tuple of `data` and `response`.

In some cases, the closure may not be able to infer what data type you are returning, so you may need to provide a definition to help the compiler. For example, if you have an object getting passed down that has a boolean property "isValid" on it, and you want the boolean for your pipeline, you might set that up like:

```swift
struct MyStruct {
    isValid: bool = true
}
//
Just(MyStruct())
.map { inValue -> Bool in   ①
  inValue.isValid   ②
}
```

① `inValue` is named as the parameter coming in, and the return type is being explicitly specified to `Bool`

② A single line is an implicit return, in this case it is pulling the `isValid` property off the struct and passing it down.

tryMap

Summary

`tryMap` is similiar to map, except that it also allows you to provide a closure that throws additional errors if your conversion logic is unsuccessful.

Constraints on connected publisher

🍎 docs

https://developer.apple.com/documentation/combine/publishers/trymap

Usage

Stricter request processing with dataTaskPublisher

unit tests illustrating using tryMap with dataTaskPublisher:

UsingCombineTests/DataTaskPublisherTests.swift

(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DataTaskPublisherTests.swift)

Details

 `tryMap` is useful when you have more complex business logic around your map and you want to indicate that the data passed in is an error, possibly handling that error later in the pipeline. If you are looking at `tryMap` to decode JSON, you may want to consider using the decode operator instead, which is set up for that common task.

```swift
enum MyFailure: Error {
    case notBigEnough
}

//
Just(5)
.tryMap {
  if inValue < 5 {   1
      throw MyFailure.notBigEnough   2
  }
  return inValue   3
}
```

1   You can specify whatever logic is relevant to your use case within tryMap

2   and throw an error, although throwing an Error isn't required.

3   If the error condition doesn't occur, you do need to pass down data for any further subscribers.

flatMap

Summary

Used with error recovery or async operations that might fail (for example `Future`), `flatMap` will replace any incoming values with another publisher.

Constraints on connected publisher

   none

 docs

 `flatMap` (https://developer.apple.com/documentation/combine/publishers/flatmap)

Usage

   Using flatMap with catch to handle errors

   unit tests illustrating `flatMap`: UsingCombineTests/SwitchAndFlatMapPublisherTests.swift
   (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SwitchAndFlatMapPublisherTests.swift)

Details

 Typically used in error handling scenarios, `flatMap` takes a closure that allows you to read the incoming data value, and provide a publisher that returns a value to the pipeline.

In error handling, this is most frequently used to take the incoming value and create a one-shot pipeline that does some potentially failing operation, and then handling the error condition with a catch operator.

A simple example `flatMap`, arranged to show recovering from a decoding error and returning a placeholder value:

```swift
.flatMap { data in
    return Just(data)
    .decode(YourType.self, JSONDecoder())
    .catch {
        return Just(YourType.placeholder)
    }
}
```

A diagram version of this pipeline construct:

 `flatMap` expects to create a new pipeline within its closure for every input value that it receives. The expected result of this internal pipeline is a Publisher with its own output and failure type. The output type of the publisher resulting from the internal pipeline defines the output type of the `flatMap` operator. The error type of the internal publisher is often expected to be `<Never>`.

setFailureType

Summary

`setFailureType` does not send a `.failure` completion, it just changes the Failure type assocaited with the pipeline. Use this publisher type when you need to match the error types for two otherwise mismatched publishers.

```
String    one    two         red    blue

Never    ............................................

               setFailureType

String    one    two         red    blue

Error
```

Constraints on connected publisher

The upstream publisher must have a failure type of `<Never>`.

🍎 docs

setFailureType (https://developer.apple.com/documentation/combine/publishers/setfailuretype)

Usage

unit tests illustrating setFailureType: UsingCombineTests/FailedPublisherTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FailedPublisherTests.swift)

Details

`setFailureType` is an operator for transforming the error type within a pipeline, often from `<Never>` to some error type you may want to produce. `setFailureType` does not induce an error, but changes the types of the pipeline.

This can be especially convenient if you need to match an operator or subscriber that expects a failure type other than `<Never>` when you are working with a test or single-value publisher such as Just or Sequence.

If you want to return a `.failure` completion of a specific type into a pipeline, use the Fail operator.

Filtering elements

compactMap

Summary

Calls a closure with each received element and publishes any returned optional that has a value.

```
String?    "one"    nil        "five"

Error

    .compactMap({ inValue -> String? in
        return inValue
    })

String    "one"              "five"

Error
```

Constraints on connected publisher

> *none*

🍎 *docs*

> <u>compactMap</u> (https://developer.apple.com/documentation/combine/publishers/compactmap)

Usage

> unit tests illustrating using `compactMap` : <u>UsingCombineTests/FilteringOperatorTests.swift</u>
> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FilteringOperatorTests.swift)

Details

> compactMap is very similiar to the map operator, with the exception that it expects the closure to return an optional
> value, and drops any nil values from published responses. This is the combine equivalent of the <u>compactMap</u>
> (https://developer.apple.com/documentation/swift/sequence/2950916-compactmap) function which iterates through a <u>Sequence</u>
> (https://developer.apple.com/documentation/swift/sequence) and returns a sequence of any non-nil values.

It can also be used to process results from an upstream publisher that produces an optional Output type, and collapse
those into an unwrapped type. The simplest version of this just returns the incoming value directly, which will filter out
the `nil` values.

```swift
.compactMap {
    return $0
}
```

There is also a variation of this operator, tryCompactMap, which allows the provided closure to throw an Error and
cancel the stream on invalid conditions.

If you want to convert an optional type into a concrete type, always replacing the `nil` with an explicit value, you should
likely use the replaceNil operator.

tryCompactMap

Summary

> Calls a closure with each received element and publishes any returned optional that has a value, or optionally throw
> an Error cancelling the pipeline.

Constraints on connected publisher

> *none*

🍎 *docs*

> <u>tryCompactMap</u> (https://developer.apple.com/documentation/combine/publishers/trycompactmap)

Usage

> unit tests illustrating using `tryCompactMap` : <u>UsingCombineTests/FilteringOperatorTests.swift</u>
> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FilteringOperatorTests.swift)

Details

> `tryCompactMap` is a variant of the compactMap operator, allowing the values processed to throw an `Error`
> condition.

```swift
.tryCompactMap { someVal -> String? in    1
    if (someVal == "boom") {
        throw TestExampleError.example
    }
    return someVal
}
```

1   If you specify the return type within the closure, it should be an optional value. The operator that invokes the closure is responsible for filtering the non- `nil` values it publishes.

If you want to convert an optional type into a concrete type, always replacing the `nil` with an explicit value, you should likely use the replaceNil operator.

filter

Summary

`Filter` passes through all instances of the output type that match a provided closure, dropping any that don't match.

Constraints on connected publisher

none

docs

[filter](https://developer.apple.com/documentation/combine/publishers/filter) (https://developer.apple.com/documentation/combine/publishers/filter)

Usage

Declarative UI updates from user input

Cascading UI updates including a network request

unit tests illustrating using `filter` : [UsingCombineTests/FilterPublisherTests.swift](https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FilterPublisherTests.swift)
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FilterPublisherTests.swift)

Details

`Filter` takes a single closure as a parameter that is provided the value from the previous publisher and returns a Bool value. If the return from the closure is `true` , then the operator republishes the value further down the chain. If the return from the closure is `false` , then the operator drops the value.

If you need a variation of this that will generate an error condition in the pipeline to be handled use the tryFilter operator, which allows the closure to throw an error in the evaluation.

tryFilter

Summary

`tryFilter` passes through all instances of the output type that match a provided closure, dropping any that don't match, and allows generating an error during the evaluation of that closure.

Constraints on connected publisher

none

 docs

tryFilter (https://developer.apple.com/documentation/combine/publishers/tryfilter)

Usage

unit tests illustrating using `tryFilter` : UsingCombineTests/FilterPublisherTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FilterPublisherTests.swift)

Details

Like filter, tryFilter takes a single closure as a parameter that is provided the value from the previous publisher and returns a Bool value. If the return from the closure is `true` , then the operator republishes the value further down the chain. If the return from the closure is `false` , then the operator drops the value. You can additionally throw an error during the evaluation of tryFilter, which will then be propagated as the failure type down the pipeline.

removeDuplicates

Summary

`removeDuplicates` remembers what was previously sent in the pipeline, and only passes forward values that don't match the current value.

Constraints on connected publisher

Available when Output of the previous publisher conforms to Equatable.

 docs

removeDuplicates (https://developer.apple.com/documentation/combine/publishers/removeduplicates)

Usage

unit tests illustrating using `removeDuplicates` :
UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift)

Details

The default usage of `removeDuplicates` doesn't require any parameters, and the operator will publish only elements that don't match the previously sent element.

```swift
.removeDuplicates()
```

A second usage of `removeDuplicates` takes a single parameter `by` that accepts a closure that allows you to determine the logic of what will be removed. The parameter version does not have the constraint on the Output type being equatable, but requires you to provide the relevant logic. If the closure returns true, the `removeDuplicates` predicate will consider the values matched and not forward a the duplicate value.

```swift
.removeDuplicates(by: { first, second -> Bool in
    // your logic is required if the output type doesn't conform to equatable.
    first.id == second.id
})
```

A variation of `removeDuplicates` exists that allows the predicate closure to throw an error exists: tryRemoveDuplicates

tryRemoveDuplicates

Summary

`tryRemoveDuplicates` is a variant of removeDuplicates that allows the predicate testing equality to throw an error, resulting in an `Error` completion type.

Constraints on connected publisher

docs

`tryRemoveDuplicates` (https://developer.apple.com/documentation/combine/publishers/tryremoveduplicates)

Usage

unit tests illustrating using `tryRemoveDuplicates`:
`UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift`
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift)

Details

`tryRemoveDuplicates` is a variant of removeDuplicates taking a single parameter that can throw an error. The parameter is a closure that allows you to determine the logic of what will be removed. If the closure returns true, `tryRemoveDuplicates` will consider the values matched and not forward a the duplicate value. If the closure throws an error, a failure completion will be propagated down the chain, and no value is sent.

```swift
.removeDuplicates(by: { first, second -> Bool throws in
    // your logic is required if the output type doesn't conform to equatable.

})
```

replaceEmpty

Summary

Replaces an empty stream with the provided element. If the upstream publisher finishes without producing any elements, this publisher emits the provided element, then finishes normally.

Constraints on connected publisher

> none

 docs

> replaceEmpty (https://developer.apple.com/documentation/combine/publishers/replaceempty)

Usage

> unit tests illustrating using `replaceEmpty` : UsingCombineTests/ChangingErrorTests.swift
> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/ChangingErrorTests.swift)

Details

> `replaceEmpty` will only produce a result if it has not received any values before it receives a `.finished` completion.
> This operator will not trigger on an error passing through it, so if no value has been received with a `.failure`
> completion is triggered, it will simply not provide a value. The operator takes a single parameter, `with` where you
> specify the replacement value.

```swift
.replaceEmpty(with: "-replacement-")
```

This operator is useful specifically when you want a stream to always provide a value, even if an upstream publisher
may not propagate one.

replaceError

Summary

> A publisher that replaces any errors with an output value that matches the upstream Output type.

Constraints on connected publisher

> none

 docs

> replaceError (https://developer.apple.com/documentation/combine/publishers/replaceerror)

Usage

> unit tests illustrating using `replaceError` : UsingCombineTests/ChangingErrorTests.swift
> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/ChangingErrorTests.swift)

Details

Where mapError transforms an error, `replaceError` captures the error and returns a value that matches the Output type of the upstream publisher. If you don't care about the specifics of the error itself, it can be a more convenient operator than using catch to handle an error condition.

```swift
.replaceError(with: "foo")
```

is more compact than

```swift
.catch { err in
    return Just("foo")
}
```

catch would be the preferrable error handler if you wanted to return another publisher rather than a singular value.

replaceNil

Summary

Replaces nil elements in the stream with the provided element.

Constraints on connected publisher

The output type of the upstream publisher must be an optional type

docs

replaceNil (https://developer.apple.com/documentation/combine/empty/3343774-replacenil)

Usage

unit tests illustrating using `replaceNil`: UsingCombineTests/FilteringOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/FilteringOperatorTests.swift)

Details

Used when the output type is an optional type, the `replaceNil` operator replaces any nil instances provided by the upstream publisher with a value provided by the user. The operator takes a single parameter, `with` where you specify the replacement value. The type of the replacement should be a non-optional version of the type provided by the upstream publisher.

```swift
.replaceNil(with: "-replacement-")
```

This operator can also be viewed as a way of converting an optional type to an explicit type, where optional values have a pre-determined placeholder. Put another way, the `replaceNil` operator is a Combine specific variant of the swift coallescing operator that you might use when unwrapping an optional.

If you want to convert an optional type into a concrete type, simply ignoring or collapsing the nil values, you should likely use the compactMap (or tryCompactMap) operator.

Reducing elements

collect

Summary

Collects all received elements, and emits a single array of the collection when the upstream publisher finishes.

Constraints on connected publisher

none

🍎 *docs*

collect (https://developer.apple.com/documentation/combine/publishers/collect)

Usage

unit tests illustrating using `collect` : UsingCombineTests/ReducingOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/ReducingOperatorTests.swift)

Details

There are two primary forms of `collect` , one you specify without any parameters, and one you provide a `count` parameter. `Collect` can also take a more complex form, with a defined strategy for how to buffer and send on items.

For the version without any parameters, for example:

```
SWIFT
.collect()
```

The operator will collect all elements from an upstream publisher, holding those in memory until the upstream publisher sends a completion. Upon receiving the `.finished` completion, the operator will publish an array of all the values collected. If the upstream publisher fails with an error, the `collect` operator forwards the error to the downstream receiver instead of sending its output.

⚠️ This operator uses an unbounded amount of memory to store the received values.

`Collect` without any parameters will request an unlimited number of elements from its upstream publisher. It only sends the collected array to its downstream after a request whose demand is greater than 0 items.

The second variation of `collect` takes a single parameter (`count`), which influences how many values it buffers and when it sends results.

```
                                                                                    SWIFT
    .collect(3)
```

This version of `collect` will buffer up to the specified `count` number of elements. When it has received the count specified, it emits a single array of the collection.

If the upstream publisher finishes before filling the buffer, this publisher sends an array of all the items it has received upon receiving a `finished` completion. This may be fewer than `count` elements.

If the upstream publisher fails with an error, this publisher forwards the error to the downstream receiver instead of sending its output.

The more complex form of `collect` operates on a provided strategy of how to collect values and when to emit.

As of iOS 13.3 there are two strategies published in Publishers.TimeGroupingStrategy (https://developer.apple.com/documentation/combine/publishers/timegroupingstrategy):

```
    byTime

    byTimeOrCount
```

`byTime` allows you to specify a scheduler on which to operate, and a time interval stride over which to run. It collects all values received within that stride and publishes any values it has received from its upstream publisher during that interval. Like the parameterless version of `collect`, this will consume an unbounded amount of memory during that stride interval to collect values.

```
                                                                                    SWIFT
    let q = DispatchQueue(label: self.debugDescription)

    let cancellable = publisher
        .collect(.byTime(q, 1.0))
```

`byTime` operates very similarly to throttle with its defined Scheduler and Stride, but where throttle collapses the values over a sequence of time, `collect(.byTime(q, 1.0))` will buffer and capture those values. When the time stride interval is exceeded, the collected set will be sent to the operator's subscriber.

`byTimeOrCount` also takes a scheduler and a time interval stride, and in addition allows you to specify an upper bound on the count of items received before the operator sends the collected values to its subscriber. The ability to provide a count allows you to have some confidence about the maximum amount of memory that the operator will consume while buffering values.

If either of the count or time interval provided are ellapsed, the `collect` operator will forward the currently collected set to its subscribers. If a `.finished` completion is received, the currently collected set will be immediately sent to it's subscribers. If a `.failure` completion is received, any currently buffered values are dropped and the `failure` completion is forwarded to collect's subscribers.

```
                                                                                    SWIFT
    let q = DispatchQueue(label: self.debugDescription)

    let cancellable = publisher
        .collect(.byTimeOrCount(q, 1.0, 5))
```

ignoreOutput

Summary

A publisher that ignores all upstream elements, but passes along a completion state (finish or failed).

Constraints on connected publisher

none

🍎 *docs*

ignoreOutput (https://developer.apple.com/documentation/combine/publishers/ignoreoutput)

Usage

unit tests illustrating using ignoreOutput : UsingCombineTests/ReducingOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/ReducingOperatorTests.swift)

Details

If you only want to know if a stream has finished (or failed), then ignoreOutput may be what you want.

```swift
.ignoreOutput()
.sink(receiveCompletion: { completion in
    print(".sink() received the completion", String(describing: completion))
    switch completion {
    case .finished:    2
        finishReceived = true
        break
    case .failure(let anError):    3
        print("received error: ", anError)
        failureReceived = true
        break
    }
}, receiveValue: { _ in    1
    print(".sink() data received")
})
```

1   No data will ever be presented to a downstream subscriber of ignoreOutput , so the receiveValue closure will never be invoked.

2   When the stream completes, it will invoke receiveCompletion . You can switch on the case from that completion to respond to the success.

3   Or you can due further processing based on receiving a failure.

reduce

Summary

A publisher that applies a closure to all received elements and produces an accumulated value when the upstream publisher finishes.

Constraints on connected publisher

🍎 *docs*

<u>reduce</u> (https://developer.apple.com/documentation/combine/publishers/reduce)

Usage

unit tests illustrating using reduce: <u>UsingCombineTests/ReducingOperatorTests.swift</u>
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/ReducingOperatorTests.swift)

Details

Very similar in function to the scan operator, `reduce` collects values produced within a stream. The big difference between `scan` and `reduce` is that `reduce` does not trigger any values until the upstream publisher completes successfully.

When you create a `reduce` operator, you provide an initial value (of the type determined by the upstream publisher) and a closure that takes two parameters - the result returned from the previous invocation of the closure and a new value from the upstream publisher.

Like `scan`, you don't need to maintain the type of the upstream publisher, but can convert the type in your closure, returning whatever is appropriate to your needs.

An example of `reduce` that collects strings and appends them together:

```swift
.reduce("", { prevVal, newValueFromPublisher -> String in
    return prevVal+newValueFromPublisher
})
```

The `reduce` operator is excellent at converting a stream that provides many values over time into one that provides a single value upon completion.

tryReduce

Summary

A publisher that applies a closure to all received elements and produces an accumulated value when the upstream publisher finishes, while also allowing the closure to throw an exception, terminating the pipeline.

Constraints on connected publisher

🍎 *docs*

<u>tryReduce</u> (https://developer.apple.com/documentation/combine/publishers/tryreduce)

Usage

unit tests illustrating using `tryReduce`: <u>UsingCombineTests/ReducingOperatorTests.swift</u>
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/ReducingOperatorTests.swift)

Details

`tryReduce` is a variation of the reduce operator that allows for the closure to throw an error. If the exception path is taken, the `tryReduce` operator will not publish any output values to downstream subscribers. Like `reduce`, the `tryReduce` will only publish a single downstream result upon a `.finished` completion from the upstream publisher.

Mathematic opertions on elements

max

Summary

Publishes the max value of all values received upon completion of the upstream publisher.

Constraints on connected publisher

The output type of the upstream publisher must conform to <u>Comparable</u>
(https://developer.apple.com/documentation/swift/comparable)

docs

<u>max</u> (https://developer.apple.com/documentation/combine/publishers/sequence/3211183-max)

Usage

unit tests illustrating using `max` : <u>UsingCombineTests/MathOperatorTests.swift</u>
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MathOperatorTests.swift)

Details

`max` can be set up with either no parameters, or taking a closure. If defined as an operator with no parameters, the Output type of the upstream publisher must conform to <u>Comparable</u>
(https://developer.apple.com/documentation/swift/comparable).

```
SWIFT
.max()
```

If what you are publishing doesn't conform to <u>Comparable</u> (https://developer.apple.com/documentation/swift/comparable), then you may specify a closure to provide the ordering for the operator.

```
SWIFT
.max { (struct1, struct2) -> Bool in
    return struct1.property1 < struct2.property1
    // returning boolean true to order struct2 greater than struct1
    // the underlying method parameter for this closure hints to it:
    // `areInIncreasingOrder`
}
```

The parameter name of the closure hints to how it should be provided, being named `areInIncreasingOrder` . The closure will take two values of the output type of the upstream publisher, and within it you should provide a boolean result indicating if they are in increasing order.

The operator will not provide any results under the upstream published has sent a `.finished` completion. If the upstream publisher sends a `failure` completion, then no values will be published and the `.failure` completion will be forwarded.

tryMax

Summary

Publishes the `max` value of all values received upon completion of the upstream publisher.

Constraints on connected publisher

The output type of the upstream publisher must conform to Comparable (https://developer.apple.com/documentation/swift/comparable)

docs

tryMax (https://developer.apple.com/documentation/combine/publishers/sequence/3344605-trymax)

Usage

unit tests illustrating using `tryMax` : UsingCombineTests/MathOperatorTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MathOperatorTests.swift)

Details

A variation of the max operator that takes a closure to define ordering, and it also allowed to throw an error.

min

Summary

Publishes the minimum value of all values received upon completion of the upstream publisher.

Constraints on connected publisher

The output type of the upstream publisher must conform to Comparable (https://developer.apple.com/documentation/swift/comparable)

docs

min (https://developer.apple.com/documentation/combine/publishers/sequence/3211194-min)

Usage

unit tests illustrating using `min` : UsingCombineTests/MathOperatorTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MathOperatorTests.swift)

Details

`min` can be set up with either no parameters, or taking a closure. If defined as an operator with no parameters, the Output type of the upstream publisher must conform to <u>Comparable</u> (https://developer.apple.com/documentation/swift/comparable).

```swift
.min()
```

If what you are publishing doesn't conform to <u>Comparable</u> (https://developer.apple.com/documentation/swift/comparable), then you may specify a closure to provide the ordering for the operator.

```swift
.min { (struct1, struct2) -> Bool in
    return struct1.property1 < struct2.property1
    // returning boolean true to order struct2 greater than struct1
    // the underlying method parameter for this closure hints to it:
    // `areInIncreasingOrder`
}
```

The parameter name of the closure hints to how it should be provided, being named `areInIncreasingOrder`. The closure will take two values of the output type of the upstream publisher, and within it you should provide a boolean result indicating if they are in increasing order.

The operator will not provide any results under the upstream published has sent a `.finished` completion. If the upstream publisher sends a `.failure` completion, then no values will be published and the `failure` completion will be forwarded.

tryMin

Summary

Publishes the minimum value of all values received upon completion of the upstream publisher.

Constraints on connected publisher

The output type of the upstream publisher must conform to <u>Comparable</u> (https://developer.apple.com/documentation/swift/comparable)

docs

<u>tryMin</u> (https://developer.apple.com/documentation/combine/publishers/sequence/3344606-trymin)

Usage

unit tests illustrating using `tryMin`: <u>UsingCombineTests/MathOperatorTests.swift</u> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MathOperatorTests.swift)

Details

A variation of the min operator that takes a closure to define ordering, and it also allowed to throw an error.

count

Summary

count publishes the number of items received from the upstream publisher

Constraints on connected publisher

> *none*

 docs

> count (https://developer.apple.com/documentation/combine/publishers/count)

Usage

> unit tests illustrating using `count` : UsingCombineTests/MathOperatorTests.swift
> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MathOperatorTests.swift)

Details

The operator will not provide any results under the upstream published has sent a `.finished` completion. If the upstream publisher sends a `.failure` completion, then no values will be published and the `failure` completion will be forwarded.

Applying matching criteria to elements

allSatisfy

Summary

A publisher that publishes a single Boolean value that indicates whether all received elements pass a provided predicate.

Constraints on connected publisher

none

 docs

allSatisfy (https://developer.apple.com/documentation/combine/publishers/allsatisfy)

Usage

unit tests illustrating using `allSatisfy` : UsingCombineTests/CriteriaOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/CriteriaOperatorTests.swift)

Details

Similiar to the containsWhere operator, this operator is provided with a closure. The type of the incoming value to this closuremust match the Output type of the upstream publisher, and the closure must return a Boolean.

The operator will compare any incoming values, only responding when the upstream publisher sends a `.finished` completion. At that point, the `allSatisfies` operator will return a single boolean value indicating if all the values received matched (or not) based on processing through the provided closure.

If the operator receives a `.failure` completion from the upstream publisher, or throws an error itself, then no data values will be published to subscribers. In those cases, the operator will only return (or forward) the `.failure` completion.

tryAllSatisfy

Summary

A publisher that publishes a single Boolean value that indicates whether all received elements pass a given throwing predicate.

Constraints on connected publisher

none

 docs

   tryAllSatisfy (https://developer.apple.com/documentation/combine/publishers/tryallsatisfy)

Usage

   unit tests illustrating using `tryAllSatisfy` : UsingCombineTests/CriteriaOperatorTests.swift
   (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/CriteriaOperatorTests.swift)

Details

   Similiar to the tryContainsWhere operator, you provide this operator with a closure which may also throw an error.
   The type of the incoming value to this closure must match the Output type of the upstream publisher, and the closure
   must return a Boolean.

   The operator will compare any incoming values, only responding when the upstream publisher sends a `.finished`
   completion. At that point, the `tryAllSatisfies` operator will return a single boolean value indicating if all the values
   received matched (or not) based on processing through the provided closure.

   If the operator receives a `.failure` completion from the upstream publisher, or throws an error itself, then no data
   values will be published to subscribers. In those cases, the operator will only return (or forward) the `.failure`
   completion.

contains

Summary

   A publisher that emits a Boolean value when a specified element is received from its upstream publisher.

Constraints on connected publisher

   The upstream publisher's output value must conform to the Equatable
   (https://developer.apple.com/documentation/swift/equatable) protocol

 docs

   contains (https://developer.apple.com/documentation/combine/publishers/contains)

Usage

   unit tests illustrating using `contains` : UsingCombineTests/CriteriaOperatorTests.swift
   (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/CriteriaOperatorTests.swift)

Details

   The simplest form of `contains` accepts a single parameter. The type of this parameter must match the Output type of
   the upstream publisher.

The operator will compare any incoming values, only responding when the incoming value is equatable to the parameter provided. When it does find a match, the operator returns a single boolean value (`true`) and then terminates the stream. Any further values published from the upstream provider are then ignored.

If the upstream published sends a `.finished` completion before any values do match, the operator will publish a single boolean (`false`) and then terminate the stream.

containsWhere

Summary

A publisher that emits a Boolean value upon receiving an element that satisfies the predicate closure.


```
.contains { someval -> Bool in
    return someval == "abc"
}
```

Constraints on connected publisher

none

docs

containsWhere (https://developer.apple.com/documentation/combine/publishers/containswhere)

Usage

unit tests illustrating using `containsWhere` : `UsingCombineTests/CriteriaOperatorTests.swift`
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/CriteriaOperatorTests.swift)

Details

A more flexible version of the contains operator. Instead of taking a single parameter value to match, you provide a closure which takes in a single value (of the type provided by the upstream publisher) and returns a boolean.

Like contains, it will compare multiple incoming values, only responding when the incoming value is equatable to the parameter provided. When it does find a match, the operator returns a single boolean value and terminates the stream. Any further values published from the upstream provider are ignored.

If the upstream published sends a `.finished` completion before any values do match, the operator will publish a single boolean (`false`) and terminates the stream.

If you want a variant of this functionality that checks multiple incoming values to determine if all of them match, consider using the allSatisfy operator.

tryContainsWhere

Summary

A publisher that emits a Boolean value upon receiving an element that satisfies the throwing predicate closure.

Constraints on connected publisher

none

docs

[tryContainsWhere](https://developer.apple.com/documentation/combine/publishers/trycontainswhere) (https://developer.apple.com/documentation/combine/publishers/trycontainswhere)

Usage

unit tests illustrating using `tryContainsWhere` : [UsingCombineTests/CriteriaOperatorTests.swift](https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/CriteriaOperatorTests.swift)
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/CriteriaOperatorTests.swift)

Details

A variation of the tryContainsWhere operator which allows the closure to throw an error. You provide a closure which takes in a single value (of the type provided by the upstream publisher) and returns a boolean. This closure may also throw an error. If the closure throws an error, then the operator will return no values, only the error to any subscribers, terminating the pipeline.

Like contains, it will compare multiple incoming values, only responding when the incoming value is equatable to the parameter provided. When it does find a match, the operator returns a single boolean value and terminates the stream. Any further values published from the upstream provider are ignored.

If the upstream published sends a `.finished` completion before any values do match, the operator will publish a single boolean (`false`) and terminates the stream.

If the operator receives a `.failure` completion from the upstream publisher, or throws an error itself, no data values will be published to subscribers. In those cases, the operator will only return (or forward) the `.failure` completion.

Applying sequence operations to elements

first

Summary

Publishes the first element of a stream and then finishes.

Constraints on connected publisher

none

docs

first (https://developer.apple.com/documentation/combine/publishers/first)

Usage

unit tests illustrating using `first` : UsingCombineTests/SequentialOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The first operator, when used without any parameters, will pass through the first value it receives, after which it sends a `.finish` completion message to any subscribers. If no values are received before the first operator receives a `.finish` completion from upstream publishers, the stream is terminated and no values are published.

```
                                                                    SWIFT
.first()
```

If you want a set number of values from the front of the stream you can also use prefixUntilOutput or the variants: prefixWhile and tryPrefixWhile.

If you want a set number of values from the middle the stream by count, you may want to use output, which allows you to select either a single value, or a range value from the sequence of values received by this operator.

firstWhere

Summary

A publisher that only publishes the first element of a stream to satisfy a predicate closure.

Constraints on connected publisher

none

 docs

firstWhere (https://developer.apple.com/documentation/combine/publishers/firstwhere)

Usage

unit tests illustrating using firstWhere : UsingCombineTests/SequentialOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The firstWhere operator is similiar to first, but instead lets you specify if the value should be the first value published by evaluating a closure. The provided closure should accept a value of the type defined by the upstream publisher, returning a bool.

```
                                                                                    SWIFT
.first { (incomingobject) -> Bool in
    return incomingobject.count > 3  1
}
```

1   The first value received that satisfies this closure - that is, has count greater than 3 - is published.

If you want to support an error condition that will terminate the pipeline within this closure, use tryFirstWhere.

tryFirstWhere

Summary

A publisher that only publishes the first element of a stream to satisfy a throwing predicate closure.

Constraints on connected publisher

none

 docs

tryFirstWhere (https://developer.apple.com/documentation/combine/publishers/tryfirstwhere)

Usage

unit tests illustrating using tryFirstWhere : UsingCombineTests/SequentialOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The tryFirstWhere operator is a variant of firstWhere that accepts a closure that can throw an error. The closure provided should accept a value of the type defined by the upstream publisher, returning a bool.

```
                                                                                    SWIFT
.tryFirst { (incomingobject) -> Bool in
    if (incomingobject == "boom") {
        throw TestExampleError.invalidValue
    }
    return incomingobject.count > 3
}
```

last

Summary

A publisher that only publishes the last element of a stream, once the stream finishes.

Constraints on connected publisher

> *none*

 docs

> last (https://developer.apple.com/documentation/combine/publishers/last)

Usage

> unit tests illustrating using `last` : UsingCombineTests/SequentialOperatorTests.swift
> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

> The last operator waits until the upstream publisher sends a `finished` completion, then publishes the last value it
> received. If no values were received prior to receiving the `finished` completion, no values are published to
> subscribers.

```swift
.last()
```
SWIFT

lastWhere

Summary

> A publisher that only publishes the last element of a stream that satisfies a predicate closure, once the stream finishes.

Constraints on connected publisher

> *none*

 docs

> lastWhere (https://developer.apple.com/documentation/combine/publishers/lastwhere)

Usage

> unit tests illustrating using `lastWhere` : UsingCombineTests/SequentialOperatorTests.swift
> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

> The lastWhere operator takes a single closure, accepting a value matching the output type of the upstream publisher,
> and returning a boolean. The operator publishes a value when the upstream published completes with a `.finished`
> completion. The value published will be the last one to satisfy the provide closure. If no values satisfied the closure,
> then no values are published and the pipeline is terminated normally with a `.finished` completion.

```swift
.last { (incomingobject) -> Bool in
    return incomingobject.count > 3   1
}
```

1   Publishes the last value that has a length greater than 3.

tryLastWhere

Summary

A publisher that only publishes the last element of a stream that satisfies a error-throwing predicate closure, once the stream finishes.

Constraints on connected publisher

none

docs

tryLastWhere (https://developer.apple.com/documentation/combine/publishers/trylastwhere)

Usage

unit tests illustrating using `tryLastWhere`: UsingCombineTests/SequentialOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The tryLastWhere operator is a variant of the lastWhere operator that accepts a closure that may also throw an error.

```swift
.tryLast { (incomingobject) -> Bool in
    if (incomingobject == "boom") {   2
        throw TestExampleError.invalidValue
    }
    return incomingobject.count > 3   1
}
```

1   Publishes the last value that has a length greater than 3.

2   Logic that triggers an error, which will terminate the pipeline.

dropUntilOutput

Summary

A publisher that ignores elements from the upstream publisher until it receives an element from second publisher.

Constraints on connected publisher

none

docs

dropUntilOutput (https://developer.apple.com/documentation/combine/publishers/dropuntiloutput)

Usage

unit tests illustrating using `dropUntilOutput`: UsingCombineTests/SequentialOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The dropUntilOutput operator uses another publisher as a trigger, stopping output through a pipeline until a value is received. Values received from the upstream publisher are ignored (and dropped) until the trigger is activated.

Any value propagated through the trigger publisher will cause the switch to activate, and allow future values through the pipeline.

Errors are still propagated from the upstream publisher, terminating the pipeline with a `failure` completion. An error (`failure` completion) on either the upstream publisher or the trigger publisher will be propagated to any subscribers and terminate the pipeline.

```SWIFT
.drop(untilOutputFrom: triggerPublisher)
```

If you want to use this kind of mechanism, but with a closure determining values from the upstream publisher, use the dropWhile operator.

dropWhile

Summary

A publisher that omits elements from an upstream publisher until a given closure returns false.

Constraints on connected publisher

docs

dropWhile (https://developer.apple.com/documentation/combine/publishers/dropwhile)

Usage

unit tests illustrating using `dropWhile` : UsingCombineTests/SequentialOperatorTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The dropWhile operator takes a single closure, accepting an input value of the output type defined by the upstream publisher, returning a bool. This closure is used to determine a trigger condition, after which values are allowed to propagate.

This is not the same as the filter operator, acting on each value. Instead it uses a trigger that activates once, and propagates all values after it is activated until the upstream publisher finishes.

```SWIFT
.drop { upstreamValue -> Bool in
    return upstreamValue.count > 3
}
```

If you want to use this mechanism, but with a publisher as the trigger instead of a closure, use the dropUntilOutput operator.

tryDropWhile

Summary

A publisher that omits elements from an upstream publisher until a given error-throwing closure returns false.

Constraints on connected publisher

none

🍎 *docs*

tryDropWhile (https://developer.apple.com/documentation/combine/publishers/trydropwhile)

Usage

unit tests illustrating using `tryDropWhile`: UsingCombineTests/SequentialOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

This is a variant of the dropWhile operator that accepts a closure that can also throw an error.

```swift
.tryDrop { upstreamValue -> Bool in
    return upstreamValue.count > 3
}
```

prepend

Summary

A publisher that emits all of one publisher's elements before those from another publisher.

Constraints on connected publisher

Both publishers must match on Output and Failure types.

🍎 *docs*

concatenate (https://developer.apple.com/documentation/combine/publishers/concatenate)

Usage

unit tests illustrating using `prepend`: UsingCombineTests/SequentialOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The prepend operator will act as a merging of two pipelines. Also known as `Publishers.Concatenate`, it accepts all values from one publisher, publishing them to subscribers. Once the first publisher is complete, the second publisher is used to provide values until it is complete.

The most general form of this can be invoked directly as:

```swift
Publishers.Concatenate(prefix: firstPublisher, suffix: secondPublisher)
```

This is equivalent to the form directly in a pipeline:

```swift
secondPublisher
.prepend(firstPublisher)
```

The prepend operator is often used with single or sequence values that have a failure type of `<Never>`. If the publishers do accept a failure type, then all values will be published from the prefix publisher even if the suffix publisher receives a `.failure` completion before it is complete. Once the prefix publisher completes, the error will propagated.

The prepend operator also has convenience operators to send a sequence. For example:

```swift
secondPublisher
.prepend(["one", "two"]) ①
```
SWIFT

① The sequence values will be published immediately on a subscriber requesting demand. Further demand will be propagated upward to `secondPublisher`. Values produced from `secondPublisher` will then be published until it completes.

Another convenience operator exists to send a single value:

```swift
secondPublisher
.prepend("one") ①
```
SWIFT

① The value will be published immediately on a subscriber requesting demand. Further demand will be propagated upward to `secondPublisher`. Values produced from `secondPublisher` will then be published until it completes.

drop

Summary

A publisher that omits a specified number of elements before republishing later elements.

Constraints on connected publisher

none

docs

drop (https://developer.apple.com/documentation/combine/publishers/drop)

Usage

unit tests illustrating using `drop` : UsingCombineTests/SequentialOperatorTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The simplest form of the drop operator drops a single value and then allows all further values to propagate through the pipeline.

```swift
.dropFirst()
```
SWIFT

A varient of this operator allows a count of values to be specified:

```swift
.dropFirst(3) ①
```
SWIFT

① Drops the first three values received from the upstream publisher before propagating any further values published to downstream subscribers.

prefixUntilOutput

Summary

Republishes elements until another publisher emits an element. After the second publisher publishes an element, the publisher returned by this method finishes.

Constraints on connected publisher

 none

🍎 *docs*

 `prefixUntilOutput` (https://developer.apple.com/documentation/combine/publishers/prefixuntiloutput)

Usage

 unit tests illustrating using `prefixUntilOutput` : `UsingCombineTests/SequentialOperatorTests.swift`
 (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The prefixUntilOutput will propagate values from an upstream publisher until a second publisher is used as a trigger.
Once the trigger is activated by receiving a value, the operator will terminate the stream.

```swift
.prefix(untilOutputFrom: secondPublisher)
```

prefixWhile

Summary

A publisher that republishes elements while a predicate closure indicates publishing should continue.

Constraints on connected publisher

 none

🍎 *docs*

 `prefixWhile` (https://developer.apple.com/documentation/combine/publishers/prefixwhile)

Usage

 unit tests illustrating using `prefixWhile` : `UsingCombineTests/SequentialOperatorTests.swift`
 (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The prefixWhile operator takes a single closure, with an input matching the output type defined by the upstream
publisher, returning a boolean. This closure is evaluated on the data from the upstream publisher. While it returns
`true` the values are propagated to the subscriber. Once the value returns `false`, the operator terminates the stream
with a `.finished` completion.

```swift
.prefix { upstreamValue -> Bool in
    return upstreamValue.count > 3
}
```

tryPrefixWhile

Summary

A publisher that republishes elements while an error-throwing predicate closure indicates publishing should
continue.

Constraints on connected publisher

 none

 docs

tryPrefixWhile (https://developer.apple.com/documentation/combine/publishers/tryprefixwhile)

Usage

unit tests illustrating using `tryPrefixWhile`: `UsingCombineTests/SequentialOperatorTests.swift`
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The tryPrefixWhile operator is a variant of the prefixWhile operator that accepts a closure and may also throw an error.

```swift
.prefix { upstreamValue -> Bool in
    return upstreamValue.count > 3
}
```
SWIFT

output

Summary

A publisher that publishes elements specified by a range in the sequence of published elements.

Constraints on connected publisher

none

 docs

output (https://developer.apple.com/documentation/combine/publishers/output)

Usage

unit tests illustrating using `output`: `UsingCombineTests/SequentialOperatorTests.swift`
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SequentialOperatorTests.swift)

Details

The output operator takes a single parameter, either an integer or a swift range. This value is used to select a specific value, or sequence of values, from an upstream publisher to send to subscribers.

output is choosing values from the middle of the stream. If the upstream publisher completes before the values is received, the `.finished` completion will be propagated to the subscriber.

```swift
.output(at: 3)  1
```
SWIFT

1   The selection is 0 indexed (meaning the count starts at 0). This will select the fourth item published from the upstream publisher to propagate.

The alternate form takes a swift range descriptor:

```swift
.output(at: 2...3)  1
```
SWIFT

1   The selection is 0 indexed (the count starts at 0). This will select the third and fourth item published from the upstream publisher to propagate.

Mixing elements from multiple publishers

combineLatest

Summary

`CombineLatest` merges two pipelines into a single output, converting the output type to a tuple of values from the upstream pipelines, and providing an update when any of the upstream publishers provide a new value.

Constraints on connected publishers

All upstream publishers must have the same failure type.

docs

`combineLatest` (https://developer.apple.com/documentation/combine/publishers/combinelatest)

`combineLatest3` (https://developer.apple.com/documentation/combine/publishers/combinelatest3)

`combineLatest4` (https://developer.apple.com/documentation/combine/publishers/combinelatest4)

Usage

Merging multiple pipelines to update UI elements

unit tests illustrating using `combineLatest` : UsingCombineTests/MergingPipelineTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MergingPipelineTests.swift)

Details

CombineLatest, and its variants of `combineLatest3` and `combineLatest4` , take multiple upstream publishers and create a single output stream, merging the streams together. `CombineLatest` merges two upstream publishers. `ComineLatest3` merges three upstream publishers and `combineLatest4` merges four upstream publishers.

The output type of the operator is a tuple of the output types of each of the publishers. For example, if combineLatest was used to merge a publisher with the output type of `<String>` and another with the output type of `<Int>` , the resulting output type would be a tuple of (`<String, Int>`) .

`CombineLatest` is most often used with continual publishers, and remembering the last output value provided from each publisher. In turn, when any of the upstream publishers sends an updated value, the operator makes a new combined tuple of all previous "current" values, adds in the new value in the correct place, and sends that new combined value down the pipeline.

The failure type of all three upstream publishers needs to be the identical. For example, you can not have one publisher that has a failure type of `Error` and another (or more) that have a failure type of `Never` . If the `combineLatest` operator does receive a failure from any of the upstream publishers, then the operator (and the rest of the pipeline) is cancelled after propagating that failure.

If any of the upstream publishers finish normally (that is, they send a `.finished` completion), the `combineLatest` operator will continue operating and processing any messages from any of the other publishers that has additional data to send.

Other operators that merge multiple upstream pipelines include merge and zip. If your upstream publishers have the same type and you want a stream of single values as opposed to tuples, use the merge operator. If you want to wait on values from all upstream provides before providing an updated value, use the zip operator.

merge

Summary

`Merge` takes two upstream publishers and mixes the elements published into a single pipeline as they are received.

Constraints on connected publishers

All upstream publishers must have the same output type.

All upstream publishers must have the same failure type.

 docs

[merge](https://developer.apple.com/documentation/combine/publishers/merge) (https://developer.apple.com/documentation/combine/publishers/merge)

[merge3](https://developer.apple.com/documentation/combine/publishers/merge3) (https://developer.apple.com/documentation/combine/publishers/merge3)

[merge4](https://developer.apple.com/documentation/combine/publishers/merge4) (https://developer.apple.com/documentation/combine/publishers/merge4)

[merge5](https://developer.apple.com/documentation/combine/publishers/merge5) (https://developer.apple.com/documentation/combine/publishers/merge5)

[merge6](https://developer.apple.com/documentation/combine/publishers/merge6) (https://developer.apple.com/documentation/combine/publishers/merge6)

[merge7](https://developer.apple.com/documentation/combine/publishers/merge7) (https://developer.apple.com/documentation/combine/publishers/merge7)

[merge8](https://developer.apple.com/documentation/combine/publishers/merge8) (https://developer.apple.com/documentation/combine/publishers/merge8)

Usage

unit tests illustrating using `merge` : [UsingCombineTests/MergingPipelineTests.swift](https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MergingPipelineTests.swift)
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MergingPipelineTests.swift)

Details

`Merge` subscribers to two upstream publishers, and as they provide data for the subscriber it interleaves them into a single pipeline. `Merge3` accepts three upstream publishers, `merge4` accepts four upstream publishers, and so forth - through `merge8` accepting eight upstream publishers.

In all cases, the upstreams publishers are required to have the same output type, as well as the same failure type.

As with combineLatest, if an error is propagated down any of the upstream publishers, the cancellation from the subscriber will terminate this operator and will propagate cancel to all upstream publishers as well.

If an upstream publisher completes with a normal finish, the `merge` operator continues interleaving and forwarding from any values other upstream publishers.

In the unlikely event that two values are provided at the same time from upstream publishers, the `merge` operator will interleave the values in the order upstream publishers are specified when the operator is initialized.

If you want to mix different upstream publisher types into a single stream, then you likely want to use either combineLatest or zip, depending on how you want the timing of values to be handled.

If your upstream publishers have different types, but you want interleaved values to be propagated as they are available, use combineLatest. If you want to wait on values from all upstream provides before providing an updated value, then use the zip operator.

zip

Summary

`Zip` takes two upstream publishers and mixes the elements published into a single pipeline, waiting until values are paired up from each upstream publisher before forwarding the pair as a tuple.

Constraints on connected publishers

All upstream publishers must have the same failure type.

docs

`zip` (https://developer.apple.com/documentation/combine/publishers/zip)

`zip3` (https://developer.apple.com/documentation/combine/publishers/zip3)

`zip4` (https://developer.apple.com/documentation/combine/publishers/zip4)

Usage

unit tests illustrating using `zip` : UsingCombineTests/MergingPipelineTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MergingPipelineTests.swift)

Details

`Zip` works very similiarly to combineLatest, connecting two upstream publishers and providing the output of those publishers as a single pipeline with a tuple output type composed of the types of the upstream publishers. `Zip3` supports connecting three upstream publishers, and `zip4` supports connecting four upstream publishers.

The notable difference from combineLatest is that `zip` waits for values to arrive from the upstream publishers, and will only publish a single new tuple when new values have been provided from all upstream publishers.

One example of using this is to wait until all streams have provided a single value to provide a synchronization point. For example, if you have two independent network requests and require them to both be complete before continuing to process the results, you can use `zip` to wait until both publishers are complete before forwarding the combined tuples.

Other operators that merge multiple upstream pipelines include combineLatest and merge. If your upstream publishers have different types, but you want interleaved values to be propagated as they are available, use combineLatest. If your upstream publishers have the same type and you want a stream of single values, as opposed to tuples, then you probably want to use the merge operator.

Error Handling

See Error Handling for more detail on how you can design error handling.

catch

Summary

The operator `catch` handles errors (completion messages of type `.failure`) from an upstream publisher by replacing the failed publisher with another publisher. The `catch` operator also transforms the Failure type to `<Never>`.

Constraints on connected publisher

> *none*

Documentation reference

> Publishers.Catch (https://developer.apple.com/documentation/combine/publishers/catch)

Usage

> Using catch to handle errors in a one-shot pipeline shows an example of using `catch` to handle errors with a one-shot publisher.

> Using flatMap with catch to handle errors shows an example of using `catch` with `flatMap` to handle errors with a continual publisher.

> Declarative UI updates from user input

> Cascading UI updates including a network request

Details

Once `catch` receives a `.failure` completion, it won't send any further incoming values from the original upstream publisher. You can also view `catch` as a switch that only toggles in one direction: to using a new publisher that you define, but only when the original publisher to which it is subscribed sends an error.

This is illustrated with the following example:

```swift
enum TestFailureCondition: Error {
    case invalidServerResponse
}

let simplePublisher = PassthroughSubject<String, Error>()

let _ = simplePublisher
    .catch { err in
        // must return a Publisher
        return Just("replacement value")
    }
    .sink(receiveCompletion: { fini in
        print(".sink() received the completion:", String(describing: fini))
    }, receiveValue: { stringValue in
        print(".sink() received \(stringValue)")
    })

simplePublisher.send("oneValue")
simplePublisher.send("twoValue")
simplePublisher.send(completion: Subscribers.Completion.failure(TestFailureCondition.invalidServerResponse))
simplePublisher.send("redValue")
simplePublisher.send("blueValue")
simplePublisher.send(completion: .finished)
```

In this example, we are using a `PassthroughSubject` so that we can control when and what gets sent from the publisher. In the above code, we are sending two good values, then a failure, then attempting to send two more good values. The values you would see printed from our `.sink()` closures are:

```
.sink() received oneValue
.sink() received twoValue
.sink() received replacement value
.sink() received the completion: finished
```

When the failure was sent through the pipeline, catch intercepts it and returns a replacement value. The replacement publisher it used (`Just`) sends a single value and then a completion. If we want the pipeline to remain active, we need to change how we handle the errors. See the pattern Using flatMap with catch to handle errors for an example of how that can be achieved.

tryCatch

Summary

A variant of the catch operator that also allows an `<Error>` failure type, and doesn't convert the failure type to `<Never>`.

Constraints on connected publisher

none

 docs

tryCatch (https://developer.apple.com/documentation/combine/publishers/trycatch)

Usage

Requesting data from an alternate URL when the network is constrained

Details

`tryCatch` is a variant of catch that has a failure type of `<Error>` rather than catch's failure type of `<Never>`. This allows it to be used where you want to immediately react to an error by creating another publisher that may also produce a failure type.

assertNoFailure

Summary

Raises a fatal error when its upstream publisher fails, and otherwise republishes all received input and converts failure type to `<Never>`.

Constraints on connected publisher

none

docs

https://developer.apple.com/documentation/combine/publishers/assertnofailure

Usage

Verifying a failure hasn't happened using assertNoFailure

Details

If you need to verify that no error has occured (treating the error output as an invariant), this is the operator to use. Like its namesakes, it will cause the program to terminate if the assert is violated.

Adding it into the pipeline requires no additional parameters, but you can include a string:

```swift
.assertNoFailure()
// OR
.assertNoFailure("What could possibly go wrong?")
```

> I'm not entirely clear on where that string would appear if you did include it.
>
> When trying out this code in unit tests, the tests invariably drop into a debugger at the assertion point when a .failure is processed through the pipeline.

If you want to convert an failure type output of `<Error>` to `<Never>`, you probably want to look at the catch operator.

Apple asserts this function should be primarily used for testing and verifying *internal sanity checks that are active during testing*.

retry

Summary

The `retry` operator is used to repeat requests to a previous publisher in the event of an error.

Constraints on connected publisher

failure type must be `<Error>`

docs

https://developer.apple.com/documentation/combine/publishers/retry

Usage

Retrying in the event of a temporary failure

unit tests illustrating using `retry` with dataTaskPublisher:
UsingCombineTests/DataTaskPublisherTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DataTaskPublisherTests.swift)

unit tests illustrating `retry`: [UsingCombineTests/RetryPublisherTests.swift](https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/RetryPublisherTests.swift)

Details

When you specify this operator in a pipeline and it receives a subscription, it first tries to request a subscription from its upstream publisher. If the response to that subscription fails, then it will retry the subscription to the same publisher.

The retry operator accepts a single parameter that specifies a number of retries to attempt.

> ℹ️ Using `retry` with a high count can result in your pipeline not resolving any data or completions for quite a while, depending on how long each attempt takes. You may also want to consider also using the timeout operator to force a completion from the pipeline.

If the number of retries is specified and all requests fail, then the `.failure` completion is passed down to the subscriber of this operator.

In practice, this is mostly commonly desired when attempting to request network resources with an unstable connection. If you use a `retry` operator, you should add a specific number of retries so that the subscription doesn't effectively get into an infinite loop.

```swift
struct IPInfo: Codable {
    // matching the data structure returned from ip.jsontest.com
    var ip: String
}
let myURL = URL(string: "http://ip.jsontest.com")
// NOTE(heckj): you'll need to enable insecure downloads
// in your  Info.plist for this example
// because the URL scheme is 'http'

let remoteDataPublisher = URLSession.shared.dataTaskPublisher(for: myURL!)
    // the dataTaskPublisher output combination is
    // (data: Data, response: URLResponse)
    .retry(3)
    // if the URLSession returns a .failure completion,
    // retry at most 3 times to get a successful response
    .map({ (inputTuple) -> Data in
        return inputTuple.data
    })
    .decode(type: IPInfo.self, decoder: JSONDecoder())
    .catch { err in
        return Publishers.Just(IPInfo(ip: "8.8.8.8"))
    }
    .eraseToAnyPublisher()
```

mapError

Summary

Converts any failure from the upstream publisher into a new error.

Constraints on connected publisher

Failure type is some instance of `Error`

🍎 docs

[mapError](https://developer.apple.com/documentation/combine/publishers/maperror) (https://developer.apple.com/documentation/combine/publishers/maperror)

Usage

   unit tests illustrating `mapError`: <u>UsingCombineTests/ChangingErrorTests.swift</u>
   (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/ChangingErrorTests.swift)

Details

   `mapError` is an operator that allows you to transform the failure type by providing a closure where you convert
   errors from upstream publishers into a new type. `mapError` is similar to replaceError, but `replaceError` ignores
   any upstream errors and returns a single kind of error, where this operator lets you construct using the error
   provided by the upstream publisher.

<div align="right">SWIFT</div>

```swift
.mapError { error -> ChangingErrorTests.APIError in
    // if it's our kind of error already, we can return it directly
    if let error = error as? APIError {
       return error
    }
    // if it is a URLError, we can convert it into our more general error kind
    if let urlerror = error as? URLError {
       return APIError.networkError(from: urlerror)
    }
    // if all else fails, return the unknown error condition
    return APIError.unknown
}
```

Adapting publisher types

switchToLatest

Summary

   A publisher that flattens any nested publishers, using the most recent provided publisher.

Constraints on connected publisher

   none

 docs

   <u>switchToLatest</u> (https://developer.apple.com/documentation/combine/publishers/switchtolatest)

Usage

   Declarative UI updates from user input

   Cascading UI updates including a network request

   unit tests illustrating `switchToLatest`: <u>UsingCombineTests/SwitchAndFlatMapPublisherTests.swift</u>
   (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SwitchAndFlatMapPublisherTests.swift)

Details

   `switchToLatest` operates similarly to flatMap, taking in a publisher instance and returning its value (or values).
   Where flatMap operates over the values it is provided, `switchToLatest` operates on whatever publisher it is
   provided. The primary difference is in where it gets the publisher. In flatMap, the publisher is returned within the
   closure provided to flatMap, and the operator works upon that to subscribe and provide the relevant value down the
   pipeline. In `switchToLatest`, the publisher instance is provided **as the output type** from a previous publisher or
   operator.

The most common form of using this is with a one-shot publisher such as Just getting its value as a result of a map
transform.

It is also commonly used when working with an API that provides a publisher. `switchToLatest` assists in taking the result of the publisher and sending that down the pipeline rather than sending the publisher as the output type.

The following snippet is part of the larger example Declarative UI updates from user input:

```swift
.map { username -> AnyPublisher<[GithubAPIUser], Never> in    2
    return GithubAPI.retrieveGithubUser(username: username)   1
}
// ^^ type returned in the pipeline is a Publisher, so we use
// switchToLatest to flatten the values out of that
// pipeline to return down the chain, rather than returning a
// publisher down the pipeline.
.switchToLatest()    3
```

1 In this example, an API instance (GithubAPI) has a function that returns a publisher.

2 map takes an earlier `String` output type, returning a publisher instance.

3 We want to use the value from that publisher, not the publisher itself, which is exactly what `switchToLatest` provides.

Controlling timing

debounce

Summary

debounce collapses multiple values within a specified time window into a single value

Constraints on connected publisher

docs

['debounce'](https://developer.apple.com/documentation/combine/publishers/debounce) (https://developer.apple.com/documentation/combine/publishers/debounce)

Usage

unit tests illustrating using `debounce` :

[UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift](https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift)
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift)

Details

The operator takes a minimum of two parameters, an amount of time over which to `debounce` the signal and a scheduler on which to apply the operations. The operator will collapse any values received within the timeframe provided to a single, last value received from the upstream publisher within the time window. If any value is received within the specified time window, it will collapse it. It will not return a result until the entire time window has elapsed with no additional values appearing.

This operator is frequently used with removeDuplicates when the publishing source is bound to UI interactions, primarily to prevent an "edit and revert" style of interaction from triggering unnecessary work.

If you wish to control the value returned within the time window, or if you want to simply control the volume of events by time, you may prefer to use throttle, which allows you to choose the first or last value provided.

delay

Summary

Delays delivery of all output to the downstream receiver by a specified amount of time on a particular scheduler.

Constraints on connected publisher

none

🍎 *docs*

delay (https://developer.apple.com/documentation/combine/publishers/delay)

Usage

Creating a repeating publisher by wrapping a delegate based API

Retrying in the event of a temporary failure

Details

The `delay` operator passes through the data after a delay defined to the operator. The `delay` operator also requires a scheduler, where the delay is explicitly invoked.

```swift
.delay(for: 2.0, scheduler: headingBackgroundQueue)
```

measureInterval

Summary

`measureInterval` measures and emits the time interval between events received from an upstream publisher, in turn publishing a value of `SchedulerTimeType.Stride` (which includes a magnitude and interval since the last value). The specific upstream value is ignored beyond the detail of the time at which it was received.

Constraints on connected publisher

none

🍎 *docs*

measureInterval (https://developer.apple.com/documentation/combine/publishers/measureinterval)

Output types:

DispatchQueue.SchedulerTimeType.Stride
(https://developer.apple.com/documentation/dispatch/dispatchqueue/schedulertimetype/stride)

OperationQueue.SchedulerTimeType.Stride
(https://developer.apple.com/documentation/foundation/operationqueue/schedulertimetype/stride)

RunLoop.SchedulerTimeType.Stride (https://developer.apple.com/documentation/foundation/runloop/schedulertimetype/stride)

Immediate.SchedulerTimeType.Stride
(https://developer.apple.com/documentation/combine/immediatescheduler/schedulertimetype/stride)

Usage

- unit tests illustrating using throttle: <u>UsingCombineTests/MeasureIntervalTests.swift</u>
  (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MeasureIntervalTests.swift)

Details

The operator takes a single parameter, the scheduler to be used. The output type is the type
`SchedulerTimeType.Stride` for the scheduler you designate.

For example:

```swift
.measureInterval(using: q) // Output type is DispatchQueue.SchedulerTimeType.Stride
```

The `magnitude` (an Int) the stride is the number of nanoseconds since the last value, which is generally in nanoseconds.
You can also use the `interval` (a <u>DispatchTimeInterval</u>
(https://developer.apple.com/documentation/dispatch/dispatchtimeinterval)) which carries with it the specific units of the interval.

These values are not guaranteed on a high resolution timer, so use the resulting values judiciously.

throttle

Summary

`Throttle` constrains the stream to publishing zero or one value within a specified time window, independent of the
number of elements provided by the publisher.

Timing diagram with latest set to `true`:

Timing diagram with latest set to `false`:

The timing examples in the marble diagrams are from the unit tests running under iOS 13.3.

Constraints on connected publisher

none

docs

throttle (https://developer.apple.com/documentation/combine/publishers/throttle)

Usage

unit tests illustrating using `throttle`:
UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift)

Details

`Throttle` is akin to the debounce operator in that it collapses values. The primary difference is that `debounce` will wait for no further values, where `throttle` will last for a specific time window and then publish a result. The operator will collapse any values received within the timeframe provided to a single value received from the upstream publisher within the time window. The value chosen within the time window is influenced by the parameter `latest`.

If values are received very close to the edges of the time window, the results can be a little unexpected.

The operator takes a minimum of three parameters, `for`: an amount of time over which to collapse the values received, `scheduler`: a scheduler on which to apply the operations, and `latest`: a boolean indicating if the first value or last value should be chosen.

This operator is often used with removeDuplicates when the publishing source is bound to UI interactions, primarily to prevent an "edit and revert" style of interaction from triggering unnecessary work.

```swift
.throttle(for: 0.5, scheduler: RunLoop.main, latest: false)
```

> ⚠️ In iOS 13.2 the behavior for setting `latest` to false appears to have changed from previous releases. This was reported to apple as Feedback FB7424221. This behavior changed again in Xcode 11.3 (iOS 13.3), most notably in changes when the upstream publisher starts with an initial value (such as @Published). This results in extraneous early results (in iOS 13.3). After the initial sliding window expires the results get far more consistent.
>
> If you are relying on specific timing for some of your functions, double check you systems with tests to verify the behavior. The outputs for timing scenarios are detailed in comments within the throttle unit tests
> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DebounceAndRemoveDuplicatesPublisherTests.swift)
> written for this book.

timeout

Summary

Terminates publishing if the upstream publisher exceeds the specified time interval without producing an element.

Constraints on connected publisher

Requires the failure type to be `<Never>`.

docs

https://developer.apple.com/documentation/combine/publishers/timeout

Usage

unit tests illustrating using `retry` and `timeout` with `dataTaskPublisher`:
UsingCombineTests/DataTaskPublisherTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/DataTaskPublisherTests.swift)

Details

`Timeout` will force a resolution to a pipeline after a given amount of time, but does not guarantee either data or errors, only a completion. If a `timeout` does trigger and force a completion, it will not generate an failure completion with an error.

`Timeout` is specified with two parameters: `time` and `scheduler`.

If you are using a specific background thread (for example, with the subscribe operator), then timeout should likely be using the same scheduler.

The time period specified will take a literal integer, but otherwise needs to conform to the protocol SchedulerTimeIntervalConvertible (https://developer.apple.com/documentation/combine/schedulertimeintervalconvertible). If you want to set a number from a `Float` or `Int`, you need to create the relevant structure, as `Int` or `Float` does not conform to `SchedulerTimeIntervalConvertible`. For example, while using a `DispatchQueue`, you could use DispatchQueue.SchedulerTimeType.Stride
(https://developer.apple.com/documentation/dispatch/dispatchqueue/schedulertimetype/stride).

```swift
let remoteDataPublisher = urlSession.dataTaskPublisher(for: self.mockURL!)
    .delay(for: 2, scheduler: backgroundQueue)
    .retry(5) // 5 retries, 2 seconds each ~ 10 seconds for this to fall through
    .timeout(5, scheduler: backgroundQueue) // max time of 5 seconds before failing
    .tryMap { data, response -> Data in
        guard let httpResponse = response as? HTTPURLResponse,
            httpResponse.statusCode == 200 else {
                throw TestFailureCondition.invalidServerResponse
        }
        return data
    }
    .decode(type: PostmanEchoTimeStampCheckResponse.self, decoder: JSONDecoder())
    .subscribe(on: backgroundQueue)
    .eraseToAnyPublisher()
```

Encoding and decoding

encode

Summary

Encode converts the output from upstream Encodable object using a specified TopLevelEncoder. For example, use `JSONEncoder` or `PropertyListEncoder` ..

Constraints on connected publisher

Available when the output type conforms to `Encodable` .

docs

https://developer.apple.com/documentation/combine/publishers/encode

Usage

unit tests illustrating using `encode` and `decode` : `UsingCombineTests/EncodeDecodeTests.swift`
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/EncodeDecodeTests.swift)

Details

The `encode` operator takes a single parameter: `encoder` This is an instance of an object conforming to TopLevelEncoder (https://developer.apple.com/documentation/combine/toplevelencoder). Frequently it is an instance of JSONEncoder (https://developer.apple.com/documentation/foundation/jsonencoder) or PropertyListEncoder (https://developer.apple.com/documentation/foundation/propertylistencoder).

```swift
fileprivate struct PostmanEchoTimeStampCheckResponse: Codable {
    let valid: Bool
}

let dataProvider = PassthroughSubject<PostmanEchoTimeStampCheckResponse, Never>()
    .encode(encoder: JSONEncoder())
    .sink { data in
        print(".sink() data received \(data)")
        let stringRepresentation = String(data: data, encoding: .utf8)
        print(stringRepresentation)
    })
```

Like the decode operator, the encode process can also fail and throw an error. Therefore it also returns a failure type of `<Error>` .

> 💡 A common issue is if you try to pass an optional type to the `encode` operator. This results in a error from the compiler. In these cases, either you can change the type from optional to a concrete type with the tryMap operator, or use an operator such as replaceNil to provide concrete values.

decode

Summary

A commonly desirede operation is to decode some provided data, so Combine provides the `decode` operator suited to that task.

Constraints on connected publisher

Available when the output type conforms to `Decodable` .

🍎 *docs*

https://developer.apple.com/documentation/combine/publishers/decode

Usage

Making a network request with dataTaskPublisher

Stricter request processing with dataTaskPublisher

Using catch to handle errors in a one-shot pipeline

Retrying in the event of a temporary failure

unit tests illustrating using `encode` and `decode`: `UsingCombineTests/EncodeDecodeTests.swift` (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/EncodeDecodeTests.swift)

Details

The `decode` operator takes two parameters:

`type` which is typically a reference to a struct you defined

`decoder` an instance of an object conforming to TopLevelDecoder (https://developer.apple.com/documentation/combine/topleveldecoder), frequently an instance of JSONDecoder (https://developer.apple.com/documentation/foundation/jsondecoder) or PropertyListDecoder (https://developer.apple.com/documentation/foundation/propertylistdecoder).

Since decoding can fail, the operator returns a failure type of `Error`. The data type returned by the operator is defined by the type you provided to decode.

```swift
let testUrlString = "https://postman-echo.com/time/valid?timestamp=2016-10-10"
// checks the validity of a timestamp - this one should return {"valid":true}
// matching the data structure returned from https://postman-echo.com/time/valid
fileprivate struct PostmanEchoTimeStampCheckResponse: Decodable, Hashable {
    let valid: Bool
}

let remoteDataPublisher = URLSession.shared.dataTaskPublisher(for: URL(string: testUrlString)!)
    // the dataTaskPublisher output combination is (data: Data, response: URLResponse)
    .map { $0.data }
    .decode(type: PostmanEchoTimeStampCheckResponse.self, decoder: JSONDecoder())
```

Working with multiple subscribers

share

Summary

A publisher implemented as a class, which otherwise behaves like its upstream publisher.

Constraints on connected publisher

none

🍎 *docs*

https://developer.apple.com/documentation/combine/publishers/share

Usage

`share` and `MulticastPublisher` are illustrated in the unit tests
UsingCombineTests/MulticastSharePublisherTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MulticastSharePublisherTests.swift)

Details

A publisher is often a struct within swift, following value semantics. `share` is used when you want to create a
publisher that is a class following reference semantics. This is most frequently employed when creating a publisher
that does expensive work so that you can isolate the expensive work and share it out to multiple subscribers.

Very often, you will see `share` used in coordination with multicast to create a shared instance of a publisher and have
multiple subscribers connected to that single publisher.

```swift
let pipelineFork = PassthroughSubject<Data, Error>()
let expensivePublisher = somepublisher
    .share()
    .multicast(subject: pipelineFork)
```

multicast

Summary

Use a multicast publisher when you have multiple downstream subscribers, but you want upstream publishers to
only process one receive(_:) call per event.

Constraints on connected publisher

none

🍎 *docs*

https://developer.apple.com/documentation/combine/publishers/multicast

Usage

`share` and `MulticastPublisher` are illustrated in the unit tests
UsingCombineTests/MulticastSharePublisherTests.swift
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/MulticastSharePublisherTests.swift)

Details

A multicast publisher provides a means of consolidating the requests of data from a publisher into a single request. A multicast publisher does not change data or types within a pipeline. It does provide a bastion for subscriptions so that when demand is created from one subscriber, multiple subscribers can benefit from it. It effectively allows one value to go to multiple subscribers.

Multicast is often created after using share on a publisher to create a reference object as a publisher. This allows you to consolidate expensive queries, such as external network requests, and provide the data to multiple consumers.

When creating using multicast, you either provide a Subjects (with the parameter `subject) or create a Subjects inline in a closure.

```swift
let pipelineFork = PassthroughSubject<Bool, Error>()
let multicastPublisher = somepublisher.multicast(subject: pipelineFork)
```

```swift
let multicastPublisher = somepublisher
    .multicast {
        PassthroughSubject<Bool, Error>()
    }
```

A multicast publisher does not cache or maintain the history of a value. If a multicast publisher is already making a request and another subscriber is added after the data has been returned to previously connected subscribers, new subscribers may only get a a completion. For this reason, multicast returns a connectable publisher.

> When making a multicast publisher, make sure you explicitly connect the publishers or you will see no data flow through your pipeline. Do this either using `connect()` on your publisher after all subscribers have been connected, or by using `autoconnect()` to enable the connection on the first subscription..

Debugging

breakpoint

Summary

The `breakpoint` operator raises a debugger signal when a provided closure identifies the need to stop the process in the debugger.

Constraints on connected publisher

none

docs

https://developer.apple.com/documentation/combine/publishers/breakpoint

Usage

Debugging pipelines with the debugger

Details

When any of the provided closures returns true, this publisher raises a `SIGTRAP` signal to stop the process in the debugger. Otherwise, this publisher passes through values and completions.

The operator takes 3 optional closures as parameters, used to trigger when to raise a `SIGTRAP` signal:

receiveSubscription

receiveOutput

receiveCompletion

```SWIFT
.breakpoint(receiveSubscription: { subscription in
    return false // return true to throw SIGTRAP and invoke the debugger
}, receiveOutput: { value in
    return false // return true to throw SIGTRAP and invoke the debugger
}, receiveCompletion: { completion in
    return false // return true to throw SIGTRAP and invoke the debugger
})
```

breakpointOnError

Summary

Raises a debugger signal upon receiving a failure.

Constraints on connected publisher

none

🍎 *docs*

https://developer.apple.com/documentation/combine/publishers/breakpoint/3205192-breakpointonerror

Usage

Debugging pipelines with the debugger

Details

`breakpointOnError` is a convenience method used to raise a `SIGTRAP` signal when an error is propagated through it within a pipeline.

```SWIFT
.breakpointOnError()
```

handleEvents

Summary

`handleEvents` is an all purpose operator that allow you to specify closures be invoked when publisher events occur.

Constraints on connected publisher

none

🍎 *docs*

https://developer.apple.com/documentation/combine/publishers/handleevents

Usage

unit tests illustrating using `handleEvents`: <u>UsingCombineTests/HandleEventsPublisherTests.swift</u>
(https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/HandleEventsPublisherTests.swift)

Debugging pipelines with the handleEvents operator

Details

handleEvents does not require any parameters, allowing you to specify a response to specific publisher events. Optional closures can be provided for the following events:

receiveSubscription

receiveOutput

receiveCompletion

receiveCancel

receiveRequest

All of the closures are expected to return Void, which makes handleEvents useful for intentionally creating side effects based on what is happening in the pipeline.

You could, for example, use handleEvents to update an activityIndicator UI element, triggering it on with the receipt of the subscription, and terminating with the receipt of either cancel or completion.

If you only want to view the information flowing through the pipeline, you might consider using the print operator instead.

```swift
.handleEvents(receiveSubscription: { _ in
    DispatchQueue.main.async {
        self.activityIndicator.startAnimating()
    }
}, receiveCompletion: { _ in
    DispatchQueue.main.async {
        self.activityIndicator.stopAnimating()
    }
}, receiveCancel: {
    DispatchQueue.main.async {
        self.activityIndicator.stopAnimating()
    }
})
```

print

Summary

Prints log messages for all publishing events.

Constraints on connected publisher

none

docs

https://developer.apple.com/documentation/combine/publishers/print

Usage

unit tests illustrating using print : UsingCombineTests/PublisherTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/PublisherTests.swift)

Debugging pipelines with the print operator

Details

The print operator does not require a parameter, but if provided will prepend it to any console output.

`Print` is incredibly useful to see "what's happening" within a pipeline, and can be used as *printf debugging* within the pipeline.

Most of the example tests illustrating the operators within this reference use a `print` operator to provide additional text output to illustrate lifecycle events.

The `print` operator is not directly integrated with Apple's unified logging, although there is an optional `to` parameter that lets you specific an instance conforming to [TextOutputStream](https://developer.apple.com/documentation/swift/textoutputstream) to which it will send the output.

```swift
let _ = foo.$username
    .print(self.debugDescription)
    .tryMap({ myValue -> String in
        if (myValue == "boom") {
            throw FailureCondition.selfDestruct
        }
        return "mappedValue"
    })
```

Scheduler and Thread handling operators

receive

Summary

> `Receive` defines the scheduler on which to receive elements from the publisher.

Constraints on connected publisher

> *none*

 docs

> `receive` (https://developer.apple.com/documentation/combine/publisher/3204743-receive)

Usage

> Creating a subscriber with assign shows an example of using `receive` with `assign` to set an a boolean property on a UI element.
>
> unit tests illustrating using `assign` with a `dataTaskPublisher`, as well as `subscribe` and `receive`: UsingCombineTests/SubscribeReceiveAssignTests.swift (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SubscribeReceiveAssignTests.swift)

Details

> `Receive` takes a single required parameter (`on:`) which accepts a scheduler, and an optional parameter (`optional:`) which can accept `SchedulerOptions`. Scheduler (https://developer.apple.com/documentation/combine/scheduler) is a protocol in Combine, with the conforming types that are commonly used of RunLoop (https://developer.apple.com/documentation/foundation/runloop), DispatchQueue (https://developer.apple.com/documentation/dispatch/dispatchqueue) and OperationQueue (https://developer.apple.com/documentation/foundation/operationqueue). `Receive` is frequently used with assign to make sure any following pipeline invocations happen on a specific thread, such as `RunLoop.main` when updating user interface objects. `Receive` effects itself and any operators chained after it, but not previous operators.

If you want to influence a previously chained publishers (or operators) for where to run, you may want to look at the subscribe operator. Alternately, you may also want to put a `receive` operator earlier in the pipeline.

```swift
examplePublisher.receive(on: RunLoop.main)
```

subscribe

Summary

> `Subscribe` defines the scheduler on which to run a publisher in a pipeline.

Constraints on connected publisher

> *none*

 docs

> `subscribe` (https://developer.apple.com/documentation/combine/anypublisher/3204260-subscribe)

Usage

> Creating a subscriber with assign shows an example of using assign to set an a boolean property on a UI element.

unit tests illustrating using an `assign` subscriber in a pipeline from a `dataTaskPublisher` with `subscribe` and `receive`: <u>UsingCombineTests/SubscribeReceiveAssignTests.swift</u> (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SubscribeReceiveAssignTests.swift)

Details

`Subscribe` assigns a scheduler to the preceding pipeline invocation. It is relatively infrequently used, specifically to encourage a publisher such as Just or Deferred to run on a specific queue. If you want to control which queue operators run on, then it is more common to use the receive operator, which effects all following operators and subscribers.

`Subscribe` takes a single required parameter (`on:`) which accepts a scheduler, and an optional parameter (`optional:`) which can accept `SchedulerOptions`. <u>Scheduler</u> (https://developer.apple.com/documentation/combine/scheduler) is a protocol in Combine, with the conforming types that are commonly used of <u>RunLoop</u> (https://developer.apple.com/documentation/foundation/runloop), <u>DispatchQueue</u> (https://developer.apple.com/documentation/dispatch/dispatchqueue) and <u>OperationQueue</u> (https://developer.apple.com/documentation/foundation/operationqueue).

`Subscribe` effects a subset of the functions, and does not guarantee that a publisher will run on that queue. In particular, it effects a publishers `receive` function, the subscribers `request` function, and the `cancel` function. Some publishers (such as URLSession.dataTaskPublisher) have complex internals that will run on alternative queues based on their configuration, and will be relatively uneffected by `subscribe`.

```swift
networkDataPublisher
    .subscribe(on: backgroundQueue)   1
    .receive(on: RunLoop.main)   2
    .assign(to: \.text, on: yourLabel)   3
```

1. the `subscribe` call requests the publisher (and any pipeline invocations before this in a chain) be invoked on the backgroundQueue.

2. the `receive` call transfers the data to the main runloop, suitable for updating user interface elements

3. the `assign` call uses the assign subscriber to update the property `text` on a KVO compliant object, in this case `yourLabel`.

> When creating a `DispatchQueue` to use with Combine publishers on background threads, it is recommended that you use a regular serial queue rather than a concurrent queue <u>to allow Combine to adhere to its contracts</u> (https://forums.swift.org/t/runloop-main-or-dispatchqueue-main-when-using-combine-scheduler/26635/4). That is: **do not** create the queue with `attributes: .concurrent`.
>
> This is not enforced by the compiler or any internal framework constraints.

Type erasure operators

eraseToAnyPublisher

Summary

The `eraseToAnyPublisher` operator takes a publisher and provides a type erased instance of AnyPublisher.

Constraints on connected publisher

none

 docs

https://developer.apple.com/documentation/combine/anypublisher

Usage

Wrapping an asynchronous call with a Future to create a one-shot publisher

Cascading multiple UI updates, including a network request

Details

When chaining operators together, the resulting type signature accumulates all the various types. This can get complicated quite quickly, and can provide an unnessecarily complex signature for an API.

`eraseToAnyPublisher` takes the signature and "erases" the type back to the common type of `AnyPublisher`. This provides a cleaner type for external declarations. Combine was created prior to Swift 5 inclusion of opaque types, which may have been an alternative.

```swift
.eraseToAnyPublisher()  1
```
SWIFT

1 `eraseToAnyPublisher` is often at the end of chains of operators, cleaning up the signature of the returned property.

AnySubscriber

Summary

The `AnySubscriber` provides a type erased instance of AnySubscriber.

Constraints on connected publisher

none

 docs

https://developer.apple.com/documentation/combine/anysubscriber

Usage

none

Details

Use an `AnySubscriber` to wrap an existing subscriber whose details you don't want to expose. You can also use `AnySubscriber` to create a custom subscriber by providing closures for the methods defined in `Subscriber`, rather than implementing `Subscriber` directly.

Subjects

General information on Subjects can be found in the Core Concepts section.

currentValueSubject

Summary

`CurrentValueSubject` creates an object that can be used to integrate imperative code into a pipeline, starting with an initial value.

 docs

CurrentValueSubject (https://developer.apple.com/documentation/combine/currentvaluesubject)

Usage

Cascading UI updates including a network request

Details

`currentValueSubject` creates an instance to which you can attach multiple subscribers. When creating a `currentValueSubject`, you do so with an initial value of the relevant output type for the Subject.

`CurrentValueSubject` remembers the current value so that when a subscriber is attached, it immediately receives the current value. When a subscriber is connected and requests data, the initial value is sent. Further calls to `.send()` afterwards will then pass through values to any subscribers.

PassthroughSubject

Summary

`PassthroughSubject` creates an object that can be used to integrate imperative code into a Combine pipeline.

 docs

PassthroughSubject (https://developer.apple.com/documentation/combine/passthroughsubject)

Usage

Cascading UI updates including a network request

Details

`PassthroughSubject` creates an instance to which you can attach multiple subscribers. When it is created, only the types are defined.

When a subscriber is connected and requests data, it will not receive any values until a `.send()` call is invoked. `PassthroughSubject` doesn't maintain any state, it only passes through provided values. Calls to `.send()` will then send values to any subscribers.

`PassthroughSubject` is commonly used in scenarios where you want to create a publisher from imperative code. One example of this might be a publisher from a delegate callback structure, common in Apple's APIs. Another common use is to test subscribers and pipelines, providing you with imperative control of when events are sent within a pipeline.

This is very useful when creating tests, as you can put when data is sent to a pipeline under test control.

Subscribers

For general information about subscribers and how they fit with publishers and operators, see Subscribers.

assign

Summary

Assign creates a subscriber used to update a property on a KVO compliant object.

Constraints on connected publisher

Failure type must be `<Never>`.

docs

assign (https://developer.apple.com/documentation/combine/subscribers/assign)

Usage

Creating a subscriber with assign shows an example of using `assign` to set an a boolean property on a UI element.

unit tests illustrating using an `assign` subscriber in a pipeline from a `dataTaskPublisher` with `subscribe` and `receive`: `UsingCombineTests/SubscribeReceiveAssignTests.swift` (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SubscribeReceiveAssignTests.swift)

Details

`Assign` only handles data, and expects all errors or failures to be handled in the pipeline before it is invoked. The return value from setting up `assign` can be cancelled, and is frequently used when disabling the pipeline, such as when a viewController is disabled or deallocated. `Assign` is frequently used in conjunction with the receive operator to receive values on a specific scheduler, typically `RunLoop.main` when updating UI objects.

The type of `KeyPath` required for the `assign` operator is important. It requires a `ReferenceWritableKeyPath`, which is different from both `WritableKeyPath` and `KeyPath`. In particular, `ReferenceWritableKeyPath` requires that the object you're writing to is a reference type (an instance of a class), as well as being publicly writable. A `WritableKeyPath` is one that's a mutable value reference (a mutable struct), and `KeyPath` reflects that the object is simply readable by keypath, but not mutable.

It is not always clear (for example, while using code-completion from the editor) what a property may reflect.

```swift
examplePublisher
    .receive(on: RunLoop.main)
    .assign(to: \.text, on: yourLabel)
```

An error you may see:

```
Cannot convert value of type 'KeyPath<SomeObject, Bool>' to specified type
'ReferenceWritableKeyPath<SomeObject, Bool>'
```

This happens when you are attempting to assign to a property that is read-only. An example of this is UIActivityIndicator's `isAnimating` property.

Another error you might see on using the `assign` operator is:

⚠️

> ```
> Type of expression is ambiguous without more context
> ```
>
> This error can occur when you are attempting to assign a non-optional type to a keypath that expects has an optional type. For example, `UIImageView.image` is of type `UIImage?`, so attempting to assign an output type of `UIImage` from a previous operator would result in this error message.
>
> The solution is to either use sink, or to include a `map` operator prior to assignment that changes the output type to match. For example, to convert the type `UIImage` to `UIImage?` you could use:
>
> ```swift
>                                                                                    SWIFT
> .map { image -> UIImage? in
>     image
> }
> ```

sink

Summary

`Sink` creates an all-purpose subscriber. At a minimum, you provide a closure to receive values, and optionally a closure that receives completions.

Constraints on connected publisher

none

🍎 docs

[sink](https://developer.apple.com/documentation/combine/subscribers/sink) (https://developer.apple.com/documentation/combine/subscribers/sink)

Usage

Creating a subscriber with sink shows an example of creating a `sink` that receives both completion messages as well as data from the publisher.

unit tests illustrating a `sink` subscriber and how it works: [UsingCombineTests/SinkSubscriberTests.swift](https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SinkSubscriberTests.swift) (https://github.com/heckj/swiftui-notes/blob/master/UsingCombineTests/SinkSubscriberTests.swift)

Details

There are two forms of the `sink` operator. The first is the simplest form, taking a single closure, receiving only the values from the pipeline (if and when provided by the publisher). Using the simpler version comes with a constraint: the failure type of the pipeline must be `<Never>`. If you are working with a pipeline that has a failure type other than `<Never>` you need to use the two closure version or add error handling into the pipeline itself.

An example of the simple form of `sink`:

```swift
                                                                                    SWIFT
let examplePublisher = Just(5)

let cancellable = examplePublisher.sink { value in
    print(".sink() received \(String(describing: value))")
}
```

Be aware that the closure may be called repeatedly. How often it is called depends on the pipeline to which it is subscribing. The closure you provide is invoked for every update that the publisher provides, up until the completion, and prior to any cancellation.

It may be tempting to ignore the cancellable you get returned from `sink`. For example, the code:

```swift
let _ = examplePublisher.sink { value in
    print(".sink() received \(String(describing: value))")
}
```

However, this has the side effect that as soon as the function returns, the ignored variable is deallocated, causing the pipeline to be cancelled. If you want the pipeline to operate beyond the scope of the function (you probably do), then assign it to a longer lived variable that doesn't get deallocated until much later. Simply including a variable declaration in the enclosing object is often a good solution.

The second form of `sink` takes two closures, the first of which receives the data from the pipeline, and the second receives pipeline completion messages. The closure parameters are `receiveCompletion` and `receiveValue`: A `.failure` completion may also encapsulate an error.

An example of the two-closure `sink`:

```swift
let examplePublisher = Just(5)

let cancellable = examplePublisher.sink(receiveCompletion: { err in
    print(".sink() received the completion", String(describing: err))
}, receiveValue: { value in
    print(".sink() received \(String(describing: value))")
})
```

The type that is passed into `receiveCompletion` is the enum `Subscribers.Completion` (https://developer.apple.com/documentation/combine/subscribers/completion). The completion `.failure` incudes an `Error` wrapped within it, providing access to the underlying cause of the failure. To get to the error within the `.failure` completion, `switch` on the returned completion to determine if it is `.finished` or `.failure`, and then pull out the error.

When you chain a `.sink` subscriber onto a publisher (or pipeline), the result is cancellable. At any time before the publisher sends a completion, the subscriber can send a cancellation and invalidate the pipeline. After a cancel is sent, no further values will be received.

```swift
let simplePublisher = PassthroughSubject<String, Never>()
let cancellablePipeline = simplePublisher.sink { data in
  // do what you need with the data...
}

cancellablePublisher.cancel() // when invoked, this invalidates the pipeline
// no further data will be received by the sink
```

Similiar to publishers having a type-erased struct AnyPublisher to expose publishers through an API, subscribers have an equivalent: AnyCancellable. This is often used with `sink` to convert the resulting type into `AnyCancellable`.

onReceive

Summary

`onReceive` is a subscriber built into SwiftUI that allows publishers to be linked into local views to trigger relevant state changes.

Constraints on connected publisher

Failure type must be `<Never>`

docs

[onReceive](https://developer.apple.com/documentation/swiftui/tupleview/3365870-onreceive) (https://developer.apple.com/documentation/swiftui/tupleview/3365870-onreceive)

Usage

The SwiftUI example code at [SwiftUI-Notes/HeadingView.swift](https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-Notes/HeadingView.swift) (https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-Notes/HeadingView.swift)

The SwiftUI example code at [SwiftUI-Notes/ReactiveForm.swift](https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-Notes/ReactiveForm.swift) (https://github.com/heckj/swiftui-notes/blob/master/SwiftUI-Notes/ReactiveForm.swift)

Details

`onReceive` is a subscriber, taking a reference to a publisher, a closure which is invoked when the publisher provided to `onReceive` receives data. This acts very similarly to the sink subscriber with a single closure, including requiring that the failure type of the publisher be `<Never>`. `onReceive` does not automatically invalidate the view, but allows the developers to react to the published data in whatever way is appropriate - this could be updating some local view property (`@State`) with the value directly, or first transforming the data in some fashion.

A common example of this with SwiftUI is hooking up a publisher created from a `Timer`, which generates a `Date` reference, and using that to trigger an update to a view from a timer.

AnyCancellable

Summary

`AnyCancellable` type erases a subscriber to the general form of [Cancellable](https://developer.apple.com/documentation/combine/cancellable) (https://developer.apple.com/documentation/combine/cancellable).

docs

https://developer.apple.com/documentation/combine/anycancellable

Usage

Declarative UI updates from user input

Cascading UI updates including a network request

Creating a repeating publisher by wrapping a delegate based API

Details

This is used to provide a reference to a subscriber that allows the use of `cancel` without access to the subscription itself to request items. This is most typically used when you want a reference to a subscriber to clean it up on deallocation. Since the assign returns an `AnyCancellable`, this is often used when you want to save the reference to a sink an `AnyCancellable`.

```swift
                                                                                    SWIFT
var mySubscriber: AnyCancellable?

let mySinkSubscriber = remotePublisher
    .sink { data in
        print("received ", data)
    }
mySubscriber = AnyCancellable(mySinkSubscriber)
```

A pattern that is supported with Combine is collecting `AnyCancellable` references into a set and then saving references to the cancellable subscribers with a `store` method.

```swift
                                                                   SWIFT
    private var cancellableSet: Set<AnyCancellable> = []

    let mySinkSubscriber = remotePublisher
        .sink { data in
            print("received ", data)
        }
        .store(in: &cancellableSet)
```

Version 1.1
Last updated 2020-04-03 22:12:01 UTC