Dependent variable: traffic fatality rate (deaths per 10,000).							
Regressor	(1)	(2)	(3)	(4)	(5)	(6)	(7)
Beer tax	0.36 (0.05) [0.26, 0.46]	-0.66 (0.29) [-1.23, -0.09]	-0.64 (0.36) [-1.35, 0.07]	-0.45 (0.30) [-1.04,0.14]	-0.69 (0.35) [-138,0.00]	-0.46 (0.31) [-1.07, 0.15]	-0.93 (0.34) [-1.60, -0.26
Drinking age 18		0.10		0.03 (0.07) [-0.11, 0.17]	-0.01 (0.08) [-0.17,0.15]		0.04 (0.10) [-0.16, 0.24]
Drinking age 19				-0.02 (0.05) [-0.12,0.08]	-0.08 (0.07) [-0.21, 0.06]		-0.07 (0.10) [-0.26, 0.13]
Drinking age 20				0.03 (0.05) [-0.07, 0.13]	-0.10 (0.06) [-0.21, 0.01]		-0.11 (0.13) [-0.36, 0.14]
Drinking age						0.00 (0.02) [-0.05, 0.04]	
Mandatory jail or community service?				0.04 (0.10) [-0.17,0.25]	0.09 (0.11) [-0.14, 0.31]	0.04 (0.10) [-0.17, 0.25]	0.09 (0.16) [-0.24, 0.42]
Average vehicle miles per driver				0.008 (0.007)	0.017 (0.011)	0.009 (0.007)	0.124 (0.049)
Unemployment rate				-0.063 (0.013)		-0.063 (0.013)	-0.091 (0.021)
Real income per capita (logarithm)				1.82 (0.64)		1.79 (0.64)	1.00 (0.68)
Years	1982-88	1982-88	1982-88	1982-88	1982-88	1982-88	1982 & 1988 only
State effects?	no	yes	yes	yes	yes	yes	yes
Time effects?	no	no	yes	yes	yes	yes	yes
Clustered standard errors?	no	yes	yes	yes	yes	yes	yes
F-Statistics and p-Value	s Testing Excl	usion of Group	s of Variables				
Time effects = 0			4.22 (0.002)	10.12 (<0.001)	3.48 (0.006)	10.28 (<0.001)	3749 (<0.001)
Drinking age coefficients = 0				0.35 (0.786)	1.41 (0.253)		0.42 (0.738)
Unemployment rate, income per capita = 0				29.62 (<0.001)		31.96 (<0.001)	25.20 (<0.001)
$\overline{R}^2$	0.091	0.889	0.891	0.926	0.893	0.926	0.899
These regressions were a to 1988, and regression ( are given in parentheses cients, and p-values are a	<ol><li>uses data fr under the cor</li></ol>	rom 1982 and 19 efficients, 95% of	388 only. The confidence int	lata set is desc	ribed in Appo	endix 10.1. Sta	ndard errors

## **Problems and Applications**

a. New Jersey has a population of 8.1 million people. Suppose New Jersey increased the tax on a case of beer by \$1 (in 1988 dollars). Use the results in column (4) to predict the number of lives that would be saved over the next year. Construct a 95% confidence interval for your answer.

With a \$1 increase in the beer tax, the expected number of lives that would be saved is 0.45 per 10,000 people. Since New Jersey has a population of 8.1 million, the expected number of lives saved is about

$$0.45 \cdot 8.1 \cdot 10^6 / 10^4 = 0.45 \cdot 810 \approx 365$$

The coefficient on BeerTax is measured with imprecision, since the standard error is large (0.30 is not much smaller than 0.45), so we expect a relatively wide confidence interval. The 95% confidence interval is:

$$(0.45 \pm 1.96 \cdot 0.30) \cdot 810 \approx [-112, 841]$$

This confidence interval is quite wide and does not exclude the possibility that an increase in the beer tax would increase fatalities!

## **Problems and Applications**

Stock & Watson, Introduction (4th), Chapter 10, Exercise 1.

This exercise refers to the drunk driving panel data regressions summarized in Table 10.1.

- a. New Jersey has a population of 8.1 million people. Suppose New Jersey increased the tax on a case of beer by \$1 (in 1988 dollars). Use the results in column (4) to predict the number of lives that would be saved over the next year. Construct a 95% confidence interval for your answer.
- b. The drinking age in New Jersey is 21. Suppose New Jersey lowered its drinking age to 18. Use the results in column (4) to predict the change in the number of traffic fatalities in the next year. Construct a 95% confidence interval for your answer.
- c. Should time effects be included in the regression? Why or why not?
- d. A researcher conjectures that the unemployment rate has a different effect on traffic fatalities in the western states than in the other states. How would you test this hypothesis? (Be specific about the specification of the regression and the statistical test you would use.)

# **Problems and Applications**

b. The drinking age in New Jersey is 21. Suppose New Jersey lowered its drinking age to 18. Use the results in column (4) to predict the change in the number of traffic fatalities in the next year. Construct a 95% confidence interval for your answer.

If New Jersey lowered the drinking age from 21 to 18, the expected fatality rate would increase by 0.03 deaths per 10,000.

The standard error is large, so we expect a relatively wide confidence interval. The 95% confidence interval for the change in death rate is:

$$(0.03 \pm 1.96 \cdot 0.07) \cdot 810 \approx [-87, 136]$$

## **Problems and Applications**

c. Should time effects be included in the regression? Why or why not?

The F-statistic associated with time fixed effects is 10.12, with associated p-value smaller than 0.001, suggesting that the time effects should be included in the regression.

## **Problems and Applications**

d. How would you test this hypothesis?

The conjecture can be tested with a test of the significance of the coefficient  $\beta_{WU}$ . After estimating the regression, the t-statistic would be computed from the estimated coefficients and standard errors.

$$\begin{split} H_0: \ \beta_{WU} &= 0 \\ H_1: \ \beta_{WU} &\neq 0 \\ t &= \frac{\hat{\beta}_{WU}}{\text{SE}(\hat{\beta}_{WU})} \\ t &> t_{\text{crit}} \implies \text{Reject } H_0 \end{split}$$

where the critical value  $t_{\text{crit}}$  for significance level 0.05 is  $t_{\text{crit}} = 1.96$ .

### **Problems and Applications**

d. A researcher conjectures that the unemployment rate has a different effect on traffic fatalities in the western states than in the other states. How would you test this hypothesis?

The hypothesis singles out the western states, so define a binary variable West=1 for the western states and West=0 for all other states. The hypothesis singles out the unemployment rate in the western states, so we include the interaction term  $West \times Unemp$ , where Unemp is the unemployment rate variable. Our baseline regression is in column (4), so we include the control variables listed in that column, which we denote Z.

$$\begin{aligned} FatalityRate &= \beta_0 + \beta_1 \; BeerTax + \beta_Z \; Z \\ &+ \beta_W \; West + \beta_U \; Unemp + \beta_{WU} \; West \times \; Unemp + u \end{aligned}$$

The coefficient  $\beta_W$  captures the fixed effect associated with the western states, that is the effect that is orthogonal to the effect of the unemployment rate Unemp. The coefficient  $\beta_U$  captures the average effect in the unemployment rate in the other states, while  $\beta_U+\beta_{WU}$  captures the effect of the unemployment rate in the western states. The difference in the effect of the unemployment rate in the western states is therefore  $\beta_{WU}$ .