Advanced Sass Features

Jason Roberts DontCodeTired.com @robertsjason





Performing Mathematical Calculations

Multiplication, subtraction, division, etc. Explicit division operator

Parent Selectors in Nested Rules

a:visited

Overview

Lists of Values

Space/comma delimited List functions

Passing Content to Mixins

Pass properties to a content enabled mixin Combine content with media query mixins

Variable Number of Mixin Arguments

Similar to params in C#

Color Functions

Lighten
Darken
Mix colors together

Conditional IF Logic

Ensuring minimum mixin parameter values

Overview

Loops

Counter-based for loops List based foreach loops

Non-Generating Base Selectors

Reduce .CSS clutter

Nested Properties

Shorthand for "namespaced" properties

Performing Mathematical Calculations

Multiplication, subtraction, division, etc. (400px / 2)

Parent Selectors in Nested Rules

&:hover body.logged-in &

Summary

Lists of Values

10px 20px 30px 40px red, green, black Functions: Length, nth

Passing Content to Mixins

@contentCombine @content and media query mixins

Variable Number of Mixin Arguments

@mixin shadow(\$shadows...)

Color Functions

Lighten Adjust-hue Saturate

Conditional IF Logic

@if ... @else

Summary

Loops

@for \$i from 1 through 5
@each \$color in \$tile-colors

Non-Generating Base Selectors

%tile

@extend %tile;

Nested Properties

Shorthand for "namespaced" properties font-family, font-size, font-weight, font-style