



```
<?xml version="1.0" encoding="utf-8"?>
<selector xmlns:android="http://schemas.android.com/apk/res/android">
    <item android:color="@color/white" android:state_checked="false" />
    <item android:color="@color/yellow" android:state_checked="true"/>
</selector>
```

Tạo 3 biểu tượng vector asset: home_white.xml, person_white.xml và setting_white.xml



```
<?xml version="1.0" encoding="utf-8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android">
    <item
        android:id="@+id/person"
        android:title="Person"
        android:icon="@drawable/person_white"/>
    <item
        android:id="@+id/home"
        android:title="Home"
        android:icon="@drawable/home_white"/>
    <item
        android:id="@+id/settings"
        android:title="Settings"
        android:icon="@drawable/settings_white"/>
</menu>
```

▼ layout

- </> activity_main.xml
- </> fragment_first.xml
- </> fragment_second.xml
- </> fragment_third.xml

Fragment_first.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="#FFFFFF"
    tools:context=".MainActivity">

    <TextView
        android:id="@+id/firstFragment"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Person"
        android:textColor="#43a047"
        android:textSize="40sp"
        android:textStyle="italic|bold"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.5"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

Fragment_second.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="#FFFFFF"
    tools:context=".MainActivity">

    <TextView
        android:id="@+id/secondFragment"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Home"

    </TextView>
```

```

        android:textColor="#43a047"
        android:textSize="40sp"
        android:textStyle="italic|bold"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.5"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>

```

Fragment_third.xml

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="#DC6C6C"
    tools:context=".MainActivity">

    <TextView
        android:id="@+id/secondFragment"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Setting"
        android:textColor="#43a047"
        android:textSize="40sp"
        android:textStyle="italic|bold"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.5"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>

```

Activity_main.xml

```

<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:theme="@style/Base.Theme.ViewPagerNNavigation"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <androidx.viewpager.widget.ViewPager
        android:id="@+id/view_pager"

```


```

        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:layout_above="@id/bottom_navigation"/>

<com.google.android.material.bottomnavigation.BottomNavigationView
    android:id="@+id/bottom_navigation"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="#009688"
    android:layout_alignParentBottom="true"
    app:itemTextColor="@color/color_navigation"
    app:itemIconTint="@color/color_navigation"
    app:labelVisibilityMode="labeled"
    app:menu="@menu/menu_navigation"
/>

</RelativeLayout>

```



ViewPagerAdapter.java

```

package com.ptithcm.viewpagernavigation;

import androidx.annotation.NonNull;
import androidx.fragment.app.Fragment;
import androidx.fragment.app.FragmentManager;
import androidx.fragment.app.FragmentStatePagerAdapter;
import androidx.lifecycle.Lifecycle;
import androidx.viewpager2.adapter.FragmentStateAdapter;

public class ViewPagerAdater extends FragmentStatePagerAdapter {

    public ViewPagerAdater(@NonNull FragmentManager fm, int behavior) {
        super(fm, behavior);
    }

    @NonNull
    @Override
    public Fragment getItem(int position) {

        switch (position) {
            case 0:

```

```

        return new FirstFragment();
    case 1:
        return new SecondFragment();
    case 2:
        return new ThirdFragment();
    }
    return null;
}

@Override
public int getCount() {
    return 3;
}
}

```

Mainactivity.java

```

package com.ptithcm.viewpagernavigation;

import android.graphics.drawable.ColorDrawable;
import android.os.Bundle;
import android.view.MenuItem;

import androidx.activity.EdgeToEdge;
import androidx.annotation.NonNull;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;
import androidx.fragment.app.FragmentStatePagerAdapter;
import androidx.viewpager.widget.ViewPager;

import com.google.android.material.bottomnavigation.BottomNavigationView;

public class MainActivity extends AppCompatActivity {

    ViewPager mViewPager;
    BottomNavigationView mBottomNavigationView;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        EdgeToEdge.enable(this);
        setContentView(R.layout.activity_main);

        mViewPager = findViewById(R.id.view_pager);
        mBottomNavigationView = findViewById(R.id.bottom_navigation);

        //getSupportActionBar().setBackgroundDrawable(new
        ColorDrawable(getResources().getColor(R.color.colorAccent)));
        ViewpagerAdater viewpagerAdater = new
        ViewPagerAdater(getSupportFragmentManager(),
        FragmentStatePagerAdapter.BEHAVIOR_RESUME_ONLY_CURRENT_FRAGMENT);
        mViewPager.setAdapter(viewpagerAdater);
    }
}

```

```

mViewPager.setCurrentItem(0);

getSupportActionBar().setTitle("Person");

mViewPager.addOnPageChangeListener(new
ViewPager.OnPageChangeListener() {
    @Override
    public void onPageScrolled(int position, float positionOffset,
int positionOffsetPixels) {
    }
    @Override
    public void onPageSelected(int position) {
        switch (position){
            case 0:

mBottomNavigationView.getMenu().findItem(R.id.person).setChecked(true);
                getSupportActionBar().setTitle("Person");
                break;
            case 1:

mBottomNavigationView.getMenu().findItem(R.id.home).setChecked(true);
                getSupportActionBar().setTitle("Home");
                break;
            case 2:

mBottomNavigationView.getMenu().findItem(R.id.settings).setChecked(true);
                getSupportActionBar().setTitle("Setting");
                break;
        }
    }
    @Override
    public void onPageScrollStateChanged(int state) {
    }
});
mBottomNavigationView.setOnNavigationItemSelectedListener(new
BottomNavigationView.OnNavigationItemSelectedListener() {
    @Override
    public boolean onNavigationItemSelected(@NonNull MenuItem item) {
        switch (item.getItemId()){
            case R.id.person:
                mViewPager.setCurrentItem(0);
                getSupportActionBar().setTitle("Person");
                break;
            case R.id.home:
                mViewPager.setCurrentItem(1);
                getSupportActionBar().setTitle("Home");
                break;
            case R.id.settings:
                mViewPager.setCurrentItem(2);
                getSupportActionBar().setTitle("Setting");
                break;
        }
        return true;
    }
});

```

```
}  
  
}
```