




Aluminium monostearate

Aluminium monostearate



Names

IUPAC name

Dihydroxy(stearoyloxy)aluminium

Other names

Aluminum monostearate; Dibasic aluminum stearate;
Dihydroxyaluminum stearate;
Dihydroxy(octadecanoato-O-)aluminium;
Dihydroxy(stearato)aluminium

Identifiers

CAS Number

7047-84-9 (https://com monchemistry.cas.org/detail?cas_rn=7047-84-9) ✓

3D model (JSmol)

Interactive image (<http://chemapps.stolaf.edu/jmol/jmol.php?model=CCCCCCCCCCCCCCCCCCC%28O%5BAI%5D%28O%29O%29%3DO>)

ChEBI

CHEBI:31197 (<https://www.ebi.ac.uk/chebi/searchId.do?chebiId=31197>) ✓

ChEMBL

ChEMBL3185220 (<https://www.ebi.ac.uk/chembl/db/index.php/compound/inspect/ChEMBL3185220>)

ChemSpider

11983 (<https://www.chemspider.com/Chemical-Structure.11983.html>) ✓

<u>DrugBank</u>	DB01375 (https://www.drugbank.ca/drugs/DB01375) ✓
<u>ECHA InfoCard</u>	100.027.568 (https://echa.europa.eu/substance-information/-/substanceinfo/100.027.568)
<u>EC Number</u>	230-325-5
<u>KEGG</u>	D01867 (https://www.kegg.jp/entry/D01867)
<u>PubChem CID</u>	16682987 (https://pubchem.ncbi.nlm.nih.gov/compound/16682987)
<u>UNII</u>	P9BC99461E (https://precision.fda.gov/unii/P9BC99461E)
<u>CompTox Dashboard (EPA)</u>	DTXSID9048697 (https://comptox.epa.gov/dashboard/chemical/details/DTXSID9048697)
<u>InChI</u>	
InChI=1S/3C18H36O2.Al/c3*1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18(19)20;/h3*2-17H2,1H3,(H,19,20);/q;;;+3/p-3 ✓ Key: CEGOLXSVJUTHNZ-UHFFFAOYSA-K ✓	
InChI=1S/3C18H36O2.Al/c3*1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18(19)20;/h3*2-17H2,1H3,(H,19,20);/q;;;+3/p-3 Key: CEGOLXSVJUTHNZ-UHFFFAOYSA-K	
<u>SMILES</u>	
CCCCCCCCCCCCCCCC(O[Al])(O)O=O	
Properties	
<u>Chemical formula</u>	C ₁₈ H ₃₇ AlO ₄
<u>Molar mass</u>	344.472 g·mol ⁻¹

Except where otherwise noted, data are given for materials in their standard state (at 25 °C [77 °F], 100 kPa).

✓ verify (what is ✗ ?)

Infobox references

Aluminium monostearate is an organic compound which is a salt of stearic acid and aluminium. It has the molecular formula $\text{Al}(\text{OH})_2\text{C}_{18}\text{H}_{35}\text{O}_2$. It is also referred to as dihydroxy(octadecanoato-O-)aluminium or dihydroxy(stearato)aluminium.

Uses

It is used to form gels in the packaging of pharmaceuticals, and in the preparation of colors for cosmetics. It is usually safe in commercial products, but aluminium may accumulate in the body.^[1]

References

1. "Drug safety" (<https://web.archive.org/web/20071008233100/http://admin.safescript.com/drugcgic.cgi/INGR?33833025+0#PHARM>). Archived from the original (<http://admin.safescript.com/drugcgic.cgi/INGR?33833025+0>) on 2007-10-08. Retrieved 2005-12-05.

Retrieved from "https://en.wikipedia.org/w/index.php?title=Aluminium_monostearate&oldid=1143862872"

■