

RESEARCH ONE-PAGER

TB-500

Thymosin beta-4 fragment · cell-migration research

10 mg lyophilized vials

OVERVIEW

TB-500 is a synthetic piece of thymosin beta-4. It is studied as a transportation peptide — how repair signals and cells get to the site — next to BPC-157's tissue-repair side.

IN PLAIN LANGUAGE

In everyday terms, TB-500 is the transportation peptide: it is looked at for getting repair activity where it needs to go, for flexibility, and for recovery after strain. Pair it with BPC-157 and you have the Wolverine blend.

WHAT RESEARCHERS LOOK AT

- Transportation of repair activity to the site
- Flexibility, actin, and connective-tissue research
- A system-level recovery signal next to BPC-157's local tissue repair
- Inflammation and recovery-after-strain models
- The second half of HarmonyX's Wolverine vial

LABORATORY RECONSTITUTION

Reconstitute aseptically with bacteriostatic water. Invert gently until dissolved; do not shake vigorously. A common laboratory starting point is 2 mL bacteriostatic water per 10 mg of peptide (5 mg/mL). Match the volume to the vial on the bench and confirm against the laboratory SOP. Aliquot if the design requires repeated sampling. Offered as 10 mg lyophilized vials.

STORAGE

Lyophilized: refrigerate, protected from light and moisture. After reconstitution: refrigerate and follow laboratory SOP (commonly 14–30 days with bacteriostatic water). Avoid repeated freeze–thaw cycles.

RESEARCH USE ONLY

The language above is a plain-English reading of published research interests. It is not medical advice and not a claim that this product treats, prevents, or diagnoses any condition. This material is not a drug or cosmetic, and it is not intended for human or veterinary use. HarmonyX supplies it to qualified research purchasers for laboratory work. Certificates of analysis are available on request.

Questions on this vial? Paul and Thabby review every request.

research@harmony-x.com · 360-910-6274