

RESEARCH ONE-PAGER

ARA-290

Innate repair receptor · tissue-protective research

10 mg lyophilized vials

OVERVIEW

ARA-290 (cibinetide) is a small erythropoietin-derived peptide. It is studied for the innate repair receptor — a tissue-protective, anti-inflammatory pathway — without the red-blood-cell effect people associate with EPO.

IN PLAIN LANGUAGE

In plain language, ARA-290 is looked at as “repair signaling without thickening the blood.” People reach for it in nerve-comfort, inflammation, and tissue-protection research.

WHAT RESEARCHERS LOOK AT

- Nerve-comfort and neuropathic-pathway research
- Inflammation-calming, tissue-protective signaling
- Innate repair receptor activation without EPO’s blood-cell effect
- Small-fiber and metabolic-nerve research models
- A complement to BPC-157 / TB-500 in a different repair lane

LABORATORY RECONSTITUTION

Reconstitute aseptically with bacteriostatic water. Invert gently until dissolved; do not shake vigorously. A common laboratory starting point is 2 mL bacteriostatic water per 10 mg of peptide (5 mg/mL). Match the volume to the vial on the bench and confirm against the laboratory SOP. Aliquot if the design requires repeated sampling. Offered as 10 mg lyophilized vials.

STORAGE

Lyophilized: refrigerate, protected from light and moisture. After reconstitution: refrigerate and follow laboratory SOP (commonly 14–30 days with bacteriostatic water). Avoid repeated freeze–thaw cycles.

RESEARCH USE ONLY

The language above is a plain-English reading of published research interests. It is not medical advice and not a claim that this product treats, prevents, or diagnoses any condition. This material is not a drug or cosmetic, and it is not intended for human or veterinary use. HarmonyX supplies it to qualified research purchasers for laboratory work. Certificates of analysis are available on request.

Questions on this vial? Paul and Thabby review every request.

research@harmony-x.com · 360-910-6274