

RFQ: Website and Dashboard Implementation

V7

Updates in V7:

1. Specifying CRM and emphasizing UTM capturing.
2. Choice of 3 checkout capital/level packages

1.0 Executive Summary

Stack Trading is seeking a **Technical Implementation Partner** to build our Marketing Website and Trader Dashboard (Desktop and Mobile).

Assets Provided:

- UI Kit (Figma), Typography
- Motion Videos
- UI Interactions: Source files + Tokenized motion sheet (cubic-bezier curves, duration, mass, tension, friction etc).
- Vector Animations: Delivered as Lottie JSON les.
- Heavy Visual (Level Up): Delivered as both WebM and HEVC / H.265 les with alpha channels.

2.0 Scope of Work

- **Input:** High-fidelity Figma files.
- **Platform:** Webflow (maybe) or [Next.js](#) (preferred). Sanity.io (CMS) or other headless
- Why we prefer Next.js:
 - Supports custom multi-step funnel and conditional payment UI without platform constraints. Webflow is excellent for CMS-driven marketing pages, but custom checkout logic (dynamic steps, conditional rendering by gateway, retries, sanctions gates) is significantly more brittle and harder to test/maintain.
 - Provides component-level reuse for pixel-perfect design tokens and UI kits.
 - Enables deeper integration patterns (API proxy routes, server-side validation, auth/session, analytics).
 - Supports systematic refactoring, shared component libraries across marketing + funnel, and safe rollouts.
 - Better suited for scale-out needs without platform constraints.
 - With Webflow it would be difficult to achieve target core web vitals, and SEO etc
- **Infrastructure:** Must support high-volume traffic (AWS/Vercel) and achieve 95+ Core Web Vitals.
- **Mandate:**

- **Pixel Perfection:** Significant time was spent on layer compositions to achieve exact gradients, textures, and the premium dark mode aesthetic. We expect a pixel-perfect representation of the Figma files.
- **Mobile Responsiveness/Versions:** A fully responsive mobile version is required for both the marketing website and the dashboard, aligning with the mobile layouts provided by Orizon. Note they did not provide every single screen here but are providing the pattern.
- **CRM:** Setup of ActiveCampaign (CRM of record) to centralize all user lifecycle data and waitlist leads. All frontend form submissions (waitlist, newsletter) must pass user data (email + UTM parameters) through Zapier webhooks to ActiveCampaign to ensure full attribution.
- **Attribution:** Implementation of GTM, GA4, and the Impact Universal Tracking Tag (UTT) across all funnel pages to enable cross-device attribution, alongside server-side tracking to capture conversions post-NMI/Triple-A clearance. The frontend must embed the ActiveCampaign site tracking code across all public and authenticated web pages to monitor website visitors so we can compile real-time lead lifecycle analytics.
- **CMS:** Setup of easy-to-edit collections for Blog, Video Library, FAQs, and Team.
- **Newsletter Capture:** Implementation of the "Subscribe to Our Future Newsletter" Figma. The form must push the captured email directly to the ActiveCampaign API to initiate the top-of-funnel nurture sequence.
- **Cryptographic Ledger Integration:** Implementation of the "Live Payout Ledger" component on the homepage. Agency A (Backend) will provide a cached REST endpoint (GET /public/ledger) containing the latest verified events. The frontend must simply poll this endpoint every 5 minutes and map the JSON array to the scrolling ticker UI.
- **Templates:** Reusable CMS templates for "Competitor Comparison" and "Insights" SEO pages.

3.0 Components

Part A: Marketing Website Implementation


Sitemap


Global Header Items (5 Total)

[THE ASSOCIATE TRACK] [THE CAREER PATH] [TRADING ▼] [ABOUT US] [RESOURCES ▼]

Dropdown Contents:

- **TRADING** (The SEO Bucket - Split into 2 Columns in the menu)
 - Column 1: Markets (Personas)
 - Futures Traders
 - Forex Traders
 - Crypto Traders
 - Column 2: Strategies (Use Cases)
 - News & Events
 - Scalping
 - Swing Trading
- **RESOURCES**
 - The Rules
 - The Trading Floor
 - Insights
 - Compare
 - Partners
 - Help Center / FAQ





Template System

#	Template System	Content Strategy & Use Case
01	Home Page	The Brand Hero. Custom animation, trust anchors, primary routing.
02	The Associate Track	Sales Engine. The conversion page with the Pricing Toggle (Futures/FX/Crypto) and Checkout.
03	Career Path	The Differentiator. Visual grid showing the W2 scaling model

04	The Trading Floor	Community Vibe. Visual showcase of Discord, Squawk Box, and Mentorship.
05	Market Vertical	SEO. One flexible layout used 6 times (Futures, Forex, Crypto, News, Scalping, Swing).
06	Comparison Hub	The Narrative. Visual storytelling page. "Stack vs. Casinos" and "Stack vs. Legacy Firms."
07	<i>Comparison Matrix (Part of Hub)</i>	The Data. Clean table design for the 20+ specific competitor pages (Stack vs Topstep, Stack vs FTMO etc).
08	Insights System	Media Hub. Handles the Article Index (Feed) and the Single Post View (Video/Text).
09	The Rules	Clarity. A dedicated, highly readable layout for Trading Parameters and Drawdown logic.
10	About Us	Trust. Founder story, "Why Us?"; Regulatory pursuit. Real people, real office etc. Not a server in Dubai/island..
11	Partners	Affiliates. A dedicated landing page for influencers/B2B partners.
12	Utility Suite	General & System. A clean text layout used for FAQ, Privacy, Terms, Risk Disclosure and the 404 Error Page .

Trustpilot Integration (Website)

- **Trustpilot UI Kit:** Agency B must utilize the official Trustpilot TrustBox assets provided in the Figma UI Kit or Trustpilot's Kit itself.
- **Dynamic Counter & Ratings:** The website header, footer and testimonial sections must implement the Trustpilot TrustBox widget script to dynamically fetch real-time star ratings and review counts.
- **Testimonial Feeds:** Use the Trustpilot API to pull "Verified" reviews into the testimonial slider. This should then be implemented like in the Figma with the appropriate branding and scroll.
- **Data Source:** Data Source: The backend (Agency A) will provide two endpoints: GET /community/trustpilot-stats and GET /community/testimonials that proxy the Trustpilot API to prevent exposing API keys on the frontend.
- **Fallback:** If the API returns an error, the component must hide gracefully (or show a static, pre-approved testimonial set) rather than breaking the layout.

Comparison and Insights Hub (Media Hub)

The Comparison Hub Page (Index):

Structure: Split the page into two distinct "Wars". We are priced above the Casino firms, and below the Legacy/Tier 1 firms.

- Section 1: Stack vs. The Casinos (Safety, Rules & Payouts)
 - *The Narrative:* Regulated US Banking vs. Offshore. Real Liquidity vs. B-Book/Sim Only.
 - *The Links:* Immediately under this text, display a Grid of Links to the specific "Casino" competitors ("Stack vs Topstep", "Stack vs. Apex," "Stack vs. Lucid" etc).
- Section 2: Stack vs. The Legacy Firms (Accessability, Career & Scaling)
 - *The Narrative:* Meritocracy vs. Pay-to-Play. Zero Capital Contribution vs. \$5k+ Deposits.
 - *The Links:* Immediately under this text, display a Grid of Links to the specific "Legacy" competitors ("Stack vs. Maverick," "Stack vs. SMB" etc).

The Specific Competitor Pages (Template 07):

- Style: Product Battle Cards.
- Visual Reference: Look at ClickUp.
- Constraint: These need the SEO text depth of an article, but I don't think we want them to *look* like blog posts. Use Data Tables, Winner Banners, and Feature Matrices to break up the content.

Insights Hub Page (Index):

Concept: We are building a Media Library, not just a blog.

The Hub (Index)... it needs to be a Media Library. Think Netflix or Slack Resources. High-visual, horizontal rails. Hero: A large featured slot for the latest video/update

The Single Post Page (Article/Video): I've been reading [Siege Media's Best Practices](#). We're going with the Reco (Article) approach for structure.

1. Video First: The layout must assume a YouTube embed sits at the top of most pages.
2. The "Key Takeaways" Box: A distinct background-colored block immediately under the H1/Video. (Good for Featured Snippets).
3. Sticky Table of Contents:
 - Desktop: Suggest wireframing this as a Sticky Right/Left Rail (always visible). Do not hide it in an accordion on desktop, we want users to see the depth of the content.
 - Mobile: This can collapse into an Accordion.

Part B: Associate Track Check Out

Overall: The checkout process is to be built as a centralized Next.js application page. Performance marketing agencies will only build external landing pages and drive traffic to this locked-down checkout via standard URL parameters. Agency B is **not** responsible for building embeddable widgets, portable JavaScript libraries, or dynamic hydration engines for external domains.

This is a standard, self-contained ecommerce flow designed for straightforward implementation. All UI elements, modal overlays, processing states, and failure banners must match provided Orizon design files.

Step 0: System Initialization & Access Gates

On page load, the application must call **GET /system/status**. The response payload (required_flow, methods, is_launch_phase, historical_pass_rate, country, region) must be saved to the global checkout state.

Gate 1 (Inventory Throttling):

- If **allow_signups** is **FALSE**: The Checkout flow must be completely replaced by a "Waitlist" Lead Capture Form (Email + Name). This form should just submit directly to the CRM API so it isn't lost.

Gate 2: Geoblock

- **Headline (H3):** Access Restricted
- **Action (Flow F - Absolute Geoblock):** If the API returns an HTTP 403 Forbidden, the application must execute a hard stop. The entire checkout UI must be replaced with an inline red warning displaying the following exact text: "Due to regulatory restrictions, Stack Trading cannot accept clients from your region." The user cannot proceed.

Pricing Engine: If both gates are passed, the frontend must parse the current_price, is_founder_cohort, and founder_count variables from the payload to dynamically populate the pricing displayed on the sales page, preventing hardcoded mismatches.

Step 1: Product Configurator

- **Headline (H3):** Select Your Asset Class
- **UI Elements:** Large, highly clickable selection cards.
- **Action:** User selects Asset Class (Futures via CME or Forex via Institutional Liquidity). Stores selection in session state.

Step2: Capital Allocation Selection

- **Headline (H3):** Evaluation: Select Your Capital Allocation Path
- **UI Elements (Pricing Anchor):** Render a 3-card layout side-by-side. Apply a subtle glow or shadow depth to the middle card to make it stand out without being overt.

Card Title	Advanced Associate Track	Accelerated Associate Track	Associate Track
Price	\$4,500	\$1,250	\$650
Status/Ribbon	<i>Recommended for Pros</i>	<i>Best Value</i>	<i>Foundation</i>
Evaluation Requirements	\$150,000 Notional 14% Target / 7.5% Stop (Static)	\$50,000 Notional 14% Target / 7.5% Stop (Static)	\$25,000 Notional 14% Target / 7.5% Stop (Static)

2. Upon Passing Section (Rendered within or below the cards):

Career Ladder Entry Upon Passing	Level 5	Level 2	Level 1
Distance to W2 (or international retainer) Offer	1 Promotion Away	4 Promotions Away	5 Promotions Away
Live Capital Allocation	\$150,000 Notional (7 ES equivalent)	\$50,000 Notional (16 Micros equivalent)	\$25,000 Notional (8 Micros equivalent)
Live Stop Loss *	\$10,500 (Firm takes 100% of the risk)	\$2,500 (Firm takes 100% of the risk)	\$1,250 (Firm takes 100% of the risk)
Live Profit Target	\$14,100	\$3,750	\$1,875

- **Tooltip Implementation:** Append a tooltip icon to the "Live Stop Loss *" header text containing: "If you pass the evaluation, the firm backs your account with this exact

amount of real capital at risk. We absorb the losses so you can focus on execution."

- **Asset Class Sub-Selection:** Below the pricing cards, render large, highly clickable selection cards for Asset Class (Futures via CME or Forex via Institutional Liquidity).
- **Action:** User selects the Allocation Path and Asset Class. Stores both selections in session state and sets the specific product_id (e.g., EVAL_L1, EVAL_L2, EVAL_L5) for the checkout payload.

Step 3: Platform Selection

- **Headline (H3):** Choose Your Execution Platform
- **UI Elements:** Pure logo-driven selection tiles. Do not include feature text or bullet points here. The Figma file will represent this.
- **Dynamic Data Source:** The platform list must not be hardcoded. Call [GET /public/platform-options?asset_class=\[selection\]](#) to dynamically retrieve and populate the compatible frontend software.
- **Action:** User clicks their preferred Platform.

Step 4: Market Data Selection & Compliance (Futures Only)

- **Headline (H3):** Market Data
- **Dynamic Data Source:** Call [GET /public/market-data-products](#) to retrieve current availability and pricing.
- **UI Elements:** A selection grid of toggle switches or checkboxes.
 - The checked CME option must be highlighted with high contrast (bright white text, active toggle state).
 - Unchecked options must remain the exact same font size but use a muted, lower opacity text color (50 percent grey) to de-emphasize them without breaking grid integrity.
- **Action:** Interface must dynamically display "Cost: \$0.00 (Covered by Stack Trading)" for all selected options.
- **Market Data Lifecycle Disclosure:** Place a clean, muted text block underneath the module containing this exact copy:
 - *Associate Track Evaluation: The Firm pays 100 percent of data costs.*
 - *Level 1 and 2: The Trader pays (Standard Exchange Professional Data rates apply).*
 - *Level 3: The Trader is 100% fully reimbursed for Level 1 and 2 market data costs incurred.*
 - *Level 3 to Level 24: The Firm pays 100% of data costs.*

Step 5: PII Capture and Compliance

- **NOTE:** Agency B must dynamically render specific legal disclaimers, checkboxes, and

language localization based on the required_flow, is_launch_phase, and historical_pass_rate parameters returned by the backend API.


- **Headline (H3):** Trader Details
- **UI Elements:** Clean, single-column input fields for Name, Email, Billing Address, Country, State/Province/Region, and a Shirt Size (Tops: Hoodie, Shirt) dropdown menu including S, M, L, XL, and XXL
- **Cart Abandonment Protocol:** The frontend must execute an onBlur event trigger the exact moment the user finishes typing their email address. The backend must instantly capture and save this data as a "Pending Order".
- **UTM Tracking Initialization:** The frontend must automatically read and parse all standard UTM parameters (utm_source, utm_medium, utm_campaign, utm_term, utm_content) from the browser URL string on page initialization and store them in the active checkout session state.
- **Tax Priming:** Upon Country and State selection, a micro-interaction must display a small loading spinner next to the field for half a second with the text "Calculating regional taxes." Call `POST /calculate-cart`. Input: product_id="NEW_EVALUATION", addon_ids=[array_of_selected_market_data], billing_country, billing_region, and user_ip.
- **Sanctions Gate (Critical Secondary Failsafe):** If the user bypassed the Step 0 Geo-IP check using a VPN but inputs a restricted address, the calculate-cart API will return HTTP 403 Forbidden. The form must execute a hard stop with an inline red warning: "Due to regulatory restrictions, Stack Trading cannot accept clients from [Country] - [Region]." The user cannot proceed.
- **Display Text (Legally Required):** "HYPOTHETICAL OR SIMULATED PERFORMANCE RESULTS HAVE CERTAIN LIMITATIONS. UNLIKE AN ACTUAL PERFORMANCE RECORD, SIMULATED RESULTS DO NOT REPRESENT ACTUAL TRADING. ALSO, SINCE THE TRADES HAVE NOT ACTUALLY BEEN EXECUTED, THE RESULTS MAY HAVE UNDER-OR-OVER COMPENSATED FOR THE IMPACT, IF ANY, OF CERTAIN MARKET FACTORS, SUCH AS LACK OF LIQUIDITY. SIMULATED TRADING PROGRAMS IN GENERAL ARE ALSO SUBJECT TO THE FACT THAT THEY ARE DESIGNED WITH THE BENEFIT OF HINDSIGHT. NO REPRESENTATION IS BEING MADE THAT ANY ACCOUNT WILL OR IS LIKELY TO ACHIEVE PROFITS OR LOSSES SIMILAR TO THOSE SHOWN."
- **IF required_flow == 'FLOW_B' (UK & Australia):**
 - IF is_launch_phase == TRUE
 - Append "This is a newly launched proprietary trading evaluation program. Historical pass-rate and success data is currently unavailable."
 - ELSE
 - Append "Historically, only [historical_pass_rate]% of participants successfully pass the evaluation to become authorized traders."
- **IF required_flow == 'FLOW_C' (EU/EEA):**
 - IF is_launch_phase == TRUE
 - Append "This is a newly launched proprietary trading evaluation program. Historical pass-rate and success data is currently unavailable."

- ELSE
 - Append "Historically, only [historical_pass_rate]% of participants successfully pass the evaluation to become authorized traders."
- EU/EEA Specific Checkbox: Implement a mandatory, unchecked checkbox. Text: "I expressly consent to the immediate commencement of the digital evaluation service and waive my 14-day right of withdrawal under EU consumer protection law."
- **IF required_flow == 'FLOW_D' (Quebec):**
 - **Localization:** Force the entire Checkout UI and ad copy to render natively in French.
- **IF required_flow == 'FLOW_E' (UAE):**
 - **Render Additional Disclaimer:** Text "Stack Trading is a U.S.-domiciled entity and is not licensed, registered, or regulated by the Dubai Financial Services Authority (DFSA) or the Abu Dhabi Global Market (ADGM)."
- **IF required_flow == 'FLOW_G' (India):** No specific disclaimer required on this step. For Step 5, ensure the UI is fully dynamic, as the backend will automatically exclude the 'CC' (Credit Card) object from the payload array for this region. Do not hardcode payment methods.
- **IF required_flow == 'FLOW_H' (Philippines):** No specific disclaimer required on this step.
- **IF required_flow == 'FLOW_I' (Brazil):** No specific disclaimer required on this step.
- **IF required_flow == 'FLOW_J' (South Africa):** No specific disclaimer required on this step.
- **Checkbox 1:** Implement a mandatory, unchecked checkbox. Text: "I acknowledge that I am purchasing a skills assessment software evaluation for commercial purposes to secure an independent contractor agreement with a US-domiciled C-Corporation, and I am not opening a retail financial, brokerage, or investment account."
- **Checkbox 2:** Implement a mandatory, unchecked checkbox. Text: "I confirm that I am at least 18 years of age and agree to the Terms of Service for the Data Processing and Performance Evaluation Service (Associate Track)." The user cannot proceed to the next step until this is checked.
- **Action:** Next Button (disabled until all data is entered, Compliance Gate is checked and the `POST /calculate-cart` Sanctions Gate returns a successful HTTP 200 response, checkboxes are all complete.

Step 6: Checkout & Payment Selection

- **Headline (H3):** Secure Checkout
- **UI Layout:** Single-page ecommerce checkout. The payment selection panel is anchored on the left.
- **Value Reinforcement Block:** Directly above the financials, implement a subtle green checkmark list:
 - Instant Platform Credentials

- Zero Trailing Drawdowns & No Consistency Rules
 - One-Time Fee (Zero Activation or Monthly Fees)
- **Promo Code Integration:** Expandable text link reading "Have a promo code?" above the subtotal. It must only reveal the input field and explicit "Apply" button when clicked. Call `POST /calculate-cart` when the user clicks "Apply" or triggers an `onBlur` event. Input: `product_id="NEW_EVALUATION"`, `addon_ids=[array_of_selected_market_data]`, `promo_code`, `billing_country`, `billing_region`, and `user_ip`. Adjust the total instantly.
- **Line Items:** Must explicitly display "Associate Track Evaluation Price", "Tax", and "Total" utilizing the exact values returned by the `calculate-cart` payload.
- **Dynamic Data Source:** Do not make a new API call. Read the methods array previously saved to state from `GET /system/status` in Step 0
- **Payment Selection Elements:** Render high-contrast toggle buttons mapped from the API response. Agency B must parse the dynamic API payload to construct the UI without breaking mobile containers.
 - **OS Detection:** Agency B must apply client-side environment detection to the API payload to filter Apple Pay or Google Pay visibility based on the user operating system and browser.
 - **Labeling:** Render the short `label` string next to the radio button.
 - **Inline Icon Rendering:** Dynamically render the payment rail icons (based on the `icon_tags` array) inline with the label. Map the strings (e.g. "pix", "gcash") to SVG assets in the UI kit. Do not display aggregator corporate logos (Nomupay, EBANX, Dusupay) in this row.
 - **Defaults:** Agency B must force the first available option in the payload array to be pre-selected by default upon successful API load.



- **Payment Method Execution Logic:** Selection of a method must immediately render the appropriate execution environment via an on-page DOM swap. Render the ``explanatory_text`` string in the informational text block directly below the payment selection list. Display the gold action button dynamically populated with the ``cta_text`` string.
 - **Credit Card State:** Integrate NMI Collect.js to inject secure, NMI-hosted fields directly into the checkout page for PCI compliance. Custom HTML inputs are

- prohibited. Clicking the action button triggers the submission.
- **Crypto State:** Invokes a custom Triple-A modal. This modal design is provided that includes currency selection, 25-minute rate timer, and QR code.
- **Regional Aggregator State:** If Nomupay, EBANX, or Dusupay is selected, clicking the action button triggers the execution API to fetch and mount the provider's hosted desktop pop-up modal over the checkout UI.
- **Apple Pay & Google Pay State:** Utilizes the NMI Apple Pay and Google Pay web integration methods to invoke the native device wallets.
- **Skrill State:** Invokes a Skrill modal utilizing the Skrill Quick Checkout interface.
- **Trust Anchors:** Prominently display 256-bit SSL encryption icons, PCI-DSS compliance badges, and recognizable payment logos directly below the input fields.
- **Asynchronous Success Routing:** For methods utilizing modals or native wallets (Crypto, Bank, Skrill, Apple/Google Pay), Agency B must implement a WebSocket listener tied to the active checkout session. When the backend broadcasts the PAYMENT_RESULT event, the frontend must automatically route the user to the dedicated Payment Success or Payment Failure screen based on the status received.

Step 7: Order Processing & Provisioning

- **Phase 1: Payment Verification**
 - **Headline (H4):** Processing Payment.
 - **Action:** Call POST /execute-checkout. Input: product_id="NEW_EVALUATION", addon_ids=[array_of_selected_market_data], promo_code, billing_country, billing_region, payment_method, payment_token, utm_source, utm_medium, utm_campaign, utm_term, and utm_content.

The frontend must silently capture and append the following hidden payload parameters to the request: user_ip (string), timestamp_utc (string), the impact_click_id parsed from the Impact UTT cookie, and all stored session UTM parameters to guarantee absolute conversion attribution mapping.

Upon clicking the payment button, the frontend must trigger the Orizon dark overlay with the gold spinner and the text: "Please do not refresh the page or click the back button. This may take a few moments." Disable the submit button to prevent duplicate charges.

- **Failure State:** If declined, remove overlay and display the Orizon red failure banner at the top of the checkout screen injecting the specific error reason provided by the processor.
- **Success State:** If cleared, display the "Payment Successful" dark confirmation overlay for 2 seconds, then automatically transition to Phase 2.
- **Phase 2: Provisioning Gate**
 - **Headline (H4):** Set your password to access the trading floor.
 - **UI Elements:** Clean input fields for Password Creation and a Phone Number

- field featuring an auto-formatting Country Code dropdown (with flag icons).
 - **Micro-copy:** *"We require your phone number to enable Two-Factor Authentication (2FA) and coordinate emergency Drawdown Defense protocols as you scale."*
 - **Password Validation:** Real-time, inline validation displaying green checkmarks as criteria are met: Minimum 6 characters, 1 uppercase, 1 lowercase, 1 number, 1 special symbol.
 - **Action:** User clicks a gold CTA button reading "Activate Account". Frontend calls `POST /claim-account`. Input: email, transaction_id (parsed from the Phase 1 Success payload), new_password, phone_number, and shirt_size.
- **Phase 3: Smooth Transition to Dashboard**
 - **URL Change:** The moment "Activate Account" is clicked, the URL in the browser address bar must instantly update to the dashboard domain while the modal remains active.
 - **Visual Elements:** Render the Orizon provided "Setting up your trading floor" interstitial screen within the checkout modal to visually mask backend provisioning lag.
 - **Final State:** Once the backend returns the session token, execute a seamless token handoff. The interstitial modal must dissolve directly, revealing the fully loaded, active Stack Trading Dashboard underneath.

Part C: Trader Dashboard Implementation

- **Input:** Comprehensive Dashboard UI Kit (Figma). Motion Files.
- **Tech Stack:** React.js, Tailwind CSS, State Management (Redux/Zustand).
- **Integration:** You will connect to a Node.js API (REST & WebSocket) provided by Agency A. Note: Agency A is responsible for calculating all metrics (Sharpe, Pulse, etc.) and generating LLM responses; you are responsible for consuming the API and visualizing them.
- **Security:** Secure Login/SSO screen with session management and recovery flows.
- **Trading Functionality:** None. Execution happens on external platforms.
- **Key Features:**
 - **Global Header Progress Bar:** A persistent visual progress bar tracking the "Daily loss limit" alongside time-based alert chips indicating session close.
 - **PnL Gauge:** A prominent, streaming account balance and PnL dial requiring explicit frontend state management for four distinct visual states: Starting point, Drawdown defense enabled, Breached (Account Disabled), and Level Up.
 - **Career Page - Interactive "Level Map"** tracking current progress across a 24-level tree diagram. This module requires UI toggles to dynamically update the viewable compensation variables based on the user's specific track: US (Flex), US (Standard), and International Contractor.

- **Journal** historic Heatmap & Daily Self-Rating Module. Typically a Monthly Calendar view. The self-rating journal entry must support an A+ through D grading rubric and three specific 5-point evaluation sliders: Entry quality, Exit quality, and Plan compliance text entry.
- **Position Monitor.** This will be a live grid showing Open Positions, Average Entry, P&L etc. Must include an "Est. Swap" column to account for overnight fees on Forex pairs.
- **Audio Player** (Squawk Stream). Must support Token-Based Authentication (appending JWT or Session Token to the stream request headers) to handshake with the secure Media Server.
- **Settings & Profile Module:** Includes Change Password, AI Chat Toggle, Billing Portal Link, Update Email, Update Phone. Must include a "Connections & Credentials" tab to fetch and display the user's platform credentials. Must include a "Reduce Motion" accessibility toggle.

- **Market Data Management**

- **Status Indicator:** A "Data Feed Status" badge (e.g. Green "Active" or Grey "Paused").

- **Button 1 (Reactivate):**

- **Condition:** Enabled only if status is "Inactive_Hold" (Paused due to inactivity or billing failure).
- **Action:** Call **POST /toggle-market-data** with `enable_data: true`.
- **UI:** If successful, display "Success" toast and refresh the connection credentials card.

- **Button 2 (Manage Add-ons):**

- **Action:** User clicks "Manage Market Data".
- **Data Source:** Call **GET /market-data-products** (Authenticated).
 - *Note:* This endpoint automatically filters out products the user already owns.
- **Selection:** User selects new premium feeds (e.g. NYMEX, CBOT).
- **Payment Action:**
 - Call **POST /execute-checkout**.
 - Input: `product_id="MARKET_DATA", addon_ids=[selected_ids], payment_method="CC", user_id`.
- **UI Requirement:**
 - Render the 1-Click Confirmation Modal. Display "Total: \$[Amount]" and "Pay with vaulted card". Do not ask the user to re-enter credit card details; the backend will execute against the vaulted token.

- **On Success:**
 - Wait for the status: "Success" response.
 - Display "Feeds Activated" toast.
 - Refresh Account State to show the new feeds as "Active".
- **Trading Terminal Access:**
 - Logic: If the user's platform_selection is "TradingView", dynamically render a prominent "Launch TV Web Terminal" button on the dashboard header.
 - Action: Executes a standard target="_blank" to launch a new window to tv.stacktrading.com (TradingView) using the credentials supplied in the API payload.
- **Career & HR Widget:** Displaying "Vacation Days," "Next Pay Date," and "Latest Certificate" (Data from Rippling), "Manage Payouts" (payout_portal_url string provided within the backend's Current Level Detail payload upon dashboard load. Executes a standard target="_blank" redirect to open the static vendor URL in a new browser tab)
 - There is also a red "Resign & Close Account Button" which should have friction behind it.
 - **Step 1 (Warning):** A modal appears with a stern warning: *"Resignation is immediate and irrevocable. All open positions will be flattened. All unvested profits will be forfeited. You will lose access to the trading floor immediately."*
 - **Step 2 (Confirmation):** The user must manually type a confirmation phrase (e.g. RESIGN or their username) to enable the final button. This prevents accidental clicks.
 - Sends a POST /resign request to Agency A's API.
 - Logs them out of the dashboard and disables access.
- **Viral Moment:** Implementing the "Level Up" animation and share logic. Full-screen celebration animations must include a "Replay animation" and "Share" button. The Certificate modal must feature a "Redacted version" toggle to hide Personally Identifiable Information before sharing, direct 1-click share buttons for X, LinkedIn, Facebook, Reddit, a Download option, and render a dynamic QR code utilizing the polygon_tx_hash.
- **Overnight Fees:** Must display Forex swap rates.
- **Equity Curve** (Historical + Intraday)
- **Notification Center:** Inbound stream of timestamped notifications. Bell icon if any unread. Requires a filtering engine allowing users to sort by 'All/Unread', 'Date', and specific 'Categories' (Risk Warning, Level Events, Payout Events, System Status, Mentor/Community Prompts).

- **Countdown Timer:** A persistent visual indicator of Days Remaining (days_remaining from API response).
- **Monetization & Recovery Modules** *specific UI/UX flows for Time Extensions and Failure Recovery” utilizing the Endpoints provided by Agency A.*
- **1. Time Extension Module**
 - Trigger: user is in the "Associate Track" (Sim) AND days_remaining < 10.
 - Visual: A "Pulse/Glow" effect on the existing "Days Remaining" counter.
 - UI Element: Reveal the "Extend Time" Button next to the counter.
 - **Action Flow:**
- **The Trigger:** The trader clicks the "Extend Time" button.
 - **Tax Priming:** The frontend must immediately call POST /calculate-cart passing product_id="EXTENSION".
 - **The Modal UI:** Render a 1-Click Confirmation Modal containing:
 - **Headline:** "Keep Your Progress. Add 30 Days."
 - **Line Items:** Explicitly display the Base Price, Tax, and Final Total using the exact values returned by the calculate-cart payload (International users will dynamically show \$0 tax).
 - **Vaulted Card Display:** Text indicating the active payment method (e.g. "Billed to Visa ending in 4242").
 - **Primary CTA Button:** A prominent button reading "Add 30 Days Now (\$[Final_Total])".
 - **Secondary Link:** A smaller text link reading "Change Payment Method".
 - **Path A (Change Payment Method):**
 - If the user clicks "Change Payment Method", the modal dynamically transitions to a "Secure Checkout" view.
 - **Critical Requirement:** Agency B must directly reuse the UI component from **Step 5 of the Associate Track Funnel** (rendering NMI Collect.js for Credit Card or Triple-A for Crypto).
 - Upon completing the secure checkout, the backend processes the payment and vaults the new card as the default. The modal closes, and the dashboard timer updates.
 - **Path B (1-Click Execution & UI Fallback):**
 - If the user clicks the Primary CTA, the frontend calls POST /purchase-time-extension.
 - If the backend successfully executes against an existing vaulted NMI card, the modal closes, and the dashboard timer immediately updates to show the new days_remaining. Apply a temporary glow or motion effect to the timer.
 - If the backend returns the UI Fallback payload (because the user lacks a vaulted NMI card), the frontend must instantly close the 1-Click modal and route the user to the standard Secure Checkout view to complete the transaction using their regional options.
- **2. Failure State Logic**

- Trigger: WebSocket event LEVEL_STOP_BREACH OR API endpoint Get Failure State returns is_breached: true.
- Visual State: The entire dashboard (Charts, PnL, Journal) must become desaturated and blurred ("Frosted Glass" effect). Interactions with the dashboard are blocked.
- Modal Overlay: You must render one of three distinct modals based on the user's Level and Status.

Scenario	Condition	Header & Copy	Call to Action (CTA)	Technical Action
A: Sim Reset	Level 0 (Challenge)	Header: "Risk Parameters Breached" Body: "Evaluation session closed." Timer: "Data archived on [archive_date]"	"Reset Associate Track (\$[Base_Price])" <i>(Price fetched via API)</i>	In-App Reset: 1. Frontend calls POST /calculate-cart passing product_id="RESET". 2. Render 1-Click Confirmation Modal displaying Base Price, Tax, and Final Total alongside the vaulted card. 3. Include a "Change Payment Method" link (triggers transition to Step 5 Secure Checkout UI). 4. Sanctions Gate (Critical Secondary Failsafe): If the user bypassed the Step 0 Geo-IP check using a VPN but inputs a restricted address, the API will return HTTP 403 Forbidden. The form must execute a hard stop with an inline red warning: "Due to regulatory restrictions, Stack Trading cannot accept clients from [Country] - [Region]." The user cannot proceed. 5. Primary CTA reads: "Reset Account Now (\$[Final_Total])". 6. Action: User clicks CTA ->

				Call POST /purchase-challenge-reset. 7. UI Fallback: If the API returns the fallback payload (no vaulted NMI card), close modal and route to standard Secure Checkout. 8. Unlock Dashboard and reset charts to "Day 1" upon success.
B: Live Failure	Level 1+ (Live)	Header: "Trading Authority Revoked" Body: "Live trading privileges revoked..." If Level 7+, append: "However, we would like to offer a token of our appreciation. A member of our team will contact you shortly to arrange an exit interview and Severance Payout"	"Start New Associate Track"	In-App Re-Buy (Seamless): 1. Frontend calls POST /calculate-cart passing product_id="REBUY". 2. Render 1-Click Confirmation Modal displaying Discounted Base Price, Tax, and Final Total alongside the vaulted card. 3. Include a "Change Payment Method" link (triggers transition to Step 5 Secure Checkout UI). 4. Sanctions Gate (Critical Secondary Failsafe): If the user bypassed the Step 0 Geo-IP check using a VPN but inputs a restricted address, the API will return HTTP 403 Forbidden. The form must execute a hard stop with an inline red warning: "Due to regulatory restrictions, Stack Trading cannot accept clients from [Country] - [Region]." The user cannot proceed. 5. Primary CTA reads: "Start New Track Now (\$[Final_Total])".

				6. Action: User clicks CTA -> Call POST /initiate-rebuy. 7. UI Fallback: If the API returns the fallback payload (no vaulted NMI card), close modal and route to standard Secure Checkout. 8. Unlock Dashboard and provision new account upon success.
C: Defense	Level 9+ AND Status ='SUSPENDED_DEFENSE'	Header: "Defense Protocol Activated" Body: "Mandatory 48-Hour Cooling-Off Period."	"Acknowledge"	ReadOnly Mode: 1. Closes the Modal. 2. Dashboard remains in "Shadow Mode" (ReadOnly) until the 48-hour timer expires. PnL Gauge is active since it shows them the timer.
D: Senior Exit	Level 6+ AND Status ='FAILED'	Header: "Senior Authority Revoked" Body: "We appreciate your contribution... A member of our team will call you..."	"Close Dashboard"	Logout Protocol: 1. The user clicks CTA. 2. Clear Session Tokens. 3. Redirect to Public Home.

- **Admin Impersonation Logic (Shadow Mode):**
 - **Trigger:** The App must listen for a specific URL parameter (e.g. ?shadow_user_id=XYZ) or trigger from the Admin search.
 - **The "Token Swap" Flow:**
 - Call the POST /admin/impersonate endpoint using the Admin's session.
 - Store the returned impersonation_token in a secondary state.
 - Reload the Dashboard data (Charts, Balance, Journal) using this token in the header.
 - **UI Implementation:**

- Render the "Shadow Mode" visual state (Banner, Header Color, Exit Button) as defined in the provided Figma UI Kit.
 - Functional Lock: Ensure all "Write" actions (Forms, Buttons) are functionally disabled in the React state while this mode is active.
- **Passing Associate Track:**
 - **Trigger Condition (Show):** On user login or dashboard load, evaluate the user payload. IF `account_status == 'Pending_Compliance'`.
 - **Behavior:** Display a standard, closable UI modal over the main dashboard. If closed, the user can navigate the dashboard, but execution modules remain locked/disconnected. The dashboard itself will re-use the failed visual state with background (charts/data) should become desaturated or blurred (frosted glass effect).
 - **Modal Copy:**
 - **Header:** Action Required: Complete Live Onboarding
 - **Body:** Congratulations on passing the Associate Track. Check your email for secure links to complete your Identity Verification, Payout Configuration, and required Exchange Agreements. Your live account will be provisioned automatically once these steps are complete.
 - **CTA Button:** Continue to Dashboard (Closes the modal).

Trigger Condition (Hide Permanently): IF `account_status == 'Active_L1_DMA'`. The modal is not shown.

- **Unique Measures & Metrics (Visualization Only - Data from API):**
 - **Risk Stats:** Sharpe Ratio (Rolling 30), Profit Factor, Trade Efficiency Matrix (Scatter Plot - rendered in UI as "Win rate vs. risk/reward"), Sortino Ratio.
 - **Behavioral Stats:**
 - **"The Pulse":** Consistency score that drops if user averages down (adds to losers) and rises if user pyramids (adds to winners).
 - **Holding Time:** Avg Time Winners Held vs. Avg Time Losers Held. The chart must map the dynamic "Risk Mitigation Audit" text payload from the GET `/core-performance` endpoint.
 - **Avg Win/Loss:** Dollar value comparison.
- **The Desk Manager:**
 - An optional LLM-driven "Chatter" feature (via backend GEKKO_CHAT channel) that provides context-aware commentary on trading behavior.
 - *Concept:* The LLM commentary must be rendered as stacked UI cards featuring dynamic "Discipline pass" or "Discipline fail" tags based on the AI evaluation.
- **Community Page Implementation**
 - Live Broadcast Player: Render a standard YouTube iframe using the `youtube_id` fetched from GET `/community/live-broadcast`. Append `?rel=0&modestbranding=1` to the URL string to restrict suggested videos to the firm's channel and strip the YouTube logo from the control bar. Native YouTube chat must be completely hidden.

Must include a "Live Broadcast Offline" visual state featuring a dynamic countdown timer driven by the `next_broadcast_timestamp` from the backend API.

- Live Chat Feed: Build a custom React component matching the exact obsidian dark mode palette from the Figma files. Messages submitted here must POST to the backend Discord bridge. Read-only messages from other users must be streamed to the UI via the WebSocket connection to maintain synchronization with the live-broadcast Discord channel.
- Pod Mentorship Module: Call GET `/community/my-pod`. Render the data card displaying the Pod Leader, the list of active members, and their current levels. The "Enter Pod Chat" CTA button must link out externally to the `discord_channel_url` provided in the payload.
- The Pit (Server Status): Utilize the native Discord Server Widget iframe API to display the active online count and voice channel activity. Configure the iframe to link directly to the the-pit Discord channel. This is the default lounge for all authenticated users.

- **Level-Up Cinematic Sequence & Sharing**

1. Client-Side Rendering The Level-Up sequence is not a static video file. It must be built as a highly performant, composite React component that renders live in the user's browser.

- **Background/Effects Layer:** Implement pre-rendered WebM/HEVC video files with alpha channels (provided by the design team).
- **Signature/Vector Assets:** Render utilizing Lottie JSON for the text layout and signature overlays.
- **Dynamic Data Layer:** Inject the trader's specific data (Name, Level, Capital Allocation, Bonus) directly into the DOM. This text must be animated natively via code using Framer Motion to handle staggering and layout cleanly over the video layer.
- **QR Code (Cryptographic Receipt):** Generate dynamically in code. The QR code must resolve to the public Polygon blockchain explorer URL (PolygonScan) verifying the specific on-chain transaction hash for this milestone or payout.
- **Audio Orchestration & Autoplay:** Audio will be provided as separate asset files and must be orchestrated client-side to sync with the composite layers.
 - **Interaction Gate:** To comply with browser autoplay policies, the public share URL must initialize with a premium "Tap to View Milestone" state to capture the user interaction required to unmute the AudioContext.
 - **Base Layer:** Trigger the main cinematic audio file synchronously with the start of the WebM background video playback.
 - **Dynamic Layer:** Trigger specific UI audio files (e.g. writing/scratching sounds) precisely tied to the Framer Motion text-reveal events, ensuring the audio duration perfectly matches the dynamic render time of the

specific trader's data.

2. Sharing & Open Graph Routing The system relies entirely on Hosted Shareable Links.

- **Public Route:** The frontend must support a public, unauthenticated route (e.g. `/milestone/[unique-id]`) that parses the backend payload and mounts the cinematic animation component for any visitor.
- **Open Graph (OG) Injection:** This is a critical marketing requirement. The frontend must configure dynamic Open Graph `<meta>` tags for these public URLs. When a link is shared on social platforms (Reddit, X, LinkedIn), the OG image tag must serve the high-resolution static image of the final certificate. This ensures social feeds unfurl a high-impact image, which, when clicked, routes the user to the live cinematic web sequence.

3. Dashboard UI & Interaction Logic At the conclusion of the animation (the final certificate state), the UI will present an expanded share menu. The frontend must implement the following exact logic:

- **Social Platform Icons (X, Reddit, LinkedIn, FB):** Clicking these must trigger the native social sharing intent/draft post, pre-populated with the user's unique public URL (the hosted shareable link).
- **Copy Link Icon:** Clicking this must copy the unique public URL directly to the user's system clipboard with a lightweight toast notification confirming the copy.
- **"Download Certificate" Button:** Clicking this must trigger a client-side export and download of the static final frame (PNG/JPEG format) of the certificate directly to the user's local device.

4.0 Technical Constraints

- **Hosting:** You will deploy to our AWS/Vercel environment.
- **Performance:** Dashboard must handle real-time data without UI freezing.
- **Collaboration:** You must coordinate with Agency A (Backend) on API consumption.
- **Infrastructure & Network Routing:**
 - **Edge Security & CDN:** The frontend marketing website (www.stacktrading.com) and the trader dashboard (e.g. app.stacktrading.com) will be proxied entirely through Cloudflare (CDN and WAF). Agency B must ensure deployment pipelines (e.g. Vercel, AWS Amplify) are configured to operate seamlessly behind Cloudflare proxy routing.
 - **API CORS & Subdomain Separation:** The backend execution middleware (api.stacktrading.com) bypasses Cloudflare and sits behind AWS Global Accelerator. Agency B must configure CORS handling and ensure client-side requests

securely pass session/auth tokens across these bifurcated network layers.

- **WebSocket Resiliency:** Real-time dashboard data (pricing, risk metrics) relies on WebSockets. Because Cloudflare edge routing can drop idle or long-running connections, Agency B must implement robust exponential backoff and automatic reconnection logic within the React state to prevent UI freezing or silent data failures.

5.0 Out of Scope

- Administration Screen for internal management