

Zapier Integration V7

Updates in V7:

1. Correctly naming AWS SES instead of Sendgrid. Offloading the marketing emails from Sotatek (scope reduction)
2. Choice of 3 checkout capital/level packages. Broke out a Table J for pricing only so it is easy to reference and modify.

1.0 Executive Architecture & Strategic Mandate

1.1 Introduction

This document serves as the technical and operational blueprint for the Stack Trading ecosystem. The strategic mandate is to construct a "Simulation-First, then Capital Allocation" Direct Market Access model. The system is engineered to identify, nurture, and scale professional talent from a retail entry point to a W2 Traders.

1.2 The Corporate Entity Structure

To support the regulatory requirements of offering both simulated evaluations and live, regulated securities trading, the system supports a bifurcated corporate structure:

- **Stack Trading C-Corp (Parent):** Manages user acquisition, marketing, and W-2 payroll (Rippling). Acts as the Scout, filtering talent. Collects non-trading fees (market data subscriptions) via NMI and Triple-A. Holds the direct B2B agreement with Rithmic Institutional for the Dedicated Rithmic Paper Trading Gateway.
- **Stack Trading Brokerage LLC (Subsidiary):** The NFA-registered Introducing Broker (IB). Holds the direct relationships with the Futures Commission Merchant (FCM) Ironbeam and Retail Foreign Exchange Dealers (RFED) Forex.com and Interactive Brokers and the ISVs, Independent Software Vendors, Rithmic, MT5, TraderEvolution.

1.3 Vendor Requirements & Scalability

To ensure operational resilience and data integrity, the automation infrastructure must meet the following standards:

- **Zapier (Plan + Governance Requirements) :** Must utilize Company Tier plan (or Enterprise equivalent) sized to projected monthly task volume with burst headroom. .
 - Separate environments (dev/stage/prod) with isolated connections + tables.
 - Role-based access controls for editors vs operators; least-privilege connection sharing.
 - Auditable change history/versioning and rollback procedures.
 - Auditable execution history
 - Task consumption monitoring + alert thresholds (e.g., 60/80/95%).
- **Operational Database (System of Record) :** Amazon RDS for PostgreSQL (Multi-AZ) is

the system-of-record "State Machine" for user progress and financial state.

Access pattern requirement:

- Middleware holds primary DB credentials and is the only component permitted to perform state-mutating writes (INSERT/UPDATE/DELETE) in production.
- Zapier may use a read-only DB role (SELECT-only) strictly for lookups, if required.
- All state transitions and sensitive updates must occur through authenticated middleware endpoints to centralize validation, auditing, idempotency, and to avoid distributing DB write credentials.
- **Decoupled Execution:** Risk rules (Daily Loss Limit, Max Drawdown) are pushed to the execution cores (Rithmic/MT5) for local, low-latency enforcement. The Middleware Hub acts as the administrator, not the executioner.
- **Edge Strategy for Stack Trading public deployed platform (Global + WAF/DDoS + Webhook Reliability) :** Vendor must propose and implement a consistent edge strategy for Stack Trading deployed public platform that supports:
 - Global performance (low latency internationally),
 - WAF/DDoS protection,
 - webhook reliability (no dropped high-velocity provider callbacks)

Acceptable architectures include:

- Cloudflare reverse proxy/WAF for customer facing web assets, optionally using AWS Global Accelerator as the origin target.
- AWS-native edge for public platform (Global Accelerator or CloudFront + AWS WAF/Shield), with Cloudflare used for frontend only.

The RFQ functional requirements (geo gating, webhook allowlisting, rate limiting, signed webhook verification) must remain satisfied regardless of chosen design.

- **Data Processing Standard:** Data processing logic (queries) should occur within the database layer, pushing actionable batches to Zapier via webhooks to avoid row limit exhaustion and timeout errors. ActiveCampaign is for CRM/Sales data and must not be used as a transactional ledger.
- **Webhook Reliability + Abuse Controls (Required):**
 - Webhook allowlisting: explicitly whitelist inbound IP ranges for all external providers (payment gateways, Veriff, Dots, Rippling, economic calendar).
 - Signed webhook verification (HMAC/JWS): required for webhook receiver endpoints.
 - Layer-7 rate limiting must apply to auth endpoints, forms, and webhook catchers to prevent bot traffic from exhausting Zapier task quotas or AWS compute resources.
 - All inbound events must include and preserve a unique provider_event_id/event_id and a correlation_id for replay + deduplication.
- **Break-Glass Operations:** Zapier Outage / Provider Outage Runbooks. Zapier is a critical orchestration dependency. Vendor must define, document, and test "break-glass"

runbooks that allow Operations to execute critical state changes when Zapier or a third-party provider is degraded.

- **Quoting Break-Glass Operations**
 - Must clearly show costs with and without the break glass operations
- **Minimum deliverables:**
 - A documented “Zapier degraded mode” policy: which workflows are halted, which are manually executed, and how events are replayed when service resumes.
 - A dedicated “Ops Console” method (admin endpoint set and/or controlled internal script) to perform manual actions safely, with strict RBAC and audit logging.
 - Each break-glass runbook must specify:
 - Trigger conditions (what constitutes an outage)
 - Step-by-step actions
 - Required inputs
 - Expected state transitions
 - Validation steps (“how we confirm it worked”)
 - Audit record requirements (who/why/when)
 - Rollback/failure handling
 - Escalation path (who is paged)
- **Required break-glass runbooks:**
 - Manual Account Provisioning / Promotion:
 - Provision SIM or LIVE account if Zapier provisioning flows are unavailable
 - Ensure idempotency (no duplicate accounts)
 - Confirm platform credentials claim flow remains secure
 - Manual Lock / Liquidation / Termination: (Move this functionality to node.js)
 - Lock or disable a trader account across the relevant execution venue (Rithmic/MT5/TraderEvolution)
 - Confirm enforcement occurs at the execution core (not only in dashboard state)
 - Ensure user-facing status is consistent in Postgres
 - Manual Refund Workflow:
 - Process refunds for evaluation fees / reset fees when payment provider webhooks fail
 - Ensure invoice/ledger record is corrected and reflected in QuickBooks (or queued)
 - Manual Payout Holds (“Do Not Pay” list):
 - Add/remove a trader from a payout hold list
 - Halt payout triggers and prevent payout execution even if prior events replay
 - Require a reason code and supervisor approval policy (if

- applicable)
 - Manual KYC Exception Handling:
 - Deny/override KYC state when Veriff is delayed or misclassifies
 - Enforce audit notes and attach supporting evidence references
 - Ensure all exceptions are reviewable via audit trail and reporting
 - Operational Security Requirement:
 - All break-glass actions must require role-based access (Ops, Risk, Finance, Compliance), multi-factor authentication, and must produce immutable audit records. Direct database mutations are prohibited; all manual actions must be executed through authenticated middleware endpoints that enforce validation and idempotency.
- Testing requirement:
 - The Vendor must provide at least one “tabletop exercise” walkthrough for each runbook and a quarterly test plan for production operations.

2.0 The Core Technology Stack

Component	Technology	Role
Orchestration	Zapier	The “Automation Bus” managing logic flows and state transitions.
Middleware Hub	Node.js (AWS)	Decoupled Execution Topology: API layer connecting Zapier to Broker/Execution platforms.
Futures Execution	Rithmic R+	Direct Market Access gateways hosted in AWS US-East-1, connecting to Aurora DC3 (Chicago)
Forex Execution	MetaTrader 5 Server, TraderEvolution	Server located in NY4 (New York).
News Data	Economic Calendar API (Webhooks)	Source of truth for High-Impact News events.
Identity	Veriff	KYC/AML verification for Live Traders.
Payments	NMI, Quaderno, Triple-A	Inbound tokenization, tax calculation, and crypto fee management
Payouts	Dots	Payouts,Dots,Global mass-payout orchestration.
General Ledger	QuickBooks Online	Financial record keeping.
Payroll/HR	Rippling	W-2 contract generation and salary management.
Contracts	Rippling API	Automated contract execution.

3.0 Configuration Database

3.1 Global Variables (Table C)

These variables control the enforcement logic globally.

Variable	Value	Description
Forex_Overnight_Cap_Percent	0.25 (25%)	Max allowed open notional at 3:59 PM CST.
Swap_Risk_Threshold	0.70 (70%)	If P&L Loss > 70% of Stop Limit, Overnight Holding is BANNED.
Discount_Code_Duration_Days	10	Validity of retention coupons.
Min_Payout_Threshold	100	Minimum USD amount to trigger a payout.
Deposit_Buffer_Percent	1.05	Buffer added to FCM deposits.
Pod_Max_Capacity	7	Max traders per Pod Leader.
Base_CME_Data_Cost	140	Cost firm absorbs per trader.
News_Trading_Stop_Threshold	0.70 (70%)	If P&L Loss > 70% of Stop Limit, News Trading is restricted or flattened.
Daily_Loss_Ratio	0.33 (1/3)	Ratio of Daily Loss Limit to Total Account Stop Loss.
News_Hold_Cap_Percent	0.25 (25%)	Max allowed open notional during High Impact News events.
Challenge_Extension_Days	30	Number of days added to expiration_date upon extension purchase.
Global_Var_FCM_Margin_Ratio	0.10	% of Allocated Capital required as backing.
Global_Var_FCM_Target_Buffer	1.3	Ideal operating balance multiplier.
Global_Var_FCM_Excess_Buffer	1.6	Profit withdrawal trigger multiplier.
Global_Var_Max_Auto_Transfer_Limit	75000	Safety Cap (\$) for auto-transfers.
Global_Var_Founder_Cohort_Open	TRUE	Master Cohort switch. IF TRUE, new signups get Founder status and locked pricing. IF FALSE, they get Standard status.
Founder_Cohort_Limit	500	Total spots available for the Founding 500 price and perks
Global_Var_Allow_New_Signups	TRUE	Master Throttling Switch. IF TRUE, public funnel is open. IF FALSE, website renders "Waitlist Mode" and API rejects new

		signups.
Min_Pod_Leader_Level	7	The minimum level required to be invited as a Pod Leader
Active_Broadcast_URL	String	The YouTube Video ID for the current live stream.
Broadcast_Is_Live	Boolean	Toggles the frontend player visibility.

3.1.1 Database Table: user_journal_entires

- **Purpose:** This table supports the "Trader Psychology" module and powers the interactive heatmap calendar on the user dashboard. It records the qualitative data provided by the trader at the end of each session.
- **Structure:**
 - entry_id (PK)
 - user_id (FK, Indexed)
 - entry_date (Date/Timestamp, Indexed)
 - rating (Integer)
 - text_content (String)
 - tags (JSON/Array)
- **Notes:** This table must be indexed by both user_id and entry_date to ensure it loads instantly on the frontend without scanning.

3.1.2 Table: invoices (Financial Audit Trail)

- **Purpose:** Stores every financial transaction (Fees, Refunds, Payouts) for the Level 3 Audit.
- **Structure:**
 - id (UUID, Primary Key)
 - user_id (Foreign Key -> Users)
 - amount (Float)
 - currency (String, default "USD")
 - status (String: 'paid', 'void', 'refunded')
 - created_at (Timestamp)
 - **fee_type (ENUM):**
 - Values: 'MARKET_DATA_BASE', 'MARKET_DATA_ADDON', 'PLATFORM_FEE', 'CHALLENGE_FEE', 'RESET_FEE'.
 - **Logic:** The Refund Engine (Flow 4) uses this column to SUM only the MARKET_DATA_BASE records.

3.1.3 Table: Firm_PnL_Snapshots

- **Purpose:** Daily live performance

- **Structure:**
 - **id** (PK)
 - **day** (Date, Indexed) — *Format: YYYY-MM-DD. Primary index for BI time-series.*
 - **time** (Time) — *Informational: Exact timestamp of when the daily job ran.*
 - **level_id** (Integer) — *Allows grouping by level in BI.*
 - **trader_count** (Integer)
 - **aggregate_notional** (Decimal)
 - **aggregate_deposit_req** (Decimal)
 - **aggregate_target** (Decimal)
 - **aggregate_stop** (Decimal)
 - **unrealized_pnl** (Decimal)
 - **realized_pnl** (Decimal)
 - **total_pnl** (Decimal)

3.1.4 Table: Firm_Sim_Funnel_Snapshots

- **Purpose:** Daily Associate Track (Simulation) Performance
- **Structure:**
 - **id** (PK)
 - **day** (Date, Indexed)
 - **time** (Time)
 - **conversions_new** (Integer) - *New sim payments processed today.*
 - **conversions_resets** (Integer) - *Sim reset payments processed today.*
 - **active_sims** (Integer) - *Total users currently in an active sim state.*
 - **sims_passed** (Integer) - *Total users who successfully cleared the challenge today.*
 - **sims_failed** (Integer) - *Total users who hit liquidation today.*
 - **pass_percent** (Decimal) - *Calculated: Passed / (Passed + Failed).*
 - **avg_pass_fail_duration** (Decimal) - *Average days elapsed from start to pass/fail.*

3.1.5 Table: Ledgers

- **Purpose:** Tracks the current state of all traders who have been promoted to Live. It is the primary data source for the Daily Snap and the Solvency Monitor.
- **Structure:**
 - **user_id** (PK) Identifier for the Trader
 - **level_id** (Integer)
 - **is_active** (boolean)
 - **virtual_equity** (Decimal) - *current internal balance*
 - **last_sync** (Timestamp) - *The last time P&L was pulled from an Execution Core*

- **updated_at (Timestamp)** - Audit trail for the last ledger change (Promotion, Reset, or Failure).

3.1.6 Table: Users

- **Purpose:** This table serves as the primary administrative source of truth for all trader profiles, status transitions, and entitlement metadata. It bridges the gap between the marketing/billing state (NMI) and the execution state (Execution Cores).
- **Structure:**
 - user_id (PK)
 - email
 - status
 - current_level
 - shirt_size (String: S, M, L, XL, XXL)
 - is_professional (Boolean)
 - is_founder (Boolean)
 - locked_rebuy_price(Decimal) - grandfathered price for new challenge purchases
 - locked_reset_price (Decimal) - grandfathered price for resetting an existing account
 - platform_selection
 - platform_username
 - platform_password_ciphertext (KMS-envelope encrypted; decryptable only by Middleware; never emailed)
 - license_key_ciphertext (KMS-envelope encrypted; decryptable only by Middleware; never emailed)
 - expiration_date
 - stagnation_deadline
 - pod_leader_id
 - defense_used (Boolean)
 - defense_attempt_count (Integer)
 - market_data_flags (JSON/Object)
 - impact_click_id, varchar(255)
 - is_impact_partner, boolean (Default: False)
 - profile_photo_url (String)
 - phone_number (String)
 - ui_preferences (JSON Object)
 - compensation_track (String)
 - veriff_failed_flag (Boolean)
 - veriff_attempts (Integer)
 - credentials_claimed_at (timestamp; set when user completes Claim Account flow)
 - credentials_last_rotated_at (timestamp; track rotations/resets)

- provider_event_id (String, Unique Index)
- **trustpilot_invited_at** (Timestamp): Tracks the last automated or manual review invitation sent.
- **trustpilot_reviewed_at** (Timestamp): Tracks the last verified review submission date.

3.1.7 Table: Merchant_Routing_Config

- **Purpose:** Tracks MID limits and dynamic balances for NMI load balancing.
- **Structure:**
 - merchant_name (String, Primary Key)
 - nmi_routing_id (String)
 - monthly_limit (Decimal)
 - current_mtd_volume (Decimal)
 - is_active (Boolean)

3.1.8 Table: Compliance_geo_restriction

- **Purpose:** This database table serves as the primary repository for geographic compliance enforcement. The application middleware must query this table upon initial connection to govern geo-IP blocking and validate users during the onboarding sequence.
- **Structure:**
 - **id:** UUID (Primary Key)
 - **country:** VARCHAR (ISO 3166-1 alpha-2 or standard string)
 - **region:** VARCHAR (Specific subdivision or 'All')
 - **banned_reason:** VARCHAR (Regulatory framework or policy justification)
 - **created_at:** TIMESTAMP
 - **updated_at:** TIMESTAMP
- **INSERT INTO** Compliance_geo_restrictions (country, region, banned_reason) **VALUES** ('Afghanistan', 'All', 'Legacy Internal Policy'), ('Algeria', 'All', 'FATF Greylist'), ('Angola', 'All', 'FATF Greylist'), ('Belarus', 'All', 'OFAC Broad/Targeted Sanctions'), ('Belgium', 'All', 'Localized Sovereign Bans'), ('Bolivia', 'All', 'FATF Greylist'), ('Bulgaria', 'All', 'FATF Greylist'), ('Burkina Faso', 'All', 'Legacy Internal Policy'), ('Cameroon', 'All', 'FATF Greylist'), ('Canada', 'Quebec', 'Temporary Regional Ban'), ('Côte d'Ivoire', 'All', 'FATF Greylist'),

('Cuba', 'All', 'OFAC Comprehensive Sanctions'),
 ('Democratic Republic of the Congo', 'All', 'FATF Greylist'),
 ('Eritrea', 'All', 'Legacy Internal Policy'),
 ('Haiti', 'All', 'FATF Greylist'),
 ('Iran', 'All', 'OFAC Comprehensive Sanctions, FATF Blacklist'),
 ('Israel', 'All', 'Localized Sovereign Bans'),
 ('Kenya', 'All', 'FATF Greylist'),
 ('Kuwait', 'All', 'FATF Greylist'),
 ('Laos', 'All', 'FATF Greylist'),
 ('Lebanon', 'All', 'FATF Greylist'),
 ('Libya', 'All', 'Legacy Internal Policy'),
 ('Mali', 'All', 'Legacy Internal Policy'),
 ('Monaco', 'All', 'FATF Greylist'),
 ('Myanmar (Burma)', 'All', 'OFAC Broad/Targeted Sanctions, FATF Blacklist'),
 ('Namibia', 'All', 'FATF Greylist'),
 ('Nepal', 'All', 'FATF Greylist'),
 ('Niger', 'All', 'Legacy Internal Policy'),
 ('North Korea (DPRK)', 'All', 'OFAC Comprehensive Sanctions, FATF Blacklist'),
 ('Palestinian Authority', 'All', 'Legacy Internal Policy'),
 ('Papua New Guinea', 'All', 'FATF Greylist'),
 ('Republic of the Congo', 'All', 'Legacy Internal Policy'),
 ('Russia', 'All', 'OFAC Broad/Targeted Sanctions'),
 ('Sierra Leone', 'All', 'Legacy Internal Policy'),
 ('Somalia', 'All', 'Legacy Internal Policy'),
 ('South Sudan', 'All', 'FATF Greylist'),
 ('Sudan', 'All', 'Legacy Internal Policy'),
 ('Syria', 'All', 'OFAC Comprehensive Sanctions, FATF Greylist'),
 ('Turkey (Türkiye)', 'All', 'Localized Sovereign Bans'),
 ('Ukraine', 'Crimea', 'OFAC Comprehensive Sanctions'),
 ('Ukraine', 'Donetsk', 'OFAC Comprehensive Sanctions'),
 ('Ukraine', 'Kherson', 'OFAC Comprehensive Sanctions'),
 ('Ukraine', 'Luhansk', 'OFAC Comprehensive Sanctions'),
 ('Ukraine', 'Zaporizhzhia', 'OFAC Comprehensive Sanctions'),
 ('Venezuela', 'All', 'OFAC Broad/Targeted Sanctions, FATF Greylist'),
 ('Vietnam', 'All', 'FATF Greylist'),
 ('Yemen', 'All', 'FATF Greylist');

3.1.9 Table: checkout_ui_routing

- Purpose:** This database table maps specific international jurisdictions to required frontend UI components. It operates on an "Override Model." If a user's location does not exist in this table, the API must default to "Flow A" (Global Default).

- **Structure:**
 - **id:** UUID (Primary Key)
 - **country:** VARCHAR (ISO 3166-1 standard name)
 - **region:** VARCHAR (Specific subdivision or 'All')
 - **required_flow:** VARCHAR (e.g. 'Flow B', 'Flow C')
 - **justification:** VARCHAR (Internal reference)
 - **created_at:** TIMESTAMP
 - **updated_at:** TIMESTAMP
- **INSERT INTO** checkout_ui_routing (country, region, required_flow, justification) **VALUES**
INSERT INTO checkout_ui_routing (country, region, required_flow, justification) **VALUES**
('United Kingdom', 'All', 'Flow B', 'Pass-Rate Transparency'),
('Australia', 'All', 'Flow B', 'Pass-Rate Transparency'),
('Austria', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Belgium', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Bulgaria', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Croatia', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Cyprus', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Czech Republic', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Denmark', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Estonia', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Finland', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('France', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Germany', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Greece', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Hungary', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Iceland', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Ireland', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Italy', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Latvia', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Liechtenstein', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Lithuania', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Luxembourg', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Malta', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Netherlands', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Norway', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Poland', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Portugal', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Romania', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Slovakia', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Slovenia', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Spain', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Sweden', 'All', 'Flow C', 'EU/EEA Consumer Waiver'),
('Canada', 'Quebec', 'Flow D', 'Commercial Conversion & Translation'),

(`'United Arab Emirates', 'All', 'Flow E', 'DFSA/ADGM Clarification'`),
 (`'India', 'All', 'Flow G', 'Nomupay - UPI and Net Banking Dynamic Route'`),
 (`'Philippines', 'All', 'Flow H', 'Nomupay - Southeast Asia Wallets Route'`),
 (`'Brazil', 'All', 'Flow I', 'EBANX - Pix and Local Bank Transfer Route'`),
 (`'South Africa', 'All', 'Flow J', 'Dusupay - Instant EFT and Mobile Money Route'`);

3.1.10 Table: Payment_Method_Config

- **Purpose:** Controls the dynamic rendering of payment options on the checkout frontend. This table allows operations to toggle aggregators ON or OFF globally or per region via the `is_active` boolean, and serves the hyper-localized marketing copy directly to the frontend payload.
- **Structure:**
 - `id` (UUID, Primary Key)
 - `target_country` (String) Values: 'BR', 'CO', 'MX', 'PH', 'SG', 'JP', 'IN', 'ZA', 'KE', 'GB', 'FR', 'PL', 'NL', 'GLOBAL', 'AE'
 - `method_id` (String) Values: 'CC', 'CRYPTO', 'APPLE_PAY', 'GOOGLE_PAY', 'NOMUPAY', 'EBANX', 'DUSUPAY', 'SKRILL'
 - `gateway_router` (String) Values: 'NMI', 'TRIPLE_A', 'NOMUPAY', 'EBANX', 'DUSUPAY', 'SKRILL'
 - `label` (String)
 - `explanatory_text` (String)
 - `icon_tags` (Array of String): List of icon keys for frontend asset mapping
 - `is_active` (Boolean)

```
INSERT INTO Payment_Method_Config (target_country, method_id, gateway_router, label,
explanatory_text, cta_text, icon_tags, is_active)
VALUES
('GLOBAL', 'CC', 'NMI', 'Credit or Debit Card', 'Secure 256 bit encrypted checkout. Supports Visa,
Mastercard, AMEX, and Discover.', 'Complete Purchase', ['visa', 'amex', 'discover',
"mastercard"], TRUE),
('GLOBAL', 'APPLE_PAY', 'NMI', 'Apple Pay', 'Secure 1 click checkout with Apple Pay.', 'Pay with
Apple Pay', ["apple_pay"], TRUE),
('GLOBAL', 'GOOGLE_PAY', 'NMI', 'Google Pay', 'Secure 1 click checkout with Google Pay.', 'Pay
with Google Pay', ["google_pay"], TRUE),
('GLOBAL', 'CRYPTO', 'TRIPLE_A', 'Cryptocurrency', 'Generates an instant payment invoice with a
25 minute live exchange rate guarantee.', 'Pay with Crypto', ["btc", "usdt", "eth"], TRUE),
('GLOBAL', 'SKRILL', 'SKRILL', 'Skrill Wallet', 'Secure global digital wallet checkout. Instantly fund
your transaction using your stored Skrill balance, connected international cards, or rapid local
bank transfers.', 'Pay with Skrill', ["skrill"], TRUE),
('AE', 'CC', 'NMI', 'Credit or Debit Card', 'Secure 256 bit encrypted checkout. Supports Visa,
```

Mastercard, and local cards.', 'Complete Purchase', ['visa', 'mastercard'], TRUE),
 ('BR', 'EBANX', 'EBANX', 'Pix or Boletão', 'Secure zero fee instant transfer via Pix or manual cash payment via Boletão Bancário.', 'Generate Payment Code', ['pix', 'boletão'], TRUE),
 ('CO', 'EBANX', 'EBANX', 'PSE or Nequi', 'Securely connect your local bank account via PSE or pay instantly with your Nequi wallet.', 'Pay via PSE or Nequi', ['pse', 'nequi'], TRUE),
 ('MX', 'EBANX', 'EBANX', 'SPEI or OXXO Pay', 'Instant electronic bank transfer via SPEI or secure local cash payment at any OXXO store.', 'Generate Payment Code', ['spei', 'oxxo'], TRUE),
 ('PH', 'NOMUPAY', 'NOMUPAY', 'GCash or Maya', 'Secure instant mobile wallet checkout using your verified GCash or Maya account balance.', 'Pay via GCash or Maya', ['gcash', 'maya'], TRUE),
 ('SG', 'NOMUPAY', 'NOMUPAY', 'PayNow or GrabPay', 'Direct account transfer via standard PayNow QR or digital checkout with your GrabPay wallet.', 'Pay via PayNow or GrabPay', ['paynow', 'grabpay'], TRUE),
 ('JP', 'NOMUPAY', 'NOMUPAY', 'PayPay or Konbini', 'Instant digital mobile checkout with PayPay or secure local cash payment at any convenience store register.', 'Pay via PayPay or Konbini', ['paypay', 'konbini'], TRUE),
 ('IN', 'NOMUPAY', 'NOMUPAY', 'UPI or Net Banking', 'Instant mobile verification with Google Pay, PhonePe, Paytm, or direct domestic corporate banking networks.', 'Pay with UPI', ['upi', 'netbanking'], TRUE),
 ('ZA', 'DUSUPAY', 'DUSUPAY', 'Instant EFT or Capitec', 'Secure internet banking via local Instant EFT networks or automated Capitec Pay mobile integration.', 'Pay via Instant EFT', ['eft', 'capitec'], TRUE),
 ('KE', 'DUSUPAY', 'DUSUPAY', 'M-Pesa or Airtel Money', 'Instant mobile money checkout using your authorized Safaricom M-Pesa or Airtel wallet rails.', 'Pay via Mobile Money', ['mpesa', 'airtel'], TRUE),
 ('GB', 'NOMUPAY', 'NOMUPAY', 'Instant Bank Transfer', 'Direct account to account open banking integration utilizing local Faster Payments or BACS networks.', 'Complete Bank Transfer', ['bank'], TRUE),
 ('FR', 'NOMUPAY', 'NOMUPAY', 'Cartes Bancaires or Paylib', 'Secure local card validation using the Cartes Bancaires network or your authorized Paylib mobile wallet.', 'Pay via CB or Paylib', ['cb', 'paylib'], TRUE),
 ('PL', 'NOMUPAY', 'NOMUPAY', 'BLIK or P24', 'Secure real time execution via your 6 digit BLIK mobile app code or the Przelewy24 banking portal.', 'Pay with BLIK or P24', ['blik', 'p24'], TRUE),
 ('NL', 'NOMUPAY', 'NOMUPAY', 'iDEAL or SEPA', 'Direct premium bank transfer via your local iDEAL mobile app or standard SEPA instant network rails.', 'Pay via iDEAL', ['ideal', 'sepa'], TRUE);

3.1.11 Table: Platform_Configuration

- **Purpose:** A single-row global configuration table to control system-wide states, preventing expensive aggregate database queries on every checkout page load.
- **Structure:**

- id (Integer, Primary Key, locked to 1)
- system_launch_date (Date)
- cached_pass_rate (Float)

3.1.12 Table: user_notifications

- **Purpose:** Stores the historical ledger of all transient system alerts to populate the dashboard notification center.
- **Structure:**
 - notification_id (UUID, Primary Key)
 - user_id (Foreign Key)
 - severity (String)
 - message (String)
 - category (String)
 - timestamp_utc (Timestamp)
 - target_timestamp (Timestamp)
 - is_read (Boolean, default False)

3.1.13 Table: CME_Whitelist

- **Purpose:** Act as the administrative firewall for futures. If a root symbol is not flagged as enabled within this configuration dataset, the middleware hub blocks entry or order routing automatically. This completely eliminates the threat of a user attempting to trade unmapped or highly volatile exotic future.
- **Structure:**
 - **Symbol** (VARCHAR, Primary Key)
 - **Exchange** (VARCHAR)
 - **Category** (VARCHAR)
 - **Enabled** (BOOLEAN)
 - **Enabled_Date** (DATE)

Initial SQL Initialization Script

```
CREATE TABLE CME_Whitelist (
  Symbol VARCHAR(10) PRIMARY KEY,
  Exchange VARCHAR(10) NOT NULL,
  Category VARCHAR(50) NOT NULL,
  Enabled BOOLEAN DEFAULT TRUE,
  Enabled_Date DATE NOT NULL
);
```

```
INSERT INTO CME_Whitelist (Symbol, Exchange, Category, Enabled, Enabled_Date) VALUES
('ES', 'CME', 'Indices', TRUE, '2026-06-28'),
```

('MES', 'CME', 'Indices', TRUE, '2026-06-28'),
 ('NQ', 'CME', 'Indices', TRUE, '2026-06-28'),
 ('MNQ', 'CME', 'Indices', TRUE, '2026-06-28'),
 ('YM', 'CBOT', 'Indices', TRUE, '2026-06-28'),
 ('MYM', 'CBOT', 'Indices', TRUE, '2026-06-28'),
 ('RTY', 'CME', 'Indices', TRUE, '2026-06-28'),
 ('M2K', 'CME', 'Indices', TRUE, '2026-06-28'),
 ('CL', 'NYMEX', 'Energy', TRUE, '2026-06-28'),
 ('MCL', 'NYMEX', 'Energy', TRUE, '2026-06-28'),
 ('NG', 'NYMEX', 'Energy', TRUE, '2026-06-28'),
 ('QG', 'NYMEX', 'Energy', TRUE, '2026-06-28'),
 ('RB', 'NYMEX', 'Energy', TRUE, '2026-06-28'),
 ('HO', 'NYMEX', 'Energy', TRUE, '2026-06-28'),
 ('GC', 'COMEX', 'Metals', TRUE, '2026-06-28'),
 ('MGC', 'COMEX', 'Metals', TRUE, '2026-06-28'),
 ('SI', 'COMEX', 'Metals', TRUE, '2026-06-28'),
 ('SIL', 'COMEX', 'Metals', TRUE, '2026-06-28'),
 ('HG', 'COMEX', 'Metals', TRUE, '2026-06-28'),
 ('PL', 'NYMEX', 'Metals', TRUE, '2026-06-28'),
 ('PA', 'NYMEX', 'Metals', TRUE, '2026-06-28'),
 ('ZN', 'CBOT', 'Treasuries', TRUE, '2026-06-28'),
 ('ZB', 'CBOT', 'Treasuries', TRUE, '2026-06-28'),
 ('ZF', 'CBOT', 'Treasuries', TRUE, '2026-06-28'),
 ('ZT', 'CBOT', 'Treasuries', TRUE, '2026-06-28'),
 ('UB', 'CBOT', 'Treasuries', TRUE, '2026-06-28'),
 ('TN', 'CBOT', 'Treasuries', TRUE, '2026-06-28'),
 ('BTC', 'CME', 'Crypto', TRUE, '2026-06-28'),
 ('MBT', 'CME', 'Crypto', TRUE, '2026-06-28'),
 ('ETH', 'CME', 'Crypto', TRUE, '2026-06-28'),
 ('MET', 'CME', 'Crypto', TRUE, '2026-06-28');

Not in scope for Day 1 and deferred to a future release.

('ZC', 'CBOT', 'Grains', TRUE, '2026-06-28'),
 ('ZW', 'CBOT', 'Grains', TRUE, '2026-06-28'),
 ('ZS', 'CBOT', 'Grains', TRUE, '2026-06-28'),
 ('ZM', 'CBOT', 'Grains', TRUE, '2026-06-28'),
 ('ZL', 'CBOT', 'Grains', TRUE, '2026-06-28'),
 ('HE', 'CME', 'Livestock', TRUE, '2026-06-28'),
 ('LE', 'CME', 'Livestock', TRUE, '2026-06-28'),
 ('GF', 'CME', 'Livestock', TRUE, '2026-06-28'),

3.1.14 Table: CME_Instrument_Details

- Purpose:** Serve as the localized historical and forward-looking log for contract schedules, daily pauses, and holiday session parameters. By incorporating a calendar date into the composite key framework, the system can ingest schedules days in

advance, allowing marketing and operations systems to pull future holiday deviations and push advance announcements to traders.

- **Structure:**

Column Name	Data Type	Key Type	Description
Root_Symbol	VARCHAR(10)	PK, FK	Maps directly to the verified whitelist registry symbol table.
Schedule_Date	DATE	PK	The targeted calendar date for the specific trading session, enabling advanced look-ahead tracking for holiday windows.
Trading_Schedule_ID	VARCHAR(50)	None	The master contract tracking identifier generated natively by the exchange database.
Session_Open_UTC	TIMESTAMP	None	Complete calendar timestamp marking the official opening sequence of the electronic trading session.
Official_Close_UTC	TIMESTAMP	None	The definitive execution stop time after which remaining contract exposure faces absolute exchange overnight margins.
Halt_Start_UTC	TIMESTAMP	None	The exact start time of the daily maintenance break interval, if applicable to the product category (Nullable).
Halt_End_UTC	TIMESTAMP	None	The exact end time of the daily maintenance break interval, mapping order execution resumption (Nullable).
Is_Modified_Schedule	BOOLEAN	None	Boolean flag identifying early holiday closures or altered hours to automate forward-planning dashboard alerts.

Last_Ingested_UTC	TIMESTAMP	None	Audit checkpoint tracking exactly when the master reference sync cron task executed.
-------------------	-----------	------	--

3.2 Email Template Mapping (Table D1 & D2)

To programmatic reduction of vendor development overhead, the emails are separated into transactional/operational vs lifecycle marketing. SotaTek is responsible for configuring instant transactional emails via AWS SES, while marketing campaigns are handled by emitting immediate webhook payloads to Klaviyo. These have been removed from Sotatek scope.

Table D1: Operational & Security Notifications (AWS SES)

These templates are sent via AWS SES. They contain parameters, credentials, or security configurations.

Trigger Event Key	Description & Target Criteria
Welcome_Sim_Challenge	Dispatches platform username, link token, and installation guides immediately upon verification.
Live_Onboarding_Level_1	Dispatches the secure compliance onboarding pack link (Veriff KYC and Dots tax profile setup).
Security_Reset_Complete	Invalidation confirmation for platform 2FA tokens.
Identity_Verification_Retry	Triggered if Veriff requires clearer document re-submission.
Identity_Verification_Failed_Final	Hard compliance rejection notice following three failed verification sessions.
Restricted_Region_Notice	Immediate refund notice triggered by regional sanctions match during verification or calculation steps.
Compliance_Review_Required	Internal notification alerting the operations desk of a background check flag or matching exception.
Drawdown_Defense_Activated_Initial	Notifies trader that the 48-hour mandatory cooling-off lockout has commenced.
Drawdown_Defense_Ready	Confirms completion of the cooling-off window and provides the updated risk parameters.
Pod_Founding_Leader_Welcome	Onboarding letter supplying Workspace credentials and platform activation tokens.

Level_6_International_Contractor	Dispatches the country-specific contractor documentation template.
Dots_Profile_Action_Needed	Warning to international traders to correct a suspended payment profile before live capital injection.
Monthly_Data_Invoice_Available	Informs Futures traders that their market data statement is ready for review in the dashboard.
Urgent_Data_Payment_Required	High-priority collection warning following an NMI credit card vault payment rejection.
Data_Feed_Downgraded	Notice that additional exchange feeds are disabled due to past-due balances.
News_Liquidation_Alert	Urgent safety notice detailing automated flattening due to trading during high-impact economic events.
Overnight_Auto_Liquidation_Alert	Automated margin flatten notice executed 30 seconds prior to exchange lockout.
Live_Account_Closed	Final termination letter following capital depletion or contract resignation.

Table D2: Marketing, Lifecycle & Nurture Events (Klaviyo)

The following events do not utilize fixed developer templates. The middleware immediately hands off these event definitions to the Klaviyo API, allowing external marketing specialists to manage delivery timing, layouts, and conversion triggers.

Event Payload Key	Lifecycle Context & Conversion Optimization Goal
Cart_Abandonment	Triggered by the frontend onBlur script. Recovers high-intent traffic before drop-off.
Future_Newsletter_Welcome	Fired via the homepage footer widget to distribute initial market insights and onboarding content.
Challenge_Failed	Dispatches immediate performance encouragement and drives evaluation reset conversions.
Retention_Offer_Discount	Dispatches the automatic retry promotion code to traders who lose a funded live account.
Coupon_Expiring_Soon	Countdown alert configured to create urgency around an unused challenge or reset discount code.
Promotion_Level_3	High-engagement message delivering performance metrics, certificate access, and data fee refund status.
Promotion_Level_6	Career notification delivering the formal corporate W2 benefits or cash-flex salary configurator link.

Promotion_Standard	Milestone update celebrating account progress and unlocking higher capital scaling tiers.
Level_24_Prestige_Reset	Enterprise celebration sequence detailing complete path clearance and performance evaluation.
Perk_Unlocked_General	Automated fulfillment notification for general physical merchandise and luxury accessories.
Stagnation_Warning	Account preservation check-ins triggered sequentially to protect inactive evaluation seats.
Velocity_Reward_Unlocked	Viral Loop incentive offering challenge discount vouchers for hitting affiliate milestones.
Template_Mentee_Trading_Plan	Form distribution link gathering trader data, risk models, and visual chart strategy documentation.
Template_Mentee_Survey	Captures objective qualitative data to update internal mentor compliance scores.
Pod_Leader_Invite	Outlines compensation frameworks and contains the single-click pod allocation button.
Pod_Leader_Welcome	Welcome kit detailing private Discord channel routing and calendar access links.
Pod_Assignment_Confirmation	Introduces a newly matched trader to their assigned pod mentor.
Pod_Waitlist_Notification	FIFO queue status update for traders waiting for an open pod mentor seat.
Pod_Reassigned_Notification	Notice detailing a mentor transition following a pod leadership suspension or restructuring event.
Pod_Leader_Vesting_Paid	Statement notification confirming carry payouts have cleared to the banking channel.
Broadcast_Media_Guest_Alert	Broadcast dispatch announcing upcoming studio media guests or scheduled Discord AMAs.

3.3 The Pod Leader Registry (Table E)

Table E: Pod_Leader_Registry

Leader_Name	Leader_ID	Trading_Style	Asset_Class	Max_Capacity	Current_Count	Status	Pending_Carry_Balance
(Seed Data)		Scalping/Swing	Futures/Forex	7	0	Active	\$0.00

3.4 Defense Configuration Matrix (Table F)

Table F: Defense_Configuration_Matrix

Level (9-24)	Defense_Notional_Multiplier	Defense_Profit_Target_Percent	Defense_Stop_Loss_Percent
Seed Data (Levels 9-24)	0.25	0.06 (6%)	0.05 (5%)

3.5 Discord Role Configuration (Table G)

Table G: Discord_Role_Map

Level Range	Role Title	Permission Level
Levels 1-5	"Associate Trader"	Public Channels Only
Levels 6-9	"Trader"	+ Private Team Channels
Levels 10-13	"Senior Trader I"	+ Priority Support
Levels 14-17	"Senior Trader II"	+ Beta Features
Levels 18-21	"Principal Traders"	+ Direct Line to Ops
Levels 22-24	"Managing Principal Traders"	+ Partner Access
Special	"Partner"	+ Partner channels
Special	"Pod Leader"	Manage Pod Channels
Special	"Pod Member"	Access Pod Channel

3.6 Perks Registry (Table H)

Table H: Perks_Registry

Level	Active	Claimed	Limit	Perk	Perk_Description	Fulfillment_Zap
1	Yes	0	500	Hoodie	Founding 500 Heavyweight Hoodie	Flow 25 (Aplliq)
10	Yes	0	200	Suit	Tom James Custom Suit	Flow 26 (Suit Email)

14	No	0	-	Watch	Luxury Timepiece	-
18	No	0	-	Productivity_Choice	High-End Setup/Bonus	-
22	No	0	-	Car	Car Lease/Bonus	-
Support	Yes	0	100	T-Shirt	Goodwill Merch: Core Logo Tee	Flow 37 (Shirt)

3.6 Platforms and Gateway Registry (Table I)

Platform_Name	Asset_Class	Gateway_Router	Is_Active	Risk_Group_Template
NinjaTrader 8	Futures	Rithmic	TRUE	Sim_Rithmic_Default
Quantower	Futures	Rithmic	TRUE	Sim_Rithmic_Default
ATAS	Futures	Rithmic	TRUE	Sim_Rithmic_Default
MotiveWave	Futures	Rithmic	TRUE	Sim_Rithmic_Default
Sierra Chart	Futures	Rithmic	TRUE	Sim_Rithmic_Default
MetaTrader 5	Forex	MT5	TRUE	Sim_MT5_Default
TradingView	Forex	TraderEvolution	TRUE	Sim_TV_Default

3.7 Evaluation and Reset Pricing (Table J)

Track	Challenge Price	Futures Reset Price	Forex Reset Price	Extension Fee	Founder Price	Founder Reset Fee
-------	-----------------	---------------------	-------------------	---------------	---------------	-------------------

Associate Track (Level 1)	\$650	\$400	\$350	\$150	\$499	\$325
Accelerated Track (Level 2)	\$1250	\$750	\$650	\$275	\$1049	\$625
Advanced Track (Level 5)	\$4500	\$2500	\$2200	\$1000	\$3599	\$2150

4.0 Operational Logic Flows

Flow 1: New Trader Onboarding (Simulated & Live Prep)

- **Trigger:** Webhook from Middleware Hub Event: NEW_PAYMENT_SUCCESS
- **Deduplication:** Query Users table for provider_event_id = Event_ID. IF Match Found -> HALT.
- **Blacklist Check (Fail-Safe):**
 - Query Blacklist Table in **SQL Database** (Match Email).
 - IF Match Found: Issue Refund. HALT.
- **Restricted Region Check:** Note - Primary blocking occurs at the API level Pre-Payment.
 - This Zapier step is a secondary fail-safe to catch any bypass attempts. Query Billing_Country from NMI/Triple-A Payload.
 - Query the Compliance_geo_restrictions PostgreSQL database table.
 - IF a match is found for Country AND (Region is 'All' or matches user Region): Issue Refund. Send Restricted_Region_Notice Email. HALT.
- **Global Entity & Duplicate Check:**
 - Query SQL Database for existing user_email to identify existing Global_User_ID. IF none exists, generate Global_User_ID.
 - IF Status == 'Active_Challenge' OR 'Active_DMA': REJECT (Prevent Re-Entry). Email: "You already have an active account." HALT.
 - IF Status == 'Failed' OR 'Terminated':
 - Archive old record to History Object in **SQL Database**.
 - Set Current_Level to 1, 2, or 5 based on the product_id purchased. Clear Pod_Leader_ID. Reset Defense_Attempt_Count to 0. Reset Defense_Used to False.
- **Step 2 (Data & Platform Parsing):**
 - Read metadata.front_end_platform, metadata.addon_ids, and metadata.shirt_size from the standardized Webhook Payload

- **Market Data Analysis:** Parse addon_ids array.
- IF CME_Bundle in array-> Set Var_Data_CME = True.
- IF NYMEX_Bundle in array-> Set Var_Data_NYMEX = True.
- IF CBOT_Bundle in array-> Set Var_Data_CBOT = True.
- IF COMEX_Bundle in array-> Set Var_Data_COMEX = True.
- **Logic:** If (CME + NYMEX + ...) > 1 Feed -> Set Market_Data_Billable = True. (These variables will be written to DB in Step 4).
- **Step 3 (Provisioning Branch - Simulation Mode):**
 - **Action:** Call Middleware Hub Endpoint (POST /provision-sim-user).
 - **Input:** platform_selection, Asset_Class, user_email.
 - **Internal Logic (Handled by Node.js):**
 - IF Ninja/Quantower/ATAS/Motivewave/Sierra: Creates Rithmic User via API, Enables Non-Pro Data.
 - IF MT5: Creates Account via Manager API, assigns to respective Group Template.
 - IF TraderEvolution OR TradingView: Creates Account via TraderEvolution Admin API, assigns to respective Group Template.
 - **Output:** API returns JSON Object: {
 - "platform_username": "...",
 - "platform_password_ciphertext": "...",
 - "license_key_ciphertext": "...",
 - "cipher_version": "v1"} .

Notes:

 - Middleware must never return plaintext platform passwords or license keys to Zapier.
 - Ciphertext is KMS-envelope encrypted (or equivalent field-level encryption) and can only be decrypted by Middleware under explicit authorization + audit logging.
- **Step 4 (Database):** Create Record in Users Table.
 - Store provider_event_id (mapped from Webhook Event_ID).
 - Store platform_selection.
 - Store platform_username.
 - Store platform_password_ciphertext (from Step 3 response), not plaintext. This field must not be exposed via general user profile endpoints.
 - Store license_key_ciphertext (from Step 3 response), not plaintext.
 - Store cipher_version
 - shirt_size (from Step 2 metadata)
 - Store connection_gateway.
 - Store Asset_Class based on selection.
 - Store Is_Professional = False.
 - Store Current_Level to 1, 2, or 5 based on the product_id metadata.
 - Store Market Data Flags (Data_CME, Data_NYMEX, etc.) based on Step 2 variables.

- Store expiration_date = Today + 60 Days.
 - Store impact_click_id (from metadata).
 - Check Switch: Retrieve Global_Var_Founder_Cohort_Open from Table C.
 - IF TRUE:
 - Set is_founder = TRUE. Set locked_rebuy_price to the Founder Challenge Price for their specific tier.
 - Set locked_reset_price to the Founder Reset Fee for their specific tier (Table J)
 - IF FALSE:
 - Set is_founder = FALSE. Set locked_rebuy_price = NULL.
 - Set locked_reset_price = NULL.
- **Step 5: Register Impact Partner (Velocity Program)**
 - Action: Call Middleware Hub (POST /impact/register-partner).
 - Logic: Automatically registers the new user as a "Partner" in the internal Velocity Group to enable their unique referral link. Output: Update Users table set is_impact_partner = True.
 - **Step 6 (Discord Integration):**
 - Action: Generate a unique UUID (Discord Link Token).
 - Action: UPDATE Users table in PostgreSQL Database. Set discord_link_token = [Generated UUID].
 - **Step 7 (Perk Check - Generic):**
 - Query **Table H: Perks_Registry** for Level = 1.
 - IF Active == Yes AND Claimed < Limit:
 - Get Fulfillment_Zap ID from Table H.
 - Trigger Fulfillment Zap (e.g. Flow 25).
 - **Step 8 (Communication):**

Send Welcome_Sim_Challenge Email, this email must contain:

 - platform_username
 - Contains a time-limited, single-use "Claim Your Account" link:
 - requires email verification
 - forces Dashboard enrollment+ MFA enrollment
 - after successful claim, Dashboard can display trading credentials once (configurable), with audit logging
 - Includes specific connection guide for the chosen platform:
 - **Email Copy Insertion (Futures/Rithmic Only):** "You must download R|Trader Pro and log in using your provided credentials to activate your CME data feeds, digitally sign your exchange agreements. Your data feed will remain disabled until you complete this authentication. Your chosen platform will have market data upon completion of this step."

- **Email Copy Insertion (Discord):** "Join our official Discord server using this link: [Discord Invite URL]. Once inside, type the command /link [Generated UUID] in the #verify channel. This will instantly unlock and populate the private trading floor channels in your sidebar and assign your Associate Trader role."

Flow 1.5: Founding Mentor Initialization

- Trigger: Webhook received from Rippling (Document Signed Founding Pod Leader Agreement).
- Action 1: Initiate Veriff KYC via email.
- Action 2: Create or Modify Global_User_ID in PostgreSQL database with Role_Flag set to 'Founding Mentor'.
- Action 3: Provision @stacktrading.com Google Workspace account.
- Action 4: Generate 100% discount Amplify coupon for Associate Track. Send welcome email Pod_Founding_Leader_Welcome containing coupon code and Google Workspace "invitation link" / onboarding instructions only. .
- Security requirement:
 - Do not email Workspace passwords.
 - Enforce SSO/MFA on first login (where applicable) and require password set/reset through Google's standard invite flow.

Flow 2: Challenge Monitor (Simulation Only)

- **Trigger:** Webhook from Middleware (Rithmic/MT5/TraderEvolution Wrapper). **Event Type:** Trade_Closed.
- **Validation:** Query SQL Database. **IF** Status != 'Active_Challenge' -> **HALT**. (Prevents checking Live traders).
- **Logic:**
 1. **Fetch Data:** Get Equity, Balance, and Closed_Trades from Webhook.
 2. **Update DB:** Write new values to Users table.
- **Check Failure:** IF Equity < Drawdown_Limit **OR** Daily_Loss < Limit:
 - **Action:** Call Middleware Hub Endpoint (POST /fail-challenge).
 - **Input:** user_id, Reason ("Drawdown" or "Daily Loss").
 - **Middleware Logic (Node.js):**
 - **Lock:** Disables trading execution immediately.
 - **Flatten:** Cancels orders and closes positions.
 - **Update DB:** Sets Status = 'Failed' (Atomic update).
 - **Note:** The Database change (Step 3) will automatically trigger **Flow 7B** (Retention) via the database webhook.
- 3. **Check Success:** IF Equity >= Profit_Target:
 - **Action 1:** Disable Sim Account (Lock Profit).
 - **Action 2:** Update SQL Database Status = 'Passed_Challenge'.
 - **Action 3:** Trigger **Flow 3 (Live Onboarding)**.

- **Action 4:** Call Middleware Hub Endpoint (POST /community/trigger-review-invite) with parameter delay_hours=0 to initiate Trustpilot review invitation.

Flow 3: Live Onboarding

Flow 3A: Live Onboarding Initiation

Trigger: Completion of Flow 2 (Status = Passed_Challenge).

Compliance and Payout Initiation:

- Logic: Route KYC Flow based on Asset_Class.
- IF Asset_Class == 'Forex': Call Veriff API (POST /v1/sessions) to generate a Hosted Verification Page. Set kyc_link = verification_url.
- IF Asset_Class == 'Futures': Set kyc_link = Ironbeam White Label Portal URL.
- Logic: Query Billing_Country from Users table WHERE user_id = payload.user_id.
- Path A (US Contractor): Call Dots API to generate hosted onboarding link.
- Path B (International Contractor): Call Dots API to generate hosted onboarding link for W-8BEN and payout setup.
- Action: Send "Action Required: Complete Live Onboarding" email to Trader containing the kyc_link and the respective Payout Setup link.

State Management:

- Action: UPDATE Users table in PostgreSQL Database.
- Condition: WHERE user_id = payload.user_id.
- Set: identity_status = 'Pending'.
- Set: institution_approval_status = 'Pending'.
- Set: payout_status = 'Pending'.
- Action: Terminate Zap.

Flow 3B: Identity Verification Handler (Veriff)

Trigger: Webhook received from Veriff.

Identity Validation Check:

- Outcome A (Success): Status = APPROVED. Action: UPDATE Users table in PostgreSQL Database WHERE user_id = webhook.user_id.
 - Set identity_status = 'Approved'.
 - Logic: IF Asset_Class == 'Forex', Set institution_approval_status = 'Approved'.
 - Proceed to Aggregation Check.
- Outcome B (Retryable Fail): Status = RESUBMISSION_REQUESTED. Action: Send "Identity Verification Action Needed" Email containing the session link. Limit: Max 3 Retries. Terminate Zap.

- Outcome C (Final Fail): Status = DECLINED. Bypass Check: IF Reason == Security_Reset (from Flow 16), ALLOW re-entry.
Send Identity_Verification_Failed_Final email.
Zendesk Action: Create Ticket for Operations Team. Tag: "Compliance_Review" (Applied automatically on 3rd Veriff failure).
Action: UPDATE Users table WHERE user_id = webhook.user_id. Set identity_status = 'Failed'. HALT.

Aggregation Check:

- Logic: Query Users table in PostgreSQL Database for user_id.
- Condition: IF institution_approval_status == 'Approved' AND payout_status == 'Approved', trigger Flow 3D via internal Webhook.
- ELSE: Terminate Zap and wait for missing approvals.

Flow 3.1: BPS Manual Veriff Reset

- Trigger: Webhook VERIFF_MANUAL_RESET received from Middleware Hub.
- Automated Action:
 - Generate new Veriff session link via Veriff API.
 - Email Action: Send Email to User: "Action Required: Your ID Verification has been reset. Please try again using clear lighting and a valid government ID." Link included.
- Notification: Slack Alert to Operations: " Veriff session manually reset for Trader [ID]."

Flow 3B.2: Institution Verification Handler

- Trigger: Zapier Email Parser receives inbound message at FCM_approvals@stacktrading.com.
- Data Extraction: Zapier parses the attached JSON file.

Institution Validation Check:

- Logic: IF JSON status == 'Approved'.
- Action: UPDATE Users table in PostgreSQL Database WHERE user_id = parsed_user_id.
- Set identity_status = 'Approved'.
- Set institution_approval_status = 'Approved'.
- Set rithmic_subaccount_id = parsed_subaccount_id.

Aggregation Check:

- Logic: Query Users table in PostgreSQL Database for user_id.
- Condition: IF identity_status == 'Approved' AND institution_approval_status == 'Approved' AND payout_status == 'Approved', trigger Flow 3D via internal Webhook.
- ELSE: Terminate Zap and wait for missing approvals.
- Failure Path:
- Logic: IF JSON status == 'Denied'.

- Action: Trigger Slack Alert to Head of Ops containing the parsed_reason_for_denial.

Flow 3C: Payout Verification Handler (Dots)

Trigger: Webhook received from processor confirming status is Active and Payable (W-8BEN/W-9 tax forms signed and routing linked).

Payout Validation Check:

- Action: UPDATE Users table in PostgreSQL Database.
- Condition: WHERE user_id = webhook.user_id.
- Set: payout_status = 'Approved'.

Aggregation Check:

- Logic: Query Users table in PostgreSQL Database for user_id.
- Condition: IF identity_status == 'Approved' AND institution_approval_status == 'Approved', trigger Flow 3D via internal Webhook.
- ELSE: Terminate Zap and wait for missing approvals.

Flow 3D: Contract Execution & Market Data Initiation

Trigger: Internal Webhook indicating identity_status, institution_approval_status, and payout_status are 'Approved' for a specific user_id.

Contract Initiation:

- Action: Evaluate User Country. Trigger Rippling API strictly for document signature execution, sending one of four complete Independent Contractor Agreements:
 - 1. US Contract (If Country = US).
 - 2. UK/EU Contract (If Country = GB or EU member state).
 - 3. Common Law Contract (If Country = CA, AU, NZ).
 - 4. Rest of World Contract (All other countries).
 - Note: Tax forms are excluded from this Rippling flow as Dots handles W-8BEN/W-9.
- Action: UPDATE Users table in PostgreSQL Database WHERE user_id = payload.user_id. Set contract_status = 'Pending'.

Market Data Initiation:

- Condition: IF Asset_Class == 'Futures'.
- Prompt: Send "Level 1 Setup Form" to Trader via email.
- Action: UPDATE Users table in PostgreSQL Database WHERE user_id = payload.user_id. Set setup_status = 'Pending'.
- Condition: IF Asset_Class == 'Forex'.
- Action: UPDATE Users table in PostgreSQL Database WHERE user_id = payload.user_id. Set setup_status = 'N/A'.

State Management:

- Action: Terminate Zap.

Flow 3E: Contract Execution Handler

Trigger: Webhook received with Rippling data confirming contract is signed.

Contract Execution Gate:

- Action: UPDATE Users table in PostgreSQL Database WHERE user_id = webhook.user_id.
- Set: contract_status = 'Signed'.
- Set: stagnation_deadline = Today + 90 Days.
- Set: is_professional = True.

Aggregation Check:

- Logic: Query Users table in PostgreSQL Database for user_id.
- Condition: IF setup_status == 'Complete' OR setup_status == 'N/A', trigger Flow 3H via internal Webhook.
- ELSE: Terminate Zap and wait for Market Data Setup completion.

Flow 3F: Market Data Setup Handler (Futures Only)

Trigger: Webhook received from "Level 1 Setup Form" submission.

Selection Logic:

- Option A (Standard): Paid by Firm. Includes 1 Level 2 CME Feed.
 - Action: UPDATE Users table WHERE user_id = webhook.user_id. Set setup_status = 'Complete'. Set market_data_billable = False.
 - Aggregation Check: Query Users table. IF contract_status == 'Signed', trigger Flow 3H via internal Webhook. ELSE: Terminate Zap.
- Option B (Premium Add-ons): Paid by Trader. Additional Feeds beyond the 1 covered by Firm.
 - Action: Call Middleware Hub POST /initiate-checkout.
 - Input: product_id="LIVE_DATA_UPGRADE", addon_ids=[Selection].
 - Logic: Middleware checks ACTIVE_PAYMENT_PROCESSOR and sends the correct Payment Link to Trader via email.
 - Action: UPDATE Users table WHERE user_id = webhook.user_id. Set setup_status = 'Pending_Payment'.
 - Action: Terminate Zap.

Flow 3G: Market Data Payment Handler (Futures Only)

Trigger: Webhook received from payment processor confirming payment_success.

Payment Validation:

- Action: UPDATE Users table in PostgreSQL Database WHERE user_id = webhook.user_id.
- Set: setup_status = 'Complete'.
- Set: market_data_billable = True.

Aggregation Check:

- Logic: Query Users table in PostgreSQL Database for user_id.
- Condition: IF contract_status == 'Signed', trigger Flow 3H via internal Webhook.
- ELSE: Terminate Zap and wait for Contract Execution.

Flow 3H: Live Account Provisioning & Risk Setup

Trigger: Internal Webhook indicating contract_status = 'Signed' AND setup_status IN ('Complete', 'N/A').

Matrix Lookup:

- Query Matrix (Table A or B) using the trader's Current_Level (1, 2, or 5).

Account Creation:

- Sub Account Assignment: Call the Rithmic API to provision the specific rithmic_subaccount_id retrieved from the Ironbeam JSON payload. Mark User as Professional in Execution Platform.
- Call the MT5/TraderEvolution API to provision a discrete internal Sub Account ID and assign it to the Forex Omnibus corporate account.

Market Data Provisioning:

- IF market_data_billable == True: Provision Professional Market Data + Add-ons via Rithmic API.
- ELSE: Provision Standard Data (Firm Covered) as Professional.

Capital Calculation:

- Deposit_Target = Level_Starting_Capital (Dynamically sourced from the user's specific entry Level 1, 2, or 5).
- Virtual Ledger Init: INSERT row into ledgers table. Set user_id = payload.user_id. Set virtual_equity = Deposit_Target.

Live Account Execution:

- Action: Call Middleware Hub Endpoint (POST /provision-live-user).
- Input: user_id, Asset_Class, Risk_Group, Market_Data_Selections, fcm_subaccount_id (mapped from Flow 3B.2).

- Internal Logic (Node.js): Maps User to the specific Futures FCM provided sub account ID or the Forex Stack Trading Omnibus corporate account assigning appropriate starting balance parameter.

Immutable Ledger Logging:

- Action: Call Middleware Hub Endpoint (POST /api/ledger/record).
- Input: trader_id, metric_category="Associate Track Passed"
- Condition (Futures): metric_value="Live Account Funded (Level Target Notional Equivalent)", date=Today, receipt_hash=[PostgreSQL Ledger ID]
- Condition (Forex): metric_value="Live Account Funded (Level Target Notional)", date=Today, receipt_hash=[PostgreSQL Ledger ID].

Database Write-Back (Credentials):

- Action: UPDATE Users table in PostgreSQL Database WHERE user_id = payload.user_id.
- SET platform_username = response.platform_username
- SET platform_password_ciphertext = response.platform_password_ciphertext
- SET license_key_ciphertext = response.license_key_ciphertext
- SET cipher_version = response.cipher_version
- SET credentials_last_rotated_at = NOW()
- SET credentials_claimed_at = NULL
- Set: account_status = 'Active_L' + Current_Level + '_DMA'.

Go Live:

- Email Live_Onboarding_Level_1 (Credentials).

Pod Invite:

- Trigger Flow 10 (Pod Mentorship Onboarding).

Flow 4: Retention, Promotion & "Delta" Funding

- **Trigger A:** Middleware Webhook Profit_Target_Hit.
- **Trigger B (Defense):** Webhook Stop_Loss_Hit (or Handoff from Flow 7/19).
- **A. Promotion Path (Profit_Target_Hit):**
 - **Deduplication:** Check Event_ID in **SQL Database**. IF Exists -> HALT.
 - **Step: Lock & Liquidate (Middleware Handoff)**
 - **Action:** Call Middleware Hub Endpoint (POST /lock-and-liquidate).
 - **Input:** user_id, platform_selection.

- **Middleware Logic (Node.js):** Ensures corresponding API (Rithmic, MT5, or TraderEvolution) is triggered to halt trading.
- **Middleware Logic (Node.js):**
 1. **Force Lock:** Disables new order entry immediately.
 2. **Kill Switch:** Cancels all working orders.
 3. **Flatten:** Sends market orders to close all open positions.
 4. **Verify:** Loops internally (server-side) until `Open_Positions == 0`.
- **Output:** Returns HTTP 200 OK only when account is flat and safe.
- **Prestige Reset Check (Level 24):**
 - IF `Current_Level == 24`: Sweep Profit. Pay Bonus. Reset Account to Level 24 Base Capital. Send `Level_24_Prestige_Reset` Email. Trigger Task for Exec Team ("High Performance Review"). HALT.
- **Ledger Reset:**
 - Call Middleware `POST /financial/reset-ledger` to archive P&L and reset `virtual_equity`.
 - Input: `Next_Level`
- **Step: Calculate Next Level Parameters:**
 - **Logic:** Set `Next_Level = Current_Level + 1`.
 - **Lookup:** Query **Table A** (Forex) or **Table B** (Futures) for `Next_Level` row.
 - **Calculate Capital Allocation:**
 - IF Futures: Set `Level_Starting_Capital = Futures_Capital` (from Table B).
 - IF Forex: Set `Level_Starting_Capital = Max_Forex_Notional / 50`
- **Pod Leader Carry Logic:**
 - Check: IF `Pod_Leader_ID` exists:
 - Calculate:
 - IF `Next_Level == 3`: `Carry_Amount = 250`
 - IF `Next_Level == 5`: `Carry_Amount = 500`
 - IF `Next_Level == 7`: `Carry_Amount = 1500`
 - ELSE: `Carry_Amount = 0`
 - Action: Update SQL Database `Pending_Carry_Balance = Pending_Carry_Balance + Carry_Amount`.
- **Recharge Check (Standard Accrual):**
 - IF Level is between 9 and 17 AND `Defense_Used == True`:
 - Increment: `Promotions_Since_Defense = Promotions_Since_Defense + 1` in **SQL Database**.
 - IF `Promotions_Since_Defense >= 2`: Set `Defense_Used = False`. Reset `Promotions_Since_Defense = 0`. Notify: Send `Defense_Protocol_Recharged` Email.
- **Ledger Update:**
 - Update `ledgers.virtual_equity = Level_Starting_Capital`.
 - Update `ledgers.allocated_capital = Level_Starting_Capital`
 - **Immutable Ledger Logging (Conditional):**
 - Condition: IF `Next_Level >= 4`
 - Action: Call Middleware Hub Endpoint (POST

- Input: trader_id, metric_category="Capital Allocation Upgraded"
 - Condition (Futures): metric_value="Level [Next_Level] Reached (\$[Next_Level_Starting_Balance] Equivalent Unlocked)", date=Today, receipt_hash=[PostgreSQL Ledger ID]. Condition (Forex): metric_value="Level [Next_Level] Reached (\$[Next_Level_Starting_Balance] Unlocked)", date=Today, receipt_hash=[PostgreSQL Ledger ID].
 - **Action:** Update SQL Database Current_Level = Next_Level.
 - **Update Risk:** Call Rithmic/MT5/TraderEvolution API with Next Level Params.
 - **Unlock:** Re-Enable Trading (Rithmic/MT5/TraderEvolution).
 - **Discord Promotion Logic:**
 - Calculate Title based on Table G.
 - Action: Call Middleware Hub Endpoint (POST /manage-discord-role).
 - Input: user_id, add_role = [New Title], remove_role = [Previous Title].
 - Announcement (Silent vs. Viral):
 - IF New_Level == 6 OR 10 OR 14: Post to #trading-floor-announcements AND \$the-pit
 - IF New_Level >= 15: Post to #viral-wins, #trading-floor-announcements, AND #the-pit
 - ELSE (Levels 2-5, 7-9, 11-13): Do Not Announce.
 - Step: Data Fee Refund Calculation (Level 3 Bonus)
 - Condition: IF New_Level == 3 AND Asset_Class == "Futures":
 - Action: Call Middleware Hub Endpoint GET /financial/calculate-data-refund.
 - Input: user_id
 - Output: refundable_amount (Float)
 - Logic:
 - Calculation: Total_Payout = Level_Performance_Bonus + refundable_amount.
 - Action: Update the SQL payouts table record for this promotion event with amount = Total_Payout.
 - Note: This ensures that when Flow 5 picks up this payout ID, it processes the full amount (Bonus + Refund) automatically.
 - **Compensation:** Trigger Flow 5 (Payout).
- **Step: Emit Promotion Event Payload to Klaviyo (3-Way Branch)**
 - **Feedback Survey Gate (Pre-Condition):**
 - Query Users table for last_survey_date. IF last_survey_date is NULL OR > 30 days ago:
 - Action: Emit a webhook event payload containing Template_Mentee_Survey variables to Klaviyo and update last_survey_date to Today.
 - **Path A: Level 3 (Senior Associate) - The Refund**
 - **Condition:** New_Level == 3 AND Asset_Class == "Futures"

- **Action:** Emit Promotion_Level_3 payload to the Klaviyo API. The payload must include user_name, refund_amount, total_bonus, and the unique unauthenticated Level-Up URL featuring a mandatory push-start activation button to trigger the orchestrated cinematic animations and audio files for social sharing.
- **Path B: Level 6 - The W2 Offer**
 - **Condition:** New_Level == 6
 - **Action:** Emit Promotion_Level_6 payload to the Klaviyo API. The payload must include user_name, new_level, next_target, and the unique unauthenticated Level-Up URL featuring a mandatory push-start activation button to trigger the orchestrated cinematic animations and audio files for social sharing.
 - **Affiliate Bonus Trigger**
 - Action: Call Middleware Hub Endpoint (POST /impact/conversion).
 - Input: user_id, event_type="Level_6_Achievement", bounty_amount=500.
 - Logic: Middleware verifies if the user was originally acquired via an Impact Affiliate link. If true, it pushes the \$500 conversion event to the Impact API to credit the referring partner.
- **Path C: Standard Promotion (All Other Levels)**
 - **Condition:** New_Level != 3 AND New_Level != 6
 - **Action:** Emit Promotion_Standard payload to the Klaviyo API. The payload must include user_name, new_level, next_target, and the unique unauthenticated Level-Up URL featuring a mandatory push-start activation button to trigger the orchestrated cinematic animations and audio files for social sharing.
 - **W-2 Check:** If New Level >= 6, Trigger **Flow 6** (Level 6 Transition).
 - **Perk Check (Generic):**
 - Query **Table H: Perks_Registry** for New_Level.
 - IF Active == Yes AND Claimed < Limit:
 - Get Fulfillment_Zap ID from Table H.
 - Trigger Fulfillment Zap (e.g. Flow 26).
 - **Perk Notification:** IF Perk Triggered, Send Perk_Unlocked_General Email.
- **B. Drawdown Defense Path (Stop_Loss_Hit + Eligible):**
 - **Catch Hook:** Accepts data from Flow 7 or Flow 19.
 - **Double Dip Gate:**
 - **Check:** IF Defense_Used == True THEN Terminate (Trigger Flow 7 Termination).
 - **Action:** Set Defense_Used = True AND Status = 'SUSPENDED_DEFENSE' in SQL Database.
 - **Action:** Set Defense_Trigger_Date = Today (For Principal Accrual Tracking).
 - **Action:** Reset Promotions_Since_Defense = 0 (For Standard Accrual).
 - Action: Call Middleware Hub Endpoint (POST /system/set-account-state).
 - Input: user_id, state="Locked", context="Defense".
 - **Defense Calculation:** New_Limit = Floor(Original_Limit * Defense_Notional_Multiplier, 100).
 - **Notify:** Send Drawdown_Defense_Activated_Initial Email.
 - **Wait:** Delay **48 Hours** (Cooling Off).

- **Action (Unlock):** Update SQL Database Status = 'Active_DMA'.
- **Re-Activate:** Re-enable Account with **new** reduced parameters (from Table F).
- **Notify:** Send Drawdown_Defense_Ready Email.
- **Pod Check:** If Is_Pod_Leader == True, Set Pod_Status = Suspended in SQL Database. Trigger **Flow 15** (Re-Assignment).
- **Pod Leader Eligibility Check:**
 - Data Lookup: Retrieve Min_Pod_Leader_Level from Table C: Global_Variables.
 - Logic Gate: IF New_Level == Min_Pod_Leader_Level.
 - Action: Send Pod_Leader_Invite Email to Trader.

Flow 5: Payouts (Bonus)

Trigger: Immediate upon Flow 4 (Promotion) completion.

Reconciliation:

- Action: Call Middleware Hub Endpoint (POST /verify-payout-reconciliation).
 - Input: user_id
 - Logic: Middleware verifies Sub Account P&L matches the Institution. For Futures, Rithmic is matched against the specific Ironbeam Sub Account. For Forex, MT5/TraderEvolution Sub Account P&L is matched against the aggregated ledger of the Stack Trading Omnibus corporate accounts at both Forex.com and Interactive Brokers.

Compliance Check:

- Verify Payout_Status = 'Approved' in SQL Database.

Matrix Lookup:

- Retrieve Bonus_Paid_To_Trader from Table A/B.
- Calculation: Payout_Amount = Bonus_Paid_To_Trader. (Direct Lookup).

Minimum Check:

- IF Payout_Amount < Min_Payout_Threshold: Add to Rollover Balance. HALT.

Routing & Execution:

- Logic: Query Users table for billing_country and current_level.
- Path A (US Contractor Levels 1 to 5):
 - Trigger Dots API (Push-to-Debit/RTP) for Payout_Amount.
- Path B (International Contractor All Levels):
 - Trigger Dots API for Payout_Amount.
- Path C (US W2 Level 6+):
 - Trigger Rippling Off-Cycle Payroll API for Payout_Amount.

Immutable Ledger Logging:

- Action: Call Middleware Hub Endpoint (POST /api/ledger/record).
- Input: trader_id, metric_category="Level Profit Target", metric_value="Payout Cleared", date=Today, receipt_hash=[Dots/Rippling Transaction ID].

Trustpilot

- If Current_Level >2 THEN
 - If Current_Level=6 THEN
 - Action: Call Middleware Hub Endpoint (POST /community/trigger-review-invite) with parameter delay_hours=72
 - ELSE
 - Action: Call Middleware Hub Endpoint (POST /community/trigger-review-invite) with parameter delay_hours=24

Flow 6: Level 6 Transition (W-2 vs. International)

Trigger: User reaches Level 6.

Country Check: Query ActiveCampaign Contact Country.

Path A (USA):

- Address Verification: Call USPS API to validate physical address (No PO Boxes). IF Fail: Send "Address Correction Request" Email.
- Wait for Correction.
- Background & Compliance Gate (Checkr):
 - Action: Call Checkr API (POST /candidates + POST /invitations).
 - Package: "Standard Criminal + SSN Trace + Global Watchlist".
 - Wait: Pause Zap until Webhook report.completed is received.
 - Logic Gate:
 - IF result == "clear": PROCEED.
 - IF result == "consider": HALT. Trigger Critical Ops Alert: "Background Check Flagged for Trader [ID]. Manual Review Required."
- Step: Offer Configurator (Track & Hours):
 - Step: Offer Configurator (Track & Hours):
 - Data Lookup: Retrieve Base_Income and Base_Income_Flex from Table A/B.
 - Action: Send Level_6_Offer_Configurator Email to Trader.
 - Input Form: Trader selects Track AND inputs Requested_Hours.
 - Validation Logic (Form Level):
 - IF Track A (Full Benefits): Requested_Hours must be 30 to 35.
 - IF Track B (Flex Cash): Requested_Hours must be <= 29.
 - IF Level_6_Offer_International: Requested_Hours must be <= 35
 - Benefits Selection: IF Track A (Full Benefits), Trader completes health and welfare benefits enrollment.
 - Action (DB): Update SQL User Record: Comp_Track and Standard_Hours.
- Zero-Entry Onboarding:

- Check: IF Employee_Exists in Rippling -> Rehire. ELSE -> Create New.
- Action: Call Rippling API (/events/hr/v1/worker.hire)
- Payload:
 - Rate: (If Track A -> Base_Income; If Track B -> Base_Income_Flex).
 - Work_Schedule: [Requested_Hours] (Sets the default timesheet).
 - Title: Insert Title from Table A/B
- Offer Generation:
 - Action: Trigger Rippling "W2_Offer_Template".
 - Dynamic Fields:
 - IF Base_Income_Type == 'Hourly': Hourly_Rate = (From Selection)
 - IF Base_Income_Type == 'Annual': Base_Salary = Base_Income
 - Max_Authorized_Hours: (If Track A -> 35; If Track B -> 29).
 - Job_Title: Insert Title from Table A/B
 - Offer: Send W2_Offer via Rippling with "Identity Confirmation" checkbox.
- Immutable Ledger Logging:
 - Action: Call Middleware Hub Endpoint (POST /api/ledger/record).
 - Input: trader_id, metric_category="W2 Offer Executed", metric_value="Level 6 W2 Trader Status Achieved", date=Today, receipt_hash=[Rippling Envelope ID].
- Cleanup: Archive Dots Contractor Profile.
- Hours Declaration: Trigger Rippling "Workflow Automator" to send "Trading Hours Declaration" form.
- Compliance Hand-Off:
 - I-9 Section 2 and E-Verify will be handled natively by Rippling compliance workflow. Ops alerted by Rippling if E-Verify fails.
 - Close 1099 Account -> Create W-2 Account.

Path B (International):

- Action: Send Level_6_Offer_International form to user.
 - Wait Step: Halt flow until form is submitted and Requested_Hours are saved to the SQL Database.
- Payout Profile Validation: Call Dots API to verify the contractor payout status is currently Active. IF Failed or Suspended, Send Dots_Profile_Action_Needed Email and HALT Zap..
- Send Level_6_International_Contractor Email. Content: "Congrats on Level 6. As an International Trader, you remain a contractor but earn higher splits. Your 'Base Income' is paid as a monthly retainer."
- International Base = Base_Income_Flex
- Rippling Action: None. International traders remain contractors. Update the recurring backend trigger for the new Dots monthly retainer.
- Upload: Store signed Independent Contractor Agreement.
- Sync: Ensure "Start Date" and "Title" match W-2 path for consistency.

Flow 7: Financial Reporting (Recycling Logic)

- **Trigger:** Trader Failure (Stop Out), Stagnation, or Resignation.
- **Defense Gate:**
 - **Check:** IF Resignation == True: **SKIP** Defense Gate (Proceed to Liquidation).
 - **Eligibility Check:** IF Level < 9: Set Defense_Eligible = False. IF Level >= 9: Retrieve from Table F.
 - **Check:** IF Defense_Eligible == True AND Defense_Used == False:
 - **Action:** Trigger **Flow 4B Webhook** (Defense Handoff). HALT Flow 7.
 - **ELSE (Defense Failed/Used/Resigned):**
 - **Action:**
 - Terminate. Proceed to Liquidation.
 - Set trading to read only
 - Cancel all open orders Orders
 - Flatten all positions
- **Refund Check (Market Data):** IF Next_Month_Data_Paid == True (Pre-paid within last 3 days):
 - Call Middleware Hub POST /issue-refund
 - Input: user_id, type="MARKET_DATA".
 - Logic: Middleware looks up the original Gateway_Source (NMI or Triple-A) and issues the refund via the correct API.
- **Ledger Close:** Call Middleware **POST /financial/reset-ledger** to set **virtual_equity** to 0.
 - Input: deactivate: true
- **Liquidation:** Flatten positions.
- **Balance Check (Flash Crash Protection):**
 - If Balance < 0: Trigger **Critical Alert** (Ops). Log Balance to Bad_Debt_Log table in **SQL Database** for tax write-off.
- **Retention Gate:**
 - IF Level >= 3: Trigger **Flow 9**.
- **Post-Termination Access Control:**
- **Action:** Action: Call Middleware Hub Endpoint (POST /system/set-account-state).
 - Input: user_id, state="Terminated".
 - Logic: Executes a hard delete of the sub-account on the respective execution server (Rithmic Paper or Rithmic Live) via the DeleteUser API command to permanently stop the \$25 per user platform fee. The internal SQL database retains the performance ledger, but the platform connection is purged.
 - State: Keeps Dashboard login active (for "Reset" purchase), but blocks trading.
- **Community (Digital Eviction):**
 - Action: Call Middleware Hub Endpoint (POST /discord/revoke-all-roles).
 - Input: user_id

- **Logic:** The Node.js Discord Bot executes the removal of "Pod Member", "Pod Leader", and all Title Roles using the stored discord_user_id.
- **GL Posting:** Log P&L to QuickBooks.
- **Notification:** Send Live_Account_Closed Email.
- **Feedback Survey Gate (Exit Condition):**
 - Query Users table for pod_leader_id. IF pod_leader_id IS NOT NULL (Mentee was in a pod):
 - **Action:** Send concise Typeform exit evaluation survey to Mentee and update last_survey_date to Today.

Flow 7B: Retention & Retargeting

Trigger: Account Status changes to Failed (Any Level).

Action 1 (Cool-Down): Delay 1 Hour.

- *Rationale:* Gives the user time to interact with the immediate "Reset" CTA on the Dashboard. **Action 2 (Purchase Check):**
- **Query:** Check Last_Purchase_Date in SQL Database.
- **Logic:** IF Last_Purchase_Date > Failure_Timestamp (User already re-bought during Cool-Down) → **STOP**. **Action 3 (Path Router):** Check User_Level.

Path A: Level 0 (Challenge / Sim Account)

- **Context:** User failed the simulation. Needs to Reset.
- **Pricing Logic:** Query Users. IF is_founder is TRUE, retrieve locked_reset_price. IF FALSE, query Table J (Reset Pricing Matrix) using the user's Current_Level (1, 2, or 5) and Asset_Class to retrieve the exact Reset Price.
- **Action:** Emit an immediate webhook payload to the Klaviyo API containing Event: Challenge_Failed along with user_name and the specific Pricing_Logic_Amount value. This transfers full control of delivery delays and copy optimization to the marketing platform.

Path B: Live / Funded (Is_Professional = True)

- **Context:** User failed a Live account. Needs a new evaluation.
- **Pricing Logic:** Query Users. IF is_founder is TRUE, set rate to locked_rebuy_price with no further discount. IF FALSE, query Table J (Reset Pricing Matrix) using the user's Current_Level at the time of failure to fetch the base Challenge Price, then calculate Discounted_Price using the Retry_Discount from Table A/B.
- **Action:** Emit an immediate webhook payload to the Klaviyo API containing Event: Retention_Offer_Discount along with user_name, current_level, and the targeted Discounted_Price value to trigger the recovery sequence.
- **Action 4 (Follow Up Marketing):** Zapier does not hold execution delays for retargeting campaigns. Instead, Klaviyo monitors the conversion lifecycle natively. If the user profile has not logged a new transaction within the timeframe dictated by the Table C

Discount_Code_Duration_Days variable, the Klaviyo scheduler executes the automated Coupon_Expiring_Soon follow-up broadcast.

Flow 8: Pay Raise Engine (Dual-Rail)

- **Trigger:** Promotion Level 7+ (W-2 or Senior Contractor).
- **Data Lookup:** Retrieve Base_Income, Base_Income_Flex, and Title for the New Level (Table A/B)
- **Track Check:** Query SQL Database for Comp_Track.
- **Logic (Rate Selection):**
 - **IF Comp_Track == 'Standard':** Set New_Pay = Base_Income.
 - **IF Comp_Track == 'Flex':** Set New_Pay = Base_Income_Flex.
 - *(International Defaults to Base_Income_Flex)*
- **Path A (USA):**
 - **Action:** Call **Rippling API**.
 - **Updates:**
 - **If Hourly:** Update hourlyRate = New_Pay.
 - **If Annual:** Update baseSalary = New_Pay.
 - Title: Update jobTitle = Title
 - Effective Date: Today + 1 Day
- **Path B (International):**
 - Action: Call Middleware Hub POST /calculate-prorated-raise.
 - Automated Action:
 - Suspend the scheduled recurring backend trigger for the current retainer.
 - Trigger one-off Dots API payout for the Prorated_Adjustment.
 - Create scheduled recurring backend trigger for the Adjusted_Retainer starting 1st of next month.
 - Notification: Slack Alert to Admin: "✅ Pay raise logic triggered for Trader [ID]."

Flow 9: Severance Protocol

- **Trigger:** Level 3+ Failure (Any Country) or Resignation.
- **Eligibility:** Current_Level >= 3.
- **Lookup:** Retrieve Severance_Pay amount from Table A or B (Automated lookup to prevent error).
- If Severance_Pay > 0 (i.e. we actually have a value configured)
 - **Logic:**
 - Calculate Authorized_Amount = Severance_Pay - (Amount_Over_Stop_Loss if > 100).
 - **Resignation Check:**
 - IF Reason == TERMINATION_FOR_CAUSE: Set Severance to \$0.
 - IF Reason == LAYOFF/NO_CAUSE OR VOLUNTARY_RESIGNATION: Pay Full

Severance.

- **Task:** Create ActiveCampaign Task for **Marketing Department:** "Call Trader [ID] to offer Severance of \$[Authorized_Amount]. Conduct Exit Interview."
- **Payload:** Include script template and authorized amount.
- **Payout:** Marketing User clicks "Authorize" button in Zapier Interface (linked in ActiveCampaign Task).

Path A (US Contractor - Levels 1-5):

- Verify Dots `payout_status` = 'Approved'.
- Trigger Dots API (Push-to-Debit/RTP) for `Payout_Amount`.

Path B (International - All Levels):

- Verify Dots `payout_status` = 'Approved'.
- Trigger Dots API for `Payout_Amount`.

Path C (US W2 - Level 6+):

- Trigger Rippling Off-Cycle Payroll API for `Payout_Amount`.

Flow 10: Mentorship Opt-In & Trading Plan Submission

- **Trigger:** Flow 3 Completion.
- Trigger: Flow 3 Completion.
- Step 1: Send Pod_Mentorship_Invite Email (Link to Style/Asset Form).
- Step 2 (Form): Trader submits Asset_Class + Style (Restricted Dropdown: Scalping, Day Trading, Swing Trading, Algorithmic Trading).
- Step 3 (Match): Python Script matches against Pod_Leader_Registry in SQL Database.
- Criteria Waterfall: 1. Asset Match (Strict) -> 2. Style Match -> 3. Fallback: Lowest Current_Count.
- Step 4 (Outcome Match):
- Assign in DB. Increment Current_Count in SQL Database.
- Action: Call Middleware Hub Endpoint (POST /manage-discord-role) for 'Pod Member'.
- Discord Bot sends welcome ping in Pod Channel with Typeform link for the immutable Trading Plan template.
- Database logs SLA_Deadlines (Plan_Due: T+72 hours).
- Step 5 (Outcome No Match):
- Set Status Pod_Waitlist. Increment Pod_Waitlist Count in SQL Database.
- Notify Trader (Pod_Waitlist_Notification).

Flow 10.1A: Trading Plan Ingestion (The Push)

- Trigger: Typeform Trading Plan submitted by Mentee.
- Action 1 (Formatter): Zapier maps Typeform text answers and temporary S3 image URLs.
- Action 2 (Docs): Push mapped fields into a Google Doc Template. Image URLs render as

inline images.

- Action 3 (Export): Export generated Google Doc as a static PDF and push to AWS S3.
- Action 4 (API Push): Call Middleware Hub Endpoint (POST /analyze-trading-plan). Pass the mentor_email and the newly generated S3 PDF URL. Zapier receives instant 200 OK receipt and ends.
- Action 5 (Database): Database logs SLA_Deadlines (Induction_Due: T+5 Days) and clears Plan_Due SLA.

Flow 10.1B: Trading Plan AI Dispatch

- Trigger: Webhook TRADING_PLAN_ANALYZED received from Middleware Hub.
- Action 1 (Parse): Parse the incoming payload containing the mentor_email, pdf_url, and ai_analysis string.
- Action 2 (Notification): Email Pod Leader with the attached PDF (via the pdf_url), the ai_analysis text, the 5-Day Induction Sync SLA reminder, and the Master Google Calendar link (auto-inviting notetaker@stacktrading.com).

Flow 10.2: Mentorship SLA Enforcement (Stateless)

- Trigger: Webhook received from AWS Cron Job (SLA_Deadlines approaching or breached).
- Action 1: Identify if violation is Mentee (72-hour Plan) or Mentor (5-day Induction).
- Action 2: Send automated warning or breach email to the offending party.

Flow 10.3: Wednesday AI Brief Batch

- Trigger: Webhook received from Middleware Hub (Generated by the Generate Trading Activity vs Plan Brief internal cron).
- Action 1: Parse the incoming webhook payload containing the mentor_email and the array of mentee_data objects.
- Action 2: Format the email body. Loop through the mentee_data array to present the hard facts (Name, Asset Class, Platform, Weekly PNL, Balance, Distance to Target, Distance to Stop) immediately followed by the ai_brief_text for each trader.
- Action 3: Email the compiled dossier directly to the Mentor's @stacktrading.com inbox.

Flow 10.4: Organic Mentee Feedback Hook

- Trigger: Webhook SEND_MENTEE_SURVEY received from Middleware Hub (Fired by the Mentee Organic Survey Monitor cron job).
- Action 1: Send Template_Mentee_Survey to Mentee.
- Action 2 (Async): When Typeform is submitted, route the quantitative score and text feedback to update the rolling qualitative score in the Pod_Leader_Registry.

Flow 10.5: Daily Pod Engagement AI Audit

- Trigger: Webhook received from Middleware Hub (Fired by the Process Daily Pod Metrics cron job).
- Action 1 (Parse): Parse incoming JSON payload (pod_id, leader_id,

total_channel_messages, total_leader_messages, raw_chat_log).

- **Action 2 (AI Audit):** Pass raw_chat_log to Gemini 1.5 Flash.
- **System Prompt:** "Review this daily chat log from a trading desk. Did the mentor (Leader) engage with the team, ask probing questions regarding execution, or answer technical inquiries? Return exactly one word: 'PASS' or 'FAIL'."
- **Action 3 (Database Write):** Query Pod_Leader_Registry using leader_id. Update the rolling Engagement Compliance metrics array with the PASS/FAIL result and message counts.

Flow 11: Waitlist Processor

- **Trigger:** Current_Count decreases in **SQL Database**.
- **Check:** Is Pod_Waitlist > 0 in **SQL Database**?
- **Engagement Check:** Fire the Pod_Spot_Available_Confirm payload to the Klaviyo API and terminate the Zap.
- **Reason:** Klaviyo manages this email to act as an engagement filter. If the trader does not click the confirmation link within 48 hours, they are skipped to prevent assigning a "ghost" user to a Pod Leader.
- **Wait:** Handled natively by Klaviyo via webhook callback upon user click.
- **IF No Click:** Klaviyo triggers the removal and signals the system to move to the next oldest.
- **Assign:** Execute assignment logic from Flow 10, Step 4.
- **Decrement:** Reduce Pod_Waitlist Count in **SQL Database**.

Flow 12: The "Zombie" Protocol (Inactivity)

- **Trigger:** Daily Schedule (02:00 AM Central).
- **Scan: SQL Database** Query: SELECT * FROM traders WHERE last_trade_date < (Today - 30).
- **Batch Push:** Database sends Webhook with list of Inactive Traders to Zapier.
- **Action:** Call Rithmic/MT5/TraderEvolution API to **Disable Market Data**.
- **Pod Impact:**
 - IF Trader is in a Pod: Decrement Current_Count for Pod Leader in **SQL Database** (Free up slot). Set Trader Pod Status to Inactive_Hold.
- **Notify:** Send Zombie_Account_Pause Email. Content: "Data paused to save costs. Click button to Reactivate."
- **Reactivate Button:**
 - Trigger: User clicks link.
 - Capacity Check: IF Pod_Leader_Capacity >= Max -> Assign to Waitlist. ELSE -> Re-assign to Pod.
 - Action: Call Rithmic/MT5/TraderEvolution API to **Enable Market Data**.

Flow 13: Time-Off Management (W-2 DTO & International Hiatus)

- **Trigger:** Trader Request Form Submission.
- **Validation:** Check if Current_Level >= 6.

- **Path Router:** Query ActiveCampaign or DB for Country.
- **Path A (USA W-2 - Paid DTO):**
 - **DTO Balance Check:** Check Used_DTO vs. DTO_Days allowance via Rippling API (or stored value). IF Used_DTO >= DTO_Days -> Reject.
 - **Action 1 (Rippling):** Log Time Off in Rippling API.
 - **Action 2 (Risk/Ops):** Extend Stagnation_Deadline (Date Field) in SQL Database by Requested_Days. Disable Trading Account via Middleware (Lock).
 - **Notify:** Send DTO_Approval_Notice Email.
- **Path B (International Contractor - Unpaid Hiatus):**
 - **Validation:** No limit on requested days. Proceed immediately.
 - **Action 1 (Dots):** Suspend the scheduled recurring backend trigger for Dots (ensures no retainer is paid while the trader is not active).
 - **Action 2 (Risk/Ops):** Extend Stagnation_Deadline (Date Field) in SQL Database by Requested_Days. Disable Trading Account via Middleware (Lock).
 - **Notify:** Send DTO_Approval_Notice Email.
- **Return Protocol (Applies to Both Paths):**
 - **Trigger:** DTO/Hiatus End Date reached.
 - **Safety Check:** IF Trader_Status == 'Banned_Chargeback' OR 'Compliance_Flagged' THEN Notify Head of Ops & HALT Re-Enablement.
 - **Action (USA):** Call Middleware to Re-Enable Trading Account.
 - **Action (International):** Call Middleware to Re-Enable Trading Account. Resume the scheduled recurring backend trigger for Dots.
 - **Notify:** Send DTO_Welcome_Back Email.

Flow 14: Dispute Handler

- **Trigger:** NMI Webhook charge.dispute.created.
- **Query Status:** Check Status of TraderID in **SQL Database**.
- **Scenario A (Challenge Trader):**
 - **Action: Immediate Disable** of all Trading Accounts linked to TraderID (Sim).
 - **Status:** Set CRM Status to Banned_Chargeback.
 - **Blacklist:** Write Email/Name to Blacklist table in **SQL Database**.
- **Scenario B (Live/Active Trader - Level 1+):**
 - **Action: Pause** Trading Account (Set to ReadOnly or Locked) via Broker API. **Do NOT** auto-ban immediately.
 - **Notify:** Trigger **Critical Ops Alert** in Slack: "🚨 Live Trader [ID] filed a dispute. Account Paused. Manual Intervention Required."
 - **Ops Procedure:**
 - Ops contacts Trader to resolve (Double check if "Friendly Fraud").
 - **Outcome 1 (Resolved):** Trader drops dispute -> Ops re-enables account.
 - **Outcome 2 (Confirmed Fraud/Hostile):** Ops manually triggers Termination (Flow 7) + Blacklist.

Flow 15: Pod Re-Assignment & Management

Flow 15A

- **Trigger A:** Pod Leader Status changes to Terminated or Suspended.
 - Trigger A: Pod Leader Status changes to Terminated or Suspended.
 - Query: Find all active traders where Pod_Leader_ID == [Failed_Leader_ID].
 - Action: Loop through list -> Execute Matching Script (Flow 10).
 - Status: Set Pod_Leader_Status to Acting_Cover (Temp) or Reassigned (Permanent) based on Trigger reason.
 - Action: Call Middleware Hub Endpoint (POST /manage-discord-role).
 - Input: user_id = [Failed_Leader_ID], remove_role = 'Pod Leader'.
 - Action (API): Call Middleware Hub POST /archive-pod-channel.
 - Input: pod_leader_id.
 - Logic: Instructs the Discord Bot to revoke all permissions and rename the channel to archived.
 - Notify: Send Pod_Reassigned_Notification Email ("Meet your new mentor").
 - Leader Exit: IF Termination: Liquidate Pending_Carry_Balance to Stack General Account (Forfeit).
- **Trigger B (BPS Admin Override):** Catch Webhook from Middleware POST /admin-pod-reassignment.
 - **Action:** 1. **Discord Sync:** Call Discord Bot API to remove roles for the old_pod_id and assign roles for the new_pod_id (or just remove if new_pod_id is null). 2. **Registry Update:** Update Current_Count for both the old and new Pod Leaders in the SQL Registry to maintain accurate capacity tracking.
 - **Notification:** Send Pod_Reassigned_Notification Email to the trader and a Slack alert to the old/new Pod Leaders.
- **Trigger C (Leader Eligibility):** Ops manually marks User as Ineligible for Pod Leadership.
 - **Action:** Update Status in Pod_Leader_Registry to Permanently_Ineligible.
 - **Logic:** Ensure matching logic in Flow 10 excludes this User ID from future matches.

Flow 15B Pod Leader Opt-In & Provisioning

- Trigger: Webhook received from the button click in the Pod_Leader_Invite Email.
- Action (DB): Insert user_id and leader_name into Table E: Pod_Leader_Registry.
- Action (API): Call Middleware Hub POST /create-pod-channel.
- Input: user_id, leader_name.
- Wait: Zapier waits for JSON response containing channel_url.
- Action (DB): Update SQL User Record for this trader and write the channel_url to their profile.
- Action: Call Middleware Hub Endpoint (POST /manage-discord-role).
- Input: user_id, add_role = 'Pod Leader'.
- Notify (Leader): Send Pod_Leader_Welcome Email.

Flow 15C Pod Leader Termination Offboarding Cascade

- **Trigger:** POD_LEADER_TERMINATED Webhook received from BPS Admin endpoint (/api/bps/mentor/terminate).
- **Action 1:** Call Middleware Hub POST /archive-pod-channel (Instructs Discord Bot to revoke permissions and archive the leader's channel).
- **Action 2:** Query database to identify all active Mentees assigned to the terminated leader's pod_id.
- **Action 3:** Execute matching logic to reassign Mentees to alternative Pod_IDs or place in the available waitlist queue.
- **Action 4:** Trigger Mentor welcome emails for reassigned mentees and generate new recurring Google Meet links using the Master Calendar.
- **Action 5:** Execute Google Workspace deletion protocol for the terminated leader's @stacktrading.com address.

Flow 16: Security Reset Protocol (MFA)

- **Trigger:** Secure Form Submission (Dedicated MFA Reset Form).
- **Action:** Trigger **Flow 3 (Identity Gate)** process (Veriff Link) with Reason = Security_Reset.
- **Validation:** Wait for APPROVED webhook.
- **Reset:** Call Rithmic/MT5/TraderEvolution API to reset 2FA.
- **Notify:** Send Security_Reset_Complete Email.
- **Audit Log:** Log Security_Reset_Complete event to **SQL Database**.

Flow 17: Pod Leader Vesting Payout

- **Trigger:** Scheduled Job (Monthly, 1st of Month).
- **Action:** Call Middleware Hub POST /process-pod-vesting.
- **Input:** cycle_date = Today.
- **Middleware Execution:** Node.js queries the database, loops through eligible leaders, triggers the Dots or Rippling Off-Cycle API, and zeros out the pending balance.
- **Wait:** Zapier waits for JSON response from Middleware.
- **Notify (Ops):** Trigger Slack Alert to Head of Ops: "Pod Vesting Complete. Processed [processed_count] leaders."
- **Notify (Traders):** Send Pod_Leader_Vesting_Paid Email to the array of processed users returned in the payload.

Flow 18: Configuration Database Backup

- **Trigger:** Scheduled Job (Daily at 02:00 AM CST).
- **Action:** Perform a backup export of Zapier Tables (Tables A–F, plus any newly added tables):
- .
 - Export format: JSON (preferred) including schema_version and a checksum/hash.
 - Upload destination - Dedicated S3 bucket with:

- Naming convention - config_backup_YYMMDD_HHMMSS
 - SSE-KMS encryption
 - bucket versioning enabled
 - lifecycle/retention policy defined
 - Object Lock for config snapshots (optional)
 - cross-region replication for DR (recommended)
- Independent automated “verify backup” step (validate checksum; download and test parse).
- **Alert:** Slack alert to #dev_ops confirming successful backup or failure

Flow 19: Stagnation Monitor

- **Trigger:** Scheduled Job (Database Filter/View).
- **Query:** Import **only** Traders where Stagnation_Deadline approaches (Days_Remaining = 14, 7, 2, 1, 0) AND Status != 'Admin_Pause' (International Exception).
- **Throttle:** Add 1 second delay per loop to respect API Rate Limits.
- **Logic Loop (Per Trader):**
 - Check: IF Status == 'Promoting' -> SKIP (Race Condition Prevention).
 - Calculate: Days_Remaining = Stagnation_Deadline - Today.
 - **Warning 1 (14 Days Left):** IF Days_Remaining == 14 AND Current_Profit < Profit_Target: Send Stagnation_Warning_14_Days Email.
 - **Warning 2 (7 Days Left):** IF Days_Remaining == 7 AND Current_Profit < Profit_Target: Send Stagnation_Warning_7_Days Email.
 - **Warning 3 (2 Days Left):** IF Days_Remaining == 2 AND Current_Profit < Profit_Target: Send Stagnation_Warning_2_Days Email.
 - **Warning 4 (1 Day Left):** IF Days_Remaining == 1 AND Current_Profit < Profit_Target: Send Stagnation_Warning_1_Day Email.
 - **Termination (0 Days Left):**
 - IF Days_Remaining <= 0 AND Current_Profit < Profit_Target:
 - Defense Check: IF Level >= 9 AND Defense_Used == False: Send Stagnation_Defense_Activated Email. Trigger Flow 4B Webhook.
 - ELSE: Send Stagnation_Termination Email. Trigger Flow 7 (Trader Failure/Stop Out) with Reason Code: STAGNATION.

Flow 20: Trader Resignation Handler

- **Trigger:** Webhook from Middleware Hub (Event: RESIGNATION_EXECUTED)
- **Action:**
 - Trigger **Flow 7** (Financial Reporting/Liquidation).
- **Reason Code:** VOLUNTARY_RESIGNATION.

Flow 21: Principal Partner Accrual

- **Trigger:** Scheduled Job (Monthly, 1st of Month).
- **Query: SQL Database** Query: Find all Traders where Level >= 18 AND Defense_Used ==

True.

- **Logic Loop (Per Trader):**
 - Calculate: Months_Since_Trigger = (Today - Defense_Trigger_Date) in Months.
 - Recharge Check:
 - IF Months_Since_Trigger >= 6 AND Status != 'In_Defense':
 - Set: Defense_Used = False.
 - Update: Last_Defense_Recharge_Date = Today.
 - Notify: Send Defense_Protocol_Recharged Email.

Flow 22: Monthly Data Fee Billing (C-Corp)

- **Trigger:** Scheduled Job (Monthly - Run 3 Days Before EOM).
- **Query:** SQL Database Query: Find all Traders where Market_Data_Billable == True AND Status == 'Active'.
- **Action:** Call Middleware Hub **POST /generate-invoices**.
- **Middleware Logic:**
 - **Calculation:** Invoice_Amount = Total_Market_Data_Cost - Base_CME_Data_Cost.
 - Execution: Query database for active MIDs. Execute recurring charge against the stored customer_vault_id via NMI load balancing.
- **Failure Path (Handled via Webhook):**
 - **Condition:** Middleware pushes INVOICE_PAYMENT_FAILED event to Zapier.
 - **Notify:** Send Urgent_Data_Payment_Required Email/Slack.
- **End of Month Hard Check (Day 0):**
 - **Trigger:** Scheduled Job (Last Day of Month).
 - **Check:** Query SQL for Market_Data_Billable == True AND Last_Data_Payment_Status == Failed.
 - **Action:** Call Broker API (Rithmic) -> Disable Additional Feeds (NYMEX/COMEX/CBOT). Keep Base CME (Firm Paid).
 - **Update CRM:** Set Market_Data_Billable = False.
 - **Notify:** Send Data_Feed_Downgraded Email.

Flow 23: News Event Manager (High-Impact Webhook)

- **Trigger:** Webhook from External News Provider (e.g. FXStreet).
- **Payload:** Event Name, Impact Level, Timestamp, Currency.
- **Logic (Zapier Filter):**
 - **Filter 1:** Is Impact_Level == "High"?
 - **Filter 2:** Is Asset_Class relevant (e.g. USD, EUR)?
- **Notifications Sequence:**
 - **T-30 Mins (Warning):** Send Global Alert to Slack & Discord ("News Warning: [Event] in 30 mins").
 - **T-10 Mins (Warning):** Send Global Alert to Slack & Discord ("News Warning: [Event] in 10 mins").

- **T-1 Min (Active):** Send Global Alert ("News Protocol Active. Holding Limits Enforced.").
- **Enforcement:**
 - **Action:** Call Middleware Hub Endpoint (POST /enforce-news-event).
 - **Input:** Asset_Class (e.g. "USD"), Impact_Type ("High"), Stop_Threshold (from Table C), Notional_Cap_Percent (from Table C).
 - **Middleware Logic (Node.js):**
 - **Universal P&L Check:** Query P&L for **ALL** users (Futures & Forex). IF Abs(P&L) > Stop_Threshold -> **FLATTEN_ALL**.
 - **Asset Caps:**
 - Forex: IF Notional > Cap -> Trim.
 - Futures: IF Open_Contracts > Cap -> Trim
 - **Concurrency:** Executes these commands in parallel batches (non-blocking) for millisecond latency.
 - **Output:** Returns { "traders_processed": X, "liquidations_triggered": Y }.
 - **Notify:** Send summary to Slack #risk-ops.
- **T+1 Min (Complete):** Send Global Alert ("News Protocol Complete. Trading Resumed.").

Flow 24: Overnight Margin & Swap Monitor (Broadcast)

- Trigger: Webhook received from Middleware Hub (Node.js Dynamic Timekeeper).
- Payload Structure:
 - Asset_Class (String)
 - Symbol (String, Nullable)
 - Alert_Level (String) Values: 'Warning_60', 'Warning_30', 'Warning_10', 'Lockout_Active', 'Enforcement_Complete', 'Halt_Active', 'Halt_Cleared', 'Session_Open'
 - Widget_State (String) Values: 'Open', 'Lockout', 'Closed', 'Halted'
 - Widget_Short_Text (String) Max 15 characters (e.g., 'Close in 10m')
 - Notification_Severity (String) Values: 'INFO', 'WARN', 'CRITICAL'
 - Message_Text (String)
- Action 1: Send Global Alert to Discord using the provided Message_Text payload.
- Action 2: Send Internal Alert to Slack channel #risk-ops using the provided Message_Text payload.
- Action 3: Push NOTIFICATION WebSocket event to the Dashboard using Notification_Severity and Message_Text to populate the Notification Center.
- Action 4: Push MARKET_STATUS_UPDATE WebSocket event to the Dashboard using Widget_State and Widget_Short_Text to populate the Market Status Widget.
- Operational Control Logic: The Node.js middleware acts as the core timeline authority. It calculates dynamic, asset-specific market milestones via the master reference schedule database. Because asset classes or individual symbols close or halt at different times due to holiday calendar shifts or market-specific structures, webhooks

are triggered independently for each specific configuration approaching its window.
Message text tokens such as [Symbol] are replaced server-side before execution.

Notification Matrix

Alert Level	Asset Class	Widget_State	Widget_Short_Text	Notification_Severity	Dashboard / Discord / Slack Copy
Warning_60	[Asset_Class]	Open	Close in 60m	INFO	 60-Minute Risk Warning: The enforcement cycle for [Asset_Class] begins in 1 hour. Verify your account meets both session loss thresholds and absolute overnight holding limits.
Warning_30	[Asset_Class]	Open	Close in 30m	WARN	 30-Minute Risk Warning: The compliance engine runs in 30 minutes. Portfolios violating the 25% notional limit or absolute CME overnight margin rules must be adjusted before [Asset_Class] order entry locks.
Warning_10	[Asset_Class]	Open	Close in 10m	CRITICAL	 10-Minute Final Warning: New position entry for [Asset_Class] locks in 10 minutes. Secure your compliance state immediately to prevent automated system trimming.

Lockout_Active	[Asset_Class]	Lockout	Locked	CRITICAL	 Pre-Close Lockout Enforced: New order entry is frozen for [Asset_Class]. Portfolios are locked in liquidation only mode for the final execution window.
Enforcement_Complete	[Asset_Class]	Closed	Market Closed	INFO	 Audit Cycle Complete: [Asset_Class] margin compliance check finalized. Overnight risk states are locked and archived to the ledger.
Halt_Active	[Asset_Class]	Halted	Market Halted	WARN	 Market Halt Enforced: [Symbol] has entered its scheduled intraday maintenance pause. Electronic order routing is frozen across the execution networks.
Halt_Cleared	[Asset_Class]	Open	Trading Open	INFO	 Market Halt Cleared: The maintenance window for [Symbol] has concluded. Order routing networks have re-opened for execution.
Session_Open	[Asset_Class]	Open	Trading Open	INFO	 New Trading Session Open: The electronic order books are open for [Asset_Class]. Baseline day trading margins are active across all whitelisted roots.

Flow 25: Fulfillment - Founding 500 Hoodie (Apliiq)

- **Trigger:** Triggered by **Flow 1 (Step 6)** if conditions met.
- **Action:** Call **Apliiq API** to place an order.
- **Product:** "Founding 500 Heavyweight Hoodie" (SKU mapped in Apliiq).
- **Options:** Map shirt_size from the Users table to the Apliiq size parameter.
- **Recipient:** Trader Name/Address from SQL DB.
- **Database Update (Perk Logic):**
 - **Agency Note:** Use database transaction or atomic increment for Claimed count to prevent race conditions during high volume.
 - Increment Claimed count for Level 1 in **Table H**.
 - **Limit Check:** IF Claimed >= Limit: Set Active = No.
 - **Alert:** IF Limit Reached -> Notify Ops & Marketing via Slack: "🔥 Founding 500 Hoodie Limit Reached!"
- **Notify:** Send Email to Trader (Shipping Confirmation template if available from Apliiq, or generic "Perk on the way").

Flow 26: Fulfillment - Tom James Suit

- **Trigger:** Triggered by **Flow 4 (Perk Check)** when Level 10 reached and Limit not hit.
- **Action:** Send Email via Amazon SES.
- **To:** reps@tomjames.com (Placeholder).
- **Subject:** "New Level 10 Trader - Suit Fitting Request".
- **Body:** "New Level 10 Trader: [Name] Location: [City, State] Contact: [Phone/Email] Budget Code: STACK-SUIT-L10-[ID] Please reach out to schedule."
- **Notify:** Send Slack Alert to #marketing ("Suit Claimed by [Trader]").
- **Immutable Ledger Logging:**
 - Action: Call Middleware Hub Endpoint (POST /api/ledger/record).
 - Input: trader_id, metric_category="Luxury Perk Unlocked", metric_value="Bespoke Suit Consultation Initiated", date=Today, receipt_hash=[CRM/Email Event ID].
- **Database Update (Perk Logic):**
 - **Agency Note:** Use database transaction or atomic increment for Claimed count to prevent race conditions.
 - Increment Claimed count for Level 10 in **Table H**.
 - **Limit Check:** IF Claimed >= Limit: Set Active = No.
 - **Alert:** IF Limit Reached -> Notify Ops & Marketing via Slack: "🌟 Tom James Suit Limit Reached!"

Flow 27: Hourly Solvency Monitor

- **Trigger:** Schedule by Zapier (Hourly).
- **Step 1:** Check Health

- Action: Webhooks by Zapier (GET) to /financial/fcm-health.
- Step 2: Operations Report (Always Run)
 - Action: Slack (Send Channel Message).
 - Channel: #ops-treasury
 - Message Text:
 -  Hourly Solvency Report: Futures
 - "Status: [Step 1.Futures.buffer_health]"
 - "FCM Equity: \${Step 1.Futures.fcm_equity}"
 - "Required Buffer: \${Step 1.Futures.required_equity}" "Action Required: [Step 1.Futures.action] (\${Step 1.Futures.amount})"
 - " "
 -  Hourly Solvency Report: Forex
 - "Status: [Step 1.Forex.buffer_health]"
 - "RFED Equity: \${Step 1.Forex.fcm_equity}"
 - "Required Buffer: \${Step 1.Forex.required_equity}" "Action Required: [Step 1.Forex.action] (\${Step 1.Forex.amount})"

Flow 28: Hourly Automated Treasury Sweep

- Trigger: Schedule by Zapier (Hourly).
- Step 1: Run Rebalance Job
 - Action: Webhooks by Zapier (POST) to /financial/run-rebalance.
 - Payload: force_execution: true.
- Step 2: Treasury Report (Always Run)
- Action: Slack (Send Channel Message).
 - Channel: #ops-treasury
 - Message Text: [Step 1.Futures.slack_alert_text] \n [Step 1.Forex.slack_alert_text]
(Note: The endpoint returns a summary string for both assets even if action="NONE")

Flow 29: Daily EOD Performance and Funnel Report

- **Trigger:** Schedule by Zapier (Daily at 5:05 PM EST - 5 mins after market close).
- **Step 1:** Webhooks by Zapier (POST) to /financial/daily-snap.
- **Step 2:** Slack (Send Channel Message) to #ops-treasury.
- **Message Payload Format:**
 -  EOD Firm Health Report: [Step 1.day]
 - Live Performance
 - Number of Live Traders: [Step 1.trader_count]
 - Total Firm P&L: \${Step 1.total_pnl}
 - Realized P&L: \${Step 1.realized_pnl}
 - Unrealized P&L: \${Step 1.unrealized_pnl}
 - Target Buffer Requirement: \${Deposit_Req}
 - Simulation Funnel

- Sales: [New] New / [Resets] Resets
- Challenge Velocity: [Passed] Passed / [Failed] Failed
- Pass Rate: [Pass_Percent]%
- Avg. Time to Outcome: [Avg_Duration] Days
- Full Level-by-Level breakdown available in PowerBI.

Flow 30: MID Capacity Warning

- Trigger: Webhook received from Middleware Hub (Fires when Check MID Capacity endpoint flags 80 percent).
- Action: Send Slack Alert to Operations Channel.
- Content: "Warning: MID [merchant_name] has reached 80 percent of its monthly volume limit. Contact processor for an increase."

Flow 31: Aggregate Exhaustion Monitor (Sev 1)

- Trigger: Scheduled Job (Daily at 11:00 PM CST).
- Action: Call Middleware Hub GET /calculate-volume-pacing.
- Condition: IF projected_exhaustion == true.
- Action: Send Slack Severity 1 Alert to Operations Channel.
- Content: "CRITICAL: Aggregate pacing indicates all merchant accounts will exhaust capacity before month end. Immediate intervention required."

Flow 32: Velocity Reward

- **Trigger:** Impact Webhook (Milestone Reached: 3 or 6 Referrals).
- **Action 1:** Call Middleware POST /generate-promo-code.
- **Action 2:** Email template Velocity_Reward_Unlocked to the referrer with the single-use code.
- **Action 3:** Discord Bot posts to #trading-floor-announcements: "Another trader just earned a Free Associate Track via the Velocity Program."

Flow 33: Amplify Verification

- **Trigger:** Discord Bot Webhook from the /submit-bounty command.
- **Step 1:** Call Middleware GET /bounty/check-url. If is_unique is false, stop and DM user: "This link has already been used to claim a reward."
- **Step 2:** Zapier fetches Views, Likes, and Comments from the social API.
- **Step 3:** Use a Zapier Filter to check:
 - Views >= 50,000
 - (Likes + Comments) / Views >= 0.015
- **Step 4:** Pass the video description and top 10 comments to Gemini 1.5 Pro.

- **AI Task:** "Analyze these comments for bot-farm patterns (repetitive emojis, generic praise, identical phrasing). Return 'AUDIT_PASS' or 'AUDIT_FAIL'." Note: This should be prompted as an intensive reasoning task to detect synthetic text, not a basic spam classifier.
- LLM Analysis (Privacy-Safe):
 - Redact/strip PII (emails, phone numbers, account identifiers, payment details, full names) before sending any text to an LLM.
 - Use an approved enterprise LLM configuration with defined data-retention terms for any user-generated content processing.
 - Store only the derived PASS or FAIL in Google Sheets;
- **Step 5 (Communication Matrix):**
 - **On Success:** Call POST /generate-promo-code. DM User: "Success. Your impact is verified. Your free Associate Track code is [promo_code]. It has also been sent to your email."
 - **On Math Failure:** DM User: "Submission logged. You currently have [Views] views and a [Ratio] engagement rate. This bounty requires 50,000 views and 1.5 percent engagement. Resubmit once your metrics update."
 - **On AI Audit Failure:** DM User: "Submission rejected. Our system detected non-organic engagement patterns. We only reward authentic traffic. Repeated bot-farming attempts will result in an Amplify Program ban."

Flow 34: Rippling Payroll Execution (Ledger Sync)

- Trigger: Webhook from Rippling (Bi-Weekly/Monthly Payroll Run Cleared).
- Filter: Ensure payload corresponds to an active Stack Trading W2 Trader Only.
- Immutable Ledger Logging:
- Action: Call Middleware Hub Endpoint (POST /api/ledger/record).
- Input: trader_id, metric_category="W2 Payroll Executed", metric_value="\$[Total_Amount] Base + Benefits Paid", date=Today, receipt_hash=[Rippling Transaction ID].
- Action: Terminate Zap.

Flow 35: Rippling PTO Approval (Ledger Sync)

- Trigger: Webhook from Rippling (Time Off Request Approved).
- Filter: Ensure payload corresponds to an active Stack Trading W2 Trader.
- Immutable Ledger Logging:
- Action: Call Middleware Hub Endpoint (POST /api/ledger/record).
- Input: trader_id, metric_category="Corporate Benefits", metric_value="[Days_Approved] Days PTO Approved (Paid Time Off)", date=Today, receipt_hash=[Rippling Request ID].
- Action: Terminate Zap.

Flow 36: Retainer Execution (Ledger Sync)

- Trigger: Webhook from Dots (Monthly Retainer Processed).
- Filter: Ensure payload corresponds to an active Stack Trading International Contractor (Level 6+).
- Immutable Ledger Logging:
- Action: Call Middleware Hub Endpoint (POST /api/ledger/record).
- Input: trader_id, metric_category="Payroll Executed", metric_value="\$[Total_Amount] Retainer Paid ([billing_country])", date=Today, receipt_hash=[Dots Transaction ID].
- Action: Terminate Zap.

Flow 37: Fulfillment - Goodwill Shirt (Apliiq)

- Trigger: Webhook from Middleware Hub (Triggered by the BPS Admin API).
- Action: Call Apliiq API to place an order.
 - Product: "Stack Trading Core T-Shirt" (SKU mapped in Apliiq).
 - Options: Map shirt_size from the Users table to the Apliiq size parameter.
 - Recipient: Trader Name/Address from SQL DB.
- Database Update (Perk Logic):
 - Agency Note: Use database transaction or atomic increment for Claimed count to prevent race conditions.
 - Increment Claimed count for the "Support" Level in Table H.
 - Limit Check: IF Claimed >= Limit: Set Active = No.
 - Alert: IF Limit Reached -> Notify Ops via Slack: "🔴 Goodwill Merch Inventory Depleted. Support can no longer issue free shirts."
- Notify: Send generic "A gift from Stack Trading is on the way" Email to Trader.

Flow 38: Support Interception & Zendesk Creation

- Trigger: Webhook from Middleware Hub (Discord Bot - Negative Operational Sentiment Detected).
Payload: discord_id, message_text, timestamp.
- Action 1 (Lookup): Query PostgreSQL Users table using discord_id to retrieve the user's registered email address.
- Action 2 (Zendesk): Call Zendesk API to create a new Support Ticket.
Mapping: Set Requester = user's email. Set Description = message_text. Set Priority = High.
- Notify: Send automated confirmation email via Zendesk with the following template:
- Subject: Stack Trading Support Ticket Created - Discord Escalation
- Body:

Hello,

We intercepted your recent message in the Stack Trading Discord regarding an operational issue. To protect your privacy and ensure our team can assist you securely, we have converted your message into a high-priority support ticket.

Your original message: "[Insert message_text payload]"

Our team is reviewing this now and will reply to this email directly. Please reply to this email with any additional context or screenshots.

Regards,

Stack Trading Operations

Flow 39: BPS Resend Market Data Instructions

- Trigger: Webhook RESEND_RTRADER_INSTRUCTIONS received from Middleware Hub.
- Action:
- Email Action: Send Email to User: "Stack Trading: Market Data & R|Trader Pro Setup."
 - Content: This email contains step-by-step instructions on logging into R|Trader Pro and signing the CME, COMEX, CBOT, and NYMEX subscriber agreements.

Flow 40: Establish and maintain a Zapier DR Recovery Snapshot

Quote: Display costs with and without this flow.

- **Trigger:** Upon completion of initial Zapier implementation work, and on each subsequent change to Zapier.
- **Action:** Update the Zap Catalog:
 - Advice: Attach screenshots / exported step descriptions & save code steps or utilize Zapier's API or a configuration-as-code solution to automate backups.
 - store metadata: zap version/date/editor
 - Zap Catalog should include:
 - **Inventory list** of all Zaps:
 - Zap name
 - Flow number (e.g., Flow 23)
 - Trigger type (Webhook/Table/Schedule)
 - Middleware endpoint(s) called
 - Owner/contact
 - Criticality (P0 money-moving vs P2 comms)
 - If App Secrets are used - Client IDs and Secrets saved securely (AWS Secrets Manager (or SSM Parameter Store + KMS)).
 - **Step-by-step blueprint** of each Zap (even if manual):
 - screenshot or exported representation of every step
 - copy of any Code Step source code (JS/Python)
 - copy of any filter logic rules and mapping tables
 - Create and maintain a restore runbook and validation test checklist per critical flow

- Store artifacts in S3 (same bucket/prefix as Flow 18 tables backups), versioned.
- This ensures the ability to reconstruct the full Zapier automation layer—even in worst-case scenarios such as Zapier data corruption, a cyber event causing data loss, accidental deletion/misconfiguration, or failure of Zapier's native version history/backup mechanisms. This external catalog acts as the system-of-record for Zap logic, enabling deterministic restoration and auditability independent of Zapier's internal state.

5.0 Compliance & Data Governance

- **Audit Trail + Record Retention** : All financial transactions, state-change events, and admin overrides must be archived to an immutable S3 bucket with:
 - SSE-KMS encryption,
 - versioning enabled,
 - **Object Lock (WORM)** enabled where required,
 - defined retention periods + legal hold process,
 - periodic restore testing.

Regulatory note:

Retention controls must satisfy the applicable recordkeeping regime (CFTC/NFA requirements for futures/retail forex and SEC 17a-4).

- **Safety**: All Funding Zaps must filter by Asset_Class.
- **Identity & Access Integrity**: Middleware Hub monitors for "Account Passing Services" (IP hopping, device mismatch).
 - **Action**: Trigger Manual Review Task for Ops (Do Not Auto-Ban).

6.0 Implementation / Production Readiness Checklist

- ☐ **Zapier**: Upgrade to "Company" Plan.
- ☐ **Zapier Tables**: Create Tables A (Forex) and B (Futures) using the data in Appendix.
- ☒ ~~**Discord**: Configure Roles (Titles + Pod Status) and Channels (#trading-floor-announcements, #the-pit, #viral-wins).~~
- ☐ **PostgreSQL**: Configure Amazon RDS schema for logs and state tracking.
- ☐ **Rippling**: Configure for US-only logic and "Workflow Automator" hours check.
- ☐ **Email**: Create all placeholder templates in AWS SES (Ensure Domain Auth & IP Warmup).
- ☐ **Rithmic**: Configure "ES Equivalent" risk limits in the admin backend.
- ☐ **NMI / Triple-A**: Ensure custom metadata fields (addon_ids) are explicitly configured to pass through the payment payload to the webhook catcher.
- ☐ **Dev/Stage/Prod Zapier** Clear defined by either environments or alternate methods that fully segregate and clearly showcase the differences in each as well as what applies to which environment.
- ☐ **Secrets handling validated**: no plaintext platform credentials in Zapier logs; DB stores ciphertext only.
- ☐ **Webhook security validated**: allowlists + signed webhook verification + rate limiting

configured per RFQ.

- ☐ **Idempotency:** provider_event_id/event_id enforced for payments, provisioning, payouts, KYC state changes, and ledger writes.
- ☐ **Centralized monitoring/alerting** in place for Zap failures, task quota thresholds, and middleware endpoint errors.
- ☐ **Backup/DR:** S3 backup encryption + versioning + retention + (recommended) cross-region replication + restore test runbook.
- ☐ **Cost controls:** Zapier task budget thresholds + AWS budget alerts/tags for components supporting Zapier workflows.
- ☐ **Break-Glass Runbooks** delivered and reviewed (Provisioning, Lock/Liquidation, Refunds, Payout Holds, KYC Exceptions).
- ☐ **“Zapier Degraded Mode” defined:** critical flows paused vs manually executed; replay strategy defined.
- ☐ **Ops Console / Admin endpoints implemented** with RBAC + immutable audit logging (who/why/when).
- ☐ **Tabletop test completed** for each runbook with evidence captured (timestamps, screenshots/log IDs).
- ☐ **Quarterly production drill** schedule defined for break-glass procedures.

7.0 Alternative Quote Package 8: Webhook Ingress Pattern (Price Both Options)

- Overview (applies to 7A / 7B / 7C)
- Requirement: Vendor must provide an Alternative Quote for two implementation patterns for external provider webhooks:
- Option A (Baseline / Fastest): Provider → Zapier
 - External provider sends webhook directly to Zapier (Catch Hook / Zap trigger).
 - Zapier performs filtering/branching and calls Middleware Hub endpoints as needed.
- Option B (Hardened / Recommended): Provider → Middleware Hub → Zapier
 - External provider sends webhook to Middleware Hub (internet-facing endpoint behind WAF/rate limiting).
 - Middleware Hub performs validation, normalization, persistence, idempotency/dedup, and emits an internal normalized event to Zapier.
- Pricing Requirement: Vendor must quote:
 - One-time implementation cost for Option A and Option B (separately)
 - Estimated ongoing run-rate impact (AWS + Zapier task implications)
 - Assumptions used (expected monthly events, payload sizes, retries)

Note: Option B can be priced as (i) a shared “Webhook Gateway Framework” base cost,

plus (ii) per-provider incremental integration costs.

7.1 (4.0 Operational Logic Flows) Flow 23 – News Event Manager (FXStreet / Economic Calendar)

Option A (Baseline): Trigger directly from External News Provider → Zapier

Implement as:

- Trigger: Webhook from External News Provider (e.g., FXStreet) directly to Zapier.

Vendor Deliverables (Option A):

- Configure Zap trigger endpoint and provider configuration.
- Implement schema mapping/validation inside Zapier (Formatter/Code step or middleware call).
- Ensure an idempotency key is tracked (provider event ID if available; otherwise derived hash).
- Continue existing actions (e.g., notifying traders, calling Middleware /enforce-news-event logic).

Security/Controls (Option A) – minimum standard:

- Use provider signature verification if supported (implemented via Zapier code step or middleware validation call).
- Apply IP allowlisting only if the provider supports fixed IPs and Zapier can practically enforce it (often limited).
- Add a dedup step using DB (e.g., middleware endpoint POST /events/dedup-check) to prevent duplicate processing on provider retries.

Pricing Instructions (Option A):

- Quote as “Flow 23 News webhook direct-to-Zapier configuration + validation + dedup”
- Include effort for Zap design + testing + provider sandbox coordination.

Expected ongoing costs (Option A) – vendor to estimate:

- Zapier tasks: higher (Zapier receives all provider retries/duplicates).
- AWS: minimal incremental.

Option B (Hardened): Trigger from Middleware Hub → Zapier (NEWS_EVENT)

Replace trigger with:

- Trigger: Webhook from Middleware Hub
Event: NEWS_EVENT
source: FXStreet (or other provider)

Middleware Hub responsibilities (Option B):

- Validate provider signature and/or token (and IP allowlist when supported).
- Normalize payload schema to canonical NEWS_EVENT.
- Persist:
 - provider_event_id
 - payload_hash
 - raw payload
 - received timestamp + validation result
- Enforce idempotency/dedup and support replay (admin-only replay endpoint).
- Emit internal webhook to Zapier (e.g., POST /zapier/events/news_event).

Vendor Deliverables (Option B):

- Create/extend middleware endpoints:
 - POST /webhooks/news/fxstreet (or equivalent)
 - POST /zapier/events/news_event (internal event emission)
- Add DB persistence in an event_log table (or equivalent).
- Configure Cloudflare/WAF rules/rate limiting on middleware ingress domain.
- Update Zapier Flow 23 to use Middleware Hub trigger.

Pricing Instructions (Option B):

- Quote as “Flow 23 News webhook via Middleware Hub (validated + persisted + dedup + normalized)”
- Break out:
 - “Webhook Gateway Framework” (if shared with 8B/8C)
 - “FXStreet/Economic Calendar integration” incremental

Expected ongoing costs (Option B) – vendor to estimate:

- Zapier tasks: lower / more stable (Zapier receives only validated normalized events).
 - AWS: small incremental (API requests + CloudWatch logs + DB writes).
-

7.2 (4.0 Operational Logic Flows) Flow 34 – Payroll (Rippling) Trigger

Option A (Baseline): Trigger directly from Rippling → Zapier

Implement as:

- Trigger: Webhook from Rippling (Bi-Weekly/Monthly Payroll Run Cleared) directly to Zapier.

Vendor Deliverables (Option A):

- Configure Rippling webhook → Zapier trigger.
- Implement payload validation and mapping in Zapier (or via middleware validation call).
- Implement dedup/idempotency check to prevent double payroll events causing duplicate downstream actions.

Security/Controls (Option A):

- Verify signature/token if Rippling provides one (Zapier code step or middleware call).
- Store provider_event_id in DB to dedup (required for payroll/ledger events).

Pricing Instructions (Option A):

- Quote as “Flow 34 Payroll webhook direct-to-Zapier configuration + validation + dedup”

Expected ongoing costs (Option A) outcome:

- Zapier tasks: low/medium (payroll events not high-frequency, but retries still happen).
- AWS: minimal incremental.

Option B (Hardened): Trigger from Middleware Hub → Zapier (PAYROLL_CLEARED)

Replace trigger with:

- Trigger: Webhook from Middleware Hub
Event: PAYROLL_CLEARED
source: Rippling

Middleware Hub responsibilities (Option B):

- Validate signature / allowlist where supported.
- Enforce idempotency via provider_event_id.
- Write to event_log before emitting to Zapier (durable record for audit/replay).

Vendor Deliverables (Option B):

- Middleware endpoints:
 - POST /webhooks/payroll/rippling
 - POST /zapier/events/payroll_cleared
- Event persistence + dedup + replay mechanics.
- Update Zapier Flow 34 trigger to Middleware Hub event.

Pricing Instructions (Option B):

- Quote as “Flow 34 Payroll webhook via Middleware Hub (validated + persisted + idempotent)”
- Break out shared framework vs per-provider integration.

Expected ongoing costs (Option B) outcome:

- Zapier tasks: very stable and predictable.
 - AWS: small incremental (ingress + logs + DB writes).
-

7.3 (4.0 Operational Logic Flows) Flow 36 – Retainer (Dots) Trigger

Option A (Baseline): Trigger directly from Dots → Zapier

Implement as:

- Trigger: Webhook from Dots (Monthly Retainer Processed) directly to Zapier.

Vendor Deliverables (Option A):

- Configure Dots webhook → Zapier trigger.
- Implement dedup and validation (required, because payout/retainer systems can retry).
- Ensure downstream actions are idempotent (no duplicate ledger entries / payouts / accounting entries).

Security/Controls (Option A):

- Signature verification if supported (Zapier code step or middleware validation call).
- DB-level dedup required.

Pricing Instructions (Option A):

- Quote as “Flow 36 Retainer webhook direct-to-Zapier configuration + validation + dedup”

Expected ongoing costs (Option A) outcome:

- Zapier tasks: low (monthly), but duplicates are the real risk.
- AWS: minimal incremental.

Option B (Hardened): Trigger from Middleware Hub → Zapier (RETAINER_PROCESSED)

Replace trigger with:

- Trigger: Webhook from Middleware Hub
Event: RETAINER_PROCESSED
source: Dots

Middleware Hub responsibilities (Option B):

- Validate signature / allowlist.
- Enforce idempotency via provider_event_id.
- Write to event_log before emitting to Zapier.
- Emit normalized event to Zapier.

Vendor Deliverables (Option B):

- Middleware endpoints:
 - POST /webhooks/retainer/dots
 - POST /zapier/events/retainer_processed
- Event persistence + replay + dedup.
- Update Zapier Flow 36 trigger to Middleware Hub event.

Pricing Instructions (Option B):

- Quote as “Flow 36 Retainer webhook via Middleware Hub (validated + persisted + idempotent)”
- Break out shared framework vs per-provider integration.

Expected ongoing costs (Option B) outcome:

- Zapier tasks: low and predictable.
- AWS: small incremental.

8.0 Appendix: Configuration Matrices

Appendix A: Forex Configuration Matrix (Table A)

Currency: USD. Enforces Notional Limits and Overnight Caps.

Level	Title	Max_Forex_Notional	Profit_Target	Market_Loss_When_Stopped	Bonus_Paid_To_Trader	Base_Income	Base_Income_Flex	Base_Income_Type	Severance_Pay	Retry_Discount	DTO_Days
1	Associate Trader	\$25,000	\$1,875	\$1,250	\$0	\$0	\$0	N/A	\$0	10%	0
2	Associate Trader	\$50,000	\$3,750	\$2,500	\$375	\$0	\$0	N/A	\$0	15%	0
3	Associate Trader	\$75,000	\$5,625	\$3,750	\$563	\$0	\$0	N/A	\$225	20%	0
4	Associate Trader	\$100,000	\$9,400	\$7,000	\$940	\$0	\$0	N/A	\$650	25%	0
5	Associate Trader	\$150,000	\$14,100	\$10,500	\$1,410	\$0	\$0	N/A	\$1,000	50%	0
6	Trader	\$250,000	\$23,500	\$17,500	\$2,350	\$17.00	\$20	Hourly	\$1,250	N/A	10
7	Trader	\$350,000	\$32,900	\$24,500	\$3,290	\$17.00	\$20	Hourly	\$1,250	N/A	10
8	Trader	\$500,000	\$47,000	\$35,000	\$4,700	\$20.00	\$24	Hourly	\$1,500	N/A	10
9	Trader	\$750,000	\$70,500	\$52,500	\$7,050	\$22.00	\$26	Hourly	\$1,500	N/A	10
10	Senior Trader 1	\$1,000,000	\$110,000	\$90,000	\$27,500	\$55,000	\$64,000	Annual	\$2,500	N/A	10
11	Senior Trader 1	\$1,500,000	\$165,000	\$135,000	\$41,250	\$55,000	\$64,000	Annual	\$2,500	N/A	10
12	Senior Trader 1	\$2,000,000	\$220,000	\$180,000	\$55,000	\$75,000	\$87,000	Annual	\$2,500	N/A	10
13	Senior Trader 1	\$3,000,000	\$330,000	\$270,000	\$82,500	\$75,000	\$87,000	Annual	\$3,000	N/A	10
14	Senior Trader 2	\$5,000,000	\$550,000	\$500,000	\$165,000	\$100,000	\$117,000	Annual	\$5,000	N/A	15
15	Senior Trader 2	\$7,500,000	\$825,000	\$750,000	\$247,500	\$100,000	\$117,000	Annual	\$5,000	N/A	15
16	Senior Trader 2	\$10,000,000	\$1,100,000	\$1,000,000	\$330,000	\$150,000	\$175,000	Annual	\$5,000	N/A	15

17	Senior Trader 2	\$15,000,000	\$1,650,000	\$1,500,000	\$495,000	\$150,000	\$175,000	Annual	\$10,000	N/A	15
18	Principal Trader	\$20,000,000	\$2,200,000	\$2,000,000	\$770,000	\$250,000	\$292,000	Annual	\$10,000	N/A	15
19	Principal Trader	\$25,000,000	\$2,750,000	\$2,500,000	\$962,500	\$250,000	\$292,000	Annual	\$10,000	N/A	15
20	Principal Trader	\$35,000,000	\$3,850,000	\$3,500,000	\$1,347,500	\$250,000	\$292,000	Annual	\$10,000	N/A	15
21	Principal Trader	\$42,500,000	\$4,675,000	\$4,250,000	\$1,636,250	\$250,000	\$292,000	Annual	\$10,000	N/A	15
22	Managing Principal Trader	\$50,000,000	\$5,500,000	\$5,000,000	\$2,750,000	\$350,000	\$415,000	Annual	\$20,000	N/A	20
23	Managing Principal Trader	\$62,500,000	\$6,875,000	\$6,250,000	\$3,437,500	\$350,000	\$415,000	Annual	\$20,000	N/A	20
24	Managing Principal Trader	\$75,000,000	\$8,250,000	\$7,500,000	\$4,125,000	\$350,000	\$415,000	Annual	\$20,000	N/A	20

Appendix B: Futures Configuration Matrix (Table B)

Currency: USD. Contracts normalized to E-Mini S&P 500 (ES) Margin.
 Logic: 1 ES ≈ 10 Micros (MES), 1 CL (Crude) ≈ 2 ES.

Level	Title	Futures_Capital	Profit_Target	Market_Loss_When_Stopped	Bonus_Paid_To_Trader	Base_Income	Base_Income_Flex	Base_Income_Type	Severance_Pay	Retry_Discout	DTO_Days	Max_Contracts_ES_Equiv	Assets_Permitted
1	Associate Trader	\$1,250	\$1,875	\$1,250	\$0	\$0	\$0	N/A	\$0	10%	0	8 Micros	"Micros Only (MES, MNQ, M2K)"
2	Associate Trader	\$2,500	\$3,750	\$2,500	\$375	\$0	\$0	N/A	\$0	15%	0	16 Micros	"Micros Only (MES, MNQ, M2K)"
3	Associate Trader	\$3,750	\$5,625	\$3,750	\$563	\$0	\$0	N/A	\$225	20%	0	3 Minis	"All Minis (ES, NQ, YM)"
4	Associate Trader	\$7,500	\$9,400	\$7,000	\$940	\$0	\$0	N/A	\$650	25%	0	5 Minis	"All Minis + Commodities (CL, GC)*"
5	Associate Trader	\$11,250	\$14,100	\$10,500	\$1,410	\$0	\$0	N/A	\$1,000	50%	0	7 Minis	All Asset Classes
6	Trader	\$18,750	\$23,500	\$17,500	\$2,350	\$17.00	\$20	Hourly	\$1,250	N/A	10	12 Minis	All Asset Classes
7	Trader	\$26,250	\$32,900	\$24,500	\$3,290	\$17.00	\$20	Hourly	\$1,250	N/A	10	17 Minis	All Asset Classes
8	Trader	\$37,500	\$47,000	\$35,000	\$4,700	\$20.00	\$24	Hourly	\$1,500	N/A	10	25 Minis	All Asset Classes
9	Trader	\$56,250	\$70,500	\$52,500	\$7,050	\$22.00	\$26	Hourly	\$1,500	N/A	10	37 Minis	All Asset Classes
10	Senior Trader 1	\$100,000	\$110,000	\$90,000	\$27,500	\$55,000	\$64,000	Annual	\$2,500	N/A	10	66 Minis	All Asset Classes
11	Senior Trader 1	\$150,000	\$165,000	\$135,000	\$41,250	\$55,000	\$64,000	Annual	\$2,500	N/A	10	100 Minis	All Asset Classes
12	Senior Trader 1	\$200,000	\$220,000	\$180,000	\$55,000	\$75,000	\$87,000	Annual	\$2,500	N/A	10	133 Minis	All Asset Classes

13	Senior Trader 1	\$300,000	\$330,000	\$270,000	\$82,500
14	Senior Trader 2	\$500,000	\$550,000	\$500,000	\$165,000
15	Senior Trader 2	\$750,000	\$825,000	\$750,000	\$247,500
16	Senior Trader 2	\$1,000,000	\$1,100,000	\$1,000,000	\$330,000
17	Senior Trader 2	\$1,500,000	\$1,650,000	\$1,500,000	\$495,000
18	Principal Trader	\$2,000,000	\$2,200,000	\$2,000,000	\$770,000
19	Principal Trader	\$2,500,000	\$2,750,000	\$2,500,000	\$962,500
20	Principal Trader	\$3,500,000	\$3,850,000	\$3,500,000	\$1,347,500
21	Principal Trader	\$4,250,000	\$4,675,000	\$4,250,000	\$1,636,250
22	Managing Principal Trader	\$5,000,000	\$5,500,000	\$5,000,000	\$2,750,000
23	Managing Principal Trader	\$6,250,000	\$6,875,000	\$6,250,000	\$3,437,500
24	Managing Principal Trader	\$7,500,000	\$8,250,000	\$7,500,000	\$4,125,000

\$75,000	\$87,000	Annual	\$3,000	N/A	10	200 Minis	All Asset Classes
\$100,000	\$117,000	Annual	\$5,000	N/A	15	333 Minis	All Asset Classes
\$100,000	\$117,000	Annual	\$5,000	N/A	15	500 Minis	All Asset Classes
\$150,000	\$175,000	Annual	\$5,000	N/A	15	666 Minis	All Asset Classes
\$150,000	\$175,000	Annual	\$10,000	N/A	15	1000 Minis	All Asset Classes
\$250,000	\$292,000	Annual	\$10,000	N/A	15	1333 Minis	All Asset Classes
\$250,000	\$292,000	Annual	\$10,000	N/A	15	1666 Minis	All Asset Classes
\$250,000	\$292,000	Annual	\$10,000	N/A	15	2333 Minis	All Asset Classes
\$250,000	\$292,000	Annual	\$10,000	N/A	15	2833 Minis	All Asset Classes
\$350,000	\$415,000	Annual	\$20,000	N/A	20	3333 Minis	All Asset Classes
\$350,000	\$415,000	Annual	\$20,000	N/A	20	4166 Minis	All Asset Classes
\$350,000	\$415,000	Annual	\$20,000	N/A	20	5000 Minis	All Asset Classes