


DASS TEST

NAME : MARYAM

ROLLNO: 2192

**SUBJECT: PSYCHOLOGICAL
ASSESSMENTS**



MATERIALS AND TIME


- **TIME REQUIRED: 5-10 MINS.**
- **MATERIALS: QUESTIONNAIRE AND A PEN/PENCIL.**
- **TRAINING REQUIRED: NO TRAINING**

**THE DEPRESSION ANXIETY STRESS
SCALES – 21 (DASS-21) IS 21-ITEM SELF-
REPORT MEASURE DESIGNED TO ASSESS
THE SEVERITY OF GENERAL
PSYCHOLOGICAL DISTRESS AND
SYMPTOMS RELATED TO DEPRESSION,**

ANXIETY, AND STRESS IN ADULTS OLDER ADOLESCENTS (17 YEARS +).

- THERE ARE **SEVEN ITEMS ALLOCATED** TO EACH SUBSCALE:
- THE DEPRESSION SUBSCALE ASSESSES SYMPTOMS SUCH AS **SELF-**
DYSPHORIA, HOPELESSNESS, DEVALUATION OF LIFE,
DEPRECATION, LACK OF INTEREST/INVOLVEMENT, ANHEDONIA,
AND INERTIA.

- THE ANXIETY SUBSCALE EVALUATES SYMPTOMS SUCH AS AUTONOMIC AROUSAL, SKELETAL MUSCLE EFFECTS, SITUATIONAL ANXIETY, AND SUBJECTIVE EXPERIENCE OF ANXIOUS AFFECT.
- THE STRESS SUBSCALE MEASURES SYMPTOMS RELATED TO DIFFICULTY RELAXING, NERVOUS AROUSAL, AND BEING EASILY UPSET/AGITATED, IRRITABLE/OVER-REACTIVE, AND IMPATIENCE.




		Never	Sometimes	Often	Almost Always
1	I found it hard to wind down	0	1	2	3
2	I was aware of dryness of my mouth	0	1	2	3
3	I couldn't seem to experience any positive feeling at all	0	1	2	3

SCORING AND INTERPRETATIONS

SCORES ARE PRESENTED AS A **TOTAL SCORE**
(**BETWEEN 0 AND 63**) AND A SCORE FOR THE
THREE SUBSCALES (**BETWEEN 0 AND 21**). IN
ADDITION, PERCENTILES ARE COMPUTED BASED

**ON A COMMUNITY SAMPLES (HENRY &
CRAWFORD,
2005,& LOVIBOND, 1995)**



	Raw Score	Percentile	Descriptor
Total Distress	30	98.4	Severe
Depression	14	99.91	Extremely Severe
Anxiety	9	99.7	Severe
Stress	7	69	Normal

† EACH OF THE THREE DASS-21

SCALES CONTAINS 7 ITEMS:

- 1. DEPRESSION** (ITEMS 3, 5, 10, 13, 16, 17, 21)
- 2. ANXIETY** (ITEMS 2, 4, 7, 9, 15, 19, 20)
- 3. STRESS** (ITEMS 1, 6, 8, 11, 12, 14, 18)

✚ PSYCHOMETRIC PROPERTIES

THE INTERNAL RELIABILITY OF THE TOTAL SCALE IS .

○ **93** FOR THE **DEPRESSION SCALE,**

○ **RELIABILITY IS .88, EXCELLENT TEST-RETEST
RELIABILITY**

CRITERION VALIDITY (R=0.65)

○ **EXCELLENT**

➤ EXCELLENT CRITERION VALIDITY ($R=0.65$)

○ **.82** FOR THE **ANXIETY SUBSCALE**,
○ AND **.90** FOR THE **STRESS SUBSCALE**
(HENRY & CRAWFORD, 2005).



- THE **SEVERITY LEVELS** ARE DETERMINED FROM THE DASS MANUAL (TABLE 9; **LOVIBOND & LOVIBOND, 1995**), WHICH TRANSLATE TO THE FOLLOWING PERCENTILE RANGES:

○ **NORMAL** = PERCENTILE 0 – 78

○ **MILD** = 79 – 87

○ **MODERATE** = 88 – 95

○ **SEVERE** = 95 – 98

➤ **EXTREMELY SEVERE** = 98.1

○ **EXTREMELY SEVERE** = 98.1 AND ABOVE

• **THE RAW SCORES** CAN BE CLASSIFIED AS FOLLOWS:


- **TOTAL SCORE:** **NORMAL** (0 TO 16), **MILD** (17 TO 20), **MODERATE**, (21 TO 25), **SEVERE** (26 TO 29), **EXTREMELY SEVERE** (30 AND ABOVE)
- **DEPRESSION:** **NORMAL** (0 TO 4), **MILD** (5 TO 6), **MODERATE**, (7 TO 10), **SEVERE** (11 TO 13), **EXTREMELY SEVERE** (14 AND ABOVE)
- **ANXIETY:** **NORMAL** (0 TO 3), **MILD** (4), **MODERATE**, (5 TO 7), **SEVERE** (8 TO 9), **EXTREMELY SEVERE** (10 AND ABOVE)
- **STRESS:** **NORMAL** (0 TO 7), **MILD** (8 TO 9), **MODERATE**, (10 TO 12), **SEVERE** (13 TO 16), **EXTREMELY SEVERE** (17 AND ABOVE)

- **STRESS:** **NORMAL** (0 TO 7), **MILD** (8 TO 9), MODERATE, (10 TO 12), **SEVERE** (13 TO 16), **EXTREMELY SEVERE** (17 AND ABOVE)

~~USES AND APPLICATIONS~~

PSYCHIATRIC TESTS, ALSO KNOWN AS
PSYCHOLOGICAL ASSESSMENTS OR
PSYCHOMETRIC TESTS, ARE VALUABLE TOOLS
USED IN VARIOUS SETTINGS TO EVALUATE

INDIVIDUALS' MENTAL HEALTH, COGNITIVE FUNCTIONING, PERSONALITY TRAITS, AND EMOTIONAL WELL-BEING



PSYCHIATRIC TESTS ARE ASSESSMENT TOOLS USED IN:

- CLINICAL,
- RESEARCH,
- FORENSIC,
- EDUCATIONAL,
- AND ORGANIZATIONAL SETTINGS FOR ASSESSING MENTAL HEALTH, DIAGNOSING DISORDERS, PLANNING TREATMENT, CONDUCTING RESEARCH, AIDING LEGAL DECISIONS, SUPPORTING EDUCATION, AND ENHANCING WORKPLACE EFFECTIVENESS.

