Appointment API

1. Create Appointment

- Endpoint: POST /book
- Description: Create a new appointment.
- Request Body:

```
{
    "userId": "6629004598e12514bc481475",
    "name": "Jane Doe",
    "phone": "123-456-7890",
    "email": "jane.doe@example.com",
    "problems": "Fever and headache",
    "date": "2024-06-15",
    "time": "14:30",
    "area": "Downtown",
    "city": "Metropolis",
    "state": "California",
    "postCode": "90210"
}
```

• Response:

```
"userId": "6629004598e12514bc481475",
    "name": "Jane Doe",
    "phone": "123-456-7890",
    "email": "jane.doe@example.com",
    "problems": "Fever and headache",
    "date": "2024-06-15T00:00:00.0002",
    "time": "14:30",
    "area": "Downtown",
    "city": "Metropolis",
    "state": "California",
    "postCode": "90210",
    "_id": "66545c16d7b5e629d0db95ae",
    "__v": 0
```

2. Get User Specific Appointments

• Endpoint: GET /user/:userId

• Request Parameters:

o userId: User ID.

• Response:

```
[
    "_id": "66545217d7b5e629d0db9133",
    "userId": "6629004598e12514bc481475",
    "name": "fdsfsdf",
    "phone": "fdsfsd",
    "email": "d51@nufuhh",
    "problems": "fdssdfsf",
    "date": "2024-05-30T00:00:00.000Z",
    "time": "19:57",
    "area": "fdsfsd",
    "city": "fdsfds",
    "state": "fdsfdf",
    "postCode": "dsfsd",
    "__v": 0
},

{
    "_id": "6654521dd7b5e629d0db914f",
    "userId": "6629004598e12514bc481475",
    "name": "fdsfsdf"
```

3. View All Appointments

- Endpoint: PUT /all
- Description: View all appointments
- Response:

```
"_id": "66545217d7b5e629d0db9133",
   "userId": "6629004598e12514bc481475",
   "name": "fdsfsdf",
    "phone": "fdsfsd",
   "email": "d51@nufuhh",
   "problems": "fdssdfsf",
   "date": "2024-05-30T00:00:00.000Z",
   "time": "19:57",
    "area": "fdsfsd",
   "city": "fdsfds",
   "state": "fdsfdf",
   "postCode": "dsfsd",
   "__v": 0
},
    "_id": "6654521dd7b5e629d0db914f",
    "userId": "6629004598e12514bc481475",
```