

Werbier Hotels

https://pufi96.github.io/werbierhotelsJS/index.html

Ime i Prezime: Bojan Stojković

Broj indeksa: 29/19

Predmet: Web Programiranje 1

Smer: Internet tehnologije

Modul: Web Programiranje

Contents

1.	Uvod	3
	1.1. Korišćeni programski jezici	3
	1.2. Opis funkcionalnosti	3
	1.3. Template	3
2.	Organizacija	4
	2.1. Mapa sajta	4
	2.2. Opis stranica sajta	4
	2.2.0 Za sve stranice	4
	2.2.1. index.html	5
	2.2.2. rooms.html	6
	2.2.3. summer.html	7
	2.2.4. winter.html	8
	2.2.5. contact.html	9
	2.2.6. author.html	10
3. Kodovi		11
	3.1. HTML kodovi	11
	3.1.1. index.html	11
	3.1.2. rooms.html	13
	3.1.3. summer.html	15
	3.1.4. winter.html	17
	3.1.5. contact.html	19
	3.1.6. author.html	22
	3.2. Css kod	24
	3.3. JavaScript kod	32

1. Uvod

1.1. Korišćeni programski jezici

Za izradu sajta korišćeni su sledeći programski i markup jezici: HTML5, CSS3, Javascript, jQuery.

Radno okruženje: Visual Studio Code

1.2. Opis funkcionalnosti

- Dinamički ispisana navigacija preko JavaScript-a
- Dinamički ispisan slider preko JavaScript-a
- Dinamički ispisan header preko JavaScript-a
- Dinamički ispisan footer preko JavaScript-a
- Dinamički ispasani linkovi JavaScript-a
- Učitan i plugin koji sadrzi dugme koje vodi na vrh
- Dinamički ipisan tekst, umesto preko HTML-a, unet dinamički JavaScript-om
- Dinamički ispisan deo strane na stranici rooms koji sadrzi modale iz bootstrap-a
- Dinamički ispisana galerija slika i tekstova na stranama index, summer i winter
- Dinamički uneta forma za validiranje uz regularne izraze
- Kada se klikne na dugme "Sign in", izvršava se validacija unetih podataka

1.3. Template

Za izradu sajta korišćen je kod koji sam lično napisao.

2. Organizacija

2.1. Mapa sajta


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
   <loc>https://pufi96.github.io/werbierhotelsJS/index.html</loc>
  <lastmod> 2020-12-11</lastmod>
                                                                                html.html
  <changefreq>monthly</changefreq>
 </url>
  <loc>https://pufi96.github.io/werbierhotelsJS/rooms.html</loc>
  <lastmod> 2020-07-07</lastmod>
                                                                              rooms.html
  <changefreq>yearly</changefreq>
   <priority>0.9</priority>
  <loc>https://pufi96.github.io/werbierhotelsJS/winter.html</loc>
  <lastmod> 2020-12-11</lastmod>
                                                                              winter.html
  <changefreq>yearly</changefreq>
  <priority>0.8</priority>
 </url>
  <loc>https://pufi96.github.io/werbierhotelsJS/summer.html</loc>
  <lastmod> 2020-12-11</lastmod>
  <changefreq>monthly</changefreq>
                                                                             summer.html
   <priority>0.7</priority>
 </url>
  <loc>https://pufi96.github.io/werbierhotelsJS/contact.html</loc>
  <lastmod> 2020-12-11</lastmod>
   <changefreq>monthly</changefreq>
                                                                              contact.html
   <priority>0.9</priority>
  <loc>https://pufi96.github.io/werbierhotelsJS/author.html</loc>
  <lastmod> 2020-07-07</lastmod>
                                                                              author.html
   <changefreq>yearly</changefreq>
   <priority>0.5</priority>
 </url>
</urlset>
```

2.2. Opis stranica sajta

2.2.0 Za sve stranice


JavaScript-om se dinamički iz niza ispisuju header, footer i navigacija koja je urađena pomoću bootstrap-a. I sve stranice koriste jQuery plugin scroll to top.

Slajder je urađen dinamički. Sadržaj se ispisuje dinamički kao i linkovi u njima.



2.2.2. rooms.html


Sadržaj u kome se nalaze slike sa tasterom koji aktivira bootstrap-ov modal se ispisuje dinamički, kao i sadržaj u modalima.



Rooms & Suites To Recharge In




Treat yourself with a luxury suite at Werbier. Get ready to experience stunning views from your private balcony, magnify the extra sweet space and recharge to the maximum. Find our exclusive Suite Dreams Offer and meet our Design Suites.



2.2.3. summer.html

Sadržaj u kome se nalazi sa jedne strane tekst a sa druge slika ,koja se prilikom ulaska misa zatamni odnosno vratim u početno stanje prilikom izlaska, se dinamički ispisuje i naizmenično smenjuje.





✓ Rue de Médran 70, Verbier 1936

4 +41 27 329 16 11

2.2.4. winter.html

Sadržaj u kome se nalazi sa jedne strane tekst a sa druge slika ,koja se prilikom ulaska misa zatamni odnosno vratim u početno stanje prilikom izlaska, se dinamički ispisuje i naizmenično smenjuje.



A PERFECT SPOT FOR THRILL-SEEKERS





Off-Piste Coaching

Ever wanted to learn how to ski powder? Verbier has some of the best off piate tersain in the world! Enjoy your first experience with a fully qualified instructor to improve your feeride technique or jest get away from the slopps for a day.













Scenic Helicopter Flights

Whether you ski or not, why not enjoy an amazing flight around the Valeia see in a helicopter. By a mound the region's signature emountains including Monta Black and the Matterium Vouc an even ski to the heliopad at Croix de Conur where your helicopter will pick you up.









For the ultimate buzz, take a parachute jump over the Alps. After being befeld by the ground own, you instructive inflams and sure you're fully perpended not contribute before boarding the feli-copter. Following the stumming helicopter flight to your target aithtude, the door opens... and you're in fee-fall over the Alpid.

2.2.5. contact.html

Na stranici se nalazi kontakt forma koja sadrži validaciju za ispravan unos podataka, dinamički ispis izora za broj odraslih osoba i broja dece za koji zelite da postavite neko pitanje. Sadržaj korisnih linkova se takođe ispisuje dinamički.




Complete the form below to send us your question or request, and we'll answer back to you as soon as possible.



2.2.6. author.html

Stranica sadrži korisne informacije o autoru stranice.





Bojan Stojković

I'm a current student at ICT College in Belgrade. I'm passionate about UI effects, animations and creating intuitive, dynamic user experiences.

You can see all my project here.

¶ Rue de Médran 70, Verbier 1936

Book now

L +41 27 329 16 11

Book now

C +41 27 329 16 11

Book now

Book no

3.1. HTML kodovi

3.1.1. index.html

```
<!DOCTYPE html>
<html lang="sr-Latin-RS">
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bo</pre>
otstrap.min.css" integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZ15MYYxFfc+NcPb1dKGj7Sk" crossorigin="anonymous">
        <meta charset="utf-8" />
        <link rel="stylesheet" type="text/css" href="assets/css/style.min.css"/>
        <link href="css/floating-totop-button.css" rel="stylesheet"/>
        <link href="assets/css/floating-totop-button.css" rel="stylesheet"/>
        <link rel="shortcut icon" href="assets/img/favicon.ico"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <meta name="keywords" content="werbier, hotel, alps, swiss, verbier"/>
        <meta name="description" content="Werbier Luxury Ski Resort in the Swiss Alps.ore than</pre>
 just an ideal spot for ski lovers, mountaineers and fashionistas."/>
        <title>Werbier</title>
    </head>
    <body>
        <header class="container">
            <div class="row" id="zaglavlje">
            </div>
        </header>
        <nav class="navbar navbar-expand-md sticky-top">
            <div class="col-4 text-right">
                <a class="navbar-brand" href="index.html">
                    <img src="assets/img/logo.png" alt="Werbier Logo">
                </a>
            </div>
            <!--hamburger-->
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#collapsibleNavbar">
                <span class="navbar-toggler-icon"><i class="fas fa-bars"></i></i></span>
            </button>
            <div class="col collapse navbar-collapse justify-content-</pre>
center" id="collapsibleNavbar">
                </div>
        </nav>
        <div id="slider">
            <img src="assets/img/hotel slider first.jpg" class="d-block w-</pre>
100" alt="mountains with hotel"/>
        </div>
        <div class="container">
            <div class="row mt-5">
                <div class="col-12 col-md-6 my-3">
```

```
<div class="col-12 h1 text-center mb-3">
                        <h1>
                            Welcome to the Werbier Hotel
                        </h1>
                    </div>
                    <div class="col-12 text-center">
                            Connect with us
                        </span>
                        <button type="button" class="btn">
                            <a href="https://facebook.com">
                                <i class="fa fa-facebook tekst"></i></i>
                            </a>
                        </button>
                        <button type="button" class="btn">
                             <a href="https://instagram.com">
                                 <i class="fa fa-instagram tekst"></i></i>
                            </a>
                        </button>
                        <button type="button" class="btn">
                            <a href="https://twiter.com">
                                <i class="fa fa-twitter tekst"></i></i>
                            </a>
                        </button>
                    </div>
                    <div class="col-12 my-3 beoTekst text-center">
                        <a class="btn pozadina" href="contact.html" role="button">Contact us
                    </div>
                </div>
                <div class="col-12 col-md-6 mb-5">
                        Werbier Hotel Luxury Ski Resort in the Swiss Alps. Perched at 1531 met
ers with immediate access to over 400 km of skiing and hiking terrain, Werbier mixes contempor
ary urban design with an alpine touch. The stylish 123 rooms and suites, each with fireplace,
bed and private balcony are perfect for an intimate escape after an exhilarating day outside.
Open all year-
round, the hotel offers 6 restaurants and bars. Whatever guests need to amp up their stay, all
 they need to do is ask. Werbier team is available to make it happen 24/7.
                    </div>
            </div>
        </div>
        <div id="home">
```

</div>

</div>

</div>

</footer>

<div class="row" id="podnozje">

<script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script>

```
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.5.4/dist/umd/popper.min.js" int
egrity="sha384-
q2kxQ16AaE6UbzuKqyBE9/u/KzioAlnx2maXQHiDX9d4/zp80k3f+M7DPm+Ib6IU" crossorigin="anonymous"></sc
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
beta1/dist/js/bootstrap.min.js" integrity="sha384-
pQQkAEnwaBkjpqZ8RU1fF1AKtTcHJwFl3pblpTlHXybJjHpMYo79HY3hIi4NKxyj" crossorigin="anonymous"></sc
ript>
    <script src="https://kit.fontawesome.com/2fb1c4e0ea.js" crossorigin="anonymous"></script>
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></</pre>
script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"></script</pre>
    <script src="assets/js/main.min.js" type="text/javascript"></script></script></script>
    <script src="js/floating-totop-button.js"></script>
    <script>
        $("body").toTopButton({});
    </script>
    </body>
</html>
```

3.1.2. rooms.html

```
<!DOCTYPE html>
<html lang="sr-Latin-RS">
    <head>
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bo</pre>
otstrap.min.css" integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYxFfc+NcPb1dKGj7Sk" crossorigin="anonymous">
        <meta charset="utf-8" />
        <link rel="stylesheet" type="text/css" href="assets/css/style.min.css" />
        <link href="css/floating-totop-button.css" rel="stylesheet"/>
        <link rel="shortcut icon" href="assets/img/favicon.ico" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <meta name="keywords" content="hotel, werbier, swiss, rooms, accommodation"/>
        <meta name="description" content="Werbier has you set for a spectacular stay featuring</pre>
 private balconies throughout the largest hotel rooms available in Verbier."/>
        <title>Rooms in Werbier</title>
    </head>
    <body>
        <header class="container">
            <div class="row" id="zaglavlje">
            </div>
        <nav class="navbar navbar-expand-md sticky-top">
            <div class="col-4 text-right">
                <a class="navbar-brand" href="index.html">
                    <img src="assets/img/logo.png" alt="Werbier Logo">
                </a>
            </div>
```

```
<!--hamburger-->
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#collapsibleNavbar">
              <span class="navbar-toggler-icon"><i class="fas fa-bars"></i></span>
            </button>
            <div class="col collapse navbar-collapse justify-content-</pre>
center" id="collapsibleNavbar">
                </div>
        </nav>
        <div class="col-12 d-flex justify-content-center align-items-center mask pattern-</pre>
6" id="rooms view">
           <div class="h1">
                <h1 class="p-3">
                    STAY IN STYLE IN THE HEART OF THE SWISS ALPS
                </h1>
            </div>
        </div>
        <div class="container class-12 h2 d-flex justify-content-center align-items-center my-</pre>
5" id="RoomsSuites">
            <h2>
                Rooms & Suites To Recharge In
            </h2>
        </div>
        <div class="container my-5">
            <div class="row">
                <div class="col-12 col-md-6">
                    <img src="assets/img/french_bed_room.jpg" class="img-fluid zaobljen</pre>
                    my-4" alt="french bed room">
                <div class="col-12 col-md-6 d-flex align-items-center my-4 h4">
                        Treat yourself with a luxury suite at Werbier. Get ready to experience
 stunning views from your private balcony, magnify the extra sweet space and recharge to the m
aximum. Find our exclusive Suite Dreams Offer and meet our Design Suites.
                    </div>
            </div>
        </div>
        <div class="container my-4" id="room_pic">
            <div class="row d-flex flex-wrap" id="ispis">
            </div>
        </div>
        <footer class="container-fluid">
            <div class="container">
                <div class="row" id="podnozje">
                </div>
            </div>
        </footer>
```

```
<script src="https://code.jquery.com/jquery-3.5.1.js" integrity="sha256-</pre>
QWo7LDvxbWT2tbbQ97B53yJnYU3WhH/C8ycbRAkjPDc=" crossorigin="anonymous"></script>
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script>
    <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.5.4/dist/umd/popper.min.js" int
egrity="sha384-
q2kxQ16AaE6UbzuKqyBE9/u/KzioAlnx2maXQHiDX9d4/zp80k3f+M7DPm+Ib6IU" crossorigin="anonymous"></sc
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
beta1/dist/js/bootstrap.min.js" integrity="sha384-
pQQkAEnwaBkjpqZ8RU1fF1AKtTcHJwFl3pblpTlHXybJjHpMYo79HY3hIi4NKxyj" crossorigin="anonymous"></sc
ript>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></scrip</pre>
    <script src="https://kit.fontawesome.com/2fb1c4e0ea.js" crossorigin="anonymous"></script>
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></</pre>
script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"></script</pre>
    <script src="assets/js/main.min.js"></script>
    <script src="js/floating-totop-button.js"></script>
    <script>
        $("body").toTopButton({});
    </script>
    </body>
 /html>
```

3.1.3. summer.html

```
<!DOCTYPE html>
<html lang="sr-Latin-RS">
    <head>
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bo</pre>
otstrap.min.css" integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYxFfc+NcPb1dKGj7Sk" crossorigin="anonymous">
        <meta charset="utf-8" />
        <link rel="stylesheet" type="text/css" href="assets/css/style.min.css" />
        <link href="css/floating-totop-button.css" rel="stylesheet"/>
        <link rel="shortcut icon" href="assets/img/favicon.ico" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <meta name="keywords" content="summer, swiss, alps, activities, resort"/>
        <meta name="description" content="Discover thrilling summer activities with W Design h</pre>
otel Alps. Inviting guests to explore the iconic Alpine scenery or thrilling adventures and se
rene expeditions."/>
        <title>Summer in Werbier</title>
    </head>
    <body>
        <header class="container">
            <div class="row" id="zaglavlje">
            </div>
        </header>
        <nav class="navbar navbar-expand-md sticky-top">
```

```
<div class="col-4 text-right">
                <a class="navbar-brand" href="index.html">
                    <img src="assets/img/logo.png" alt="Werbier Logo">
            </div>
            <!--hamburger-->
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#collapsibleNavbar">
              <span class="navbar-toggler-icon"><i class="fas fa-bars"></i></span>
            </button>
            <div class="col collapse navbar-collapse justify-content-</pre>
center id="collapsibleNavbar">
                </div>
        </nav>
        <div class="col-12 d-flex justify-content-center align-items-center mask pattern-</pre>
6" id="summer view">
            <div class="h1">
                <h1 class="p-3 text-center">
                    COOL SUMMERS IN WERBIER
                </h1>
            </div>
        </div>
        <div class="col-12 d-flex justify-content-center text-center my-5">
            <h2>
                OUR FAVOURITE OUTDOOR ACTIVITIES
        </div>
        <div class="container my-5 offer" id="summer">
        </div>
        <footer class="container-fluid">
            <div class="container">
                <div class="row" id="podnozje">
                </div>
            </div>
        </footer>
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script></script></script>
    <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.5.4/dist/umd/popper.min.js" int</pre>
egrity="sha384-
q2kxQ16AaE6UbzuKqyBE9/u/KzioAlnx2maXQHiDX9d4/zp80k3f+M7DPm+Ib6IU" crossorigin="anonymous"></sc
ript>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
beta1/dist/js/bootstrap.min.js" integrity="sha384-
pQQkAEnwaBkjpqZ8RU1fF1AKtTcHJwFl3pblpTlHXybJjHpMYo79HY3hIi4NKxyj" crossorigin="anonymous"></sc
ript>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></scrip</pre>
    <script src="https://kit.fontawesome.com/2fb1c4e0ea.js" crossorigin="anonymous"></script>
   <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
```

3.1.4. winter.html

```
<!DOCTYPE html>
<html lang="sr-Latin-RS">
    <head>
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bo</pre>
otstrap.min.css" integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYxFfc+NcPb1dKGj7Sk" crossorigin="anonymous">
        <meta charset="utf-8" />
        <link rel="stylesheet" type="text/css" href="assets/css/style.min.css" />
        <link href="css/floating-totop-button.css" rel="stylesheet"/>
        <link rel="shortcut icon" href="assets/img/favicon.ico" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <meta name="keywords" content="winter, swiss, alps, ski, resort"/>
        <meta name="description" content="Discover 412 kilometers of glittering, groomed slope</pre>
s boasting 92 lifts and endless ski and snowboard itineraries for all levels with your Verbier
 Ski Resort."/>
        <title>Winter in Werbier</title>
    </head>
    <body>
        <header class="container">
            <div class="row" id="zaglavlje">
            </div>
        </header>
        <nav class="navbar navbar-expand-md sticky-top">
            <div class="col-4 text-right">
                <a class="navbar-brand" href="index.html">
                    <img src="assets/img/logo.png" alt="Werbier Logo">
                </a>
            </div>
            <!--hamburger-->
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#collapsibleNavbar">
              <span class="navbar-toggler-icon"><i class="fas fa-bars"></i></i></span>
            <div class="col collapse navbar-collapse justify-content-</pre>
center" id="collapsibleNavbar">
```

```
</div>
        </nav>
        <div class="col-12 d-flex justify-content-center align-items-center mask pattern-</pre>
6" id="winter view">
            <div class="h1">
                <h1 class="p-3 text-center">
                    WINTER OFFERINGS BY WERBIER
                </h1>
            </div>
        </div>
        <div class="col-12 d-flex justify-content-center text-center my-5">
                A PERFECT SPOT FOR THRILL-SEEKERS
            </h2>
        </div>
        <div class="container my-5 offer" id="winter">
        <footer class="container-fluid">
            <div class="container">
                <div class="row" id="podnozje">
                </div>
            </div>
        </footer>
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script>
    <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.5.4/dist/umd/popper.min.js" int</pre>
q2kxQ16AaE6UbzuKqyBE9/u/KzioAlnx2maXQHiDX9d4/zp80k3f+M7DPm+Ib6IU" crossorigin="anonymous"></sc
ript>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
beta1/dist/js/bootstrap.min.js" integrity="sha384-
pQQkAEnwaBkjpqZ8RU1fF1AKtTcHJwFl3pblpTlHXybJjHpMYo79HY3hIi4NKxyj" crossorigin="anonymous"></sc
ript>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></scrip</pre>
    <script src="https://kit.fontawesome.com/2fb1c4e0ea.js" crossorigin="anonymous"></script>
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></</pre>
script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"></script</pre>
    <script src="assets/js/main.min.js"></script>
    <script src="js/floating-totop-button.js"></script>
    <script>
        $("body").toTopButton({});
    </script>
    </body>
</html>
```

3.1.5. contact.html

```
<!DOCTYPE html>
<html lang="sr-Latin-RS">
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bo</pre>
otstrap.min.css" integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZ15MYYxFfc+NcPb1dKGj7Sk" crossorigin="anonymous">
        <meta charset="utf-8" />
        <link rel="stylesheet" type="text/css" href="assets/css/style.min.css" />
        <link href="css/floating-totop-button.css" rel="stylesheet"/>
        <link rel="shortcut icon" href="assets/img/favicon.ico" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <meta name="keywords" content="contact, swiss, alps, book, hotel"/>
        <meta name="description" content="Werbier unique hotel rooms, suites and unique places</pre>
 to stay.ur Werbier accommodations are perfect for business or leisure."/>
        <title>Contact us</title>
    </head>
    <body>
        <header class="container">
            <div class="row" id="zaglavlje">
            </div>
        </header>
        <nav class="navbar navbar-expand-md sticky-top">
            <div class="col-4 text-right">
                <a class="navbar-brand" href="index.html">
                    <img src="assets/img/logo.png" alt="Werbier Logo">
                </a>
            </div>
            <!--hamburger-->
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#collapsibleNavbar">
              <span class="navbar-toggler-icon"><i class="fas fa-bars"></i></span>
            </button>
            <div class="col collapse navbar-collapse justify-content-</pre>
center" id="collapsibleNavbar">
                </div>
        <div class="col-12 d-flex justify-content-center align-items-center mask pattern-</pre>
6" id="contact view">
            <div class="h1">
                <h1 class="p-3 text-center">
                    CONTACT US FOR MORE INFORMATION
                </h1>
            </div>
        </div>
        <div class="container">
            <div class="col-12 d-flex justify-content-center text-center my-5">
```

```
<h2>
                    Complete the form below to send us your question or request, and we'll ans
wer back to you as soon as possible.
                </h2>
            </div>
        </div>
        <div class="container">
            <div class="row">
                <div class="col-12 col-md-6">
                    <form action="/contact.html" method="post">
                        <div class="form-row">
                            <div class="form-group col-12 col-md-6">
                               <label for="fname">First name</label>
                               <input name="fname" type="text" class="form-</pre>
control" id="fname" required minlength="3"/>
                               </div>
                            <div class="form-group col-md-6">
                               <label for="lname">Last name</label>
                               <input name="lname" type="text" class="form-</pre>
control" id="lname" required minlength="3"/>
                               </div>
                       </div>
                        <div class="form-row">
                             <div class="form-group col-12 col-md-6">
                                <label for="email">Email</label>
                                <input name="email" type="email" class="form-</pre>
control" id="email" required minlength="10"/>
                                </div>
                             <div class="form-row col-12 col-md-6">
                                <div class="form-group col-6">
                                    <label for="adults">Adults</label>
                                    <select name="adults" id="adults" class="form-control">
                                    </select>
                                </div>
                                <div class="form-group col-6">
                                    <label for="children">Children</label>
                                    <select name="children" id="children" class="form-</pre>
control">
                                    </select>
                                 </div>
                           </div>
                        </div>
                        <div class="form-group">
                            <label for="textarea">Write us if u have something to ask</label>
                            <textarea name="textarea" class="form-
control id="textarea"></textarea>
                            <div class="invalid-feedback">
                              Please enter a message in the textarea.
                            </div>
```

```
</div>
                      <div class="form-row">
                          <div class="form-group col-12 col-md-6">
                              <label >Arrival</label>
                              <input id= "arrival"name="arrival" type="date" name="bday" ma</pre>
x="3000-12-31" min="1000-01-01" class="form-control" required/>
                              </div>
                          <div class="form-group col-12 col-md-6">
                              <label >Departue</label>
                              <input id= "departue" name="departue" type="date" name="bday"</pre>
min="1000-01-01" max="3000-12-31" class="form-control" required/>
                              </div>
                      </div>
                      <div class="beoTekst text-center my-5 form-group">
                          <input id="btnProvera" type="button" class="btn pozadina" value="S</pre>
ign in"/>
                      </div>
                   </form>
               </div>
               <div class="col-12 col-md-6 d-flex justify-content-center align-items-</pre>
center pb-5 pl-5" id="cinfo">
                   <div class="col-12">
                      <div class="col-12">
                          <a href="https://www.google.rs/maps/place/Rue+de+M%C3%A9dran+70,+1
936+Verbier, +Switzerland/@46.0925851,7.2312309,17z/data=!3m1!4b1!4m5!3m4!1s0x478ece2d869b536b:
0x818d933e000ef382!8m2!3d46.0925538!4d7.2332583">
                              <i class="fas fa-map-marker-alt px-2"></i></i>
                                  Rue de Médran 70, Verbier, 1936 Switzerland
                              </a>
                      </div>
                      <div class="col-12 my-5">
                          <i class="fas fa-phone-alt px-2" ></i>
                              +41 27 329 16 11
                          </div>
                      <div class="col-12">
                          <i class="far fa-envelope px-2"></i></i>
                              office@ werbier. com
                          </div>
                   </div>
               </div>
           </div>
       </div>
       <div class="container my-5" id="links">
           <div class="d-flex justify-content-center">
              Useful links
```

```
</div>
            <div class="row text-center" id="linkContent">
            </div>
        </div>
        <footer class="container-fluid">
            <div class="container">
                 <div class="row" id="podnozje">
                 </div>
            </div>
        </footer>
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script></script></script>
    <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.5.4/dist/umd/popper.min.js" int</pre>
egrity="sha384-
q2kxQ16AaE6UbzuKqyBE9/u/KzioAlnx2maXQHiDX9d4/zp80k3f+M7DPm+Ib6IU" crossorigin="anonymous"></sc</pre>
ript>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
beta1/dist/js/bootstrap.min.js" integrity="sha384-
pQQkAEnwaBkjpqZ8RU1fF1AKtTcHJwFl3pblpTlHXybJjHpMYo79HY3hIi4NKxyj" crossorigin="anonymous"></sc
ript>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></scrip</pre>
t>
    <script src="https://kit.fontawesome.com/2fb1c4e0ea.js" crossorigin="anonymous"></script>
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></</pre>
script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"></script</pre>
    <script src="assets/js/main.min.js"></script>
    <script src="js/floating-totop-button.js"></script>
    <script>
        $("body").toTopButton({});
    </script>
    </body>
</html>
```

3.1.6. author.html

```
<header class="container">
           <div class="row" id="zaglavlje">
           </div>
       </header>
        <nav class="navbar navbar-expand-md sticky-top">
           <div class="col-4 text-right">
               <a class="navbar-brand" href="index.html">
                   <img src="assets/img/logo.png" alt="Werbier Logo">
               </a>
           </div>
           <!--hamburger-->
           <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#collapsibleNavbar">
             <span class="navbar-toggler-icon"><i class="fas fa-bars"></i></span>
           <div class="col collapse navbar-collapse justify-content-</pre>
center" id="collapsibleNavbar">
               </div>
       </nav>
        <div class="col-12 d-flex justify-content-center align-items-center mask pattern-</pre>
6" id="author_view">
           <div class="h1">
               <h1 class="p-3 text-center">
                   LEARN MORE ABOUT AUTHOR
               </h1>
           </div>
       </div>
        <div class="container my-5">
           <div class="row">
               <div class="col-12 col-md-6 d-flex justify-content-center">
                   <img src="assets/img/author.png" class="img-fluid zaobljen</pre>
                   my-4" alt="author">
               </div>
               <div class="col-12 col-md-6 my-4 h4">
                   <div class="row d-flex justify-content-center my-4">
                       <h2>
                           Bojan Stojković
                       </h2>
                   </div>
                   <div class="row d-flex justify-content-center my-4">
                       I'm a current student at ICT College in Belgrade. I'm passionate abo
ut UI effects, animations and creating intuitive, dynamic user experiences.
                       You can see all my project <a class="tekst" href="https://pufi96.g
ithub.io/portfolio/index.html" target="_blank">here</a>.
                       </div>
```

```
</div>
            </div>
        </div>
        <footer class="container-fluid">
            <div class="container">
                 <div class="row" id="podnozje">
                 </div>
            </div>
        </footer>
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script></script></script>
    <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.5.4/dist/umd/popper.min.js" int</pre>
egrity="sha384-
q2kxQ16AaE6UbzuKqyBE9/u/KzioAlnx2maXQHiDX9d4/zp80k3f+M7DPm+Ib6IU" crossorigin="anonymous"></sc
ript>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
beta1/dist/js/bootstrap.min.js" integrity="sha384-
pQQkAEnwaBkjpqZ8RU1fF1AKtTcHJwFl3pblpTlHXybJjHpMYo79HY3hIi4NKxyj" crossorigin="anonymous"></sc
ript>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></scrip</pre>
t>
    <script src="https://kit.fontawesome.com/2fb1c4e0ea.js" crossorigin="anonymous"></script>
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></</pre>
script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"></script</pre>
    <script src="assets/js/main.min.js"></script>
    <script src="js/floating-totop-button.js"></script>
    <script>
        $("body").toTopButton({});
    </script>
    </body>
</html>
```

3.2. Css kod

```
@import url("https://fonts.googleapis.com/css?family=Hind+Siliguri&display=swap");
    * {
        margin: 0px;
        padding: 0px;
        font-weight: 400;
        font-family: 'Hind Siliguri';
        scroll-behavior: smooth;
        color: #51555a;
    }
    ul {
        list-style-type: none;
    }
    a {
        text-decoration: none !important;
    }
}
```

```
color: #51555a;
header {
  font-size: 1.1rem;
.tekst {
  color: #ba9c53;
.pozadina {
  background-color: #51555a;
nav {
  width: 100%;
 height: 60px;
 background-color: #51555a;
 padding-top: 2rem;
  padding-bottom: 2rem;
  font-size: 1.2rem;
nav img {
 height: 40px;
nav .fa-bars {
 color: #FFF;
  padding-top: 0.26rem;
nav a {
  color: #FFF;
nav a:hover {
  color: #ba9c53;
#collapsibleNavbar {
  background-color: #51555a;
.beoTekst .btn {
  color: #FFF;
  background-color: #51555a;
.beoTekst .btn:hover {
 color: #ba9c53;
```

```
.blink {
  color: #FFF !important;
#night_view {
  background-image: url(../img/view.jpg);
  background-attachment: fixed;
  background-size: cover;
  min-height: 500px;
#night_view .h2 p {
  color: #ba9c53;
  background-color: rgba(81, 85, 90, 0.77);
  border-radius: 10px;
#room_view {
  background-image: url(../img/living_room.jpg);
  background-attachment: fixed;
 background-size: cover;
  min-height: 700px;
#room_view .h2 p {
  color: #ba9c53;
  background-color: rgba(81, 85, 90, 0.77);
  border-radius: 10px;
#summer_view {
  background-image: url(../img/summer_view.png);
  background-attachment: fixed;
  background-size: cover;
  min-height: 700px;
#summer_view .h2 p {
  color: #ba9c53;
  background-color: rgba(81, 85, 90, 0.77);
  border-radius: 10px;
.zaobljen {
  border-radius: 15px;
.potamni {
  -webkit-filter: none;
          filter: none;
  -webkit-transition: 1s;
  transition: 1s;
```

```
.potamni:hover {
  -webkit-filter: grayscale(80%);
          filter: grayscale(80%);
  -webkit-transition: 1s;
  transition: 1s;
footer {
  -webkit-box-shadow: 0px -2px 3px #51555a;
          box-shadow: 0px -2px 3px #51555a;
  background-color: #FFF;
footer a {
  background-color: #51555a !important;
  color: #ba9c53 !important;
footer a:hover {
  background-color: #ba9c53 !important;
  color: #51555a !important;
#foter {
  -webkit-box-shadow: 0px -2px 3px #51555a;
          box-shadow: 0px -2px 3px #51555a;
 background-color: #FFF;
  z-index: 3;
#foter a {
  background-color: #51555a !important;
  color: #ba9c53 !important;
#foter a:hover {
  background-color: #ba9c53 !important;
  color: #51555a !important;
#rooms_view {
  background-image: url(../img/livingRoom.jpg);
 background-attachment: fixed;
 background-size: cover;
 top: -20px;
 min-height: 700px;
#rooms_view .h1 h1 {
 color: #ba9c53;
 background-color: rgba(81, 85, 90, 0.77);
```

```
border-radius: 10px;
  text-align: center;
#RoomsSuites h2 {
  text-align: center;
  font-size: 2.5rem;
#room_pic .fsize {
  font-size: 1.4rem;
  margin-bottom: 0px;
#room_pic .card {
  height: 470px;
#room_pic .card p {
  padding: 0rem 1.25rem;
#room_pic .modal-tekst {
  border-top: 1px solid #dee2e6;
  padding: .75rem;
#winter_view {
  background-image: url(../img/winter.jpg);
  background-attachment: fixed;
  background-size: cover;
  min-height: 700px;
#winter_view .h1 h1 {
  color: #ba9c53;
  background-color: rgba(81, 85, 90, 0.77);
 border-radius: 10px;
 text-align: center;
  text-transform: uppercase;
.offer .card-text {
  padding: 0rem 1.25rem;
.offer .card-text:last-child {
  margin-bottom: 1rem;
.offer .wsize {
  font-size: 1.7rem;
```

```
#summer_view {
  background-image: url(../img/summer.jpg);
  background-attachment: fixed;
  background-size: cover;
  min-height: 700px;
#summer_view .h1 h1 {
  color: #ba9c53;
  background-color: rgba(81, 85, 90, 0.77);
 border-radius: 10px;
  text-align: center;
  text-transform: uppercase;
.borderRed{
  border: 1px solid #dc3545 !important;
.textRed{
  color: #dc3545;
.active{
  color: #ba9c53;
#contact_view {
  background-image: url(../img/contact.jpg);
  background-attachment: fixed;
  background-size: cover;
  min-height: 700px;
#contact_view .h1 h1 {
  color: #ba9c53;
  background-color: rgba(81, 85, 90, 0.77);
 border-radius: 10px;
 text-align: center;
  text-transform: uppercase;
#cinfo {
  font-size: 1.2rem;
.form-control {
  border: 1px solid #ba9c53 !important;
textarea {
  resize: none;
#links a {
 font-size: 1.3rem;
```

```
#links a:hover {
  color: #ba9c53;
.material-icons {
  color: #fff;
#mheader {
  margin-top: 20px;
#mheader p {
  text-align: center;
  margin: 5px 0px;
#mnav {
  height: 65px !important;
  -webkit-box-sizing: border-box;
          box-sizing: border-box;
  padding: 0px;
  position: -webkit-sticky;
  position: sticky;
  top: 0px;
#author_view {
  width: 100%;
  background-image: url(../img/author_view.jpg);
  background-attachment: fixed;
  background-size: cover;
  min-height: 700px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: center;
      -ms-flex-pack: center;
          justify-content: center;
  -webkit-box-align: center;
      -ms-flex-align: center;
          align-items: center;
#author_view h1 {
  padding: 5px 15px;
  color: #ba9c53;
  background-color: rgba(81, 85, 90, 0.77);
  border-radius: 10px;
  text-align: center;
  text-transform: uppercase;
```

```
#author {
  margin-top: 50px;
 margin-bottom: 50px;
  text-align: center;
#author #pauthor {
  display: -webkit-box;
  display: -ms-flexbox;
 display: flex;
  -webkit-box-pack: center;
      -ms-flex-pack: center;
          justify-content: center;
#author #tauthor p {
  margin-top: 20px;
  font-size: 1.3rem;
#footer {
  display: -webkit-box;
 display: -ms-flexbox;
  display: flex;
#footer .row {
  margin-top: 20px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
      -ms-flex-align: center;
          align-items: center;
  text-align: center;
@media only screen and (max-width: 767px) {
  .pl-5 {
    padding: 0px !important;
@media only screen and (max-width: 991px) {
  .okrenuto {
    display: -webkit-box;
    display: -ms-flexbox;
    display: flex;
    -webkit-box-orient: vertical;
    -webkit-box-direction: reverse;
        -ms-flex-direction: column-reverse;
```

```
flex-direction: column-reverse;
@media only screen and (max-width: 576px) {
  header {
    font-size: 0.8rem;
 header .mt-3 {
    margin: 7px 0px !important;
  #room_pic .card {
    height: 550px !important;
  footer {
    font-size: 0.8rem;
  footer .mt-3 {
    margin: 7px 0px !important;
  #links a {
    font-size: 1rem;
@media only screen and (max-width: 400px) {
  #room_pic .card {
    height: 450px !important;
```

3.3. JavaScript kod

```
$( document ).ready(function() {
   header();
   menu();
   footer();
   var putanjaNiz = window.location.pathname.split('/');
    var lokacija = putanjaNiz[putanjaNiz.length - 1]
    console.log(lokacija);
    function header(){
       let slicica = ["fas fa-location-arrow", "far fa-envelope", "fas fa-phone-alt"];
       let text = ["Switzerland", "office@ werbier. com", "+41 27 329 16 11"];
       let ispis = document.getElementById("zaglavlje");
       for(let i = 0; i < slicica.length; i++){</pre>
            ispis.innerHTML += `<div class="col-12 col-md-4 text-center info">
                                   <i class="${slicica[i]} px-2"></i>
                                       ${text[i]}
                                   </div>`
        }
```

```
function menu(){
        let href = ["index.html", "rooms.html", "summer.html", "winter.html", "contact.html"];
        let name = ["Home", "Rooms", "Summer", "Winter" , "Contact"];
        var meni = document.getElementById("menu");
        for(let i = 0; i < href.length; i++){</pre>
            meni.innerHTML += `
                                   <a id="${name[i]}" class="nav-link text-</pre>
center" href="${href[i]}">${name[i]}</a>
                                function footer(){
        let slicicaLink = ["fas fa-location-arrow", "contact.html", "fas fa-phone-alt"];
        let text = ["Rue de Médran 70, Verbier 1936", "Book now", "+41 27 329 16 11"];
        var footer = document.getElementById("podnozje");
        for(let i = 0; i < text.length; i++){</pre>
            if(i \% 2 == 0){
                footer.innerHTML += `<div class="col-12 col-md-4 text-center">
                                   <i class="${slicicaLink[i]} px-2 my-auto"></i>
                                       ${text[i]}
                                    </div>`
            }
            else{
                footer.innerHTML += `<div class="col-12 col-md-4 text-center my-auto">
                                        <a href="${slicicaLink[i]}" class="btn zaobljen">${tex
t[i]}</a>
                                    </div>
            }
    if(lokacija == "rooms.html"){
        document.getElementById("Rooms").classList.add("active");
        roomsContent();
        function roomsContent(){
            let pictureSrc = ["cozy_room.jpg", "fabulous_room.jpg", "spectacular_room.jpg", "c
ool_suite.jpg", "fantastic_suite.jpg", "sunlime_suite.jpg", "wow_suite.jpg", "extreme_wow_suit
e.jpg", "cozy_mega_room.jpg", "spectacular_mega_room.jpg", "marvelous_room.jpg", "splendid_roo
m.jpg"];
            let pictureAlt = ["Cozy room", "Fabulous room", "Spectacular room", "Cool suite",
"Fantastic suite", "Sublime suite", "wow suite", "Extreme WOW suite", "Cozy Mega Room", "Spect
acular Mega Room", "Marvelous room", "Slendid room"]; // alt slike i ime modala
            let fsizeNiz = ["Cozy", "Fabulous", "Spectacular", "Cool", "Fantastic", "Sublime",
 "WOW", "Extreme WOW", "Cozy Mega Family", "Spectacular Mega Family", "Marvelous", "Splendid"]
; // Ime diva sobe
            let idNizModal = ["Cozy", "Fabulous", "Spectacular", "Cool", "Fantastic", "Sublime
", "WOW", "Extreme_WOW", "Cozy_Mega", "Spectacular_Mega", "marvelous", "splendid"]; // id u mo
dalu
            let cardText = ["Guest room, 1 King, No view, Fireplace, Balcony", "Guest room, 1
King, Mountain view, Fireplace, Balcony", "Guest room, 1 King, Best Valley view, Fireplace, Ba
lcony", "Junior Suite, 1 King, Sofa bed, Mountain view, Top floor, Fireplace, Balcony", "Large
r Suite, 1 King, Fireplace, Balcony", "Penthouse Suite, 1 King, Sofa bed, Mountain view, Top f
```

```
loor, Fireplace, Balcony", "2 Bedroom Suite, Bedroom 1: 1 King, Bedroom 2: 1 King, Sofa bed, B
athrooms: 2.5, Top floor", "2 Bedroom Presidential Suite, Best valley view, Top floor, Firepla
ce, Balcony", "Guest room, 1 King, No view, and 1 single bed, Fireplace, Balcony", "Guest room
1 King, Best Valley view, and 1 single bed, Fireplace", "2 Bedroom Residence, Bedroom 1: 1 K
ing, Bedroom 2: 1 King, Bathrooms: 2, Fireplace", "Guest room, 1 King, No view, Fireplace, Bal
cony"];
            const nizoviSoba = {
             cozy : ["Cozy modern chalet style", "Bed types: king bed, 2 twin beds", "Sleeps:
2 guests", "WiFi", "20 rooms", "Balcony", "Walk-in closet", "Separate WC", "Breakfast"],
             fabulous : ["Fresh views in warm design", "Bed types: king bed, 2 twin beds", "Sl
eeps: 2 guests", "WiFi", "18 rooms", "Furnished balcony with mountain view", "Walk-
in closet", "Separate WC", "Breakfast"],
             spectacular : ["Mountain chic interior", "Bed types: king bed", "Sleeps: 2 guests
", "WiFi", "44 rooms", "Furnished balcony with great valley view", "Walk-
in closet", "Separate WC", "Breakfast"],
             cool : ["Upper Floor Location", "Bed types: king bed, 2 twin beds", "Sleeps: 3 gu
ests", "WiFi", "4 suites", "Furnished balcony with beautiful view", "Valley View", "Open Floor
Plan", "Breakfast"],
             fantastic : ["Extensive salon space", "Bed types: king bed", "Sleeps: 3 guests",
"WiFi", "7 suites", "Furnished balcony with sweeping view", "Walk-
in closet", "2 separate WC", "Breakfast"],
             sublime : ["Furnished balcony", "Bed types: king bed", "Sleeps: 3 guests", "WiFi"
, "3 suites", "Mountain or Valley Views", "Walk-in closet", "2 separate WC", "Breakfast", "Bi-
Level Suite", "Two LCD TVs", "Private Mezzanine"],
             wow : ["Elevated wood-
beamed ceilings", "Bed types: king bed", "Sleeps: 3 guests", "WiFi", "1 suite", "Furnished bal
cony with panoramic view", "Walk-in closet", "2 separate WC", "Breakfast", "Two-
Sided Fireplace", "Private Mezzanine", "Two LCD TVs", "Bi-
Level Suite", "Dining/Boardroom Table for Six"],
             extremeWOW : ["Two-
Sided Fireplace", "Bed types: king bed", "Sleeps: 3 guests", "WiFi", "1 suite", "Furnished bal
cony with panoramic valley view", "Walk-
in closet", "2 separate WC", "Breakfast", "Master bathroom with freestanding bathtub", "Two LC
D TVs", "Bi-
Level Suite", "Private Mezzanine", "Panoramic valley view", "Private sauna", "Dining/Boardroom
Table for Six", "Circular 360-degree Rotating Bed"],
             cozyMega: ["Cozy modern chalet style", "Bed types: king bed, single beds", "Sle
eps: 3 guests", "WiFi", "4 rooms", "Furnished balcony", "Great Valley View", "Additional Built
-in Single Bed", "Breakfast"],
             spectacularMega: ["Mountain chic interior", "Bed types: king bed, single beds",
"Sleeps: 3 guests", "Additional Built-in Single Bed", "6 rooms", "Walk-
in closet", "Separate WC", "Breakfast", "WiFi"],
             marvelous: ["Bunk Beds Upon Request (Select Residences)", "Bed types: king bed",
"Sleeps: 6 guests", "Fully Equipped Kitchen", "Two bedroom residence", "Furnished balcony wit
h panoramic view", "Walk-in closet", "Two LCD TVs", "Breakfast", "WiFi"],
             splendid : ["Cozy modern chalet style", "Bed types: king bed", "Sleeps: 6 guests"
 "Three bedroom residence", "Bunk beds upon request (Select Residences)", "Furnished balcony
with panoramic view", "Walk-
in closet", "Fully Equipped Kitchen", "Two LCD TVs", "Breakfast bar", "Dining for Eight"]};
             imenaNizova = ["cozy", "fabulous", "spectacular", "cool", "fantastic", "sublime",
"wow", "extremeWOW", "cozyMega", "spectacularMega", "marvelous", "splendid"];
            let ispis = document.getElementById("ispis");
            for(let i = 0; i < pictureSrc.length; i++){</pre>
```

```
ispis.innerHTML += `<div class= "col-12 col-sm-6 col-md-4 col-lg-3 my-2">
                                        <div class="card">
                                            <img src="assets/img/${pictureSrc[i]}" class="card</pre>
-img-top img-fluid potamni" alt="${pictureAlt[i]}">
                                            <div class="card-body">
                                                ${fsizeNiz[i]}
                                                </div>
                                            <div>
                                                ${cardText[i]}
                                                </div>
                                            <div class="card-body d-flex align-items-</pre>
end justify-content-center">
                                                <div class="btn pozadina text-center">
                                                    <button type="button" class="btn card-</pre>
link blink" data-toggle="modal" data-target="#Cozy">
                                                        More info
                                                    </button>
                                                </div>
                                            </div>
                                        </div>
                                        <div class="modal fade" id="${idNizModal[i]}" data-</pre>
backdrop="static" data-keyboard="false" tabindex="-1" role="dialog" aria-
labelledby="staticBackdropLabel" aria-hidden="true">
                                            <div class="modal-dialog">
                                                <div class="modal-content">
                                                    <div class="modal-header">
                                                        <h5 class="modal-
title" id="staticBackdropLabel">${pictureAlt[i]}</h5>
                                                        <button type="button" class="close" da</pre>
ta-dismiss="modal" aria-label="Close">
                                                            <span aria-
hidden="true">×</span>
                                                        </button>
                                                    </div>
                                                    <div class="modal-body">
                                                            <img src="assets/img/${pictureSrc[</pre>
i]}" class="card-img-top img-fluid" alt="${pictureAlt[i]}">
                                                    <div class="modal-tekst text-center">
                                                            Room feature:
                                                        <div class="row" id="${imenaNizova[i]}</pre>
                                                        </div>
                                                    </div>
                                                    <div class="modal-footer">
                                                        <button type="button" class="btn pozad</pre>
ina blink" data-dismiss="modal">Close</button>
```

```
</div>
                                                 </div>
                                            </div>
                                        </div>
                                    </div>`
            Object.keys(nizoviSoba).forEach(index => {
                var ispisOpisa = document.getElementById(index);
                nizoviSoba[index].forEach(element =>{
                    let komplet = `<div class="col-12 col-sm-6 col-md-4">
                                            ${element}
                                    </div>
                    ispisOpisa.innerHTML += komplet
                })
            });
   if(lokacija == "contact.html"){
        document.getElementById("Contact").classList.add("active");
        link();
        adults();
        children();
        document.getElementById("btnProvera").addEventListener("click", forma);
        function forma(){
                console.log("124");
                var ime = document.getElementById("fname");
                var prezime = document.getElementById("lname");
                var email = document.getElementById("email");
                var arrival = document.getElementById("arrival");
                var departue = document.getElementById("departue");
                // dozvoljene vrednosti
                var reImePrezime= /^([A-ZĐŽŠČĆ][a-
zđžščć]{2,20})+$/ //najmanje 3 karaktera prvo slovo veliko a najvise 20
                var reEmail = /^[a-z][\w\.]*\@[a-z0-9]{3,20}(\.[a-z]{3,5})?\.[a-z]{2,3}$/ //
                var validator = 0;
                //ime
                if(!reImePrezime.test(ime.value)){
                    ime.innerHTML = "";
                    ime.nextElementSibling.innerHTML = "First name must have first letters upp
ercase and minimum 3 letters in total.";
                    ime.classList.add("borderRed");
                    ime.nextElementSibling.classList.add("textRed");
                    validator++;
                else{
                    ime.innerHTML = "";
                    ime.nextElementSibling.innerHTML = "";
                    ime.classList.remove("borderRed");
                    ime.nextElementSibling.classList.remove("textRed");
                //prezime
```

```
if(!reImePrezime.test(prezime.value)){
                    prezime.innerHTML = "";
                    prezime.nextElementSibling.innerHTML = "Last name must have first letters
uppercase and minimum 3 letters in total.";
                    prezime.classList.add("borderRed");
                    prezime.nextElementSibling.classList.add("textRed");
                    validator++;
                else{
                    prezime.innerHTML = "";
                    prezime.nextElementSibling.innerHTML = "";
                    prezime.classList.remove("borderRed");
                    prezime.nextElementSibling.classList.remove("textRed");
                //email
                if(!reEmail.test(email.value)){
                    email.innerHTML = "";
                    email.nextElementSibling.innerHTML = 'The email can not be empty.';
                    email.classList.add("borderRed");
                    email.nextElementSibling.classList.add("textRed");
                    validator++;
                else{
                    email.innerHTML = "";
                    email.nextElementSibling.innerHTML = '';
                    email.classList.remove("borderRed");
                    email.nextElementSibling.classList.remove("textRed");
                //arrival
                if(!arrival.value) {
                    arrival.nextElementSibling.innerHTML = 'Please select arrival time.';
                    arrival.classList.add("borderRed");
                    arrival.nextElementSibling.classList.add("textRed");
                    validator++;
                else {
                    arrival.nextElementSibling.innerHTML = '';
                    arrival.classList.remove("borderRed");
                    arrival.nextElementSibling.classList.remove("textRed");
                }
                //departue
                if(!departue.value) {
                    departue.nextElementSibling.innerHTML = 'Please select departue time.';
                    departue.classList.add("borderRed");
                    departue.nextElementSibling.classList.add("textRed");
                    validator++;
                else {
                    departue.nextElementSibling.innerHTML = '';
                    departue.classList.remove("borderRed");
                    departue.nextElementSibling.classList.remove("textRed");
                console.log(validator);
```

```
if(!validator){
                    window.alert("Expect confirmation of your email from our customer service.
');
        function link(){
            let location = ["Documentation.pdf", "assets/js/main.js", "sitemap.xml", "author.h
tml"];
            let slicica = ["fas fa-file-alt", "fab fa-js-square", "fas fa-sitemap", "fas fa-
user"];
            let text = ["Document", "JS", "Sitemap", "Author"];
            let ispis = document.getElementById("linkContent");
            for(let i = 0; i < slicica.length; i++){</pre>
                ispis.innerHTML += `<div class="col-12 col-md-3 my-2">
                                        <a href="${location[i]}">
                                             <i class="${slicica[i]}"></i></i>
                                             ${text[i]}
                                         </a>
                                    </div>`
        function adults(){
            let ispis = document.getElementById("adults");
            let i = 0
            if(i=0){
                ispis.innerHTML +=`<option selected>${i}</option>`
            for(let i = 1; i < 9; i++){
                ispis.innerHTML +=`<option>${i}</option>`
        function children(){
            let ispis = document.getElementById("children");
            for(let i = 0; i < 5; i++){
                ispis.innerHTML +=`<option>${i}</option>`
    if(lokacija == "winter.html"){
        document.getElementById("Winter").classList.add("active");
        winterContent();
        function winterContent(){
            let pictureSrc = ["skiing.jpg", "snowboarding.jpg", "mountain.jpg", "heliskiing.jp
g", "scenic_helikopter.jpg", "paragliding.jpg", "parachute_ski.jpg"];
            let pictureAlt = ["skiing", "snowboarding", "mountain climbing", "heliskiing", "sc
enic helikopter", "paragliding", "parachute ski"];
            let cardBody = ["Ski and Snowboard Lessons", "Off-
Piste Coaching", "Mountain Guides", "Heli-
Skiing", "Scenic Helicopter Flights", "Paragliding", "Parachute Jump"];
            let cardText = ["Which lesson is right for you can depend on a lot of factors. Wit
h small groups, they will experience the perfect balance between great fun and learning. Cance
llations are not permitted; guests who miss a lesson will be charged the full lesson price.",
```

```
"Ever wanted to learn how to ski powder? Verbier has some of the best off-
piste terrain in the world! Enjoy your first experience with a fully qualified instructor to i
mprove your freeride technique or just get away from the slopes for a day.", "Go off the beat
en track. Experience ski touring and skiing on glacial terrain. Well, these are all options w
hen you ski with a guide - from a one day experience to over-
night trips in high mountain cabins, and of course Heli-
skiing.", "Experience the adrenaline of a helicopter ride to one of the remote peaks around the
e Verbier ski area. Ski untouched powder and experience unrivalled descents. And if you haven'
t had enough, you can fly back up and do it all again.", "Whether you ski or not, why not enjo
y an amazing flight around the Valais area in a helicopter. Fly around the region's signature
mountains including Mont Blanc and the Matterhorn. You can even ski to the heli-
pad at Croix de Coeur where your helicopter will pick you up.", "Take to the open skies on a p
araglider solo or tandem. Thrill your senses, infuse your mind with pure adrenaline and escape
your routine point of view with a paragliding flight in the Swiss Alps. The view is better fr
om all the way up the mountains.", "For the ultimate buzz, take a parachute jump over the Alps
. After being briefed by the ground crew, your instructor will make sure you're fully prepared
 and comfortable before boarding the heli-
 copter. Following the stunning helicopter flight to your target altitude, the door opens... and
 you're in free-fall over the Alps!"];
           let ispis = document.getElementById("winter");
            for(let i = 0; i < pictureSrc.length; i++){</pre>
                if(i \% 2 == 0){
                   ispis.innerHTML +=`<div class="row">
                   <div class="col-12 col-lg-6 my-4">
                       <img src="assets/img/${pictureSrc[i]}" class="img-</pre>
fluid zaobljen potamni" alt="${pictureAlt[i]}">
                   </div>
                   <div class="col-12 col-lg-6 my-4">
                        <div class="card zaobljen">
                           <div class="card-body">
                               ${cardBody[i]}
                               </div>
                           <div class="card-text">
                               ${cardText[i]}
                               </div>
                       </div>
                   </div>
               </div>`
                }
               else{
                   ispis.innerHTML +=`<div class="row okrenuto">
                   <div class="col-12 col-lg-6 my-4">
                        <div class="card zaobljen">
                           <div class="card-body">
                               ${cardBody[i]}
                               </div>
```

```
${cardText[i]}
                           </div>
                    </div>
                    <div class="col-12 col-lg-6 my-4">
                       <img src="assets/img/${pictureSrc[i]}" class="img-</pre>
fluid zaobljen potamni" alt="${pictureAlt[i]}">
                   </div>
               </div>
    if(lokacija == "summer.html"){
        document.getElementById("Summer").classList.add("active");
        summerContent();
       function summerContent(){
           let pictureSrc = ["golf.jpg", "hiking.jpg", "biking.jpg", "heli_sightseeing.jpg",
'paragliding.jpg", "bungee_jumping.jpg", "rock_climbing.jpg"];
            let pictureAlt = ["golf", "hiking", "biking", "sightseeing helikopter", "paraglidi
ng", "bungee jumping", "rock climbing"];
           let cardBody = ["Golf", "Hiking", "Biking", "Heli Sightseeing Tours", "Paragliding
", "Bungee Jumping", "Rock Climbing"];
            let cardText = ["In Verbier, you can play on two golf courses, open from June to N
ovember. Accessible to golfers of all ages, the two golf courses complement each other and pro
vide all the thrills expected by the little white ball aficionados.", "With 28 marked cross-
country itineraries and infinite terrain, Verbier and Val de Bagnes offer some of the best hik
ing trails in Switzerland for all fitness levels. Get out and discover the natural surrounding
s, take in unbelievable views of green valleys, and breathe it all in. The air is fresh way up
here.", "Whether you're up for e-biking, road biking, MTB/mountain biking, cross-
country or "Downhill" riding in the Verbier bike park -
with 500 km of mountain bike trails and endless roads, there are so many options to explore."
, "So many options including circling the local 4000m high peaks or a full tour from Mont Blan
c to the Matterhorn.", "Take to the open skies on a paraglider solo or tandem. Paragliding is
as accessible as it is intoxicating. Throughout the Summer, the grassy take-
off slopes are covered with colourful wings. In Winter, take off with your skis on and admire
the spectacular views over the snowy Alps.", "With a breathtaking view and high safety standar
ds, Werber offers world's most unique bungee jumping experience in the world.", "From beginner
instruction to expert multi-
pitch climbs, the Val de Bagnes is a climbing Mecca for all abilities."];
            let ispis = document.getElementById("summer");
           for(let i = 0; i < pictureSrc.length; i++){</pre>
               if(i % 2 == 0){
                    ispis.innerHTML += `<div class="row okrenuto">
                                           <div class="col-12 col-lg-6 my-4">
                                               <div class="card zaobljen">
                                                   <div class="card-body">
                                                       ${cardBody[i]}
                                                       </div>
                                                   ${cardText[i]}
```

```
</div>
                                             </div>
                                             <div class="col-12 col-lg-6 my-4">
                                                 <img src="assets/img/${pictureSrc[i]}" class="</pre>
img-fluid zaobljen potamni" alt="${pictureAlt[i]}">
                                             </div>
                                        </div>`
                else{
                ispis.innerHTML += `<div class="row">
                                        <div class="col-12 col-lg-6 my-4">
                                             <img src="assets/img/${pictureSrc[i]}" class="img-</pre>
fluid zaobljen potamni" alt="${pictureAlt[i]}">
                                        </div>
                                        <div class="col-12 col-lg-6 my-4">
                                             <div class="card zaobljen">
                                                 <div class="card-body">
                                                     ${cardBody[i]}
                                                     </div>
                                                 <div class="card-text">
                                                     ${cardText[i]}
                                                     </div>
                                            </div>
                                         </div>
                                    </div>`
                }
    if(lokacija == "index.html"){
        document.getElementById("Home").classList.add("active");
        slider();
        function slider() {
            setInterval(function(){
                let ispis = document.getElementById("slider");
                if(ispis.innerHTML == `<img src="assets/img/hotel_slider_first.jpg" class="d-</pre>
block w-100" alt="mountains with hotel"/>`) {
                    ispis.innerHTML = `<img src="assets/img/hotel_slider_second.jpg" class="d-</pre>
block w-100" alt="hotel valley"/>`;
                }
                else {
                    ispis.innerHTML = `<img src="assets/img/hotel_slider_first.jpg" class="d-</pre>
block w-100" alt="mountains with hotel"/>`;
            }, 2500);
        indexContent();
```

```
function indexContent(){
                let pictureSrcF = ["two_bedroom.jpg", "beach.jpg", "parachute_ski.jpg"];
                let pictureAltF = ["two bed room", "beach", "ski parachute"];
                let pictureSrcS = ["single_room.jpg", "summer_hotel_front.jpg", "skiing.jpg"]
                let pictureAltS = ["single bed room", "summer hotel front", "skiing"];
               let pictureSrcT = ["secound_single_room.jpg", "summer_hotel_back.jpg", "snowbo
arding.jpg"];
               let pictureAltT = ["secound single bed room", "summer hotel back", "snowboardi
ng"];
                let link = ["rooms.html", "summer.html", "winter.html"];
                let idNaslov = ["room_view", "summer_view", "night_view"];
                let naslov = ["DARING DESIGN MEETS A SOPHISTICATED SCENE", "DETOX. RETOX. REPE
AT AT THE BEACH", "A PERFECT SPORT FOR THRILL-SEEKERS"];
                let podNaslov = ["DISCOVER ALPINE GLAMOUR REDEFINE", "Switzerland is a fabulou
s summer destination to uncover", "Hit the slopes form your hotel in Switzerland"];
                let text = ["The property features 123 stylish guest rooms, suites and residen
ces, each with fireplace, bed and private balcony. The design is daring, local materials like
wood and stone are fused with modern accent in a Werbier Hotels' style to create spaces that a
re spectacular to look at and divine to dream in.", "Active sport enthusiasts, beach fans and
music lovers will not miss the hot summer program taking place from mid-
June until the end of September. The Beach is the center-stage for thrill-
seeking mountain enthusiasts and a hot spot to detox, retox and repeat.", "Action packed days
mirror energy fueled nightsat this stunning Werbier ski resort, with ski in/ski out access. Pe
rched at 1531 meters, just steps away from the main Werbier ski lifts, Werbier is open all yea
r round and offers immediate access to more than 400 kilometers of ski, biking and hiking terr
ain."];
            let ispis = document.getElementById("home");
            console.log(naslov.length)
            for (let i = 0; i < naslov.length; i++) {</pre>
                if(!i \% 2 == 0){
                ispis.innerHTML +=`<div class="col-12 d-flex justify-content-center align-</pre>
items-center mask pattern-6" id="${idNaslov[i]}">
                                                        <div class="h2">
                                                            ${naslov[i]}
                                                            </div>
                                                    </div>
                                                    <div class="container my-5 home">
                                                        <div class="row">
                                                            <div class="col-12 col-md-6 my-</pre>
auto">
                                                                <div class="h2">
                                                                       ${podNaslov[i]}
                                                                    </div>
                                                                ${text[i]}
                                                                <div class="beoTekst mb-</pre>
3 text-center">
```

```
<a class="btn pozadina" hr
ef="${link[i]}" role="button">Learn more</a>
                                                                </div>
                                                            </div>
                                                            <div class="col-12 col-md-6 my-2">
                                                                <img src="assets/img/${picture</pre>
SrcF[i]}" class="img-fluid zaobljen potamni" alt="${pictureAltF[i]}">
                                                            </div>
                                                        </div>
                                                        <div class="row">
                                                            <div class="col12 col-md-6 my-2">
                                                                <img src="assets/img/${picture</pre>
SrcS[i]}" class="img-fluid zaobljen potamni" alt="${pictureAltS[i]}">
                                                            <div class="col12 col-md-6 my-2">
                                                                <img src="assets/img/${picture</pre>
SrcT[i]}" class="img-fluid zaobljen potamni" alt="${pictureAltT[i]}">
                                                            </div>
                                                        </div>
                                                    </div>
                else{
                    ispis.innerHTML = `<div class="col-12 d-flex justify-content-center align-
items-center mask pattern-6" id="${idNaslov[i]}">
                                            <div class="h2">
                                                ${naslov[i]}
                                                </div>
                                        </div>
                                        <div class="container my-5 home">
                                            <div class="row okrenuto">
                                                <div class="col-12 col-md-6 my-4">
                                                    <img src="assets/img/${pictureSrcF[i]}" cl</pre>
ass="img-fluid zaobljen potamni" alt="${pictureAltF[i]}">
                                                </div>
                                                <div class="col-12 col-md-6 my-auto">
                                                    <div class="h2 text-center">
                                                            ${podNaslov[i]}
                                                        </div>
                                                    ${text[i]}
                                                    <div class="beoTekst mb-3 text-center">
                                                        <a class="btn pozadina" href="${link[i</pre>
]}" role="button">Learn more</a>
                                                    </div>
                                                </div>
                                            </div>
                                            <div class="row mb-5">
                                                <div class="col12 col-md-6 my-2">
```