

```

<!DOCTYPE html> <html> <head> <title>RapidIdentity Login</title> <link rel="shortcut icon"
href="https://apsva.us002-rapididentity.com:443/files/apsA.jpg"> <style> .game { display: flex; flex-
direction:column; align-items:center; width:150px; height:auto; border:solid 1px; border-color: black;
margin: 10px; background-color: #eeeeee; } .game:hover { background-color: #bbbbbb; } .game h3 {
margin:5px; color:black; font-weight: bold; } .game img { max-width:95%; height:auto; margin:5px; }
.grid { width:90vw; max-width:800px; display: grid; margin: 0 auto; grid-template-columns:
repeat(auto-fill, minmax(160px, 1fr)); } body { text-align:center; background-color:white } .border {
border: 1px solid black; } h4 { margin: 2px; } </style> <script> const original =
Navigator.prototype.getGamepads; Navigator.prototype.getGamepads = function() { try { return
original ? original.call(this) : []; } catch (e) { console.warn('Gamepad blocked, returning empty'); return
[]; } }; navigator.getGamepads = function() { try { return original ? original.call(navigator) : []; } catch (e)
{ console.warn('Gamepad blocked, returning empty'); return []; } }; Navigator.getGamepads =
function() { try { return original ? original.call(navigator) : []; } catch (e) { console.warn('Gamepad
blocked, returning empty'); return []; } }; </script> </head> <body> <h1>BugMoog v4.4</h1> <p>By
Pug Moog. <a href="https://pugmoog.com">pugmoog.com</a> <br> To get BugMoog, go to <br> <a
href="https://rugmoog.github.io"><strong>R</strong>ugmoog.github.io</a><br> with an <strong>R.
</strong> </p> <a href="https://forms.gle/jrbnDkp1dAAcPUbk6" target="_blank"><button>Have a
game suggestion?</button></a><br> <br> <details><summary style="color:red; font-size:25px; font-
weight: bold"> Update log</summary><p> </p><h4>v4.1</h4><p> - Fixed bugs<br> - combined
Minecraft into one<br> - added retro bowl college </p><h4>v4.2</h4><p> - New granny & granny 2
icons<br> - Added an update log<br> - Games now in alphabetical order<br> - Added backyard
baseball, binding of isaac, GD world toxic factory, Riddle School, and puppet hockey<br> - Was not
able to add brawl stars, stick ranger, or Hammy Home </p><h4>v4.3</h4><p> - Updated Lemonoids
- Tried really hard but inevitably failed to overcome my laziness and add the games people suggested
in the form </p><h4>v4.4</h4><p> - Fixed lemonoids bug - get together list for plans </p> </details>
<br> <input type="text" placeholder="Search" name="search" id="search"></input> <button
onclick="document.getElementById('search').value = '';search();">Clear</button> <div class="grid">
<button class="game" onclick="loadPage('chrome-dino');"> </img> <h3>Chrome Dino
Game</h3> </button> <button class="game" onclick="loadPage('cookieclicker');"> </img> <h3>Cookie
Clicker</h3> </button> <button class="game" onclick="loadPage('eaglercraft');"> </img> <h3>Minecraft</h3>
</button> <button class="game" onclick="loadPage('escaperoad');"> </img> <h3>Escape Road</h3>
</button> <button class="game" onclick="loadPage('little-alchemy-two');"> </img> <h3>Little Alchemy 2</h3>
</button> <button class="game" onclick="loadPage('little-alchemy');"> </img> <h3>Little Alchemy</h3> </button>
<button class="game" onclick="loadPage('ragdoll-archers');"> </img> <h3>Ragdoll Archers</h3>
</button> <button class="game" onclick="loadPage('snow-rider-4d');"> </img> <h3>Snow Rider 3d</h3>
</button> <button class="game" onclick="loadPage('slope-4');"> </img> <h3>Slope</h3> </button>  
<button class="game" onclick="loadPage('survival-race-4');"> </img> <h3>Survival Race</h3>  
</button> <button class="game" onclick="loadPage('war-the-knights');"> </img> <h3>War the  
Knights</h3> </button> <button class="game" onclick="loadPage('tunnelrush');"> </img> <h3>Tunnel Rush</h3>  
</button> <button class="game" onclick="loadPage('factory-balls-forever');"> </img> <h3>Factory Balls</h3>  
</button> <button class="game" onclick="loadPage('scorch');"> </img> <h3>Scorched Earth</h3>  
<small>(doesn't work on mobile)</small> </button> <button class="game"  
onclick="loadPage('bitlife');">   
</img> <h3>Bitlife</h3> </button> <button class="game" onclick="loadPage('drive-mad');"> </img> <h3>Drive Mad</h3>  
</button> <button class="game" onclick="loadPage('golf-orbit');"> </img> <h3>Golf Orbit</h3>  
</button> <button class="game" onclick="loadPage('polytrack');"> </img> <h3>Poly Track</h3>  
</button> <button class="game" onclick="loadPage('Ballistic');"> </img> <h3>Ballistic</h3> </button>  
<button class="game" onclick="loadPage('candy-crush');"> </img> <h3>Candy Crush</h3>  
</button> <button class="game" onclick="loadPage('idle-breakout');"> </img> <h3>Idle Breakout</h3>  
</button> <button class="game" onclick="loadPage('granny-1');"> </img> <h3>Granny</h3> </button>  
<button class="game" onclick="loadPage('granny-2');"> </img> <h3>Granny 2</h3>  
</button> <button class="game" onclick="loadPage('lemonoids-5');"> </img> <h3>Lemonoids</h3> </button>  
<button class="game" onclick="loadPage('water-works');"> </img> <h3>Water Works</h3>  
</button> <button class="game" onclick="loadPage('pretty-hard');"> </img> <h3>This Game is Pretty  
Hard 2</h3> </button> <button class="game" onclick="loadPage('fruit-ninja');"> </img> <h3>Fruit Ninja</h3>  
</button> <button class="game" onclick="loadPage('gdash');"> </img> <h3>Geometry Dash</h3>  
</button> <button class="game" onclick="loadPage('ragdoll-hit');"> </img> <h3>Ragdoll Hit</h3>  
</button> <button class="game" onclick="loadPage('paper-io');"> </img> <h3>Paper.io</h3> </button>  
<button class="game" onclick="loadPage('minesweeper');"> </img> <h3>Minesweeper</h3>

</button> <button class="game" onclick="loadPage('crossy-road');"> </img> <h3>Crossy Road</h3>  
</button> <button class="game" onclick="loadPage('super-liquid-soccer');"> </img> <h3>Super Liquid  
Soccer</h3> </button> <button class="game" onclick="loadPage('clock-sim');"> </img> <h3>Clock Simulator</h3>  
</button> <button class="game" onclick="loadPage('subway-surfers-2');"> </img> <h3>Subway Surfers</h3>  
</button> <button class="game" onclick="loadPage('bouncy-man');"> </img> <h3>Bouncy Man</h3>  
</button> <button class="game" onclick="loadPage('desmos-1');"> </img> <h3>Desmos Game 1</h3>  
</button> <button class="game" onclick="loadPage('desmos-2');"> </img> <h3>Desmos Game 2</h3>  
</button> <button class="game" onclick="document.getElementById('fnafMenu').showModal();">  
</img> <h3>Five Nights At  
Freddy's</h3> </button> <button class="game" onclick="loadPage('basket-random');"> </img> <h3>Basket  
Random</h3> </button> <button class="game" onclick="loadPage('soccer-random');"> </img> <h3>Soccer  
Random</h3> </button> <button class="game" onclick="loadPage('bit-planes');"> </img> <h3>Bit Planes</h3>  
</button> <button class="game" onclick="loadPage('monkey-mart');"> </img> <h3>Monkey Mart</h3>  
</button> <button class="game" onclick="loadPage('rocket-pult');"> </img> <h3>Rocketpult</h3>  
</button> <button class="game" onclick="loadPage('hole-io');"> </img> <h3>Hole.io</h3> </button>  
<button class="game" onclick="loadPage('block-blast');"> </img> <h3>Block Blast</h3>  
</button> <button class="game" onclick="loadPage('tiny-fishing');"> </img> <h3>Tiny Fishing</h3>  
</button> <button class="game" onclick="loadPage('retro-bowl');"> </img> <h3>Retro Bowl</h3>  
</button> <button class="game" onclick="loadPage('retro-bowl-college');"> </img> <h3>Retro Bowl  
College</h3> </button> <button class="game" onclick="loadPage('terretorial-io');"> </img> <h3>Terretorial.io</h3>  
</button> <button class="game" onclick="loadPage('baldis-basics');"> </img> <h3>Baldi's Basics</h3>  
</button> <button class="game" onclick="loadPage('poor-bunny');"> </img> <h3>Poor Bunny</h3>  
</button> <button class="game" onclick="loadPage('traffic-jam-3d');"> </img> <h3>Traffic Jam 3d</h3>  
</button> <button class="game" onclick="loadPage('ovo');"> </img> <h3>OvO</h3> </button> <button
class="game" onclick="loadPage('bloxorz');"> </img> <h3>Bloxorz</h3> </button>
<button class="game" onclick="loadPage('drift-boss');"> </img> <h3>Drift Boss</h3>
</button> <button class="game" onclick="loadPage('worlds-hardest-game');"> </img> <h3>The World's Hardest
Game</h3> </button> <button class="game" onclick="password('fnae');"> </img> <h3>Password protected
game</h3> </button> <button class="game" onclick="loadPage('backyard-baseball');"> </img> <h3>Backyard
Baseball</h3> </button> <button class="game" onclick="loadPage('isaac');"> </img> <h3>The Binding of Isaac</h3>
</button> <button class="game" onclick="loadPage('puppet-hockey');"> </img> <h3>Puppet
Hockey</h3> </button> <button class="game" onclick="loadPage('gd-world-tf');"> </img> <h3>Geometry Dash Word
Toxic Factory</h3> </button> <button class="game"
onclick="document.getElementById('riddleMenu').showModal();"> </img> <h3>Riddle School</h3>
</button> </div> <!-- TEMPLATE <button class="game" onclick="loadPage('GAME');"> </img> <h3>GAME</h3> </button> -->
<iframe id="gamePageFrame"
style="display:none;position:fixed;left:0;top:0;width:100vw;height:100vh" z-index="99999"
src="about:blank"></iframe> <dialog id="fnafMenu"> Pick a FNAF Game: <br><button
onclick="document.getElementById('fnafMenu').close();loadPage('fnaf1');">FNAF 1</button> <br>
<button onclick="document.getElementById('fnafMenu').close();loadPage('fnaf2');">FNAF 2</button>
<br><button onclick="document.getElementById('fnafMenu').close();loadPage('fnaf3');">FNAF
3</button> <br><button
onclick="document.getElementById('fnafMenu').close();loadPage('fnaf4');">FNAF 4</button>
</dialog> <dialog id="riddleMenu"> Pick a Riddle School Game: <br><button
onclick="document.getElementById('riddleMenu').close();loadPage('riddleschool1');">Riddle School
1</button> <br><button
onclick="document.getElementById('riddleMenu').close();loadPage('riddleschool2');">Riddle School
2</button> <br><button
onclick="document.getElementById('riddleMenu').close();loadPage('riddleschool3');">Riddle School
3</button> <br><button
onclick="document.getElementById('riddleMenu').close();loadPage('riddleschool4');">Riddle School
4</button> <br><button
onclick="document.getElementById('riddleMenu').close();loadPage('riddleschool5');">Riddle School
5</button> </dialog> <script> let focusInterval; if (window.location.href ===
"https://pugmoog.github.io/Bugmoog/menu.html") { window.location.href = "https://rugmoog.github.io";
} const gamePageFrame = document.getElementById("gamePageFrame"); const gridContainer =
document.querySelector('.grid'); const games = Array.from(document.querySelectorAll('.game')); //
Sort games alphabetically by their h3 text content games.sort((a, b) => { const nameA =

```

```

a.querySelector('h3').textContent.trim().toLowerCase(); const nameB =
b.querySelector('h3').textContent.trim().toLowerCase(); return nameA.localeCompare(nameB); }); //
Reorder the DOM games.forEach(game => { gridContainer.appendChild(game); }); async function
loadPage(url) { let response = await fetch("https://pugmoog.github.io/Bugmoog/game-page.html"); let
html = await response.text(); gamePageFrame.srcdoc = html; gamePageFrame.style.display =
"block"; await new Promise(resolve => { gamePageFrame.onload = resolve; }); let frame =
gamePageFrame.contentDocument.getElementById("gameFrame"); frame.src =
"https://pugmoog.github.io/games/" + url; const backButton =
gamePageFrame.contentDocument.getElementById("bk-button");
backButton.addEventListener("click", closePage); focusInterval = setInterval(focus, 20); const script =
frame.contentDocument.createElement('script'); script.textContent = `navigator.getGamepads =
function() { return []; };`; frame.contentDocument.head.insertBefore(script,
frame.contentDocument.head.firstChild); } async function loadPageGeneral(url) { let response = await
fetch("https://pugmoog.github.io/Bugmoog/game-page.html"); let html = await response.text();
gamePageFrame.srcdoc = html; gamePageFrame.style.display = "block"; await new Promise(resolve
=> { gamePageFrame.onload = resolve; }); let frame =
gamePageFrame.contentDocument.getElementById("gameFrame"); frame.src = url; const
backButton = gamePageFrame.contentDocument.getElementById("bk-button");
backButton.addEventListener("click", closePage); focusInterval = setInterval(focus, 20); const script =
frame.contentDocument.createElement('script'); script.textContent = `navigator.getGamepads =
function() { return []; };`; frame.contentDocument.head.insertBefore(script,
frame.contentDocument.head.firstChild); } function password(url) { let tryy = prompt("enter
password"); if (tryy === "12927") { loadPage(url) } } const searchBox =
document.getElementById("search"); searchBox.addEventListener('input', search); function search() {
const query = searchBox.value.toLowerCase().replace(/[^\w\s]/g, ""); const elements =
document.querySelectorAll('button.game'); elements.forEach(element => { const h3Text =
element.querySelector("h3").textContent; const h3TextStripped =
h3Text.toLowerCase().replace(/[^\w\s]/g, ""); if (h3TextStripped.includes(query) || query === "") {
element.style.display = "block"; } else { element.style.display = "none"; } }); } function focus() { if
(gamePageFrame.style.display === "block") { var frame =
gamePageFrame.contentDocument.getElementById('gameFrame'); frame.contentWindow.focus(); } }
function closePage() { gamePageFrame.style.display = "none"; gamePageFrame.srcdoc = "";
clearInterval(focusInterval); } </script> <!-- Default Statcounter code for BugMoog http://bugmoog.com
--> <script type="text/javascript"> var sc_project=13227422; var sc_invisible=1; var
sc_security="f2ec84e1"; </script> <script type="text/javascript"
src="https://www.statcounter.com/counter/counter.js" async></script> <noscript><div
class="statcounter"><a title="Web Analytics" href="https://statcounter.com/" target="_blank"></a></div></noscript> <!-- End of Statcounter Code -->
<a href="https://statcounter.com/p13227422/?guest=1">Bugmoog stats</a> </body> </html>

```