

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

c2268

emp2

c2268emp3*

emp2

SQL File 14*

emp3

emp_trainee

SQL File 9*

customer and movie x

customer

Limit to 1000 rows

```
1 • use c2268;
2 • create table Custom(Cust_id varchar(6) primary key,Fname varchar(15) not null,
3   Lname varchar(15),Area char(2)not null,Phone numeric(10));
4 • insert into custom values
5   ('A01','Ivan','Ross','SA',6125467),
6   ('A02','Vandana','Ray','MU',5560379),
7   ('A03','Pramada','Jauguste','DA',4560389),
8   ('A04','Basu','Navingi','BA',6125401),
9   ('A05','Ravi','Shridhar','NA',null),
10  ('A06','Rukmini','Aiyer','GH',5125274);
11 • create table Movie(Mv_no int primary key,Cust_id varchar(6),Title varchar(15) not null,
12   Star varchar(5) not null,Price bigint(3));
13 • insert into movie values
14   (1,'A02','Bloody','JC',181),
15   (2,'A04','The Firm','TC',200),
16   (3,'A01','Pretty Women','AG',151),
17   (4,'A06','Home Alone','MC',150),
18   (5,'A05','The Fugitive','MF',200),
19   (6,'A03','Coma','MD',100),
20   (7,'A02','Dracula','GO',150),
21   (8,'A06','Quick Change','BM',100),
22   (9,'A03','GonewiththeWind','CB',200),
23   (10,'A05','Carry on Doctor','LP',100);
24 • select Title from movie where Price>100 and Price <200;
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Object Info Session

Output

72°F Haze

7:49 PM 11/24/2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

c2268

Tables

Views

Stored Procedures

Functions

mydb

puja_practicedb

Tables

Views

Stored Procedures

Functions

pujadb

sys

Tables could not be fetched

Views could not be fetched

Stored Procedures could not be fetched

Functions could not be fetched

Administration Schemas

Information

No object selected

Object Info Session

c2268 emp2 c2268emp3* emp2 SQL File 14* emp3 emp_trainee SQL File 9* customer and movie x customer

Limit to 1000 rows

```
7 ('A03','Pramada','Jauguste','DA',4560389),
8 ('A04','Basu','Navingi','BA',6125401),
9 ('A05','Ravi','Shridhar','NA',null),
10 ('A06','Rukmini','Aiyer','GH',5125274);
11 create table Movie(Mv_no int primary key,Cust_id varchar(6),Title varchar(15) not null,
12 Star varchar(5) not null,Price bigint(3));
13 insert into movie values
14 (1,'A02','Bloody','JC',181),
15 (2,'A04','The Firm','TC',200),
16 (3,'A01','Pretty Women','RG',151),
17 (4,'A06','Home Alone','MC',150),
18 (5,'A05','The Fugitive','MF',200),
19 (6,'A03','Coma','MD',100),
20 (7,'A02','Dracula','GO',150),
21 (8,'A06','Quick Change','BM',100),
22 (9,'A03','GonewiththeWind','CB',200),
23 (10,'A05','Carry on Doctor','LP',100);
24 select Title from movie where Price>100 and Price <200;
25 select * from custom where Area like '%A';
26 select Title from movie where Price<180 and length(Title)=6;
27 select Title,Price,Price*1.10 as Increment from movie;
28 select Fname from custom where Phone=null;
29 delete from custom where Cust_id='A01';
30 delete from movie where Mv_no=1;
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

72°F Haze

7:49 PM 11/24/2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

c2268

- Tables
- Views
- Stored Procedures
- Functions

mydb

puja_practicedb

- Tables
- Views
- Stored Procedures
- Functions

pujadb

sys

- Tables could not be fetched
- Views could not be fetched
- Stored Procedures could not be fetched
- Functions could not be fetched

Administration Schemas

Information

No object selected

SQL File 14* emp3 emp_trainee SQL File 9* customer and movie customer x

Limit to 1000 rows

```
1 • use c2268;
2 • create table CUSTOMER(Cust_id varchar(5),Fname varchar(15),Lname varchar(15),
3   Area char(2),Phone numeric(10),DOB date,Payment numeric(6.2));
4 • insert into customer values
5   ('A01','Ivan','Ross','SA',6125467,'1986-01-15',800.50),
6   ('A02','Vandana','Ray','MU',5560379,'1987-12-20',1000.75),
7   ('A03','Pramada','Jauguste','DA',4560389,'1967-07-25',500.00),
8   ('A04','Basu','Navingi','BA',6125401,'1956-02-28',860.00),
9   ('A05','Ravi','Shridhar','NA',null,'1989-02-15',500.50),
10  ('A06','Rukmini','Aiyer','GH',5125274,'1987-07-23',1500.50);
11 • select * from customer;
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	19:46:39	create table CUSTOMER(Cust_id varchar(5),Fname varchar(15),Lname varchar(15), Area ...	0 row(s) affected	0.016 sec
⚠ 16	19:46:39	insert into customer values ('A01','Ivan','Ross','SA',6125467,'1986-01-15',800.50), ('A02','V...	6 row(s) affected, 4 warning(s): 1265 Data truncated for column 'Payment' at row 1 1265 D...	0.015 sec
✓ 17	19:46:39	select * from customer LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

72°F Haze

7:48 PM 11/24/2022