


Feature		Scei	nario		Step				
Name	Duration	T	P	F	S	T	P	F	S
To create a brand new booking in restful-booker	3.972 s	2	2	0	0	8	8	0	0
To delete a booking in restful-booker	1.705 s	1	1	0	0	7	7	0	0
To update a booking in restful-booker	2.614 s	2	2	0	0	16	16	0	0
To view the restful-booker booking details	0.578 s	1	1	0	0	4	4	0	0


Tag		Feature						
Name	Τ	P	F	S	T	P	F	S
@bookerAPI	6	6	0	0	4	4	0	0
@createBookingDataTable	2	2	0	0	1	1	0	0
@createBooking	2	2	0	0	1	1	0	0
@deleteBooking	1	1	0	0	1	1	0	0
@deleteBookingIDs	1	1	0	0	1	1	0	0
@updateBooking	2	2	0	0	1	1	0	0
@updateBookingDataTable	2	2	0	0	1	1	0	0
@viewAllBookingIDs	1	1	0	0	1	1	0	0
@viewBooking	1	1	0	0	1	1	0	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	To create a brand new booking in restful-booker	2	2	0	0	3.972 s
2	To delete a booking in restful-booker	1	1	0	0	1.705 s
3	To update a booking in restful-booker	2	2	0	0	2.614 s
4	To view the restful-booker booking details	1	1	0	0	0.578 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To create a brand new booking in restful-booker	To create new booking using cucumber Data Table	4	4	0	0	3.534 s
2	To create a brand new booking in restful-booker	To create new booking using cucumber Data Table	4	4	0	0	0.407 s
3	To delete a booking in restful-booker	To delete a booking	7	7	0	0	1.705 s
4	To update a booking in restful-booker	To update a booking using cucumber Data Table	8	8	0	0	1.345 s
5	To update a booking in restful-booker	To update a booking using cucumber Data Table	8	8	0	0	1.269 s
6	To view the restful-booker booking details	To view all the booking IDs	4	4	0	0	0.578 s

DETAILED SECTION -- 6 --

To create a brand new booking in restful-booker


PASSED	DURATION - 3.972 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 8:28:40.594 AM //	[/] 8:28:44.566 AM /	Pass - 2	2	Pass - 8	8 B
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

To create new booking using cucumber Data Table



#						Step / Ho	ok Details	Status	Duration
1	Given use	en user has access to endpoint "/booking"							0.000 s
2	When use	Vhen user creates a booking						PASSED	2.002 s
	firstname lastname totalprice depositpaid checkin checkout additionalneeds								
	John	Doe	3000	true	2025-05-05	2025-05-15	Breakfast		
3	Then user should get the response code 200							PASSED	0.000 s
4	And user	And user validates the response with JSON schema "createBookingSchema.json"						PASSED	1.501 s

To create new booking using cucumber Data Table




#						Step / Ho	ok Details		Status	Duration
1	Given use	en user has access to endpoint "/booking"								0.000 s
2	When use	Vhen user creates a booking							PASSED	0.391 s
	firstname lastname totalprice depositpaid checkin checkout additionalneeds									
	Jane	Doe	4400	false	2025-06-01	2025-07-10	Dinner			
3	Then user should get the response code 200							PASSED	0.000 s	
4	And user	And user validates the response with JSON schema "createBookingSchema.json"							PASSED	0.016 s

To delete a booking in restful-booker

Scenarios		Steps	
Total - 1		Total - 7	
Pass - 1	1	Pass - 7	7
Fail - 0		Fail - 0	
Skip - 0		Skip - 0	
	Total - 1 Pass - 1 Fail - 0	Total - 1 Pass - 1 Fail - 0	Total - 1 Pass - 1 Fail - 0 Total - 7 Pass - 7 Fail - 0

To delete a booking



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.642 s
3	Then user should get the response code 200	PASSED	0.016 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	And user makes a request to view booking IDs	PASSED	0.657 s
6	When user makes a request to delete booking with basic auth "admin" & "password123"	PASSED	0.375 s
7	Then user should get the response code 201	PASSED	0.000 s

To update a booking in restful-booker

PASSED	DURATION - 2.614 s	Scenarios		Steps	
		Total - 2		Total - 16	
/ 8:28:46.271 Al	M // 8:28:48.885 AM /	Pass - 2	2	Pass - 16	16
		Fail - 0	-	Fail - 0	10
		Skip - 0		Skip - 0	

To update a booking using cucumber Data Table


PASSED	DURATION - 1.345 s	1 7				-	-			Steps	
/ 8:28:46.271 A	M // 8:28:47.616 AM /	0.8 -				- +	- +	-		Total - 8	
To update a bo	oking in restful-booker	0.6 -		- 📥			.			Pass - 8 Fail - 0	8
@bookerAPI @	oupdateBooking ngDataTable	0.2 -							<u> </u> -	Skip - 0	
	3		1	2	3	4	5	6 7	7 8		

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.391 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	When user makes a request to view booking IDs	PASSED	0.547 s
6	And user updates the details of a booking	PASSED	0.384 s

DETAILED SECTION -- 9 --

#	Step / Hook Details				Status	Duration				
	firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds			
	John	Rambo	10000	true	2021-05-15	2021-06-11	Breakfast			
7	Then user should get the response code 200					PASSED	0.000 s			
8	And user validates the response with JSON schema "bookingDetailsSchema.json"					PASSED	0.007 s			

To update a booking using cucumber Data Table




#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.347 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	When user makes a request to view booking IDs	PASSED	0.563 s
6	And user updates the details of a booking	PASSED	0.359 s
	firstname lastname totalprice depositpaid checkin checkout additionalneeds Rocky Balboa 2006 false 2021-06-01 2021-07-10 Dinner		
7	Then user should get the response code 200	PASSED	0.000 s
8	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.000 s

To view the restful-booker booking details

PASSED	DURATION - 0.578 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 8:28:48.901 AM // 8:28:49.479 AM /		Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

To view all the booking IDs



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.000 s
2	When user makes a request to view booking IDs	PASSED	0.547 s
3	Then user should get the response code 200	PASSED	0.000 s
4	And user should see all the booking IDs	PASSED	0.031 s