


Feature				nario			Step			
Name	Duration	T	P	F	S	T	P	F	S	
To create a brand new booking in restful-booker	3.597 s	2	2	0	0	8	8	0	0	
To delete a booking in restful-booker	0.672 s	1	1	0	0	7	7	0	0	
To update a booking in restful-booker	0.360 s	2	2	0	0	16	16	0	0	
To view the restful-booker booking details	0.125 s	1	1	0	0	4	4	0	0	


Tag		Scenario Feature						
Name	Τ	P	F	S	T	P	F	S
@bookerAPI	6	6	0	0	4	4	0	0
@createBookingDataTable	2	2	0	0	1	1	0	0
@createBooking	2	2	0	0	1	1	0	0
@deleteBooking	1	1	0	0	1	1	0	0
@deleteBookingIDs	1	1	0	0	1	1	0	0
@updateBooking	2	2	0	0	1	1	0	0
@updateBookingDataTable	2	2	0	0	1	1	0	0
@viewAllBookingIDs	1	1	0	0	1	1	0	0
@viewBooking	1	1	0	0	1	1	0	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	To create a brand new booking in restful-booker	2	2	0	0	3.597 s
2	To delete a booking in restful-booker	1	1	0	0	0.672 s
3	To update a booking in restful-booker	2	2	0	0	0.360 s
4	To view the restful-booker booking details	1	1	0	0	0.125 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To create a brand new booking in restful-booker	To create new booking using cucumber Data table	4	4	0	0	3.503 s
2	To create a brand new booking in restful-booker	To create new booking using cucumber Data table	4	4	0	0	0.062 s
3	To delete a booking in restful-booker	To delete a booking	7	7	0	0	0.672 s
4	To update a booking in restful-booker	To update a booking using cucumber Data Table	8	8	0	0	0.204 s
5	To update a booking in restful-booker	To update a booking using cucumber Data Table	8	8	0	0	0.156 s
6	To view the restful-booker booking details	To view all the booking IDs	4	4	0	0	0.125 s

DETAILED SECTION -- 6 --

To create a brand new booking in restful-booker


PASSED	DURATION - 3.597 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 9:28:53.507 AN	Л // 9:28:57.104 AM /	Pass - 2	2	Pass - 8	8
		Fail - 0	-	Fail - 0	
		Skip - 0		Skip - 0	

To create new booking using cucumber Data table



#						Step / Ho	ok Details	Status	Duration
1	Given use	r has acc	ess to en	dpoint "/bool	king"			PASSED	0.000 s
2	When use	r creates	a booking)				PASSED	1.578 s
	firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds		
	John	Doe	3000	true	2025-05-05	2025-05-15	Breakfast		
3	Then user should get the response code 200				PASSED	0.000 s			
4	And user	validates	the respo	nse with JS0	ON schema	"createBool	kingSchema.json"	PASSED	1.878 s

To create new booking using cucumber Data table




#						Step / Ho	ok Details	Status	Duration
1	Given use	r has acc	ess to end	dpoint "/boo	king"			PASSED	0.000 s
2	When use	r creates	a booking	1				PASSED	0.046 s
	firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds		
	Jane	Doe	4400	false	2025-06-01	2025-07-10	Dinner		
3	Then user should get the response code 200				PASSED	0.000 s			
4	And user	validates	the respo	nse with JS0	ON schema	"createBool	kingSchema.json"	PASSED	0.016 s

To delete a booking in restful-booker

DURATION - 0.672 s	Scenarios		Steps	
	Total - 1		Total - 7	
M // 9:28:57.792 AM /	Pass - 1	1	Pass - 7	7
	Fail - 0		Fail - 0	
	Skip - 0		Skip - 0	
		Total - 1 Pass - 1 Fail - 0	Total - 1 Pass - 1 Fall - 0	Total - 1 Pass - 1 Fail - 0 Total - 7 Pass - 7 Fail - 0

To delete a booking



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.375 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	And user makes a request to view booking IDs	PASSED	0.203 s
6	When user makes a request to delete booking with basic auth "admin" & "password123"	PASSED	0.079 s
7	Then user should get the response code 201	PASSED	0.000 s

To update a booking in restful-booker

DURATION - 0.360 s	Scenarios		Steps	
	Total - 2		Total - 16	
M // 9:28:58.152 AM /	Pass - 2	2	Pass - 16	16
	Fail - 0		Fail - 0	
	Skip - 0		Skip - 0	
		Total - 2 Pass - 2 Fail - 0	Total - 2 Pass - 2 Fail - 0	Total - 2 Pass - 2 Fall - 0 Steps Total - 16 Pass - 16 Fail - 0

To update a booking using cucumber Data Table


PASSED DURATION - 0.204 s	0.15 Steps	
/ 9:28:57.792 AM // 9:28:57.996 AM /	0.1 - Total - 8	
To update a booking in restful-booker	Pass - 8	8
@bookerAPI @updateBooking	Skip - 0	
@updateBookingDataTable	1 2 3 4 5 6 7 8	

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.047 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	When user makes a request to view booking IDs	PASSED	0.094 s
6	And user updates the details of a booking	PASSED	0.031 s

DETAILED SECTION -- 9 --

#	Step / Hook Details				Status	Duration				
	firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds			
	John	Rambo	10000	true	2021-05-15	2021-06-11	Breakfast			
7	Then user should get the response code 200					PASSED	0.000 s			
8	And user validates the response with JSON schema "bookingDetailsSchema.json"					PASSED	0.016 s			

To update a booking using cucumber Data Table




#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.015 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.032 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	When user makes a request to view booking IDs	PASSED	0.062 s
6	And user updates the details of a booking	PASSED	0.047 s
	firstname lastname totalprice depositpaid checkin checkout additionalneeds Rocky Balboa 2006 false 2021-06-01 2021-07-10 Dinner		
7	Then user should get the response code 200	PASSED	0.000 s
8	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.000 s

To view the restful-booker booking details

PASSED	DURATION - 0.125 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 9:28:58.168 AM // 9	9:28:58.293 AM /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

To view all the booking IDs



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.000 s
2	When user makes a request to view booking IDs	PASSED	0.078 s
3	Then user should get the response code 200	PASSED	0.000 s
4	And user should see all the booking IDs	PASSED	0.047 s