



# **AOOP Assignment Submission Report**

[Submitted as part of CTA Assignment No-2]

Course:	Advanced Object-Oriented Programming	Course Code:	18UCSE508
Semester:	V	Division:	A

Submitted by:

USN:	2SD20CS071	Name:	POOJA KUMARI
------	------------	-------	--------------

## 1. Problem Definition:

**Write a Java program to build the GUI application using JavaFX for the following requirements:**

- a) Read user name and password using appropriate JavaFX controls.**
- b) Validate the input. If user name and password are matched with the assumed values, then display the welcome scene with proper text.**
- c) If user name and password don't match, then raise appropriate exception.**

## 2. Java Program:

```
: import javafx.application.Application;
import javafx.geometry.Pos;
import javafx.scene.Scene;
import javafx.scene.control.Button;
import javafx.scene.control.Label;
import javafx.scene.control.PasswordField;
import javafx.scene.control.TextField;
import javafx.scene.layout.FlowPane;
import javafx.scene.layout.HBox;
import javafx.scene.layout.VBox;
import javafx.stage.Stage;
public class Question1 extends Application {
    public static void main(String[] args) {
        launch(args);
    }
    @Override
```

```
public void start(Stage myStage) {  
    // TODO Auto-generated method stub  
    myStage.setTitle("UserName and PassWord");
```

```
    VBox vbox = new VBox();
```

```
    HBox hbox = new HBox();
```

```
2
```

```
    Label label = new Label("User Name : ");
```

```
    TextField tf = new TextField();
```

```
    // layout for component
```

```
    HBox hbox2 = new HBox();
```

```
    Label label2 = new Label(" password : ");
```

```
    PasswordField pass = new PasswordField();
```

```
    // to keep components center
```

```
    hbox.setAlignment(Pos.CENTER);
```

```
    hbox2.setAlignment(Pos.CENTER);
```

```
    //adding components to the horizontal layout
```

```
    hbox.getChildren().addAll(label,tf);
```

```
    hbox2.getChildren().addAll(label2,pass);
```

```
    // creating the button
```


```
    Button btn = new Button("Submit");
```

```
// label for show results
Label label1 = new Label("");

// assumed value for validation
String username = "20cs107";
String password = "soumya";
// setting action on button
btn.setOnAction(e -> {
// getting the values from the field
String EUsername = tf.getText();
String Epassword = pass.getText();
// if entered username and password are equal then create a new welcome
Scene
if(username.equals(EUsername) && password.equals(Epassword)) {
// label1.setText(" : WELCOME : ");
FlowPane flowpane = new FlowPane();
flowpane.setAlignment(Pos.CENTER);
Label welcome = new Label(": Welcome :");
flowpane.getChildren().add(welcome);
Scene myScene1 = new Scene(flowpane,500,300);
myStage.setScene(myScene1);
}else {
try {
throw new MyException();
}catch(MyException e1){
```

```
label1.setText(e1.toString());  
}  
}  
});  
  
// adding horizontal components to the main vertical layout  
vbox.getChildren().addAll(hbox,hbox2,btn,label1);  
  
// adding layout to the scene  
Scene myScene = new Scene(vbox,500,300);  
  
// sapcing between the vartical components  
vbox.setSpacing(10);  
vbox.setAlignment(Pos.CENTER);  
  
myStage.setScene(myScene);  
myStage.show();  
}  
}  
  
class MyException extends Exception{  
    public String toString() {  
        return "Invaoid UserName and Password";  
    }  
}
```

## Screen Shots of Execution:



**2. Write a Java program to build the GUI application using JavaFX for the following requirements:**

- a) Create a Menu control to display the menu items: File, Edit & Help.**
- b) Create sub menus in the order: File → New, Open & Save. Edit → Cut, Copy & Paste. Help → Help Centre, About Us The program must use Mnemonics and Accelerators (wherever appropriate) to Menu Items.**

## 2. Java Program:

```
package application;  
import javafx.application.Application;  
import javafx.scene.Group;  
import javafx.scene.Scene;  
import javafx.scene.control.Menu;  
import javafx.scene.control.MenuBar;
```

```
import javafx.scene.control.MenuItem;
import javafx.scene.paint.Color;
import javafx.stage.Stage;
public class Question2 extends Application {
    public void start(Stage stage) {
        //Creating file menu
        Menu file = new Menu("File");
        //Creating file menu items
        MenuItem item1 = new MenuItem("New");
        MenuItem item2 = new MenuItem("Open");
        MenuItem item3 = new MenuItem("Save");
        //Adding all the menu items to the file menu
        file.getItems().addAll(item1, item2, item3);
        //Creating edit menu
        Menu edit = new Menu("Edit");
        //Creating fileList menu items
        MenuItem item6 = new MenuItem("Cut");
        MenuItem item7 = new MenuItem("Copy");
        MenuItem item8 = new MenuItem("Paste");
        //Adding all the items to File List menu
        edit.getItems().addAll(item6, item7, item8);
        //Creating help menu
        Menu help = new Menu("Help");
        MenuItem item9 = new MenuItem("Help center");
        MenuItem item10 = new MenuItem("About Us");
        help.getItems().addAll(item9, item10);
```

//Creating a menu bar

```
MenuBar menuBar = new MenuBar();
```

```
menuBar.setTranslateX(200);
```

```
menuBar.setTranslateY(20);
```

//Adding all the menus to the menu bar

```
menuBar.getMenus().addAll(file, edit, help);
```

//Setting the stage

```
Group root = new Group(menuBar);
```

```
Scene scene = new Scene(root, 595, 200, Color.BEIGE);
```

```
stage.setTitle("Menu Bar Example");
```

```
stage.setScene(scene);
```

```
stage.show();
```


```
}
```

```
public static void main(String args[]){
```

```
launch(args);
```

```
}
```

```
}
```



**Screen  
Shots  
of  
Execution:**



### **3. Problem Definition:**

**Write a Java program to build the GUI application using JavaFX for the following requirements:**

- a) Create Context menu involving the menu items in the order: New & View.**
- b) Create sub menus for the above main context menu: New → File, Folder & Image. View → Large, Medium & Small. The context menu must be displayed on right-click of the mouse button.**

### **Java Program:**

```
package application;
```

```
import java.io.FileNotFoundException;
```

```
import javafx.application.Application;
```

```
import javafx.geometry.Insets;
```

```
import javafx.scene.Group;
```

```
import javafx.scene.Scene;
```

```
import javafx.scene.control.Button;
```

```
import javafx.scene.control.ContextMenu;
```

```
import javafx.scene.control.MenuItem;
```

```
//import javafx.scene.control.TextField;
```

```
import javafx.scene.layout.HBox;
```

```
import javafx.scene.paint.Color;
import javafx.stage.Stage;


    public class Question3 extends Application {
    public void start(Stage stage) throws FileNotFoundException {
    //Creating the image view
    Button button1 = new Button("new");
    Button button2 = new Button("view");
    //TextField textField = new TextField();
    //Creating a context menu
    ContextMenu contextMenu1 = new ContextMenu();
    //Creating the menu Items for the context menu
    MenuItem item1 = new MenuItem("file");
    MenuItem item2 = new MenuItem("folder");
    MenuItem item3 = new MenuItem("image");
    contextMenu1.getItems().addAll(item1, item2,item3);
    //Adding the context menu to the button and the text field
    ContextMenu contextMenu2 = new ContextMenu();
    //Creating the menu Items for the context menu
    MenuItem item1 1 = new MenuItem("large");
    MenuItem item21 = new MenuItem("medium");
    MenuItem item31 = new MenuItem("small");
    contextMenu2.getItems().addAll(item1 1, item21,item31);
```

```
// textField.setContextMenu(contextMenu);
button1.setContextMenu(contextMenu1);
button2.setContextMenu(contextMenu2);
HBox layout = new HBox(20);
layout.setPadding(new Insets(15, 15, 15, 100));
layout.getChildren().addAll( button1,button2);

    //Setting the stage
    Scene scene = new Scene(new Group(layout), 595, 150,
    Color.BEIGE);
    stage.setTitle("CustomMenuItem");
    stage.setScene(scene);
    stage.show();
}

public static void main(String args[]){
    launch(args);
}
}
```

### Screen Shots of Execution:



## 4. Problem Definition:

Write a JavaFX program that produces the following output when executed and displays Dialog Box

(as shown in Figure.2) on click of Register button (as shown in Figure.1):

### Java Program:

```
import javafx.application.Application;
import javafx.geometry.Insets;
import javafx.geometry.Pos;
import javafx.scene.control.Dialog;
import javafx.scene.control.DialogPane;
import javafx.scene.Scene;
import javafx.scene.control.Button;
import javafx.scene.control.CheckBox;
import javafx.scene.control.ChoiceBox;
import javafx.scene.control.DatePicker;
import javafx.scene.layout.BorderPane;
//import javafx.scene.control.Button;
import javafx.scene.image.Image;
```

```
import javafx.scene.image.ImageView;
import javafx.scene.control.ButtonType;
import javafx.scene.control.Label;
//import javafx.scene.control.Label;
//import javafx.scene.control.ListView;
import javafx.scene.control.RadioButton;
import javafx.scene.layout.GridPane;
import javafx.scene.text.Text;
import javafx.scene.control.TextField;
import javafx.scene.control.ToggleGroup;
//import javafx.scene.control.ToggleButton;
import javafx.stage.Stage;

public class Question4 extends Application {
    @Override
    public void start(Stage stage) {
//Label for name
        BorderPane root = new BorderPane();
        stage.setTitle(" JavaFX Registration form");
// label headerLabel = new Label("Registration Form");
        Label label = new Label("Employee Registration Form");
// Object root;
```

```
    root.setTop(label);  
    //root.setAlignment(label, Pos.CENTER);  
  
Text nameLabel = new Text("Enter your Name");  
  
    //Text field for name  
TextField nameText = new TextField();  
  
    //Label for date of birth  
  
Text dobLabel = new Text("Enter Date of birth");  
  
    //date picker to choose date  
DatePicker datePicker = new DatePicker();  
  
    //Label for gender  
Text genderLabel = new Text("Enter your Gender");  
  
    //Toggle group of radio buttons  
ToggleGroup groupGender = new ToggleGroup();  
RadioButton maleRadio = new RadioButton("male");  
maleRadio.setToggleGroup(groupGender);
```

```
RadioButton femaleRadio = new RadioButton("female");  
femaleRadio.setToggleGroup(groupGender);
```

```
Text selectyourqualificationLabel = new Text("Select your  
qualification");
```

```
//check box for education
```

```
CheckBox ugCheckBox = new CheckBox("UG");  
ugCheckBox.setIndeterminate(false);
```

```
//check box for education
```

```
CheckBox pgCheckBox = new CheckBox("PG");  
pgCheckBox.setIndeterminate(false);  
CheckBox phdCheckBox = new CheckBox("PhD");  
phdCheckBox.setIndeterminate(false);
```

```
//Label for location
```

```
Text locationLabel = new Text("select your state");
```

```
//Choice box for location
```

```
ChoiceBox locationchoiceBox = new ChoiceBox();
```

```
locationchoiceBox.getItems().addAll
```

```
("Karnataka", "Tamilnadu", "Delhi", "Mumbai", "AP");
```

```
Button buttonRegister = new Button("Register");
```

```
//Creating a Grid Pane
```

```
GridPane gridPane = new GridPane();
```

```
//Setting size for the pane
```

```
gridPane.setMinSize(500, 500);
```

```
//Setting the padding
```

```
gridPane.setPadding(new Insets(10, 10, 10, 10));
```

```
//Setting the vertical and horizontal gaps between the columns
```

```
gridPane.setVgap(5);
```

```
gridPane.setHgap(5);
```

```
//Setting the Grid alignment
```



```
gridPane.setAlignment(Pos.CENTER);
```

```
//Arranging all the nodes in the grid
```

```
gridPane.add(nameLabel, 0, 0);
```

```
gridPane.add(nameText, 1, 0);
```

```
gridPane.add(dobLabel, 0, 3);
```

```
gridPane.add(datePicker, 1, 3);
```

```
gridPane.add(genderLabel, 0, 2);
```

```
gridPane.add(maleRadio, 1, 2);
```

```
gridPane.add(femaleRadio, 2, 2);
```

```
// gridPane.add(reservationLabel, 0, 3);
```

```
//gridPane.add(yes, 1, 3);
```

```
gridPane.add(selectyourqualificationLabel , 0, 5);
```

```
gridPane.add(ugCheckBox, 1, 5);
```

```
gridPane.add(pgCheckBox, 2, 5);
```

```
gridPane.add(phdCheckBox,3, 5);
```

```
gridPane.add(locationLabel, 0, 4);
```

```
gridPane.add(locationchoiceBox, 1, 4);
```

```
gridPane.add(buttonRegister, 1, 8);
```

```
//Styling nodes
```

```
buttonRegister.setStyle(  
"-fx-font: normal bold 15px 'serif' " );
```

```
nameLabel.setStyle("-fx-font: normal bold 15px 'serif' ");  
dobLabel.setStyle("-fx-font: normal bold 15px 'serif' ");  
genderLabel.setStyle("-fx-font: normal bold 15px 'serif' ");
```

```
selectyourqualificationLabel.setStyle("-fx-font: normal bold  
15px 'serif' ");
```

```
locationLabel.setStyle("-fx-font: normal bold 15px 'serif' ");  
12
```

```
gridPane.setStyle("-fx-background-color: white;");
```

```
buttonRegister.setOnAction(e->{
```

```
// creating a dialog box
Dialog dialog = new Dialog();
dialog.setTitle("Registration Successfull");
dialog.setHeaderText("Registration Status");
dialog.setContentText("Employee Registration is successfull");

// adding image to the dialog box
// Image img = new Image("",50,50,true,true);
//ImageView imageview = new ImageView(img);
//
//dialog.setGraphic(imageview);

// adding button to the dialog box
dialog.getDialogPane().getButtonTypes().add(ButtonType.OK);
dialog.show();
});

Scene scene = new Scene(gridPane);

// stage.setTitle("Registration Form");
```

```
//Adding scene to the stage
stage.setScene(scene);

//Displaying the contents of the stage
stage.show();
}
public static void main(String args[]){
launch(args);
}
}
}
```

### Screen Shots of Execution:

JavaFX Registration form

Enter your Name

Enter your Gender ☐ male ☐ female

Enter Date of birth

select your state

Select your qualification ☐ UG ☐ PG ☐ PhD