

MODEL AMBIGUITY REPORT – SRS DOCUMENT

Date: 26/02/2026

1. Executive Summary

Total Requirements Analyzed: 1040
Ambiguous Requirements Found: 22

2. Ambiguity Classification

Lexical – vague or subjective words
Syntactic – unclear sentence structure
Semantic – unclear meaning
Pragmatic – context dependent
Optionality – may / could
Scope – undefined boundary
Temporal – unclear time
Quantitative – missing numbers
Incomplete – missing actor/condition
Referential – unclear reference
Logical – unclear AND/OR

3. Identified Ambiguous Requirements

AR-01

Original: Reference SRS_AI_JMP_V1.0_May_2025
Type: Optionality
Issue: Optional requirement
Suggestion:
Reference SRS_AI_JMP_V1.0_May_2025

Risk Rating → 2 → Medium

AR-02

Original: This document is provided for informational purposes as part of a public call for proposals. While it may be
Type: Optionality
Issue: Optional requirement
Suggestion:
This document is provided for informational purposes as part of a public call for proposals. While it [replace 'shall' with measurable value] be

Risk Rating → 2 → Medium

AR-03

Original: MAY developer is encouraged to consider this requirement generally, keeping
Type: Optionality
Issue: Optional requirement
Suggestion:
MAY developer is encouraged to consider this requirement generally, keeping

Risk Rating → 2 → Medium

AR-04

Original: ■ May have limited access to technology or internet connectivity

Type: Optionality

Issue: Optional requirement

Suggestion:

■ May have limited access to technology or internet connectivity

Risk Rating → 2 → Medium

AR-05

Original: ■ Must be user-friendly especially with people with disability

Type: Lexical

Issue: Undefined usability

Suggestion:

■ Must be [replace 'user-friendly' with measurable value] especially with people with disability

Risk Rating → 1 → Low

AR-06

Original: secure access, with support for optional IP whitelisting, usage limits, and

Type: Semantic

Issue: Security undefined

Suggestion:

[replace 'secure' with measurable value] access, with support for optional IP whitelisting, usage limits, and

Risk Rating → 2 → Medium

AR-07

Original: token expiration management to ensure controlled and secure integration.

Type: Semantic

Issue: Security undefined

Suggestion:

token expiration management to ensure controlled and [replace 'secure' with measurable value] integration.

Risk Rating → 2 → Medium

AR-08

Original: FR-24. The system SHOULD support job posting via a secure RESTful Push API,

Type: Semantic

Issue: Security undefined

Suggestion:

FR-24. The system SHOULD support job posting via a [replace 'secure' with measurable value] RESTful Push API,

Risk Rating → 2 → Medium

AR-09

Original: FR-29. The system SHOULD return a unique job ID as a confirmation response after a

Type: Temporal

Issue: Unclear timing

Suggestion:

FR-29. The system SHOULD return a unique job ID as a confirmation response [replace 'after' with measurable value] a

Risk Rating → 3 → High

AR-10

Original: FR-49. The system SHALL implement secure authentication mechanisms including

Type: Semantic

Issue: Security undefined

Suggestion:

FR-49. The system SHALL implement [replace 'secure' with measurable value] authentication mechanisms including

Risk Rating → 2 → Medium

AR-11

Original: and highlight areas that may need manual verification.

Type: Optionality

Issue: Optional requirement

Suggestion:

and highlight areas that [replace 'shall' with measurable value] need manual verification.

Risk Rating → 2 → Medium

AR-12

Original: FR-141. The system SHOULD maintain a library of saved reports for quick access.

Type: Lexical

Issue: Subjective timing

Suggestion:

FR-141. The system SHOULD maintain a library of saved reports for [replace 'quick' with measurable value] access.

Risk Rating → 1 → Low

AR-13

Original: FR-168. The system SHALL organize help content by topic and user role for easy

Type: Lexical

Issue: Subjective usability

Suggestion:

FR-168. The system SHALL organize help content by topic and user role for [replace 'easy' with measurable value]

Risk Rating → 1 → Low

AR-14

Original: ■ The system SHALL have a user-friendly UX/UI dynamic interface that showcases the latest

Type: Lexical

Issue: Undefined usability

Suggestion:

■ The system SHALL have a [replace 'user-friendly' with measurable value] UX/UI dynamic interface that showcases the latest

Risk Rating → 1 → Low

AR-15

Original: presented in a visually engaging and user-friendly layout

Type: Lexical

Issue: Undefined usability

Suggestion:

presented in a visually engaging and [replace 'user-friendly' with measurable value] layout

Risk Rating → 1 → Low

AR-16

Original: and easy-to-navigate layout.

Type: Lexical

Issue: Subjective usability

Suggestion:

and [replace 'easy' with measurable value]-to-navigate layout.

Risk Rating → 1 → Low

AR-17

Original: All communications shall be secured using appropriate encryption and authentication

Type: Semantic

Issue: Security undefined

Suggestion:

All communications shall be [replace 'secure' with measurable value]d using appropriate encryption and authentication

Risk Rating → 2 → Medium

AR-18

Original: NFR-26. The system SHALL automatically lock accounts after a specified number of

Type: Temporal

Issue: Unclear timing

Suggestion:

NFR-26. The system SHALL automatically lock accounts [replace 'after' with measurable value] a specified number of

Risk Rating → 3 → High

AR-19

Original: NFR-27. The system SHALL implement secure session management with appropriate

Type: Semantic

Issue: Security undefined

Suggestion:

NFR-27. The system SHALL implement [replace 'secure' with measurable value] session management with appropriate

Risk Rating → 2 → Medium

AR-20

Original: NFR-32. The system SHALL implement secure key management practices for

Type: Semantic

Issue: Security undefined

Suggestion:

NFR-32. The system SHALL implement [replace 'secure' with measurable value] key management practices for

Risk Rating → 2 → Medium

AR-21

Original: NFR-33. The system SHALL provide mechanisms for secure data deletion when

Type: Semantic

Issue: Security undefined

Suggestion:

NFR-33. The system SHALL provide mechanisms for [replace 'secure' with measurable value] data deletion when

Risk Rating → 2 → Medium

AR-22

Original: ■ Separation of UI text from code for easy translation

Type: Lexical

Issue: Subjective usability

Suggestion:

■ Separation of UI text from code for [replace 'easy' with measurable value] translation

Risk Rating → 1 → Low