

K-Romanizer 2:

Features & Practical Guide

Hyounghae Lee
Korean Studies Librarian
Princeton University


ALA-LC Korean Romanization Table

- Based on McCune-Reischauer Romanization System (1939, 1961 rev.)
- Enhanced for cataloging and resource discovery
<https://www.loc.gov/catdir/cpsa/romanization/korean.pdf>
- Korean: 69 pages
Japanese: 35 pages
Chinese: 21 pages
Sanskrit: 2 pages

K-Romanizer 1

- Released in 2016
- Core logic integrated into ScriptShifter as its Korean transliteration module (2025)
<https://bibframe.org/scriptshifter/>
 - Platform-independent web application
 - Improved processing performance
- AI Project at PUL (2025) – Foundation for the next development

Coding: K-Romanizer 1 vs. K-Romanizer 2




K-Romanizer 2:

Features

Core Features

- Standalone Windows executable
 - no installation required
- Graphical User Interface + Keyboard Shortcuts
- Supports North American and Korean Romanization Standards
 - ALA-LC Romanization
 - Revised Romanization of Korean



Enhanced Functionality

- Expanded Hancha support: ~6,000 to ~20,000 characters
- Improved logic for faster long-text processing
- Customizable through a settings file
- Automatic dictionary file updates

Built-in Tools

- Japanese* and Sanskrit support
- Hancha-to-Hangul conversion with alerts for multiple readings
- Excel-based batch romanization
- GPT support*
- One-click error reporting for improvement

*Requires an OpenAI API key

GPT support (Optional)

- Activated with a user-provided OpenAI API key
- GPT-5.4-mini — selected based on Japanese romanization evaluation
- GPT-powered functions
 - Korean Word Division
 - Japanese Romanization

K-Romanizer 2:

Settings

Download K-Romanizer 2

<https://github.com/pulibrary/K-Romanizer>

[README](#) [Code of conduct](#) [License](#)




K-Romanizer 2



[Download Link](#) (For Windows PC only)

*(The program icon is custom-crafted, featuring the character 한 sourced directly from a facsimile of **Sŏkpo sangjŏl** and its historic **Kabinja** movable type).*

- As word division must be done manually, it is recommended that users get familiarized with the [ALA-LC Korean Romanization](#) before using K-Romanizer 2. Otherwise, inaccurate results may occur.
- K-Romanizer 2 also supports [Revised Romanization of Korean](#) (한국어 로마자 표기법), which is the official romanization standard in the Republic of Korea.



Settings

- Default standard
0, 1, or 2

- Decompose/Precompose
0 or 1

- AI API Key (optional) ⚡

- Name (optional) 👤

- Japanese (optional) ⚡
0 or 1

```
K-Romanizer2_settings.txt
File Edit View H1 [Icons] B I S G ... [Icons]
; Copyright (c) 2026, Hyoungbae Lee (Princeton University Library)
Last_Update=2026/08/24

; Default Romanization system at start-up
; 0: ALA-LC Korean Romanization (North American Standard)
; 1: Revised Romanization of Korean (South Korean Standard)
; 2: ALA-LC Japanese Romanization (North American Standard) : ChatGPT API Key required
System=0

; 0: Use precomposed Breve or Macron (e.g. ö/ü)
; 1: Decompose Breve or Macron (e.g. o/u + ̂) for cataloging in OCLC Connexion.
Decompose=1

; Put your AI API key (optional)
ChatGPT_Key=
GEMINI_Key=

; Put your name (optional)
YourName=

; Set default browser (optional)
; 0: Google Chrome
; 1: Microsoft Edge
; 2: FireFox
Browser=

; Supported Languages. ChatGPT API Key required for Japanese (optional)
Japanese=0

Ln 1, Col 1 | 766 characters | Plain text | 100% | Windows (CRLF) | UTF-8 with BOM
```

K-Romanizer 2

☒ ALA-LC Romanization ☐ Revised Romanization of Korean

入

出

General Personal Names 漢字 > 한글

Copy result Clear All

K-Romanizer 2 (HBL)

☒ ALA-LC Korean ☐ Revised Romanization of Korean ☐ ⚡ ALA-LC Japanese

入

出

General Personal Names 漢字 > 한글 ⚡ Word Div.

Copy result Clear All Batch ROM Report

K-Romanizer 2 (HBL)

☒ ALA-LC Romanization ☐ Revised Romanization of Korean

入

出

General Personal Names 漢字 > 한글

Copy result Clear All Batch ROM Report


K-Romanizer 2:

In Practice

Core Functions 1

- Romanize personal names

Personal Names



Core Functions 1: Examples

홍길동 / 洪吉童

☒ ALA-LC Korean

☐ Revised Romanization of Korean

Personal Names

Hong Kil-tong

☐ ALA-LC Korean

☒ Revised Romanization of Korean


Personal Names

Hong Gildong

Core Functions 2

- Romanize words other than personal names

General



Core Functions 2: Examples

태평 천국 / 太平 天國

☒ ALA-LC Korean

☐ Revised Romanization of Korean

General

t'aep'yŏng ch'ŏn'guk

☐ ALA-LC Korean

☒ Revised Romanization of Korean

General

taebyeong cheonguk

General vs. Personal Names

K-Romanizer 2

☒ ALA-LC Romanization ☐ Revised Romanization of Korean

入 이재민, 공유

General Personal Names 漢字 > 한글

出 ijaemin, kongyu

Copy result Clear All

K-Romanizer 2






☒ ALA-LC Romanization ☐ Revised Romanization of Korean

入 이재민, 공유

General **Personal Names** 漢字 > 한글

出 Yi Chae-min, Kong Yu



Copy result Clear All




Core Functions 3

- Convert Hancha to Hangul

漢字 > 한글



Shortcut keys can be used for any application including Connexion, while the program is running or minimized.





User Features 1 : Batch Romanization

K-Romanizer 2 (HBL)

☒ ALA-LC Romanization ☐ Revised Romanization of Korean

入

出

General Personal Names 漢字 > 한글

Copy result Clear All **Batch ROM** Report

A1	Name
1	Name
2	홍길동
3	김철수
4	이영희
5	박민준
6	최서연
7	정도현
8	강우진
9	조은지
10	윤성민
11	장하나
12	임재범
13	한지민
14	오세훈
15	서유진
16	신동엽
17	권유리
18	황정민
19	송혜교
20	안재현
21	전지현

K-Romanizer 2.0

Flashing names from Excel...

Converting multiples names ... Converting names

Progress bar

K-Romanizer 2.0

Processing completed!
Total records processed: 20

OK

A1	Name
1	Name
2	홍길동 Hong Kil-tong
3	김철수 Kim Ch'öl-su
4	이영희 Yi Yŏng-hŭi
5	박민준 Pak Min-jun
6	최서연 Ch'oe Sŏ-yŏn
7	정도현 Chŏng To-hyŏn
8	강우진 Kang U-jin
9	조은지 Cho Ŭn-ji
10	윤성민 Yun Sŏng-min
11	장하나 Chang Ha-na
12	임재범 Im Chae-bŏm
13	한지민 Han Chi-min
14	오세훈 O Se-hun
15	서유진 Sŏ Yu-jin
16	신동엽 Sin Tong-yŏp
17	권유리 Kwŏn Yu-ri
18	황정민 Hwang Chŏng-min
19	송혜교 Song Hye-gyo
20	안재현 An Chae-hyŏn
21	전지현 Chŏn Chi-hyŏn



User Features 2: Error Reporting

K-Romanizer 2 (HBL)

☒ ALA-LC Romanization ☐ Revised Romanization of Korean

入 한국어 로마자 규칙

General Personal Names 漢字 > 한글

出 hankuko lomaja gyuchik
This is wrong!

Copy result Clear All Batch ROM Report

Reported X

Thank you!


OK

K-Romanizer 2:



AI-Powered Features

Communicating with OpenAI via API



AI-Powered Features: Korean Word Division

K-Romanizer 2 (HBL)


☒ ALA-LC Korean ☐ Revised Romanization of Korean ☐ ⚡ ALA-LC Japanese

入 조선시대책과지식의역사

General Personal Names 漢字 > 한글 ⚡ Word Div.

出

Copy result Clear All Batch ROM Report



K-Romanizer 2 (HBL)

☒ ALA-LC Korean ☐ Revised Romanization of Korean ☐ ⚡ ALA-LC Japanese

入 조선 시대 책 과 지식 의 역사

General Personal Names 漢字 > 한글 ⚡ Word Div.

出

Copy result Clear All Batch ROM Report

Japanese Romanization

K-Romanizer 2 (HBL)


☐ ALA-LC Korean ☐ Revised Romanization of Korean ☒ ⚡ ALA-LC Japanese

入 成瀬は都を駆け抜ける / 宮島未奈

⚡ Japanese

出

Copy result Clear All Batch ROM Report



K-Romanizer 2 (HBL)

☐ ALA-LC Korean ☐ Revised Romanization of Korean ☒ ⚡ ALA-LC Japanese

入 成瀬は都を駆け抜ける / 宮島未奈

⚡ Japanese

出 Naruse wa miyako o kakenukeru / Miyajima Mina
Rule-based romanization with AI-assisted preprocessing

Copy result Clear All Batch ROM Report