



Experiment-19


19.Wireshark Sniffer for Network Traffic & Analysis






v [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Capturing from eth0
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
arp
No. Time Source Destination
15 65.160043804 PCSSystemtec_bd:5e:… 52:54:00:12
16 65.161176186 52:54:00:12:35:00 PCSSystemtec
21 189.831753741 PCSSystemtec_bd:5e:… 52:54:00:12
22 189.832726952 52:54:00:12:35:00 PCSSystemtec
29 490.119829640 PCSSystemtec_bd:5e:… 52:54:00:12
30 490.121394058 52:54:00:12:35:00 PCSSystemtec
Frame 15: Packet, 42 bytes on wire (336 bits), 42 by
Ethernet II, Src: PCSSystemtec_bd:5e:99 (08:00:27:bd
Address Resolution Protocol (request)
Wireshark · Packet 15 · eth0
Frame 15: Packet, 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on int
Ethernet II, Src: PCSSystemtec_bd:5e:99 (08:00:27:bd:5e:99), Dst: 52:54:00:12:35:(
Address Resolution Protocol (request)
0000 52 54 00 12 35 00 08 00 27 bd 5e 99 08 06 00 01
0010 08 00 06 04 00 01 08 00 27 bd 5e 99 0a 00 02 0f
0020 00 00 00 00 00 00 0a 00 02 02
No.: 15 · Time: 65.160043804 · Source: PCSSystemtec_bd:5e:99 · Desti… Protocol: ARP · Length: 42 · Info: Who has 10.0.2.2? Tell 10.0.2.15
Show packet bytes
Layout: Vertical (Stacked)
Close
Help
Address Resolution Protocol: Protocol
Packets: 33 · Displayed: 6 (18.2%)
Profile: Default


v [Running] - Oracle VirtualBox
File Machine View Input Devices Help
*eth0
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
icmpv6
No. Time Source Destination
23 227.926369559 fe80::2 ff02::1
24 227.935362929 fe80::a00:27ff:febd… ff02::16
25 228.455683229 fe80::a00:27ff:febd… ff02::16
31 511.001374612 fe80::2 ff02::1
32 511.012127649 fe80::a00:27ff:febd… ff02::16
33 511.624615504 fe80::a00:27ff:febd… ff02::16
Frame 24: Packet, 110 bytes on wire (880 bits), 110
Ethernet II, Src: PCSSystemtec_bd:5e:99 (08:00:27:bd
Internet Protocol Version 6, Src: fe80::a00:27ff:fel
Internet Control Message Protocol v6
Wireshark · Packet 24 · eth0
Frame 24: Packet, 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on
Ethernet II, Src: PCSSystemtec_bd:5e:99 (08:00:27:bd:5e:99), Dst: IPv6mcast_16 (3
Internet Protocol Version 6, Src: fe80::a00:27ff:febd:5e99, Dst: ff02::16
Internet Control Message Protocol v6
0000 33 33 00 00 00 16 08 00 27 bd 5e 99 86 dd 60 00
0010 00 00 00 38 00 01 fe 80 00 00 00 00 00 00 0a 00
0020 27 ff fe bd 5e 99 ff 02 00 00 00 00 00 00 00 00
0030 00 00 00 00 00 16 3a 00 05 02 00 00 01 00 8f 00
0040 4c 0c 00 00 00 02 04 00 00 00 ff 02 00 00 00 00
0050 00 00 00 00 00 01 ff 92 33 a4 04 00 00 00 ff 02
0060 00 00 00 00 00 00 00 00 00 01 ff bd 5e 99
No.: 24 · Time: 227.935362929 · Source: fe80::a00:27ff:febd:5e99 · D…l: ICMPv6 · Length: 110 · Info: Multicast Listener Report Message v2
Show packet bytes
Layout: Vertical (Stacked)
Close
Help
Internet Control Message Protocol v6: Protocol
Packets: 33 · Displayed: 6 (18.2%) · Dropped: 0 (0.0%)
Profile: Default


v [Running] - Oracle VirtualBox
File Machine View Input Devices Help
*eth0
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
tls
No. Time Source Destination
1 0.000000000 10.0.2.15 34.107.243.
3 0.459246657 34.107.243.93 10.0.2.15
5 60.000463218 10.0.2.15 34.107.243.
7 60.001783214 10.0.2.15 34.107.243.
9 60.003624979 10.0.2.15 34.107.243.
13 60.432249808 34.107.243.93 10.0.2.15
17 184.706082998 34.107.243.93 10.0.2.15
19 184.706959146 10.0.2.15 34.107.243.
26 484.947667836 34.107.243.93 10.0.2.15
27 484.948699813 10.0.2.15 34.107.243.
Frame 19: Packet, 82 bytes on wire (656 bits), 82 by
Ethernet II, Src: PCSSystemtec_bd:5e:99 (08:00:27:bd
Internet Protocol Version 4, Src: 10.0.2.15, Dst: 3
Transmission Control Protocol, Src Port: 36162, Dst
Transport Layer Security
wireshark_eth008V8X3.pcapng
Packets: 33 · Displayed: 10 (30.3%) · Dropped: 0 (0.0%)
Profile: Default
Wireshark · Packet 19 · eth0
Frame 19: Packet, 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on int
Ethernet II, Src: PCSSystemtec_bd:5e:99 (08:00:27:bd:5e:99), Dst: 52:54:00:12:35:
Internet Protocol Version 4, Src: 10.0.2.15, Dst: 34.107.243.93
Transmission Control Protocol, Src Port: 36162, Dst Port: 443, Seq: 1, Ack: 25, L
Transport Layer Security
0000 52 54 00 12 35 00 08 00 27 bd 5e 99 08 00 45 00
0010 00 44 5a a1 40 00 40 06 be 3b 0a 00 02 0f 22 6b
0020 f3 5d 8d 42 01 bb 4c 84 d1 70 00 12 92 bd 50 18
0030 f6 35 22 0e 00 00 17 03 03 00 17 85 b6 01 f5 29
0040 0a 3b 6c 37 3f 71 56 f7 e8 cc 27 2d 38 7d d2 7a
0050 09 80
No.: 19 · Time: 184.706959146 · Source: 10.0.2.15 · Destination: 34.107.243.93 · Protocol: TLSv1.2 · Length: 82 · Info: Application Data
Show packet bytes
Layout: Vertical (Stacked)
Close
Help