

Imbalanced Accuracy Measure (IAM)



20 independent seeds; shaded areas: pointwise 95% t intervals. Gaps indicate fewer than 20 successful repeats.

Controlled two-dimensional Gaussian simulation: 10:1 class ratio, 20 independent seeds, 11 class-center separations, SVM, KNN, RF and LR, nine resampling/reference methods. Ratios are selected using training-only validation. Shading denotes pointwise 95% t intervals. Gaps mark incomplete 20-repeat cells; failures are reported in the notebook. This varies geometric overlap, not label-noise percentage. It is not a UGO replication or a statistical superiority claim. See Overlap_Experiment_Notes.md for the full protocol and source attribution.


Matthews correlation coefficient (MCC)



20 independent seeds; shaded areas: pointwise 95% t intervals. Gaps indicate fewer than 20 successful repeats.

Controlled two-dimensional Gaussian simulation: 10:1 class ratio, 20 independent seeds, 11 class-center separations, SVM, KNN, RF and LR, nine resampling/reference methods. Ratios are selected using training-only validation. Shading denotes pointwise 95% t intervals. Gaps mark incomplete 20-repeat cells; failures are reported in the notebook. This varies geometric overlap, not label-noise percentage. It is not a UGO replication or a statistical superiority claim. See Overlap_Experiment_Notes.md for the full protocol and source attribution.


G-mean



20 independent seeds; shaded areas: pointwise 95% t intervals. Gaps indicate fewer than 20 successful repeats.

Controlled two-dimensional Gaussian simulation: 10:1 class ratio, 20 independent seeds, 11 class-center separations, SVM, KNN, RF and LR, nine resampling/reference methods. Ratios are selected using training-only validation. Shading denotes pointwise 95% t intervals. Gaps mark incomplete 20-repeat cells; failures are reported in the notebook. This varies geometric overlap, not label-noise percentage. It is not a UGO replication or a statistical superiority claim. See Overlap_Experiment_Notes.md for the full protocol and source attribution.


Minority F1



20 independent seeds; shaded areas: pointwise 95% t intervals. Gaps indicate fewer than 20 successful repeats.

Controlled two-dimensional Gaussian simulation: 10:1 class ratio, 20 independent seeds, 11 class-center separations, SVM, KNN, RF and LR, nine resampling/reference methods. Ratios are selected using training-only validation. Shading denotes pointwise 95% t intervals. Gaps mark incomplete 20-repeat cells; failures are reported in the notebook. This varies geometric overlap, not label-noise percentage. It is not a UGO replication or a statistical superiority claim. See Overlap_Experiment_Notes.md for the full protocol and source attribution.


Minority precision



20 independent seeds; shaded areas: pointwise 95% t intervals. Gaps indicate fewer than 20 successful repeats.

Controlled two-dimensional Gaussian simulation: 10:1 class ratio, 20 independent seeds, 11 class-center separations, SVM, KNN, RF and LR, nine resampling/reference methods. Ratios are selected using training-only validation. Shading denotes pointwise 95% t intervals. Gaps mark incomplete 20-repeat cells; failures are reported in the notebook. This varies geometric overlap, not label-noise percentage. It is not a UGO replication or a statistical superiority claim. See Overlap_Experiment_Notes.md for the full protocol and source attribution.

Minority recall



20 independent seeds; shaded areas: pointwise 95% t intervals. Gaps indicate fewer than 20 successful repeats.

Controlled two-dimensional Gaussian simulation: 10:1 class ratio, 20 independent seeds, 11 class-center separations, SVM, KNN, RF and LR, nine resampling/reference methods. Ratios are selected using training-only validation. Shading denotes pointwise 95% t intervals. Gaps mark incomplete 20-repeat cells; failures are reported in the notebook. This varies geometric overlap, not label-noise percentage. It is not a UGO replication or a statistical superiority claim. See Overlap_Experiment_Notes.md for the full protocol and source attribution.