

HACKATHON PITCH — 5 MINUTES

Breaking Language Barriers

Live translation plus grounded understanding, so no one gets left behind in a workshop run in a language they don't speak.

Deepgram
STT

DeepL
Translation

Claude Understanding
Layer


Postgres-
backed

Silence is invisible across a language gap

- Online workshops run across languages every day.
- When facilitator and learner don't share one, the facilitator can't tell who's following.
- A lost learner usually stays quiet — by the time anyone notices, the moment to help has passed.

We're solving real-time understanding between facilitators and learners, across languages, in a live session.

Capture → Translate → Understand — with citations



Facilitator dashboard

The goal comes from setup. Decision and blocker cards weren't typed by anyone — pulled live from the transcript, each linked to the exact line it came from.

Facilitator dashboard

GOAL

Implement a working REST endpoint for user signup, including input validation.

DECISIONS

Added an early return for a missing email field.

Learner B

MEDIUM CONFIDENCE

"We tried adding `if (!req.body.email) return res.status(400);` but it still errors."

CURRENT ACTIVITY

Debugging a 500 error thrown when the email field is empty.

BLOCKERS

Unclear whether `validateEmail()` throws on empty input.

Learner A

LOW CONFIDENCE

"It might be that the `validateEmail()` function itself is throwing."

1:35 – 2:25 · LIVE DEMO

Join as a learner, get a translated reply

Scan a QR code, no account setup. Captions translated live, original still visible. Learner questions land on the facilitator's side already translated — replies auto-translate back.

Facilitator messages

What the remote facilitator has said, in your language and the original.

Facilitator

📶 HIGH CONFIDENCE

试着检查一下 `validateEmail()` 在传入空字符串时是否会抛出异常。

Try checking whether `validateEmail()` throws when given an empty string.

Facilitator

📶 HIGH CONFIDENCE

发现得好——把那个调用包在 `try/catch` 里，并记录错误日志来确认。

Good catch — wrap that call in a `try/catch` and log the error to confirm.

Have a question?

Ask in your own language — the facilitator will see it translated.

Ask the facilitator

Learner questions

Learner B


high confidence

`validateEmail()` 是我们自己写的还是用的库？

Is `validateEmail()` something we wrote, or from a library? `code/jargon preserved`

Quiet-learner nudges & code-aware translation

When a learner goes quiet too long, the facilitator gets nudged — and the learner gets a gentle prompt too. Translation never mangles code: `validateEmail()` and `req.body.email` pass through untouched.



Live captions

Facilitator HIGH CONFIDENCE
试着检查一下 `validateEmail()` 在传入空字符串时是否会抛出异常。
Try checking whether `validateEmail()` throws when given an empty string.

Learner A LOW CONFIDENCE
It might be that the `validateEmail()` function itself is throwing.
可能是 `validateEmail()` 函数本身抛出了异常。

Facilitator HIGH CONFIDENCE
发现得好——把那个调用包在 `try/catch` 里，并记录错误日志来确认。
Good catch — wrap that call in a `try/catch` and log the error to confirm.

We haven't heard from you in a while — everything okay? Feel free to ask a question or jump into the next poll whenever you're ready.

I'M FOLLOWING ALONG

Catch-up summary for late joiners

A learner joining late doesn't scroll a wall of transcript — they get a grounded catch-up summary instead, citing the same transcript lines the dashboard cards do.

Session history

Catch-up summaries for a facilitator joining mid-session or reviewing after.

Setting up the Express route and request body parsing.

10:02 AM

DECISIONS

- Use `express.json()` middleware for body parsing.

Debugging a 500 error thrown when the email field is empty.

10:14 AM

DECISIONS

- Added an early return for a missing email field.

BLOCKERS

- Unclear whether `validateEmail()` throws on empty input.

Grounded by design, real today

Impact

A learner going quiet in a language the facilitator doesn't speak used to be invisible — now it's a card on the dashboard.

Prototype quality

Real Postgres-backed sessions with role-scoped, opaque learner join tokens — not a slide.

Innovation & feasibility

`validateInsightDraft` rejects any AI insight citing outside its own transcript batch. Deepgram, DeepL, and Claude are shipping APIs we can call today.

Breaking Language Barriers — live translation plus grounded understanding, so no one gets left behind in their own workshop.