

HOW TO EARN MONEY WITH BUG BOUNTY?



WHAT ARE THE NEXT STEPS?
















IMPORTANT STUFF ...

HEY MY WEBSITE IS OFFLINE!



BUG BOUNTY PROGRAM RULES




OPSS

HACKERONE BUGCROWD INTIGRITI SYNACK

. . .

"Cybersecurity isn't a technology problem — it's a human one — and to compete against an army of adversaries we need an army of allies."


CASEY ELLIS, Founder, Bugcrowd




are driven by organized crime rings, in which data, tools 5 expertise are widely shared.


# Why Crowdsourced Security?

Crowdsourced Security is a powerful tool – used by leading edge firms such as Google, Apple and Facebook – to decrease risk. However crowdsourced security is not yet well understood across the enterprise security community. This brief will define crowdsourced security and describe why it's a key element of any viable security architecture.






## Scope and rewards



### Out of scope targets



- Social media hijacking
- Any subdomain/domain/property not listed in the 'in scope' section, is out of scope.
- Any Third-party Services
- Support.upwork.com
- © community.stage.upwork.com
- © community.upwork.com
- stage.upwork.com
- e.upwork.com
- status.upwork.com
- signature.upwork.com

Website Testing

security vulnerability on a target that is not in-scope, but that demonstrably belongs to Upwork, it may be reported to this program, and is appreciated - but will ultimately be marked as 'not applicable' and will not be eligible for monetary or points-based compensation.

#### Ratings/Rewards

For the initial prioritization/rating of findings (with a few exceptions), this program will use the Bugcrowd Vulnerability Rating Taxonomy.

However, it is essential to note that in some cases, a vulnerability priority will be modified due to its likelihood or impact. In any instance where an issue is downgraded, a full, detailed explanation will be provided to the researcher - along with the opportunity to appeal and make a case for a higher priority.

Please see Target Information for exclusions specific to this program.

#### Requirements

The following requirements are needed to test - not abiding by these rules may result in you not being ineligible from receiving the full reward amount or may lead to being suspended from testing and/or removal from the program.

- User-Agent To participate in the Upwork Bug Bounty, please configure your scanner to include bugcrowd in the user-agent string. Failure to do so may
  result in your IP being temporarily blocked from participation in the program.
- Access / Upwork Account You can self-register for an Upwork account and Upwork API using your @bugcrowdninja.com email address. Testing using
  any other account is out of scope. Failure to use your @bugcrowdninja.com address may result in your account being temporarily locked or being
  suspended from participating in the program.

#### Target information

Search table			
Technical severity ▼	VRT category	Specific vulnerability name	Variant / Affected function
P1	Server Security Misconfiguration	Using Default Credentials	
P1	Server-Side Injection	File Inclusion	Local
P1	Server-Side Injection	Remote Code Execution (RCE)	
P1	Server-Side Injection	SQL Injection	
P1	Server-Side Injection	XML External Entity Injection (XXE)	
P1	Broken Authentication and Session Management	Authentication Bypass	
P1	Sensitive Data Exposure	Disclosure of Secrets	For Publicly Accessible Asset
P1	Insecure OS/Firmware	Command Injection	
P1	Insecure OS/Firmware	Hardcoded Password	Privileged User
P1	Broken Cryptography	Cryptographic Flaw	Incorrect Usage
P1	Automotive Security Misconfiguration	Infotainment, Radio Head Unit	PII Leakage
P1	Automotive Security Misconfiguration	RF Hub	Key Fob Cloning
P2	Server Security Misconfiguration	Misconfigured DNS	High Impact Subdomain Takeover