



File Machine View Input Devices Help

Did Not Connect: Potential Security Issue

facebook.com is most likely a safe site, but a secure connection could not be established. This issue is caused by **PortSwigger CA**, which is either software on your computer or your network.

What can you do about it?


facebook.com has a security policy called HTTP Strict Transport Security (HSTS), which means that Firefox can only connect to it securely. You can't add an exception to visit this site.


- If your antivirus software includes a feature that scans encrypted connections (often called "web scanning" or "https scanning"), you can disable that feature. If that doesn't work, you can remove and reinstall the antivirus
- . If you are on a corporate network, you can contact your IT department.
- If you are not familiar with PortSwigger CA, then this could be an attack, and there is nothing you can do to
 access the site.


earn more


Go Back


Advanced...




















Burp Pr	oject Intruder	Repeater	Window He	elp							
Dashboa	rd Target	Proxy	Intruder	Repeater	Sequencer	Decoder	Comparer	Extender	Project options	User options	
1 ×	2 × 3 ×	***									
Target	Positions	Payloads	Options				\bigcirc				
(?) Pay	load Positions										
_											
Con	rigure the position	s where payl	oads will be inse	erted into the ba	se request. The a	ittack type dete	rmines the way ir	n which payloads	s are assigned to paylor	ad positions - see help for full details.	
Atta	cktype: Sniper										
1 POST /dvwa/login.php HTTP/1.1											
	2 Host: 192.168.1.5										
3	3 User-Agent: Mozilla/5.0 (X11; Linux x86 64; rv:78.0) Gecko/20100101 Firefox/78.0										
4	Accept: text	/html,app	lication/x	html+xml,ap	plication/xm	nl;q=0.9,im	age/webp,*/*	;q=0.8			
5	4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8 5 Accept-Language: en-US,en;q=0.5										
6	6 Accept-Encoding: gzip, deflate										
7				-form-urlen	coded						
8	7 Content-Type: application/x-www-form-urlencoded 8 Content-Length: 39										
	Origin: http		58.1.5								
	Connection:			1							
	1 Referer: http://192.168.1.5/dvwa/login.php										
	2 Cookie: security=5lows; PHPSESSID=5t9vcql2knOtonOuk8j8ndOlai75; acopendivids=5swingset,jotto,phpbb2,redmine5; acgroupswithpersist=5nada										
	Upgrade-Inse			21211411			,	20000	J	analization of the same of the	
14	opgi auc ziize										
	username=§te	st§&passv	vord=StestS	&Login=§Log	ing						

Burp Pro	ject	Intruder	Repeater	Window	Help							
Dashboar	d	Target	Proxy	Intruder	Repeater	Sequencer	Decoder	Comparer	Extender	Project options	User options	
1 ×	2 ×	3 ×	***									
Target	Pos	itions	Payloads	Option	is							
(?) Pay	oad P	ositions										
Configure the positions where payloads will be inserted into the base request. The attack type determines the way in which payloads are assigned to payload positions - see help for full details.												
Configure the positions where payloads whit be inserted into the base request. The attack type determines the way in which payloads are assigned to payload positions - see neith for full details.												
Attacktype: Sniper 1 POST /dvwa/login.php HTTP/1.1 2 Host: 192.168.1.5 3 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:78.0) Gecko/20100101 Firefox/78.0 4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8												
	5 Accept - Language: en - US, en; q=0.5											
6 Accept-Encoding: gzip, deflate												
7 Content-Type: application/x-www-form-urlencoded 8 Content-Length: 39												
	9 Origin: http://192.168.1.5											
	10 Connection: close											
	11 Referer: http://192.168.1.5/dvwa/login.php											
12 Cookie: security=low; PHPSESSID=t9vcql2knOtonOuk8j8ndOlai7; acopendivids=swingset,jotto,phpbb2,redmine; acgroupswithpersist=nada 13 Upgrade-Insecure-Requests: 1											#:	
14	opgra	de Tilse	care-nego	reses. I								
15	usern	ame=adm	in&passwo	rd=§test!	§&Lpgin=Logi	n						
					T							

