

White Label API

for Oneworks Service

Customer Copy

Version 4.1

1 November 2017

Confidential

Contents

| | |
|---------------------------------------|----------|
| Revision Control | 1 |
| Approvals | 3 |
| Primary Input | 3 |
| 1. Overview | 4 |
| 2. General Guideline | 4 |
| 2.1. Convention | 4 |
| 2.2. Communication and Authentication | 4 |
| 2.3. Language | 5 |
| 2.4. Currency | 5 |
| 2.5. Time zone and Date/Time | 5 |
| 2.6. Error handling | 5 |
| 2.7. Logging | 6 |
| 2.8. System Maintenance | 6 |
| 3. Production Environment | 6 |
| 3.1. Access Information | 6 |
| 3.2. Validation Method | 7 |
| 3.3. Authorization Procedures | 7 |
| 4. API Methods | 8 |
| 4.1. Hello | 8 |
| 4.2. CreateMember | 10 |
| 4.3. UpdateMember | 11 |
| 4.4. Login | 12 |
| 4.5. CheckUserBalance | 13 |
| 4.6. KickUser | 14 |
| 4.7. FundTransfer | 15 |
| 4.8. CheckFundTransfer | 17 |
| 4.9. GetCasinoBetLog | 19 |
| 4.10. GetCasinoBettingDetail | 28 |
| 4.11. GetSportBetLog | 31 |
| 4.12. GetSportBettingDetail | 39 |
| 4.13. GetSportBettingMixParlayDetail | 43 |
| 4.14. GetBetSettingLimit | 46 |
| 4.15. GetMemberBetSetting | 48 |

| | |
|--|-----------|
| 4.16. PrepareMemberBetSetting | 50 |
| 4.17. ConfirmMemberBetSetting | 52 |
| 4.18. GetBalanceHistory | 53 |
| 5. Online Help | 55 |
| 6. Registration Process | 57 |
| 7. Fund Transfer Process | 57 |
| 8. Login Process | 59 |
| 8.1. Login Method | 59 |
| 8.2. Change OddType | 60 |
| 8.3. Change Language | 61 |
| 8.4. Launch Game Action | 61 |
| 8.5. Launch Mobile Web | 61 |
| 9. Backend Office | 62 |
| 9.1. Bet Details Page | 63 |
| 9.2. Logs Page | 65 |
| 9.3. Check Transaction Page | 65 |
| 9.4. Change Password | 66 |
| 10. Appendix | 67 |
| 10.1. BetType Table | 67 |
| 10.2. Currency Table | 75 |
| 10.3. Language Table | 76 |
| 10.4. SportType Table | 77 |
| 10.5. Bet From Table | 79 |
| 10.6. Odds Type Table (Not the same for OType) | 80 |
| 10.7. Ticket Status Table | 80 |
| 10.8. BetType Information | 81 |
| 10.9. Error Code Table | 98 |
| 10.10. Additional Report Example | 107 |

Revision Control

| Version | Revised On | Status | Revised By | Revision Description |
|---------|---------------|--------|------------|---|
| 1.8 | 17 Sep 2015 | Draft | Eddie | <ul style="list-style-type: none"> Add GetCasinoBetLog and GetCasinoBetDetail API Add Launch Game Action |
| 2.0 | 27 Oct 2015 | Draft | Eddie | <ul style="list-style-type: none"> Add Sportsbook Mobile Web |
| 2.1 | 8 Jan 2016 | Draft | Eddie | <ul style="list-style-type: none"> Add lang field in GetSportLog API |
| 2.2 | 4 July 2016 | Draft | Alex | <ul style="list-style-type: none"> Add ticket status in Appendix Effective 13th July, StartTime and EndTime in both GetCasinoBettingDetail and GetSportBettingDetail API will be only allowed up to maximum 12 hours |
| 2.3 | 20 July 2016 | Draft | Alex | <ul style="list-style-type: none"> Added Oneworks Sports for before login landing page is mkt.ib.{your-domain}/vender.aspx Add example how to set cookies in correct domain and cname aliases. |
| 2.4 | 17 Aug 2016 | Draft | Alex | <ul style="list-style-type: none"> Added new currency MMK Add new bettype highlighted in red Add new sportType for RNG Add new betFrom from China, Europe site |
| 2.5 | 18 Nov 2016 | Draft | Alex | <ul style="list-style-type: none"> Added Mobile Casino Game Launch Parameter Update Bet Type Appendix Remove UAT links info |
| 2.6 | 4 Jan 2017 | Draft | Alex | <ul style="list-style-type: none"> Added bet description for bet type ID 221-225 Added error code SP prefix. |
| 2.7 | 4 Jan 2017 | Draft | Alex | <ul style="list-style-type: none"> Added new statuses: Half Won and Half Lose <p>Eg. Is like a handicap bet type, there will be 1.25 points, which means to make a point with 1.5 points, then this case will be half win or half lose</p> |
| 2.8 | 11 Jan 2017 | Draft | Alex | <ul style="list-style-type: none"> Remove live casino effect 25 Jan 2017 |
| 2.9 | 27 March 2017 | Draft | Alex | <ul style="list-style-type: none"> Update SportType table in Appendix 10.4 |
| 3.0 | 6 April 2017 | Draft | Alex | <ul style="list-style-type: none"> Update SportType table in Appendix 10.4 Added Missing Muay Thai and Cricket |
| 3.1 | 4 May 2017 | Draft | Alex | <ul style="list-style-type: none"> Update Appendix 10.8 BetType 89 |

| | | | | |
|------------|----------------------------|-------|------|--|
| 3.2 | 11 May 2017 | Draft | Alex | <ul style="list-style-type: none"> Support https for Sportsbook |
| 3.3 | 15 May 2017 | Draft | Alex | <ul style="list-style-type: none"> HTML5 supports https for Sportsbook Can add new cname for ismart.ib.yourdomain only on http. |
| 3.4 | 16 May 2017 | Draft | Alex | <ul style="list-style-type: none"> Change of https://mkt.ib.gsoft-ib.com to https://mkt.gsoft-ib.com Change of https://ismart.ib.gsoft-ib.com to https://ismart.gsoft-ib.com |
| 3.5 | 5 June 2017 | Draft | Alex | <ul style="list-style-type: none"> Update Appendix 10.1 BetType |
| 3.6 | 18 th July 2017 | Draft | Alex | <ul style="list-style-type: none"> Added new parameter OType in OType Table for launching Sportsbook for specific Odds Type for player without account balance Added KickUser function to kick the user from the Sportsbook when player is online. |
| 3.7 | 27 th July 2017 | Draft | Alex | <ul style="list-style-type: none"> OType to overwrite the player odds Type. |
| 3.8 | 7 th Sep 2017 | Draft | Alex | <ul style="list-style-type: none"> Added new API GetBalanceHistory for get history of player balance by date. |
| 3.9 | 2 nd Oct 2017 | Draft | Alex | <ul style="list-style-type: none"> Add 190-199 virtual soccer, virtual tennis, virtual basketball, virtual parlay. |
| 4.0 | 25 th Oct 2017 | Draft | Alex | <ul style="list-style-type: none"> Update Appendix 10.1. BetType |
| 4.1 | 1 st Nov 2017 | Draft | Alex | <ul style="list-style-type: none"> Update Appendix 10.1. BetType Added new bet_tag for bet type reference X and Y in GetSportLog and GetSportBettingDetail Added new isLucky bet |

Approvals

| Name/Title | Agreement | Signature | Approval Date |
|------------|-------------------|-----------|----------------------|
| | Select action x.x | | Select approval date |

Primary Input

| | |
|-------------------------------------|--|
| Document Use: | External |
| Document Title: | White Label API for Oneworks Service |
| Intended Audience: | Project Leaders, Developers, Others |
| Document Overview/Structure: | This is Oneworks Service WebAPI defines general guide lines and set of Methods for integrated with sports betting provider |
| Production Deployment Date: | |

1. Overview

This API defines general guideline and set of Web API Method for integrating white label system with Sportbook provider's system.

2. General Guideline

2.1. Convention

- All methods support uses **HTTP GET** verb in the system.
- URL request is **case insensitive**.
- The query string is composed of a series of field-value pairs. Within each pair, the field name and value are separated by an equals sign, '='. The series of pairs is separated by the ampersand, '&' for URLs.

```
field1=value1&field2=value2&field3=value3...
```

- Query parameters in URL must be encoded before submit to the API.
- For example StartTime and EndTime in GetSportBettingDetail and GetCasinoBettingDetail method: StartTime=2015-01-01T00%3a00%3a00&EndTime=2015-01-01T12%3a00%3a00
- ****StartTime and Endtime only allowed maximum duration of 12 hours only. Therefore, only the maximum of 12 hours data will be returned.**
- All the response of method is in **JSON** format as stream output.
- JSON property names is **case insensitive**.

2.2. Communication and Authentication

- All requests and responses are sending over HTTP protocol.
- The uses IP authentication by pairing with IP and Operator Code (op).
- An Operator Code can have one or more Ips.

- Operator required to register their Ips. If IP address is not registered, the API will return an **“Check permission failed”** error response.
- All URLs need to append with a query string parameters called **OpCode** & **SecurityToken** for access control validation.
- All methods need validation checking with **SecurityToken** value. It is a **MD5** encoding from URL path and private key.
- The result of the MD5 hash is the **UPPERCASE** hexadecimal string.
- The Operator Code and Private Key will be provided to customers.
- MD5 hashing failure will return the “SecurityToken field is invalid” error message.

2.3. Language

- System default language is **English**. Default language is applied when language is not specified.

2.4. Currency

- Operator must provide the currency when request for the Operator Code.
- Each OpCode support one type of currency only.
- IDR and VND currency ratio is 1:1000
- Available currency – MYR, CNY, IDR, THB, VND, KRW and JPY

2.5. Time zone and Date/Time

- All the Date/Time data is based on **ISO 8601** and accurate the seconds. The general format is:
- Date only : yyyy-MM-dd
- Date and time : yyyy-MM-ddTHH:mm:ss
- Time zone for web site is GMT+8
- Time zone for **API methods** is **GMT-4**

2.6. Error handling

All response should have error status to indicate whether there is error happened. An example of error strut is as following:

```
{
  "error_code": 0,
  "message": ""
}
```

In general, **error code is 0 means “no error”**. While all error Id others than 0 means some error happens.

2.7. Logging

All requests and response include server errors are logged into the database. URL, IP address and timestamp will be logged. The logs can be view via Backend Office web site. It is useful for check and verify the operation of the API service.

2.8. System Maintenance

White label system will perform maintenance once a week on **every Friday from 1:30pm GMT+8 to 2:30pm GMT+8**. During this period, user will get error “*System is under maintenance*” message.

If there is urgent maintenance that does not follow the pre-defined period, otherwise we will notify 7 days in advance.

3. Production Environment

3.1. Access Information

| Name | Value |
|----------|---|
| Hostname | api.prod.ib.gsoft88.net |
| Port | 80 |
| URL | http://api.prod.ib.gsoft88.net/api/{Method} |

The service URL is <http://api.prod.ib.gsoft88.net/api/> and the operator will be provided operator code and private key.

Both IP address that are used by operator to access our service URL **MUST** be provided in order to access the service.

3.2. Validation Method

All requests and responses are sending over **HTTP** protocol. The requests support use **HTTP GET** verb to request data. All methods except **Hello** method need validation checking with **SecurityToken** value. It is a MD5 encoding from URL path and private key. If the validation failed or invalid, the system will reject the request and send back “*Unauthorized access*” error.

3.3. Authorization Procedures

The **Operator Code** and **Private Key** will be provided to customers. The **Private Key** is confidential and intended solely for the use of the individual or entity to whom they are addressed. This information should not be disclosed to third parties. The following procedures explain how to generate the **SecurityToken**:-

Create an URL for the specified API Method with all the required query string (**DO NOT INCLUDE** the **SecurityToken** parameter in the URL).

```
http://api.prod.ib.gsoft88.net/api/CreateMember?OpCode=local&PlayerName=eddiechan&FirstName=Eddie&LastName=Chan&OddsType=1&MaxTransfer=1000&MinTransfer=100
```

Retrieve the string begin from **/api** until the end of string.

```
/api/CreateMember?OpCode=local&PlayerName=eddiechan&FirstName=Eddie&LastName=Chan&OddsType=1&MaxTransfer=1000&MinTransfer=100
```

Append the Private Key string at the beginning of the string.

```
qwertyuiop/api/CreateMember?OpCode=local&PlayerName=eddiechan&FirstName=Eddie&LastName=Chan&OddsType=1&MaxTransfer=1000&MinTransfer=100
```

Use the MD5 encryption method to generate the MD5 hashing value from the string above.

Change the MD5 hash value to UPPERCASE hexadecimal string and append to the HTTP request URL created at first.

```
http://api.prod.ib.gsoft88.net/api/CreateMember?SecurityToken=1E28368CAD3AC4261ADB9352CE2E6B6F&OpCode=local&PlayerName=eddiechan&FirstName=Eddie&LastName=Chan&OddsType=1&MaxTransfer=1000&MinTransfer=100
```

3.3.1. HTTP Request Header

| Name | Value |
|--------------|-----------------------------|
| HTTP-Verb | GET |
| Content-Type | text/html; encoding='utf-8' |

3.3.2. HTTP Response Header

| Name | Value |
|--------------|------------------------------------|
| Content-Type | application/json; encoding='utf-8' |

4. API Methods

4.1. Hello

It is to test the API (**SecurityToken** is **NOT** required)

4.1.1. Request

| Field Name | Type | Required | Description |
|------------|------------|----------|---|
| OpCode | String(10) | Yes | The operator code provided by white label system. |

4.1.2. Response

| Field Name | Type | Required | Description |
|------------|--------------|----------|-------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |

4.1.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/Hello?OpCode=local
```

Response:

```
{
  "error_code": 0,
  "message": "hello local"
}
```


4.2. CreateMember

It is to create member data into Sportsbook. While creating members during downtime, the database is not able to receive data automatically. Thus, will have to create members manually during the maintenance time or wait until the maintenance time is over.

4.2.1. Request

| Field Name | Type | Required | Description |
|---------------|---------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should be alphanumeric . |
| SecurityToken | String(50) | Yes | MD5 Hashing |
| OddsType | Integer | Yes | Refer OddsType Table |
| MaxTransfer | Decimal(18,3) | Yes | Max Transfer between Sportsbook System and Operator System |
| MinTransfer | Decimal(18,3) | Yes | Min Transfer between Sportsbook System and Operator System |
| FirstName | String(50) | No | First name of player |
| LastName | String(50) | No | Last name of player |

4.2.2. Response

| Field Name | Type | Required | Description |
|------------|--------------|----------|-------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |

4.2.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/CreateMember?SecurityToken=1E28368CAD3AC4261ADB9352CE2E6B6F&OpCode=local&PlayerName=eddiechan&FirstName=Eddie&LastNam  
e=Chan&OddsType=1&MaxTransfer=1000&MinTransfer=100
```

Response:

```
{
  "error_code": 0,
  "message": "Successfully executed"
}
```

4.3. UpdateMember

It is to update member data on Sportsbook.

4.3.1. Request

| Field Name | Type | Required | Description |
|---------------|---------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should be alphanumeric . |
| SecurityToken | String(50) | Yes | MD5 Hashing |
| MaxTransfer | Decimal(18,3) | No | Max Transfer between Sportsbook System and Operator System. |
| MinTransfer | Decimal(18,3) | No | Min Transfer between Sportsbook System and Operator System. |
| FirstName | String(50) | No | First name of player |
| LastName | String(50) | No | Last name of player |

4.3.2. Response

| Field Name | Type | Required | Description |
|------------|--------------|----------|-------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |

4.3.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/UpdateMember?OpCode=local&PlayerName=player1&FirstName=Player&LastName=1&MaxTransfer=1000&MinTransfer=100&SecurityToken=FFE98E29DCC3AEBCD6BDE5B505348A05
```

Response:

```
{
  "error_code": 0,
  "message": "Successfully executed"
}
```

4.4. Login

It is to get session token or login to Sportsbook. If executed successfully, a session token will be return in response data. Please refer to Login Process for more information.

4.4.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should be alphanumeric . |
| SecurityToken | String(50) | Yes | MD5 Hashing |

4.4.2. Response

| Field Name | Type | Required | Description |
|--------------|--------------|----------|-------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |
| sessionToken | String | | |

4.4.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/Login?OpCode=local&PlayerName=player1&SecurityToken=6AFC7E3AD8F7F61285B452B41F613A24
```

Response:

```
{
  "sessionToken": "af2d1ff3-3c56-4a35-a506-cf3510bbbb27",
  "error_code": 0,
  "message": "Successfully executed"
}
```

4.5. CheckUserBalance

Check user balance on Sportbook.

4.5.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should be alphanumeric . |
| SecurityToken | String(50) | Yes | MD5 Hashing |

4.5.2. Response

| Field Name | Type | Required | Description |
|-------------|---------------|----------|----------------------------------|
| Data | array | No | Array to store the response data |
| playerName | String(20) | | User player name |
| balance | Decimal(18,3) | | User balance amount |
| outstanding | Decimal(18,3) | | User outstanding amount |
| currency | Integer | | Currency used |
| error_code | Integer | | |
| message | String | | |

4.5.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/CheckUserBalance?OpCode=local&PlayerName=player1&SecurityToken=244A3FA78FF20EF87D64AAD2363DB711
```

Response:


```

{
  "Data": [
    {
      "playerName": "player1",
      "balance": 0,
      "outstanding": 0,
      "currency": 20,
    }
  ],
  "error_code": 0,
  "message": "Successfully executed"
}

```

4.6. KickUser

Kick user from Sportsbook when user is online.

4.6.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should be alphanumeric . |
| SecurityToken | String(50) | Yes | MD5 Hashing |

4.6.2. Response

| Field Name | Type | Required | Description |
|------------|---------|----------|-------------|
| error_code | Integer | | |
| message | String | | |

4.6.3. Example

Request:

```

http://api.prod.ib.gsoft88.net/api/KickUser?OpCode=local&PlayerName=player1&
SecurityToken=244A3FA78FF20EF87D64AAD2363DB711

```

Response:

```
{
  "error_code": 0,
  "message": "Successfully executed"
}
```

4.7. FundTransfer

The amount of fund is transferred between Sportsbook and Operator's System.

4.7.1. Request

| Field Name | Type | Required | Description | | | | | | |
|---------------|------------------------|----------|---|---|------------------------|----------|---|------------------------|---------|
| OpCode | String(10) | Yes | The operator code provided by white label system. | | | | | | |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should be alphanumeric . | | | | | | |
| SecurityToken | String(50) | Yes | MD5 Hashing | | | | | | |
| OpTransId | String(50) | Yes | The UNIQUE transaction ID is on current fund transfer operator’s system | | | | | | |
| amount | Decimal(18,3) | Yes | The total amount that user wants to transfer. | | | | | | |
| Direction | Integer | Yes | The direction that funds transfer. <table><tr><td>0</td><td>Sportsbook to Operator</td><td>Withdraw</td></tr><tr><td>1</td><td>Operator to Sportsbook</td><td>Deposit</td></tr></table> | 0 | Sportsbook to Operator | Withdraw | 1 | Operator to Sportsbook | Deposit |
| 0 | Sportsbook to Operator | Withdraw | | | | | | | |
| 1 | Operator to Sportsbook | Deposit | | | | | | | |

4.7.2. Response

| Field Name | Type | Required | Description | | | | | | | | | |
|---------------|---------------|---|---|---|----|---------------------|---|--------|--------------|---|---------|---|
| error_code | Integer | Yes | | | | | | | | | | |
| message | String(1000) | Yes | | | | | | | | | | |
| Data | object | No | The response data (Non-Array) | | | | | | | | | |
| trans_id | Bigint | | Transaction ID in Sportbook | | | | | | | | | |
| before_amount | Decimal(18,3) | | User balance amount before the fund transfer | | | | | | | | | |
| after_amount | Decimal(18,3) | | User balance amount after the fund transfer | | | | | | | | | |
| status | Integer | | <table><tr><td>0</td><td>OK</td><td>Successful executed</td></tr><tr><td>1</td><td>Failed</td><td>System Error</td></tr><tr><td>2</td><td>Pending</td><td>Status Unknown, invoke CheckFundTransfer Method to confirm</td></tr></table> | 0 | OK | Successful executed | 1 | Failed | System Error | 2 | Pending | Status Unknown, invoke CheckFundTransfer Method to confirm |
| 0 | OK | Successful executed | | | | | | | | | | |
| 1 | Failed | System Error | | | | | | | | | | |
| 2 | Pending | Status Unknown, invoke CheckFundTransfer Method to confirm | | | | | | | | | | |
| error_code | Integer | | | | | | | | | | | |
| message | String | | | | | | | | | | | |

4.7.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/FundTransfer?OpCode=local&PlayerName=player1&OpTransId=A00000001&Amount=100&Direction=1&SecurityToken=B0EC8069013C4B3526A39B9B4C8982A9
```

Response:

```
{
  "Data": {
    "trans_id": 81,
    "before_amount": 0,
    "after_amount": 100,
    "status": 0,
  },
  "error_code": 0,
  "message": "Success"
}
```

4.8. CheckFundTransfer

It is to check fund transfer in Sportbook.

4.8.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should be alphanumeric . |
| SecurityToken | String(50) | Yes | MD5 Hashing |
| OpTransId | String(50) | Yes | The UNIQUE transaction ID is on current fund transfer operator's system |

4.8.2. Response

| Field Name | Type | Required | Description |
|---------------|---------------|----------|---|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |
| Data | object | No | The response data (Non-Array) |
| trans_id | Bigint | | Transaction ID in Sportbook |
| amount | Decimal(18,3) | | Transfer amount |
| before_amount | Decimal(18,3) | | User balance amount before the fund transfer |
| after_amount | Decimal(18,3) | | User balance amount after the fund transfer |
| transfer_date | String | | Transaction date and time using ISO-8601 format (2.4) |
| status | Integer | | |
| | | | 0 OK Successful executed |
| | | | 1 Failed System Error |
| | | | 2 Pending Status Unknown, invoke CheckFundTransfer Method to confirm |
| error_code | Integer | | |
| message | String | | |

4.8.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/CheckFundTransfer?OpCode=local&PlayerName=player1&OpTransId=A00000001&SecurityToken=318BFBE347F467362F5D46364251C95C
```

Response:

```

{
  "Data": {
    "trans_id": 81,
    "amount": 100,
    "before_amount": 0,
    "after_amount": 100,
    "transfer_date": "2015-05-12T04:43:16.057",
    "currency": 20,
    "status": 0,
  },
  "error_code": 0,
  "message": "Successfully executed"
}

```

4.9. GetCasinoBetLog

It is to get the casino games bet log from system. User must maintain the LastVersionKey to keep track log request. For the first time to request log, **LastVersionKey = 0**. The response return the LastVersionKey value to user for the next log request. LastVersionKey data type is 64 bit signed integer and will keep on growing larger when there is **NEW** or **UPDATED** log.

4.9.1. Request

| Field Name | Type | Required | Description |
|----------------|------------|----------|---|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| LastVersionKey | Bigint | Yes | Last version key to begin with log request. |
| SecurityToken | String(50) | Yes | MD5 Hashing |

4.9.2. Response

| Field Name | Type | Required | Description |
|------------|--------------|----------|----------------------------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |
| Data | array | No | Array to store the response data |

Data Structure

| Field Name | Type | Required | Description |
|-----------------|---------------|----------|---|
| TransId | Bigint | | Transaction ID |
| PlayerName | String(20) | | Player's name |
| TransactionTime | Date/Time | | ISO 8601 format |
| MatchId | Bigint | | Game Match ID |
| SportType | String | | Refer to Sport Type Table |
| TableNo | String | | Table No |
| HandNo | String | | Hand No |
| ShoeNo | String | | Shoe No |
| BetType | Integer | | Refer to Bet Type Table |
| BetTeam | String | | Betting team |
| Odds | Decimal(18,3) | | Odds |
| OddsType | Integer | | Odds Type. Refer to Appendix. Odds Type table |
| TicketStatus | String | | Ticket status |
| Stake | Integer | | Bet stake |
| WinLoseAmount | Decimal(18,3) | | Win/Lose amount |
| AfterAmount | Decimal(18,3) | | After amount |
| WinLostDateTime | Date/Time | | ISO 8601 format |
| Currency | String | | Refer to Appendix. Currency Table |
| VersionKey | Bigint | | Version key |

4.9.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/GetCasinoBetLog?SecurityToken=216F65946EB883568389C2BFF5256E84&OpCode=test&LastVersionKey=900493
```

Response:

```
{
  "LastVersionKey": 900599,
  "TotalRecord": 18,
  "Data": [
    {
      "TransId": 7780908833,
      "PlayerName": "tester1",
      "TransactionTime": "2015-09-20T23:52:22.4",
      "MatchId": 15034458,
```

```

    "SportType": "162",
    "TableNo": "02",
    "HandNo": "007",
    "ShoeNo": "20",
    "BetType": 1101,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "DRAW",
    "Stake": 20,
    "WinLoseAmount": 0,
    "AfterAmount": 980.3,
    "WinLostDateTime": "2015-09-20T00:00:00",
    "currency": "UUS",
    "VersionKey": 900491
  },
  {
    "TransId": 7780908963,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-20T23:52:43.617",
    "MatchId": 15034462,
    "SportType": "162",
    "BetType": 1102,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "LOSE",
    "Stake": 10,
    "WinLoseAmount": -10,
    "AfterAmount": 970.3,
    "WinLostDateTime": "2015-09-20T00:00:00",
    "currency": "UUS",
    "VersionKey": 900492
  },
  {
    "TransId": 7780909155,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-20T23:53:01.15",
    "MatchId": 15034462,
    "SportType": "162",
    "BetType": 1102,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "WON",
    "Stake": 70,
    "WinLoseAmount": 70,
    "AfterAmount": 900.3,
    "WinLostDateTime": "2015-09-20T00:00:00",
    "currency": "UUS",
    "VersionKey": 900493
  }

```



```

},
{
  "TransId": 7781588582,
  "PlayerName": "tester1",
  "TransactionTime": "2015-09-21T05:31:10.83",
  "SportType": "251",
  "BetType": 71,
  "TicketStatus": "LOSE",
  "WinLoseAmount": -1.1,
  "WinLostDateTime": "2015-09-21T00:00:00",
  "currency": "UUS",
  "VersionKey": 900557
},
{
  "TransId": 7781590978,
  "PlayerName": "tester1",
  "TransactionTime": "2015-09-21T05:32:42.497",
  "MatchId": 15038382,
  "SportType": "162",
  "TableNo": "11",
  "HandNo": "024",
  "ShoeNo": "04",
  "BetType": 1103,
  "BetTeam": "",
  "Odds": 0,
  "OddsType": 2,
  "TicketStatus": "LOSE",
  "Stake": 11,
  "WinLoseAmount": -11,
  "AfterAmount": 1048.2,
  "WinLostDateTime": "2015-09-21T00:00:00",
  "currency": "UUS",
  "VersionKey": 900562
},
{
  "TransId": 7781591477,
  "PlayerName": "tester1",
  "TransactionTime": "2015-09-21T05:32:58.65",
  "MatchId": 15038387,
  "SportType": "162",
  "TableNo": "12",
  "HandNo": "023",
  "ShoeNo": "05",
  "BetType": 1103,
  "BetTeam": "",
  "Odds": 0,
  "OddsType": 2,
  "TicketStatus": "LOSE",
  "Stake": 10,
  "WinLoseAmount": -10,
  "AfterAmount": 1038.2,

```

```

    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900564
  },
  {
    "TransId": 7781591978,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:33:13.82",
    "MatchId": 15038387,
    "SportType": "162",
    "TableNo": "12",
    "HandNo": "023",
    "ShoeNo": "05",
    "BetType": 1103,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "DRAW",
    "Stake": 20,
    "WinLoseAmount": 0,
    "AfterAmount": 1018.2,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900565
  },
  {
    "TransId": 7781593164,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:33:49.64",
    "MatchId": 15038392,
    "SportType": "162",
    "TableNo": "13",
    "HandNo": "047",
    "ShoeNo": "04",
    "BetType": 1103,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "LOSE",
    "Stake": 10,
    "WinLoseAmount": -10,
    "AfterAmount": 1008.2,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900566
  },
  {
    "TransId": 7781595909,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:35:15.547",
    "MatchId": 15038402,

```

```

    "SportType": "162",
    "TableNo": "13",
    "HandNo": "048",
    "ShoeNo": "04",
    "BetType": 1103,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "LOSE",
    "Stake": 10,
    "WinLoseAmount": -10,
    "AfterAmount": 1018.2,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900568
  },
  {
    "TransId": 7781598280,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:35:58.187",
    "MatchId": 15038407,
    "SportType": "162",
    "BetType": 1104,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "LOSE",
    "Stake": 10,
    "WinLoseAmount": -10,
    "AfterAmount": 1008.2,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900570
  },
  {
    "TransId": 7781605131,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:39:01.34",
    "MatchId": 15038434,
    "SportType": "162",
    "TableNo": "13",
    "HandNo": "051",
    "ShoeNo": "04",
    "BetType": 1103,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "LOSE",
    "Stake": 10,
    "WinLoseAmount": -10,
    "AfterAmount": 998.2,

```

```

    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900573
  },
  {
    "TransId": 7781606605,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:39:53.16",
    "MatchId": 15038442,
    "SportType": "162",
    "TableNo": "11",
    "HandNo": "030",
    "ShoeNo": "04",
    "BetType": 1103,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "LOSE",
    "Stake": 10,
    "WinLoseAmount": -10,
    "AfterAmount": 988.2,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900576
  },
  {
    "TransId": 7781607039,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:40:08.37",
    "MatchId": 15038445,
    "SportType": "162",
    "TableNo": "12",
    "HandNo": "029",
    "ShoeNo": "05",
    "BetType": 1103,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "WON",
    "Stake": 10,
    "WinLoseAmount": 9.5,
    "AfterAmount": 978.2,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900577
  },
  {
    "TransId": 7781607628,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:40:32.193",
    "MatchId": 15038448,

```

```

    "SportType": "162",
    "TableNo": "13",
    "HandNo": "052",
    "ShoeNo": "04",
    "BetType": 1103,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "LOSE",
    "Stake": 10,
    "WinLoseAmount": -10,
    "AfterAmount": 968.2,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900579
  },
  {
    "TransId": 7781608698,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:41:03.867",
    "MatchId": 15038452,
    "SportType": "162",
    "TableNo": "11",
    "HandNo": "031",
    "ShoeNo": "04",
    "BetType": 1103,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "WON",
    "Stake": 10,
    "WinLoseAmount": 9.5,
    "AfterAmount": 977.7,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900580
  },
  {
    "TransId": 7781611459,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:42:31.94",
    "MatchId": 15038465,
    "SportType": "162",
    "TableNo": "01",
    "HandNo": "043",
    "ShoeNo": "04",
    "BetType": 1101,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "LOSE",

```

```

    "Stake": 50,
    "WinLoseAmount": -50,
    "AfterAmount": 947.2,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900583
  },
  {
    "TransId": 7781612960,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T05:43:07.653",
    "MatchId": 15038469,
    "SportType": "162",
    "TableNo": "02",
    "HandNo": "041",
    "ShoeNo": "04",
    "BetType": 1101,
    "BetTeam": "",
    "Odds": 0,
    "OddsType": 2,
    "TicketStatus": "WON",
    "Stake": 50,
    "WinLoseAmount": 50,
    "AfterAmount": 897.2,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900584
  },
  {
    "TransId": 7781682465,
    "PlayerName": "tester1",
    "TransactionTime": "2015-09-21T06:11:26.78",
    "SportType": "251",
    "BetType": 71,
    "TicketStatus": "WON",
    "WinLoseAmount": 1395,
    "WinLostDateTime": "2015-09-21T00:00:00",
    "currency": "UUS",
    "VersionKey": 900599
  }
],
"error_code": 0,
"message": "Successfully executed"
}

```

4.10. GetCasinoBettingDetail

It is to get the all casino games betting detail report from system

4.10.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| StartTime | Date/Time | Yes | ISO 8601 format (if no time specify will be default to 00:00:00) |
| EndTime | Date/Time | Yes | ISO 8601 format (if no time specify will be default to 00:00:00) |
| SecurityToken | String(50) | Yes | MD5 Hashing |

****StartTime and Endtime only allowed maximum duration of 12 hours only**

4.10.2. Response

| Field Name | Type | Required | Description |
|------------|--------------|----------|----------------------------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |
| Data | array | No | Array to store the response data |

| Field Name | Type | Required | Description |
|-----------------|---------------|----------|---|
| TransId | Bigint | | Transaction ID |
| PlayerName | String(20) | | Player's name |
| TransactionTime | Date/Time | | ISO 8601 format |
| MatchId | Bigint | | Game Match ID |
| SportType | String | | Refer to Sport Type Table |
| TableNo | String | | Table No |
| HandNo | String | | Hand No |
| ShoeNo | String | | Shoe No |
| BetType | Integer | | Refer to Bet Type Table |
| BetTeam | String | | Betting team |
| Odds | Decimal(18,3) | | Odds |
| OddsType | Integer | | Odds Type. Refer to Appendix. Odds Type table |
| TicketStatus | String | | Ticket status |
| Stake | Integer | | Bet stake |
| WinLoseAmount | Decimal(18,3) | | Win/Lose amount |
| AfterAmount | Decimal(18,3) | | After amount |
| WinLostDateTime | Date/Time | | ISO 8601 format |
| Currency | String | | Refer to Appendix. Currency Table |
| VersionKey | Bigint | | Version key |

4.10.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/GetCasinoBettingDetail?SecurityToken=2F5587F104E5C9E2440E8531780AAD6B&OpCode=test&StartTime=2015-09-01T00%3a00%3a00&EndTime=2015-09-01T12%3a00%3a00
```

Response:

```
{
  "Data": [
    {
      "TransId": 7765439867,
      "PlayerName": "tester1",
      "TransactionTime": "2015-09-18T06:56:05.687",
      "MatchId": null,
      "SportType": "251",
      "TableNo": null,
      "HandNo": null,
      "ShoeNo": null,
      "BetType": 71,
      "BetTeam": null,
    }
  ]
}
```



```

        "Odds":null,
        "OddsType":null,
        "TicketStatus":"LOSE",
        "Stake":null,
        "WinLoseAmount":-170.0000,
        "AfterAmount":null,
        "WinLostDateTime":"2015-09-18T00:00:00",
        "currency":"UUS",
        "VersionKey":898058
    },
    {
        "TransId":7765420085,
        "PlayerName":"tester1",
        "TransactionTime":"2015-09-18T06:49:14.733",
        "MatchId":14998413,
        "SportType":"162",
        "TableNo":"11",
        "HandNo":"032",
        "ShoeNo":"06",
        "BetType":1103,
        "BetTeam":"",
        "Odds":0.0000,
        "OddsType":2,
        "TicketStatus":"LOSE",
        "Stake":10.0000,
        "WinLoseAmount":-10.0000,
        "AfterAmount":1131.9000,
        "WinLostDateTime":"2015-09-18T00:00:00",
        "currency":"UUS",
        "VersionKey":898052
    }
],
"error_code":0,
"message":"Successfully executed"
}

```

4.11. GetSportBetLog

It is to get the all sport bet log from Sportbook. This inclusive virtual sport games. User must maintain the LastVersionKey to keep track log request. For the first time to request log, **LastVersionKey = 0**. The response return the LastVersionKey value to user for the next log request. LastVersionKey data type is 64 bit signed integer and will keep on growing larger when there is **NEW** or **UPDATED** log.

4.11.1. Request

| Field Name | Type | Required | Description |
|----------------|------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| LastVersionKey | Bigint | Yes | Last version key to begin with log request. |
| Lang | String(2) | No | Return League & Team name in different language If not specified, the default lang is en. Please refer to language table. Current supported language 1) English 2) Chinese Simplified |
| SecurityToken | String(50) | Yes | MD5 Hashing |

4.11.2. Response

| Field Name | Type | Required | Description |
|------------|--------------|----------|----------------------------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |
| Data | array | No | Array to store the response data |

Data Item:

| Field Name | Type | Required | Description |
|-----------------|---------------|----------|---|
| TransId | Bigint | Yes | Transaction ID |
| PlayerName | String(20) | Yes | Player's name |
| TransactionTime | Date/Time | Yes | ISO 8601 format |
| MatchId | Bigint | Yes | Game Match ID |
| LeagueId | Integer | No | League ID |
| LeagueName | String(50) | No | League Name |
| SportType | String | Yes | Refer to Sport Type Table |
| AwayId | Bigint | No | Away Team ID |
| AwayIDName | String(100) | No | Away Team Name |
| HomeId | Bigint | No | Home Team ID |
| HomeIDName | String(100) | No | Home Team Name |
| MatchDateTime | Date/Time | Yes | ISO 8601 format |
| BetType | Integer | Yes | Refer to Bet Type Table |
| ParlayRefNo | Bigint | No | Parlay reference number |
| BetTeam | String | Yes | Betting team |
| HDP | Decimal(18,3) | No | Handicap |
| AwayHDP | Decimal(18,3) | No | Away team's handicap |
| HomeHDP | Decimal(18,3) | No | Home team's handicap |
| Odds | Decimal(18,3) | Yes | Odds |
| AwayScore | Decimal(18,3) | No | Away team's score |
| HomeScore | Decimal(18,3) | No | Home team's score |
| IsLive | String | Yes | Is live status |
| IsLucky | String | No | Is Lucky Bet |
| TicketStatus | String | Yes | Ticket status |
| Stake | Integer | Yes | Bet stake |
| Bet_tag | String | No | X and Y value for Bet Type |
| WinLoseAmount | Decimal(18,3) | Yes | Win/Lose amount |
| WinLostDateTime | Date/Time | Yes | ISO 8601 format |
| ParlayData | | No | Array of parlay data. Refer to below table for parlay data structure. |
| VersionKey | Bigint | Yes | Version key |
| LastBallNo | String | No | Last ball no |

ParlayData Structure

| Field Name | Type | Required | Description |
|------------------------|---------------|----------|---------------------------|
| ParlayRefNo | Bigint | | Parlay reference number |
| Parlay_LeagueID | Integer | | League ID |
| LeagueName | String(100) | | League Name |
| Parlay_MatchID | Bigint | | Game Match ID |
| Parlay_AwayID | Bigint | | Away Team ID |
| Parlay_AwayIDName | String(100) | | Away Team Name |
| Parlay_HomeID | Bigint | | Home Team ID |
| Parlay_HomeIDName | Bigint | | Home Team Name |
| Parlay_MatchDateTime | String(100) | | Away Team Name |
| Parlay_Odds | Decimal(18,3) | | Odds |
| Parlay_BetType | Integer | | Bet Type |
| Parlay_BetTeam | String | | Betting team |
| Parlay_SportType | Integer | | Sport Type |
| Parlay_HomeHDP | Decimal(18,3) | | Home team's handicap |
| Parlay_AwayHDP | Decimal(18,3) | | Away team's handicap |
| Parlay_HDP | Decimal(18,3) | | Handicap |
| Parlay_isLive | String | | Is Live Status |
| Parlay_HomeScore | Decimal(18,3) | | Home team's score |
| Parlay_AwayScore | Decimal(18,3) | | Away team's score |
| Parlay_WinLost | String | | Win, Lost status |
| Parlay_WinLostDateTime | Date/Time | | ISO 8601 format |
| Parlay_IsLive | String | | Is live status |
| Parlay_IsLucky | String | | Is Lucky Bet |
| Parlay_Bet_tag | String | | X and Y value of Bet Type |
| TicketStatus | String | | Ticket status |
| Stake | Integer | | Bet stake |
| WinLoseAmount | Decimal(18,3) | | Win/Lose amount |
| WinLostDateTime | Date/Time | | ISO 8601 format |

4.11.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/GetSportBetLog?opcode=ABC123&LastVersionKey=418112&securitytoken=259607B982696C8CCCC6B80FDC80D082
```

Response:

```
{
  "LastVersionKey": 418112,
  "TotalRecord": 8,
  "Data": [
    {
      "TransId": 7370184275,
      "PlayerName": "qatest01",
      "TransactionTime": "2015-06-03T00:07:19.807",
      "MatchId": 29,
      "LeagueId": null,
      "LeagueName": null,
      "SportType": null,
      "AwayId": null,
      "AwayIDName": null,
      "HomeId": null,
      "HomeIDName": null,
      "MatchDatetime": "2015-06-03T00:00:00",
      "BetType": 29,
      "ParlayRefNo": 100631408823,
      "BetTeam": "1110",
      "HDP": 11,
      "AwayHDP": 14,
      "HomeHDP": 11,
      "Odds": 10.2919,
      "OddsType": 3,
      "AwayScore": null,
      "HomeScore": null,
      "IsLive": "0",
      "TicketStatus": "LOSE",
      "Stake": 330,
      "WinLoseAmount": -246.858,
      "WinLostDateTime": "2015-06-03T00:00:00",
      "currency": "UUS",
      "VersionKey": 386045,
      "ParlayData": [
        {
          "ParlayRefNo": 100631408823,
          "Parlay_LeagueID": 38503,
          "LeagueName": "Nippon Professional Baseball - Interleague",
          "Parlay_MatchID": 13567528,
          "Parlay_AwayID": 13095,
          "Parlay_AwayIDName": "Orix Buffaloes",
          "Parlay_HomeID": 13089,
          "Parlay_HomeIDName": "Yomiuri Giants",
          "Parlay_MatchDatetime": "2015-06-03T00:00:00",
          "Parlay_Odds": 2.11,
          "Parlay_BetType": 20,
          "Parlay_BetTeam": "a",
          "Parlay_SportType": 8,
          "Parlay_HomeHDP": 0,
          "Parlay_AwayHDP": 0,
          "Parlay_HDP": null,
          "Parlay_isLive": "0",
          "Parlay_HomeScore": null,
          "Parlay_AwayScore": null,
          "Parlay_WinLost": "lost",
          "Parlay_WinLostDatetime": "2015-06-03T00:00:00"
        },
        {
          "ParlayRefNo": 100631408823,
          "Parlay_LeagueID": 47115,
          "LeagueName": "2015 FIFA U20 WORLD CUP (IN NEW ZEALAND)",
          "Parlay_MatchID": 13556960,
          "Parlay_AwayID": 67038,
```

```

        "Parlay_AwayIDName": "Senegal U20",
        "Parlay_HomeID": 2042,
        "Parlay_HomeIDName": "Colombia U20",
        "Parlay_MatchDatetime": "2015-06-03T00:00:00",
        "Parlay_Odds": 1.76,
        "Parlay_BetType": 1,
        "Parlay_BetTeam": "h",
        "Parlay_SportType": 1,
        "Parlay_HomeHDP": 0.75,
        "Parlay_AwayHDP": 0,
        "Parlay_HDP": -0.75,
        "Parlay_isLive": "0",
        "Parlay_HomeScore": null,
        "Parlay_AwayScore": null,
        "Parlay_WinLost": "lost",
        "Parlay_WinLostDatetime": "2015-06-03T00:00:00"
    },
    {
        "ParlayRefNo": 100631408823,
        "Parlay_LeagueID": 7959,
        "LeagueName": "Poland League",
        "Parlay_MatchID": 13566651,
        "Parlay_AwayID": 183193,
        "Parlay_AwayIDName": "Rosa Radom",
        "Parlay_HomeID": 31025,
        "Parlay_HomeIDName": "Energa Czarni Slupsk",
        "Parlay_MatchDatetime": "2015-06-03T00:00:00",
        "Parlay_Odds": 1.86,
        "Parlay_BetType": 1,
        "Parlay_BetTeam": "h",
        "Parlay_SportType": 2,
        "Parlay_HomeHDP": 3.5,
        "Parlay_AwayHDP": 0,
        "Parlay_HDP": -3.5,
        "Parlay_isLive": "0",
        "Parlay_HomeScore": null,
        "Parlay_AwayScore": null,
        "Parlay_WinLost": "win",
        "Parlay_WinLostDatetime": "2015-06-03T00:00:00"
    },
    {
        "ParlayRefNo": 100631408823,
        "Parlay_LeagueID": 12642,
        "LeagueName": "ATP - Roland Garros",
        "Parlay_MatchID": 13569459,
        "Parlay_AwayID": 10495,
        "Parlay_AwayIDName": "David Ferrer (ESP)",
        "Parlay_HomeID": 249000,
        "Parlay_HomeIDName": "Andy Murray (GBR)",
        "Parlay_MatchDatetime": "2015-06-03T00:00:00",
        "Parlay_Odds": 1.49,
        "Parlay_BetType": 20,
        "Parlay_BetTeam": "h",
        "Parlay_SportType": 5,
        "Parlay_HomeHDP": 0,
        "Parlay_AwayHDP": 0,
        "Parlay_HDP": null,
        "Parlay_isLive": "0",
        "Parlay_HomeScore": null,
        "Parlay_AwayScore": null,
        "Parlay_WinLost": "win",
        "Parlay_WinLostDatetime": "2015-06-03T00:00:00"
    }
]
},
{
    "TransId": 7370181958,

```

```

        "PlayerName": "qatest01",
        "TransactionTime": "2015-06-03T00:05:57.55",
        "MatchId": 13588399,
        "LeagueId": 30178,
        "LeagueName": "1st Test Match – Most First Innings Runs",
        "SportType": 27,
        "AwayId": 182977,
        "AwayIDName": "Marlon Samuels (WIN)",
        "HomeId": 182979,
        "HomeIDName": "Darren Bravo (WIN)",
        "MatchDatetime": "2015-06-03T09:29:59",
        "BetType": 20,
        "ParlayRefNo": 0,
        "BetTeam": "h",
        "HDP": 0,
        "AwayHDP": 0,
        "HomeHDP": 0,
        "Odds": 0.86,
        "OddsType": 1,
        "AwayScore": null,
        "HomeScore": null,
        "IsLive": "0",
        "TicketStatus": "WON",
        "Stake": 30,
        "WinLoseAmount": 25.8,
        "WinLostDateTime": "2015-06-03T00:00:00",
        "currency": "UUS",
        "VersionKey": 386046
    },
    {
        "TransId": 7370181787,
        "PlayerName": "qatest01",
        "TransactionTime": "2015-06-03T00:05:52.543",
        "MatchId": 13588361,
        "LeagueId": 9038,
        "LeagueName": "1st Test Match",
        "SportType": 27,
        "AwayId": 3397,
        "AwayIDName": "Australia",
        "HomeId": 12213,
        "HomeIDName": "West Indies",
        "MatchDatetime": "2015-06-05T09:29:59",
        "BetType": 5,
        "ParlayRefNo": 0,
        "BetTeam": "1",
        "HDP": 1.0924,
        "AwayHDP": 1,
        "HomeHDP": 1.0924,
        "Odds": 8,
        "OddsType": 3,
        "AwayScore": null,
        "HomeScore": null,
        "IsLive": "0",
        "TicketStatus": "LOSE",
        "Stake": 30,
        "WinLoseAmount": -30,
        "WinLostDateTime": "2015-06-05T00:00:00",
        "currency": "UUS",
        "VersionKey": 418006
    },
    {
        "TransId": 7324740157,
        "PlayerName": "qatest01",
        "TransactionTime": "2015-05-21T23:04:28.517",
        "MatchId": 13372904,
        "LeagueId": 12603,
        "LeagueName": "WTA – Roland Garros Winner",

```

```

        "SportType": 5,
        "AwayId": 8053,
        "AwayIDName": "Serena Williams",
        "HomeId": 17892,
        "HomeIDName": "The Field",
        "MatchDatetime": "2015-06-04T08:59:59",
        "BetType": 20,
        "ParlayRefNo": 0,
        "BetTeam": "a",
        "HDP": 0,
        "AwayHDP": 0,
        "HomeHDP": 0,
        "Odds": 270,
        "OddsType": 5,
        "AwayScore": null,
        "HomeScore": null,
        "IsLive": "0",
        "TicketStatus": "WON",
        "Stake": 30,
        "WinLoseAmount": 81,
        "WinLostDateTime": "2015-06-06T00:00:00",
        "currency": "UUS",
        "VersionKey": 418008
    },
    {
        "TransId": 7370181284,
        "PlayerName": "qatest01",
        "TransactionTime": "2015-06-03T00:05:34.603",
        "MatchId": 4497770,
        "LeagueId": 3214,
        "LeagueName": "UEFA CHAMPIONS LEAGUE - TOP GOALSCORER",
        "SportType": 1,
        "AwayId": null,
        "AwayIDName": null,
        "HomeId": null,
        "HomeIDName": null,
        "MatchDatetime": "2015-06-06T14:40:00",
        "BetType": 10,
        "ParlayRefNo": 0,
        "BetTeam": "20066",
        "HDP": 0,
        "AwayHDP": 0,
        "HomeHDP": 0,
        "Odds": 1.37,
        "OddsType": 3,
        "AwayScore": null,
        "HomeScore": null,
        "IsLive": "0",
        "TicketStatus": "WON",
        "Stake": 30,
        "WinLoseAmount": 3.7,
        "WinLostDateTime": "2015-06-06T00:00:00",
        "currency": "UUS",
        "VersionKey": 418012
    },
    {
        "TransId": 7324743231,
        "PlayerName": "qatest01",
        "TransactionTime": "2015-05-21T23:06:03.487",
        "MatchId": 5738862,
        "LeagueId": 12819,
        "LeagueName": "Tennis - ATP - Roland Garros (Winner)",
        "SportType": 5,
        "AwayId": null,
        "AwayIDName": null,
        "HomeId": null,
        "HomeIDName": null,

```



```

        "MatchDatetime": "2015-06-01T06:29:00",
        "BetType": 10,
        "ParlayRefNo": 0,
        "BetTeam": "8014",
        "HDP": 0,
        "AwayHDP": 0,
        "HomeHDP": 0,
        "Odds": 1.67,
        "OddsType": 3,
        "AwayScore": null,
        "HomeScore": null,
        "IsLive": "0",
        "TicketStatus": "LOSE",
        "Stake": 30,
        "WinLoseAmount": -30,
        "WinLostDateTime": "2015-06-07T00:00:00",
        "currency": "UUS",
        "VersionKey": 418014
    },
    {
        "TransId": 7260910703,
        "PlayerName": "testuser",
        "TransactionTime": "2015-05-07T03:12:45.157",
        "MatchId": 5345742,
        "LeagueId": 44964,
        "LeagueName": "Motor Sport - F1 - World Drivers Championship 2015
(Winner)",
        "SportType": 11,
        "AwayId": null,
        "AwayIDName": null,
        "HomeId": null,
        "HomeIDName": null,
        "MatchDatetime": "2015-06-19T03:59:00",
        "BetType": 10,
        "ParlayRefNo": 0,
        "BetTeam": "12214",
        "HDP": 0,
        "AwayHDP": 0,
        "HomeHDP": 0,
        "Odds": 1.16,
        "OddsType": 3,
        "AwayScore": null,
        "HomeScore": null,
        "IsLive": "0",
        "TicketStatus": "running",
        "Stake": 100,
        "WinLoseAmount": -100,
        "WinLostDateTime": "2015-06-19T00:00:00",
        "currency": "UUS",
        "VersionKey": 418017
    },
    {
        "TransId": 7260911010,
        "PlayerName": "testuser",
        "TransactionTime": "2015-05-07T03:12:54.89",
        "MatchId": 5345753,
        "LeagueId": 44965,
        "LeagueName": "Motor Sport - F1 - Constructors Championship 2015
(Winner)",
        "SportType": 11,
        "AwayId": null,
        "AwayIDName": null,
        "HomeId": null,
        "HomeIDName": null,
        "MatchDatetime": "2015-05-08T03:59:00",
        "BetType": 10,
        "ParlayRefNo": 0,

```

```

        "BetTeam": "14535",
        "HDP": 0,
        "AwayHDP": 0,
        "HomeHDP": 0,
        "Odds": 1.02,
        "OddsType": 3,
        "AwayScore": null,
        "HomeScore": null,
        "IsLive": "0",
        "TicketStatus": "running",
        "Stake": 100,
        "WinLoseAmount": -100,
        "WinLostDateTime": "2015-06-11T00:00:00",
        "currency": "UUS",
        "VersionKey": 418112
    },
    "error_code": 0,
    "message": "Successfully executed"
}

```

4.12. GetSportBettingDetail

It is to get the all sport betting detail report from Sportbook. This inclusive virtual sport games.

4.12.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| StartTime | Date/Time | Yes | ISO 8601 format (if no time specify will be default to 00:00:00) |
| EndTime | Date/Time | Yes | ISO 8601 format (if no time specify will be default to 00:00:00) |
| SecurityToken | String(50) | Yes | MD5 Hashing |

****StartTime and Endtime only allowed maximum duration of 12 hours only**

4.12.2. Response

| Field Name | Type | Required | Description |
|------------|--------------|----------|----------------------------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |
| Data | array | No | Array to store the response data |

Data Items:

| Field Name | Type | Required | Description |
|-----------------|---------------|----------|---------------------------|
| TransId | Bigint | Yes | Transaction ID |
| PlayerName | String(20) | Yes | Player's name |
| TransactionTime | Date/Time | Yes | ISO 8601 format |
| MatchId | Bigint | Yes | Game Match ID |
| LeagueId | Integer | No | League ID |
| LeagueName | String(50) | No | League Name |
| SportType | String | Yes | Refer to Sport Type Table |
| AwayId | Bigint | No | Away Team ID |
| AwayIDName | String(100) | No | Away Team Name |
| HomeId | Bigint | No | Home Team ID |
| HomeIDName | String(100) | No | Home Team Name |
| MatchDateTime | Date/Time | Yes | ISO 8601 format |
| BetType | Integer | Yes | Refer to Bet Type Table |
| ParlayRefNo | Bigint | No | Parlay reference number |
| BetTeam | String | Yes | Betting team |
| HDP | Decimal(18,3) | No | Handicap |
| AwayHDP | Decimal(18,3) | No | Away team's handicap |
| HomeHDP | Decimal(18,3) | No | Home team's handicap |
| Odds | Decimal(18,3) | Yes | Odds |
| AwayScore | Decimal(18,3) | No | Away team's score |
| HomeScore | Decimal(18,3) | No | Home team's score |
| IsLive | String | No | Is live status |
| IsLucky | String | | Is Lucky Bet |
| Bet_tag | String | | X and Y value of Bet Type |
| TicketStatus | String | Yes | Ticket status |
| Stake | Integer | Yes | Bet stake |
| WinLoseAmount | Decimal(18,3) | Yes | Win/Lose amount |
| WinLostDateTime | Date/Time | Yes | ISO 8601 format |
| LastBallNo | String | No | Last ball no |

4.12.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/GetSportBettingDetail?OpCode=local&StartTime=2013-10-22&EndTime=2013-10-22&SecurityToken=47C27800EE148C8DA348F38E1347914C
```

Response:

```
{
  "Data": [
    {
      "TransId": 5085106130,
      "PlayerName": "testuser",
      "TransactionTime": "2013-10-22T05:19:23.077",
      "MatchId": 9,
      "LeagueId": null,
      "LeagueName": null,
      "SportType": null,
      "AwayId": null,
      "AwayIDName": null,
      "HomeId": null,
      "HomeIDName": null,
      "MatchDatetime": "2013-10-22T00:00:00",
      "BetType": 9,
      "ParlayRefNo": 100345538284,
      "BetTeam": "a",
      "HDP": 0,
      "AwayHDP": 0,
      "HomeHDP": 0,
      "Odds": 45.8767,
      "AwayScore": null,
      "HomeScore": null,
      "IsLive": "0",
      "TicketStatus": "running",
      "Stake": 38,
      "WinLoseAmount": -38,
      "WinLostDateTime": "2013-10-22T00:00:00"
    },
    {
      "TransId": 5085109000,
      "PlayerName": "testuser",
      "TransactionTime": "2013-10-22T05:21:22.693",
      "MatchId": 6302342,
      "LeagueId": 31682,
      "LeagueName": null,
      "SportType": 1,
      "AwayId": 228495,
      "AwayIDName": null,
      "HomeId": 228497,
      "HomeIDName": null,
      "MatchDatetime": "2013-10-22T04:59:00",
      "BetType": 3,
      "ParlayRefNo": 0,
      "BetTeam": "a",
      "HDP": 5.25,
      "AwayHDP": 0,
      "HomeHDP": 5.25,
      "Odds": 1.29,
      "AwayScore": 0,
      "HomeScore": 0,
      "IsLive": "1",
      "TicketStatus": "running",
      "Stake": 40,
      "WinLoseAmount": -40,
      "WinLostDateTime": "2013-10-22T00:00:00"
    }
  ],
  "error_code": 0,
  "message": "Successfully executed"
}
```

4.13. GetSportBettingMixParlayDetail

It is to get the sport betting mix parlay detail report from Sportbook.

4.13.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|---|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| RefNo | Bigint | Yes | Parlay reference number |
| SecurityToken | String(50) | Yes | MD5 Hashing |

4.13.2. Response

| Field Name | Type | Required | Description |
|------------------------|---------------|----------|----------------------------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |
| Data | array | No | Array to store the response data |
| ParlayRefNo | Bigint | | Parlay reference number |
| Parlay_LeagueID | Integer | | League ID |
| LeagueName | String(100) | | League Name |
| Parlay_MatchID | Bigint | | Game Match ID |
| Parlay_AwayID | Bigint | | Away Team ID |
| Parlay_AwayIDName | String(100) | | Away Team Name |
| Parlay_HomeID | Bigint | | Home Team ID |
| Parlay_HomeIDName | Bigint | | Home Team Name |
| Parlay_MatchDateTime | String(100) | | Away Team Name |
| Parlay_Odds | Decimal(18,3) | | Odds |
| Parlay_BetType | Integer | | Bet Type |
| Parlay_BetTeam | String | | Betting team |
| Parlay_SportType | Integer | | Sport Type |
| Parlay_HomeHDP | Decimal(18,3) | | Home team's handicap |
| Parlay_AwayHDP | Decimal(18,3) | | Away team's handicap |
| Parlay_HDP | Decimal(18,3) | | Handicap |
| Parlay_isLive | String | | Is Live Status |
| Parlay_IsLucky | String | | Is Lucky Bet |
| Parlay_Bet_tag | String | | X and Y value of Bet Type |
| Parlay_HomeScore | Decimal(18,3) | | Home team's score |
| Parlay_AwayScore | Decimal(18,3) | | Away team's score |
| Parlay_WinLost | Decimal(18,3) | | Win/Lose amount |
| Parlay_WinLostDateTime | Date/Time | | ISO 8601 format |

| Field Name | Type | Required | Description |
|-----------------|---------------|----------|-----------------|
| IsLive | String | | Is live status |
| TicketStatus | String | | Ticket status |
| Stake | Integer | | Bet stake |
| WinLoseAmount | Decimal(18,3) | | Win/Lose amount |
| WinLostDateTime | Date/Time | | ISO 8601 format |

4.13.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/GetSportBettingMixParlayDetail?OpCode=local&RefNo=100619387749&SecurityToken=4FCC39E2A20F7E4E4D5CA12E036C226A
```

Response:

```
{
  "Data": [
    {
      "ParlayRefNo": 100619387749,
      "Parlay_LeagueID": 45286,
      "LeagueName": "TESTING (Betting Prohibited Area!!) - Betradar Test - SOCCER - ExtraTime",
      "Parlay_MatchID": 13212551,
      "Parlay_AwayID": 89063,
      "Parlay_AwayIDName": "Test E",
      "Parlay_HomeID": 6265,
      "Parlay_HomeIDName": "Test B ",
      "Parlay_MatchDatetime": "2015-05-05T00:00:00",
      "Parlay_Odds": 1.89,
      "Parlay_BetType": 1,
      "Parlay_BetTeam": "h",
      "Parlay_SportType": 1,
      "Parlay_HomeHDP": 0.25,
      "Parlay_AwayHDP": 0,
      "Parlay_HDP": -0.25,
      "Parlay_isLive": "1",
      "Parlay_HomeScore": 0,
      "Parlay_AwayScore": 0,
      "Parlay_WinLost": "",
      "Parlay_WinLostDatetime": null
    },
    {
      "ParlayRefNo": 100619387749,
      "Parlay_LeagueID": 42037,
      "LeagueName": "TESTING (Betting Prohibited Area!!) - Betradar Test - SOCCER",
      "Parlay_MatchID": 13212500,
      "Parlay_AwayID": 89063,
      "Parlay_AwayIDName": "Test E",
      "Parlay_HomeID": 6265,
      "Parlay_HomeIDName": "Test B ",
      "Parlay_MatchDatetime": "2015-05-05T00:00:00",
      "Parlay_Odds": 1.96,
      "Parlay_BetType": 1,
      "Parlay_BetTeam": "a",
      "Parlay_SportType": 1,
      "Parlay_HomeHDP": 0.25,
      "Parlay_AwayHDP": 0,
      "Parlay_HDP": 0.25,
      "Parlay_isLive": "1",
      "Parlay_HomeScore": 0,
      "Parlay_AwayScore": 0,
      "Parlay_WinLost": "",
      "Parlay_WinLostDatetime": null
    },
    {
      "ParlayRefNo": 100619387749,
      "Parlay_LeagueID": 46461,
```



```

        "LeagueName": "*NBA BASKETBALL (Play Off)",
        "Parlay_MatchID": 13164730,
        "Parlay_AwayID": 1997,
        "Parlay_AwayIDName": "Memphis Grizzlies",
        "Parlay_HomeID": 1993,
        "Parlay_HomeIDName": "Golden State Warriors",
        "Parlay_MatchDatetime": "2015-05-05T00:00:00",
        "Parlay_Odds": 1.59,
        "Parlay_BetType": 3,
        "Parlay_BetTeam": "a",
        "Parlay_SportType": 2,
        "Parlay_HomeHDP": 190.5,
        "Parlay_AwayHDP": 0,
        "Parlay_HDP": 190.5,
        "Parlay_isLive": "1",
        "Parlay_HomeScore": 0,
        "Parlay_AwayScore": 0,
        "Parlay_WinLost": "win",
        "Parlay_WinLostDatetime": "2015-05-05T00:00:00"
    },
    "error_code": 0,
    "message": "Successfully executed"
}

```

4.14. GetBetSettingLimit

It is to get currency setting of betting limit.

4.14.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|---|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| Currency | Integer | Yes | The currency of the setting. |
| SecurityToken | String(50) | Yes | MD5 Hashing |

4.14.2. Response

| Field Name | Type | Required | Description |
|-------------------|--------------|----------|--|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |
| Data | array | No | Array to store the response data |
| sport_type | String | | Sport Type |
| min_bet | Integer | | Minimum bet |
| max_bet | Integer | | Maximum bet |
| max_bet_per_match | Integer | | Maximum bet per match |
| max_bet_per_ball | Integer | | Maximum bet per ball. When sport_type=161 (Number Game), must set value of this. |

4.14.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/GetBetSettingLimit?OpCode=local&Currency=20&SecurityToken=20F62680D732FA4936AE577CAD45D64C
```

Response:

```
{
  "error_code": 0,
  "message": "",
  "Data": [
    {
      "sport_type": "1",
      "min_bet": 100,
      "max_bet": 5000,
      "max_bet_per_match": 10000
    },
    {
      "sport_type": "99",
      "min_bet": 100,
      "max_bet": 5000,
      "max_bet_per_match": 10000
    },
    {
      "sport_type": "161",
      "min_bet": 100,
      "max_bet": 5000,
      "max_bet_per_match": 10000,
      "max_bet_per_ball": 10000
    }
  ]
}
```

4.15. GetMemberBetSetting

It is to get members setting of betting limit.

4.15.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should be alphanumeric . |
| SecurityToken | String(50) | Yes | MD5 Hashing |

4.15.2. Response

| Field Name | Type | Required | Description |
|-------------------|--------------|----------|--|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |
| Data | array | No | Array to store the response data |
| sport_type | String | | Sport Type |
| min_bet | Integer | | Minimum bet |
| max_bet | Integer | | Maximum bet |
| max_bet_per_match | Integer | | Maximum bet per match |
| max_bet_per_ball | Integer | | Maximum bet per ball. When sport_type=161 (Number Game), must set value of this. |

4.15.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/GetMemberBetSetting?OpCode=local&PlayerName=testuser&SecurityToken=CFCDFF6679BE3E55F936B52527766D9
```

Response:

```

{
  "error_code": 0,
  "message": "",
  "Data": [
    {
      "sport_type": "1",
      "min_bet": 100,
      "max_bet": 5000,
      "max_bet_per_match": 10000
    },
    {
      "sport_type": "99",
      "min_bet": 100,
      "max_bet": 5000,
      "max_bet_per_match": 10000
    },
    {
      "sport_type": "161",
      "min_bet": 100,
      "max_bet": 5000,
      "max_bet_per_match": 10000,
      "max_bet_per_ball": 10000
    }
  ]
}

```

4.16. PrepareMemberBetSetting

It is to set members setting of betting limit for a sport type. After complete set all the required sport types, execute **ConfirmMemberBetSetting** to confirm the members setting changes.

4.16.1. Request

| Field Name | Type | Required | Description |
|------------|------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should be alphanumeric . |

| | | | |
|----------------|------------|-----|---|
| sportType | String | Yes | Sport Type Necessary : { "1", "2", "3", "5", "8", "10", "11", "99" } Others : { "99MP", "151", "161", "180" } |
| minBet | Integer | Yes | Minimum bet |
| maxBet | Integer | Yes | Maximum bet |
| maxBetPerMatch | Integer | Yes | Maximum bet per match |
| maxBetPerBall | Integer | No | Maximum bet per ball. When sport_type=161 (Number Game), must set value of this. |
| SecurityToken | String(50) | Yes | MD5 Hashing |

4.16.2. Response

| Field Name | Type | Required | Description |
|------------|--------------|----------|-------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |

4.16.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/PrepareMemberBetSetting?opcode=local&play
ername=testuser&sportType=1&minBet=1&maxBet=100&maxBetPerMatch=200&securityT
oken=92C229E8A05617A76056AE251C38264A
```

Response:

```
{
  "error_code": 0,
  "message": ""
}
```

4.17. ConfirmMemberBetSetting

It is to confirm the members setting changes. See **PrepareMemberBetSetting** for more information.

4.17.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|---|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should NOT contains underscore '_'. |
| SecurityToken | String(50) | Yes | MD5 Hashing (3.2) |

4.17.2. Response

| Field Name | Type | Required | Description |
|------------|--------------|----------|-------------|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |

4.17.3. Example

Request:

```
http://api.prod.ib.gsoft88.net/api/ConfirmMemberBetSetting?opcode=local&playername=testuser&securityToken=8D00B13A3EABC3FE6D3427332CA2558C
```

Response:

```
{
  "error_code": 0,
  "message": ""
}
```

4.18. GetBalanceHistory

It is to show the balance history by date on the betting, deposit and withdrawal.

4.18.1. Request

| Field Name | Type | Required | Description |
|---------------|------------|----------|--|
| OpCode | String(10) | Yes | The operator code provided by white label system. |
| PlayerName | String(20) | Yes | PlayerName cannot be longer than 20 chars and should NOT contains underscore '_' . |
| Date | String(8) | Yes | Date format YYYYMMDD Eg. 20170714 |
| SecurityToken | String(50) | Yes | MD5 Hashing (3.2) |

4.18.2. Response

| Field Name | Type | Required | Description |
|------------|--------------|----------|--|
| error_code | Integer | Yes | |
| message | String(1000) | Yes | |
| TransDate | Datetime | Yes | Transaction datetime |
| Type | String(10) | Yes | Deposit/ Withdraw/ Betting |
| BetType | String(10) | Yes | Refer BetType Table 10.1 |
| Stake | String(10) | Yes | Stake is 0 for Deposit/ Withdrawal |
| Winlost | String(10) | Yes | Winlost is 0 for Deposit/ Withdrawal |
| Odds | String(10) | Yes | Odds is 0 for Deposit/ Withdrawal |
| Status | String(10) | Yes | Completed for Deposit/ Withdrawal, Refer Ticket Status for Betting |
| Currency | Int | Yes | Refer Currency Table 10.2 |
| SportType | int | Yes | Refer SportType Table 10.4 |

4.18.3. Example

Request:


```
http://api.prod.ib.gsoft88.net/api/  
GetBalanceHistory?OpCode=local&PlayerName=testuser&Date=20170714&SecurityTok  
en=16E30621E9B79740A65459BCD5E925D013A3EABC3FE6D3427332CA2558C
```

Response:

```
{  
  "Data": [{  
    "TransDate": "2017-09-06T03:11:58.847",  
    "Type": "Withdraw",  
    "BetType": 22002,  
    "Stake": 830.0000,  
    "Winlost": 0.0000,  
    "Odds": 0.0000,  
    "Status": "Completed",  
    "Balance": 835.59,  
    "Currency": "15",  
    "SportType": 0  
  }, {  
    "TransDate": "2017-09-06T04:36:35.483",  
    "Type": "Deposit",  
    "BetType": 22001,  
    "Stake": 0.0000,  
    "Winlost": 45.0000,  
    "Odds": 0.0000,  
    "Status": "Completed",  
    "Balance": 5.59,  
    "Currency": "15",  
    "SportType": 0  
  }, {  
    "TransDate": "2017-09-06T04:36:35.483",  
    "Type": "Betting",  
    "BetType": 3,  
    "Stake": 1.0000,  
    "Winlost": 0.0000,  
    "Odds": 0.8700,  
    "Status": "LOSE",  
    "Balance": 5.59,  
    "Currency": "15",  
    "SportType": 1  
  }],  
  "error_code": 0,  
  "message": "Successfully executed"  
}
```

5. Online Help

The online help page URL is <http://api.prod.ib.gsoft88.net>, please login using **OpCode** and **PrivateKey** provided.

1. Access to the URL above.

| Online Help | | |
|--------------------------------|---|---|
| Action | URI | Description |
| Hello | /api/Hello | Say hello for testing our API |
| CreateMember | /api/CreateMember | Create a member in Sportbook |
| UpdateMember | /api/UpdateMember | Update the member profile in Sportbook |
| Login | /api/Login | Login method is to login to game or get the session token |
| Sportbook | /api/Sportbook | Sportbook method is to help process login using session token |
| KickUser | /api/KickUser | Kick the player out from Sportbook |
| CheckIsOnline | /api/CheckIsOnline | Check if the player is online now |
| CheckUserBalance | /api/CheckUserBalance | Check the player's account balance |
| FundTransfer | /api/FundTransfer | Use FundTransfer method to deposit or withdraw fund from player's account |
| CheckFundTransfer | /api/CheckFundTransfer | Check the fund transfer status |
| LockMember | /api/LockMember | Lock the player account |
| UnlockMember | /api/UnlockMember | Unlock the player account |
| GetSportBettingDetail | /api/GetSportBettingDetail | Get the sport betting detail |
| GetSportBettingMixParlayDetail | /api/GetSportBettingMixParlayDetail | Get the sport betting mix parlay detail |
| GetGameDetail | /api/GetGameDetail | Get the game detail |
| GetBetSettingLimit | /api/GetBetSettingLimit | Get the bet setting limit |
| GetMemberBetSetting | /api/GetMemberBetSetting | Get the player bet settings |
| PrepareMemberBetSetting | /api/PrepareMemberBetSetting | Prepare the player bet setting for a sport type. |
| ConfirmMemberBetSetting | /api/ConfirmMemberBetSetting | After prepare all the required bet setting for player. Use ConfirmMemberBetSetting method to confirm the settings |

2. Click the URI, for example Hello method </api/Hello>

| Action | URI | Description |
|--------------|---|-------------------------------|
| Hello | /api/Hello | Say hello for testing our API |
| CreateMember | /api/CreateMember | Create a member in Sportbook |

3. Type the operator code and click submit

[Back] Login method

Operator Code

local

Player Name

testuser

Redirect URL

Default

- Fill up the fields above
- Enter the **Private Key** field
- Click **Generate** button to generate the **Security Token** field

Private Key

Security Token

0745FD4EAF573BE2F988E5762E336181

Generate

Submit

4. The result and request URL as shown below:-

Result

```
{
  sessionToken: "c0606a5f-fe6f-4468-8c96-4310e2510a49",
  error_code: 0,
  message: "Successfully executed"
}
```

URL

```
http://api.mid.ib.gsoft88.net/api/Login?
SecurityToken=0745FD4EAF573BE2F988E5762E336181&OpCode=local&PlayerName=testuser
```

Sportbook Method URL Example

```
http://api.mid.ib.gsoft88.net/api/Sportbook?
SecurityToken=11BC3CCD16B82D59EF49A43820088017&SessionToken=c0606a5f-fe6f-4468-8c96-
```

Redirect

6. Registration Process

When user registers into your system, you will need to invoke **CreateMember** API. After the member created successfully, invoke **PrepareMemberBetSetting** and **ConfirmMemberBetSetting** API to configure the following sport types:-

| Sport Type | Sport | Status |
|------------|------------------------------|-----------|
| 1 | Soccer | Necessary |
| 2 | Basketball | Necessary |
| 3 | Football | Necessary |
| 5 | Tennis | Necessary |
| 8 | Baseball | Necessary |
| 10 | Golf | Necessary |
| 11 | Motorsports | Necessary |
| 99 | Other Sports | Necessary |
| 151 | Horse Racing (Not available) | Others |
| 161 | Number Game (Not available) | Others |
| 180 | Virtual Soccer | Others |


When sport_type = 161 (Number Game), must set value of **max_bet_per_ball** (Maximum bet per ball).

***Invoke GetBetSettingLimit to get the default value of min bet and max bet.**

7. Fund Transfer Process

When user needs to make fund transfer In or Out from Sportsbook, please use FundTransfer Method to process the request.

If Fund transfer response in Status code =2, please invoke CheckFundTransfer to check the transaction's final status. Otherwise duplicate transaction might occur.




- Scenarios of invoking **FundTransfer**:
 - If status code is OK (0), check error code.
 - If error code(0), transaction succeeds.
 - Otherwise fix and try again later.
 - If status code is Failed (1), this transaction request failed, please try again later.
 - If status code is Pending (2) , please use **CheckFundTransfer**.
 - If time out exception without response, please use **CheckFundTransfer**.
- Scenarios of invoking **CheckFundTransfer**:
 - If status code is OK (0), check error code.
 - If error code(0), transaction succeeds.
 - Otherwise fix and try again later.
 - If status code is Failed (1), please use **CheckFundTransfer**.

- If status code is Pending (2) , please use **CheckFundTransfer**.
- If time out exception without response, please use **CheckFundTransfer**.

8. Login Process

8.1. Login Method



When member registers into your system, you will need to invoke our **CreateMember** method.

| Elements | Network | Sources | Timeline | Profiles | Resources | Audits | Console |
|-----------------------|---------|---------|----------|----------|-----------|--------|---------|
| Frames | | | | | | | |
| Web SQL | | | | | | | |
| IndexedDB | | | | | | | |
| Local Storage | | | | | | | |
| Session Storage | | | | | | | |
| Cookies | | | | | | | |
| sbtest.ib.gsoft88.net | | | | | | | |
| Application Cache | | | | | | | |

| Name | Value | Domain |
|-----------------------------|--------------------------------------|-----------------------|
| ASP.NET_SessionId | vo2ni0vnbsh435nayuywmwojc | sbtest.ib.gsoft88.net |
| OddsType_GamingSoftUUS01020 | 4 | ib.gsoft88.net |
| g | 823fb17f-34e1-4e42-9003-156c78957654 | ib.gsoft88.net |

When members login, you will need to store the session token into cookie and **name the variable [g]** before accessing Sportsbook. The session token can be obtain from **Login** method.

Please ensure your cookies is set in the domain `.{your-domain}`. Eg. if your website domain is www.ab123sports.com. Please set to the cookies for domain `'abc123sports.com'` and not `'www.abc123sports.com'` nor `'abc123sports.com'`.

Ensure the cname is point to `mkt.ib.gsoft88.net` at your side.

```
Non-authoritative answer:
Name:   gamingsoftmkt.edge2cast.net
Address: 103.42.112.129
Aliases: mkt.ib.gsoft88.com
         mkt.ib.gsoft88.net
```

To access Sportsbook without login, please use URL to iframe as below:

<http://mkt.ib.{your-domain}/vender.aspx?lang=en>

To access Sportsbook, please use following URL to iframe as below:

http://mkt.ib.{your-domain}/Deposit_ProcessLogin.aspx?lang=en

To access Sportsbook with HTTPS (`gsoft-ib.com`) without login, please use URL to iframe as below:

<http://mkt.gsoft-ib.com/vender.aspx?lang=en>

To access Sportsbook with HTTPS (`gsoft-ib.com`) use below our primary domain.

https://mkt.gsoft-ib.com/Deposit_ProcessLogin.aspx?lang=en&g=sessiontoken

8.2. Change OddType

OType is parameter to overwrite odds type CreateMember API.

Eg. http://mkt.ib.{your-domain}/Deposit_ProcessLogin.aspx?lang=en&OType=1

| OType | |
|-------|----------------|
| 1 | Decimal Odds |
| 2 | Hong Kong Odds |
| 3 | Indo Odds |
| 4 | Malay Odds |
| 5 | American Odds |

8.3. Change Language

The lang parameter is to change the language when launch game. For example:

http://mkt.ib.{your-domain}/Deposit_ProcessLogin.aspx?lang=cs

The URL above is to change language to Simple Chinese language when launch the game.

Please refer to Appendix. Language Table for language code support.

8.4. Launch Game Action


8.4.1. For launching Casino Games

http://mkt.ib.{your-domain}/Deposit_ProcessLogin.aspx?lang=en&act=casino

8.5. Launch Mobile Web


Does not require cookies. Please see the parameters below.

For Sportsbook:



http://ismart.ib.gsoft88.net/Deposit_ProcessLogin.aspx?lang=en&st=f96b6c7f-e737-456f-9f01-bbd504525578

For Casino:



http://ismart.ib.gsoft88.net/deposit_ProcessLogin.aspx?lang=en&types=CL&st=dc503fee-515a-4dc4-acd2-6a1053d3a581

st is session token not same for Sportsbook and Casino.

Types=CL is Casino, otherwise is Sportsbook if not supplied

For non HTTPS:

You can add own cname for ismart.ib.[your-domain] and points to ismart.ib.gsoft88.net

For HTTPS: You use generic HTTPS (gsoft-ib.com):

https://ismart.gsoft-ib.com/deposit_ProcessLogin.aspx?lang=en&types=CL&st=dc503fee-515a-4dc4-acd2-6a1053d3a581

9. Backend Office


The backend office URL is <http://bo.ibsports.gsoft88.net/default.aspx>

Time zone used in the report is GMT-4.

9.1. Bet Details Page

This page contains the betting details.

Step 1: Login with an agent username and password.



VM Soft. - Oneworks Agent Site

Log in.

Use a local account to log in.

User name


Password

☐ Remember me?

[Register](#) if you don't have an account.

© 2015 - VM Soft. - Oneworks Agent Site.

Step 2: Choose the date range to view betting details.



VM Soft. - Oneworks Agent Site

Hello, [local_agent1](#) | [Log off](#)

[View Bets](#) [View Logs](#) [Check Transaction](#)

Betting Details

From: 2015-05-07 To: 2015-05-08

© 2015 - VM Soft. - Oneworks Agent Site.

Step 3: View see the betting detail from the date specified.

Betting Details

From: 2015-05-01

To: 2015-05-08

Go

Show 10 entries

Search:

| Username | Date | Event | Detail | Stake | Win/Lose |
|----------|---|--|---|----------|----------|
| testuser | REF#7253826970 Transaction Date 2015-05-05 07:18 Win Lost Date 2015-05-05 07:18 | AFC CHAMPIONS LEAGUE - SPECIFIC 15 MINS Soccer Kashima Antlers 15:01-30:00 vs FC Seoul 15:01-30:00 2015-05-05 | Over/Under Bet: Bet under 0.5@0.22 0 : 0 Status: WON | \$30.00 | \$6.60 |
| testuser | REF#7253810375 Transaction Date 2015-05-05 07:12 Win Lost Date 2015-05-05 07:12 | AFC CHAMPIONS LEAGUE Soccer Guangzhou Evergrande Taobao vs Western Sydney Wanderers FC 2015-05-05 | Handicap Bet: Bet away team won 0.25@-0.87 0 : 0 Status: WON | \$100.00 | \$100.00 |
| testuser | REF#7253826098 Transaction Date 2015-05-05 07:18 Win Lost Date 2015-05-05 07:18 | AFC CHAMPIONS LEAGUE Soccer Guangzhou Evergrande Taobao vs Western Sydney Wanderers FC 2015-05-05 | Over/Under Bet: Bet Over 2@-0.91 0 : 0 Status: DRAW | \$30.00 | \$0.00 |

Step 4: For Mix Parlay, you can click on the parlay reference number link.

| | | | | | | |
|----------|---|---|---|----------|-----------|--|
| testuser | REF#7256392727 Transaction Date 2015-05-05 22:36 Win Lost Date 2015-05-05 22:36 | PERU TORNEO DESCENTRALIZADO Soccer Guangzhou Evergrande Taobao vs Western Sydney Wanderers FC 2015-05-05 | Over/Under Bet: Bet Over 2@-0.91 0 : 0 Status: DRAW | \$100.00 | \$71.00 | |
| testuser | REF#7256517140 Transaction Date 2015-05-05 23:46 Win Lost Date 2015-05-05 23:46 | Parlay Ref# 100619387749 2015-05-05 | Mix Parlay Bet: Place bet on away team 0@5.89 Status: Running | \$30.00 | -\$30.00 | |
| testuser | REF#7256520316 Transaction Date 2015-05-05 23:48 Win Lost Date 2015-05-05 23:48 | JAPAN MEIJI YASUDA J1 LEAGUE Soccer Matsumoto Yamaga FC vs Ventforet Kofu 2015-05-06 | Correct Score Bet: 5:0 5@110 Status: LOSE | \$30.00 | -\$30.00 | |
| testuser | REF#7260911010 Transaction Date 2015-05-07 03:12 Win Lost Date 2015-05-07 03:12 | Motor Sport - F1 - Constructors Championship 2015 (Winner) Motorsports 2015-05-08 | Outright Bet: 14535 0@1.02 Status: Running | \$100.00 | -\$100.00 | |

Step 5: A detail pop up screen showing the Parlay Detail.

| Player Bet Details Parlay | | | | | |
|--|---|--|--|----------|----------|
| <div> <div>Show 10 entries</div> <div>Search:</div> </div> | | | | | |
| Username | Date | Event | Detail | Stake | Win/Lose |
| testuser | Parlay REF#100619387749 Win Lost Date | TESTING (Betting Prohibited Areal) - Betradar Test - SOCCER - ExtraTime Soccer Test B vs Test E 2015-05-05 | Handicap Bet: Bet home team won -0.25@1.89 0 : 0 | \$0.00 | \$0.00 |
| testuser | Parlay REF#100619387749 Win Lost Date | TESTING (Betting Prohibited Areal) - Betradar Test - SOCCER Soccer Test B vs Test E 2015-05-05 | Handicap Bet: Bet away team won 0.25@1.96 0 : 0 | \$0.00 | \$0.00 |
| testuser | Parlay REF#100619387749 Win Lost Date 2015-05-05 00:00 | *NBA BASKETBALL (Play Off) Basketball Golden State Warriors vs Memphis Grizzlies 2015-05-05 | Over/Under Bet: Bet Under 190.5@1.59 0 : 0 | \$0.00 | \$0.00 |
| Total: | | | | \$0.00 | \$0.00 |
| Grand Total: | | | | \$0.00 | \$0.00 |
| Showing 1 to 3 of 3 entries | | | | | |
| | | | | Previous | 1 Next |

9.2. Logs Page

This page contains the logging details of all request and response to the API methods.

Step 1: Select the date of the log to view. (Detail of logs will be displayed)

| Agent Log | | | |
|--|--------|----------------|--|
| <div> <div>Date: 2015-05-07</div> <div>Go</div> </div> | | | |
| <div> <div>Show 10 entries</div> <div>Search:</div> </div> | | | |
| LogID | OpCode | IP Address | Request URL |
| 16333 | local | ::1 | http://localhost/api/GetSportBettingMixParlayDetail?OpCode=local&RefNo=100619387749&SecurityToken=4FCC39E2A20F7E4E4 |
| 16215 | local | ::1 | http://localhost/api/GetSportBettingDetail?OpCode=local&StartTime=2015-05-01&EndTime=2015-05-08&SecurityToken=3F0636EE44932BF35AD07070CB81681DD |
| 16033 | local | ::1 | http://localhost/api/Login?OpCode=local&PlayerName=testuser&SecurityToken=0745fd4eaf573be2f988e5762e336181 |
| 16032 | local | ::1 | http://localhost/api/Login?OpCode=local&PlayerName=testuser&SecurityToken=0745fd4eaf573be2f988e5762e336181 |
| 15711 | local | ::1 | http://localhost:49811/api/CreateMember?OpCode=local&PlayerName=phptest01&OddsType=1&cy=20&maxtransfer=10000&mintransfer=1&securitytoken=FE7D8AE4952 |
| 15710 | local | ::1 | http://localhost:49811/api/CreateMember?OpCode=local&PlayerName=phptest01&OddsType=1&cy=20&maxtransfer=10000&mintransfer=1&securitytoken=FE7D8AE4952 |
| 15672 | local | 175.139.128.66 | http://api.mid.ib.usoft88.net/api/GetSportBettingDetail?OpCode=local&StartTime=2015-05-07&EndTime=2015-05- |

9.3. Check Transaction Page

This page contains the transaction page.

Step 1: Select the operator and transaction ID. (Detail of Transaction will be displayed)

9.4. Change Password

Change password by click the username's link on the left top of the page.

Step 1: Enter the current password, new and confirm password to update new password.

10. Appendix

10.1. BetType Table

| BetType | Description |
|---------|---|
| 1 | Handicap |
| 2 | Odd/Even |
| 3 | Over/Under |
| 4 | Correct Score (Soccer) |
| 5 | FT.1X2 |
| 6 | Total Goal (Soccer) |
| 7 | 1st Handicap |
| 8 | 1st Over/Under |
| 10 | Outright |
| 11 | Total Corners (Soccer) |
| 12 | 1st Odds/Even |
| 13 | Clean Sheet (Soccer) |
| 14 | First Goal/Last Goal (Soccer) |
| 15 | 1st 1X2 |
| 16 | HT/FT (Soccer) |
| 17 | 2nd HDP (Soccer) |
| 18 | 2nd Over/Under (Soccer) |
| 19 | Substitutes |
| 20 | Money Line |
| 21 | 1st Money Line |
| 22 | Next Goal (Soccer) |
| 23 | Next Corner 24 Double chance (Soccer) |
| 25 | Draw No Bet (Soccer) 26 Both/One/Neither team to score (Soccer) |
| 27 | To win to nil (Soccer) 28 3-way handicap (Soccer) |
| 29 | Combo Parlay (Other Sports) |
| 30 | 1st Correct Score (Soccer) |
| 31 | Win (Horse Racing) |
| 32 | Place (Horse Racing) |
| 33 | Win/Place (Horse Racing) |
| 41 | Win. UK Tote (Horse Racing) |
| 42 | Place. UK Tote (Horse Racing) |
| 43 | Win/Place. UK Tote (Horse Racing) |
| 71 | Casino Games (Casino) |
| 81 | 1st ball O/U (Number Game) |

| | |
|----------------|--|
| 82 | Last ball O/U (Number Game) |
| 83 | 1st ball O/E (Number Game) |
| 84 | Last ball O/E (Number Game) |
| 85 | Over/Under (Number Game) |
| 86 | Odd/Even (Number Game) |
| 87 | Next High/Low (Number Game) |
| 88 | Warrior (Number Game) |
| 89 | Next Combo (Number Game) |
| 90 | Number wheel (Number Game) |
| 121 | Home No Bet (Soccer) |
| 122 | Away No Bet (Soccer) |
| 123 | Draw / No Draw (Soccer) |
| 124 | FT.1X2 HDP (Soccer) |
| 125 | 1st 1X2 HDP (Soccer) |
| 126 | 1H Total Goal (Soccer) |
| 127 | 1H First Goal/Last Goal (Soccer) |
| 128 | HT/FT Odd/Even (Soccer) |
| 133/438 | Home To Win Both Halves (Soccer) |
| 134/439 | Away To Win Both Halves (Soccer) |
| 135 | Penalty Shootout (Soccer) |
| 140/442 | Highest Scoring Half (Soccer) |
| 141/443 | Highest Scoring Half Home Team (Soccer) |
| 142/444 | Highest Scoring Half Away Team (Soccer) |
| 145 | Both Teams To Score (Soccer) |
| 146/433 | 2nd Half Both Teams To Score (Soccer) |
| 147/436 | Home To Score In Both Halves (Soccer) |
| 148/437 | Away To Score In Both Halves (Soccer) |
| 149/440 | Home To Win Either Half (Soccer) |
| 150/441 | Away To Win Either Half (Soccer) |
| 151/410 | 1st Half Double Chance (Soccer) |
| 152/416 | Half Time/Full Time Correct Score (Soccer) |
| 1101 | Premium Baccarat (Live Casino) |
| 1103 | Live Baccarat (Live Casino) |
| 1104 | Live Roulette (Live Casino) |
| 1201 | Handicap (Virtual Soccer) |
| 1203 | Over/Under 2.5 Goals (Virtual Soccer) |
| 1204 | Correct Score (Virtual Soccer) |
| 1205 | 1X2 (Virtual Soccer) |
| 1206 | Total Goal (Virtual Soccer) |

| | |
|----------------|---------------------------------------|
| 1220 | Player Win (Virtual Tennis) |
| 1224 | Double chance (Virtual Soccer) |
| 1231 | Win (Virtual Sport) |
| 1232 | Place (Virtual Sport) |
| 1233 | Win/Place (Virtual Sport) |
| 1235 | Score Bet (Virtual Tennis) |
| 1236 | Total Points (Virtual Tennis) |
| 1237 | Forecast (Virtual Motorsports) |
| 1238 | Tricast (Virtual Motorsports) |
| 153 | Game Handicap (Tennis) |
| 154 | Set x Winner (Tennis) |
| 155 | Set x Game Handicap (Tennis) |
| 156 | Set x Total Game O/U (Tennis) |
| 1301 | Match Winner (Tennis) |
| 1302 | Match Correct Score (Tennis) |
| 1303 | Set Handicap (Tennis) |
| 1305 | Match Total Games Odd/Even (Tennis) |
| 1306 | Match Total Games Over/under (Tennis) |
| 1308 | Match Games Handicap (Tennis) |
| 1311 | Set x Winner (Tennis) |
| 1312 | Set x Total Games (Tennis) |
| 1316 | Set x Game Handicap (Tennis) |
| 1317 | Set x Correct Score (Tennis) |
| 1318 | Set x Total Game Odd/Even (Tennis) |
| 1324 | Set x Game y Winner (Tennis) |
| 157 | Odd/Even (Soccer) |
| 159/406 | Exact Total Goals (Soccer) |
| 160 | Next Goal (Soccer) |
| 161/407 | Exact Home Team Goals (Soccer) |
| 162/409 | Exact Away Team Goals (Soccer) |
| 163/144 | Result/Total Goals (Soccer) |
| 164 | Extra Time Next Goal (Soccer) |
| 165 | Extra Time 1H Correct Score (Soccer) |
| 166 | Extra Time Correct Score (Soccer) |
| 167 | Extra Time 1H 1X2 (Soccer) |
| 168 | Who advances to next round (Soccer) |
| 169 | Next Goal Time (Soccer) |
| 170 | Teams To Score (Soccer) |
| 171/408 | Winning Margin (Soccer) |

| | |
|----------------|---|
| 172/415 | Result And First Team To Score (Soccer) |
| 173 | Extra Time Yes/No (Soccer) |
| 174 | Extra Time and Goal (Soccer) |
| 175 | Match Decided Method (Soccer) |
| 176 | First Ten Minutes 1X2 (Soccer) |
| 177/430 | 2H 1x2 (Soccer) |
| 178 | 2H Over/Under (Soccer) |
| 179 | Exact 1H Goals (Soccer) |
| 180 | 1H Next Goal (Soccer) |
| 181 | 1H Exact Home Team Goals (Soccer) |
| 182 | 1H Exact Away Team Goals (Soccer) |
| 184/428 | 2nH Odd/Even (Soccer) |
| 185/432 | 2H Draw No Bet (Soccer) |
| 186/431 | 2H Double Chance (Soccer) |
| 187 | Exact 2H Goals (Soccer) |
| 188/427 | 1H Both Teams To Score (Soccer) |
| 189/434 | Both Halves Over 1.5 Yes/No (Soccer) |
| 190/435 | Both Halves Under 1.5 Yes/No (Soccer) |
| 191/411 | 1H Draw No Bet (Soccer) |
| 192 | First Goal Time(10 min) (Soccer) |
| 193 | First Goal Time(15 min) (Soccer) |
| 194 | Corners Odd/Even (Soccer) |
| 195 | Home Team Exact Corners (Soccer) |
| 196 | Away Team Exact Corners (Soccer) |
| 197 | Home Team Total Corners Over/Under (Soccer) |
| 198 | Away Team Total Corners Over/Under (Soccer) |
| 199 | Total Corners (Soccer) |
| 200 | 1H Home Team Exact Corners (Soccer) |
| 201 | 1H Away Team Exact Corners (Soccer) |
| 202 | 1H Total Corners (Soccer) |
| 203 | 1H Corners Odd/Even (Soccer) |
| 204 | 1H Home Corner Over/Under (Soccer) |
| 205 | 1H Away Corner Over/Under (Soccer) |
| 206 | First Corner (Soccer) |
| 207 | 1H First Corner (Soccer) |
| 208 | Last Corner (Soccer) |
| 209 | 1H Last Corner (Soccer) |
| 210 | Player Sent Off (Soccer) |
| 211 | 1H Player Sent off (Soccer) |

| | |
|-------------|--|
| 212 | Home Team Player Sent Off (Soccer) |
| 213 | 1H Home Team Player Sent Off (Soccer) |
| 214 | Away Team Player Sent Off (Soccer) |
| 215 | 1H Away Team Player Sent Off (Soccer) |
| 221 | Next 1 minutes (Soccer) |
| 222 | Next 5 minute (Soccer) |
| 223 | What will happen first in next 1 minute (Soccer) |
| 224 | What will happen first in next 5 minute (Soccer) |
| 225 | Next 1 minute set piece (Soccer) |
| 2101 | Baccarat (RNG RNG Game) |
| 2102 | Battle War (RNG RNG Game) |
| 2103 | Blackjack (RNG RNG Game) |
| 2104 | Poker Tri (RNG RNG Game) |
| 2105 | Casino Holdem (RNG RNG Game) |
| 2106 | Pai Gow Poker (RNG RNG Game) |
| 2107 | Mini Roulette (RNG RNG Game) |
| 2108 | Roulette Pro (RNG RNG Game) |
| 2109 | Sic Bo (RNG RNG Game) |
| 2110 | Jacks or Better (RNG RNG Game) |
| 2111 | Roulette Pro (Fast) (RNG RNG Game) |
| 2112 | Blackjack Perfect Pair (RNG RNG Game) |
| 2113 | Baccarat Super 6 (RNG RNG Game) |
| 2114 | Fish Prawn Crab (RNG RNG Game) |
| 2115 | Dragon Tiger (RNG RNG Game) |
| 2116 | Three Knights (RNG RNG Game) |
| 2117 | Money Wheel (RNG RNG Game) |
| 2118 | Fan Tan (RNG RNG Game) |
| 2119 | Card Wheel (RNG RNG Game) |
| 2120 | Texas Holdem (RNG RNG Game) |
| 2121 | Face Up 21 (RNG RNG Game) |
| 2122 | Three Cards Rummy (RNG RNG Game) |
| 2123 | Red Dog (RNG RNG Game) |
| 2124 | Multi Wheel Roulette (RNG RNG Game) |
| 2125 | Monkey HiLo (RNG RNG Game) |
| 2126 | Mahjong HiLo (RNG RNG Game) |
| 2127 | Keno Camera (RNG RNG Game) |
| 2128 | Keno Chinese (RNG RNG Game) |
| 2129 | Turf King (RNG RNG Game) |
| 2130 | SpaKz (RNG RNG Game) |

| | |
|-------------|--|
| 2131 | Maya Push (RNG RNG Game) |
| 2132 | Gong Xi Fa Chai (RNG RNG Game) |
| 2133 | Love Story (RNG RNG Game) |
| 2134 | Penalty Hat-Trick (RNG RNG Game) |
| 2135 | Fruit Scratch (RNG RNG Game) |
| 2136 | Ho Ho Ho (RNG RNG Game) |
| 2137 | Knock2 Eggs (RNG RNG Game) |
| 2138 | Poke Mole (RNG RNG Game) |
| 2139 | Fancy Scratch (RNG RNG Game) |
| 2140 | Flames of Olympics (RNG RNG Game) |
| 2141 | Sushi Bar (RNG RNG Game) |
| 2142 | Baseball Battle (RNG RNG Game) |
| 2143 | 10's or Better (RNG RNG Game) |
| 2144 | 4-Line Jacks or Better (RNG RNG Game) |
| 2145 | 25-Line Jacks or Better (RNG RNG Game) |
| 2146 | 50-Line Jacks or Better (RNG RNG Game) |
| 2147 | Jungle Wild (RNG RNG Game) |
| 2148 | Engagement (RNG RNG Game) |
| 2149 | God of Prosperity (RNG RNG Game) |
| 2150 | Money Slot (RNG RNG Game) |
| 2151 | Fox Force 5 (RNG RNG Game) |
| 2152 | Journey to the West (RNG RNG Game) |
| 2153 | Winter Slot (RNG RNG Game) |
| 2154 | Western Zodiac (RNG RNG Game) |
| 2155 | Chinese Zodiac (RNG RNG Game) |
| 2156 | Water Margin (RNG RNG Game) |
| 2157 | Champions (RNG RNG Game) |
| 2158 | Crazy Hospital (RNG RNG Game) |
| 2159 | Mahjong Legend (RNG RNG Game) |
| 2160 | Halloween (RNG RNG Game) |
| 2161 | Happy Vampire (RNG RNG Game) |
| 2162 | Football Fans (RNG RNG Game) |
| 2163 | Oriental Beauty (RNG RNG Game) |
| 2164 | Ninja Hero (RNG RNG Game) |
| 2165 | Tales of Brothel (RNG RNG Game) |
| 2166 | Fortune Gods (RNG RNG Game) |
| 2167 | Magician (RNG RNG Game) |
| 2168 | GOP(both way) (RNG RNG Game) |
| 2169 | Iron Fist (RNG RNG Game) |

| | |
|-------------|---|
| 2170 | Jungle Wild(Both Way) (RNG RNG Game) |
| 2171 | Dragon Slot (RNG RNG Game) |
| 2172 | Cowboy Fever (RNG RNG Game) |
| 2173 | Dino Camp (RNG RNG Game) |
| 2174 | Tattoo Art (RNG RNG Game) |
| 2175 | Mamak Corner (RNG RNG Game) |
| 2176 | Sea Orchestra (RNG RNG Game) |
| 2177 | Cash Out (RNG RNG Game) |
| 2201 | Baccarat (RNG Mini Game) |
| 2202 | Casino Holdem (RNG Mini Game) |
| 2203 | BlackJack (RNG Mini Game) |
| 2204 | Jacks or Better (RNG Mini Game) |
| 2205 | Sic Bo (RNG Mini Game) |
| 2206 | Money Slot (RNG Mini Game) |
| 2301 | Baccarat (RNG Mobile) |
| 2302 | Casino Holdem (RNG Mobile) |
| 2303 | Blackjack (RNG Mobile) |
| 2304 | Jungle Wild (RNG Mobile) |
| 2305 | God of Prosperity (RNG Mobile) |
| 2306 | Sic Bo (RNG Mobile) |
| 2307 | Oriental Beauty (RNG Mobile) |
| 2308 | Magician (RNG Mobile) |
| 2309 | Tales of Brothel (RNG Mobile) |
| 2310 | Mini Roulette (RNG Mobile) |
| 2311 | Baccarat Super 6 (RNG Mobile) |
| 2312 | Blackjack Perfect Pair (RNG Mobile) |
| 2314 | Face Up 21 (RNG Mobile) |
| 501 | Match Winner (Cricket) |
| 401 | Home Team OU |
| 402 | Away Team OU |
| 403 | 1H Home Team OU |
| 404 | 1H Away Team OU |
| 405 | 2nd Half Correct Score (Soccer) |
| 412 | Exact 1st Goal (Soccer) |
| 413 | FT Correct Score (Soccer) |
| 414 | 1H Correct Score (Soccer) |
| 417 | Both Teams To Score/Result (Soccer) |
| 418 | Both Teams To Score/Total Goal (Soccer) |
| 419 | Which Half First Goal (Soccer) |

| | |
|-------------|---|
| 420 | Home Team Which Half First Goal (Soccer) |
| 421 | Away Team Which Half First Goal (Soccer) |
| 422 | First Team 2 Goals (Soccer) |
| 423 | First Team 3 Goals (Soccer) |
| 424 | First Goal Method (Soccer) |
| 425 | To Win From Behind (Soccer) |
| 426 | 1H Winning Margin (Soccer) |
| 429 | Exact 2nd Half Goals (Soccer) |
| 445 | Both Team To Score in 1H/2H (Soccer) |
| 446 | Home 1H To Score/2H To Score (Soccer) |
| 447 | Away 1H To Score/2H To Score (Soccer) |
| 601 | FT Winning Margin 14 Way (Basketball) |
| 602 | FT Winning Margin 12 Way (Basketball) |
| 603 | FT Which team to score the highest quarter (Basketball) |
| 604 | FT Which team to score the first basket (Basketball) |
| 605 | FT Which team to score the last basket (Basketball) |
| 606 | 1H Race to X (Basketball) |
| 607 | 2H Race to X (Basketball) |
| 608 | 1H Winning Margin 12 Way (Basketball) |
| 609 | Quarter X Handicap (Basketball) |
| 610 | Quarter X Over Under (Basketball) |
| 611 | Quarter X Odd Even (Basketball) |
| 612 | Quarter X Moneyline (Basketball) |
| 613 | Quarter X Race To Y Points (Basketball) |
| 614 | Quarter X Winning Margin 7 Way (Basketball) |
| 615 | Quarter X Home Team Over Under (Basketball) |
| 616 | Quarter X Away Team Over Under (Basketball) |
| 617 | Quarter X Which team to score the last basket (Basketball) |
| 2701 | FT 1X2 FT 1X2 (Virtual Soccer League, Virtual Soccer Nation) |
| 2702 | 1H 1X2 (Virtual Soccer League, Virtual Soccer Nation) |
| 2703 | FT Over/ Under (Virtual Soccer League, Virtual Soccer Nation) |
| 2704 | 1H Over/ Under (Virtual Soccer League, Virtual Soccer Nation) |
| 2705 | FT Handicap (Virtual Soccer League, Virtual Soccer Nation) |
| 2706 | 1H Handicap (Virtual Soccer League, Virtual Soccer Nation) |
| 2707 | Correct Score (Virtual Soccer League, Virtual Soccer Nation) |
| 2799 | Mix Parlay (Virtual Soccer League, Virtual Soccer Nation) |

10.2. Currency Table

| Currency ID | ISO Code | ISO Name |
|-------------|----------|-------------------|
| 1 | SGD | Singapore Dollar |
| 2 | MYR | Malaysian Ringgit |
| 3 | USD | US Dollar |
| 4 | THB | Thai Baht |
| 5 | HKD | Hong Kong Dollar |
| 6 | EUR | Euro |
| 9 | AUD | Australian Dollar |
| 12 | GBP | British Pound |
| 13 | RMB | Chinese Renminbi |
| 15 | IDR | Indonesia Rupiah |
| 32 | JAP | Japan Yen |
| 41 | CHF | Swiss Franc |
| 45 | WON | Korean Won |
| 46 | BND | Brunei Dollar |
| 49 | MXN | Mexican Peso |
| 50 | CAN | Canadian Dollar |
| 51 | VND | Vietnamese Dong |
| 52 | DKK | Danish Krone |
| 53 | SEK | Swedish Krona |
| 54 | NOK | Norwegian Krone |
| 55 | RUB | Russian Ruble |
| 56 | PLN | Polish Zloty |
| 57 | CZK | Czech Koruny |
| 58 | RON | Romanian Leu |
| 61 | INR | Indian Rupee |
| 70 | MMK | Myanmar Kyat |

10.3. Language Table

| Language ID | Language |
|-------------|------------------------|
| en | English |
| cs | Simple Chinese |
| ch | Traditional Chinese |
| ko | Korean |
| jp | Japanese |
| th | Thai |
| vn | Vietnamese |
| es | Spanish |
| mx | Mexican |
| de | Deutsch |
| el | Greek |
| es | Spanish |
| id | Indonesian |
| it | Italian |
| pl | Polish |
| ru | Russian |
| hu | Hungarian |
| ro | Romanian |
| zhcn | New Chinese Simplified |

10.4. SportType Table

| Sport Type | Sport |
|------------|---------------|
| 1 | Soccer |
| 2 | Basketball |
| 3 | Football |
| 4 | Ice Hockey |
| 5 | Tennis |
| 6 | Volleyball |
| 7 | Billiards |
| 8 | Baseball |
| 9 | Badminton |
| 10 | Golf |
| 11 | Motorsports |
| 12 | Swimming |
| 13 | Politics |
| 14 | Water Polo |
| 15 | Diving |
| 16 | Boxing |
| 17 | Archery |
| 18 | Table Tennis |
| 19 | Weightlifting |
| 20 | Canoeing |
| 21 | Gymnastics |
| 22 | Athletics |
| 23 | Equestrian |
| 24 | Handball |
| 25 | Darts |
| 26 | Rugby |
| 27 | Cricket |
| 28 | Field Hockey |
| 29 | Winter Sport |
| 30 | Squash |
| 31 | Entertainment |
| 32 | Net Ball |

| | |
|----------------------------|-------------------------|
| 33 | Cycling |
| 34 | Fencing |
| 35 | Judo |
| 36 | M. Pentathlon |
| 37 | Rowing |
| 38 | Sailing |
| 39 | Shooting |
| 40 | Taekwondo |
| 41 | Triathlon |
| 42 | Wrestling |
| 43 | E Sports |
| 44 | Muay Thai |
| 50 | Cricket |
| 99 | Other Sports |
| 99MP | Mix Parlay |
| 151 | Horse Racing |
| 152 | Greyhounds |
| 153 | Harness |
| 154 | Horse Racing Fixed Odds |
| 161 | Number Game |
| 180 / 190/ 191 /192 | Virtual Soccer |
| 181 | Virtual Horse Racing |
| 182 | Virtual Greyhound |
| 183 | Virtual Speedway |
| 184 | Virtual F1 |
| 185 | Virtual Cycling |
| 186 / 196 | Virtual Tennis |
| 193 | Virtual BasketBall |
| 199 | Virtual Mix Parlay |
| 202 | Keno |
| 251 | Casino |
| 208 | RNG Game |
| 209 | Mini Game |
| 210 | Mobile |

10.5. Bet From Table

| ID | Define |
|----|-------------|
| d | Web site |
| w | WAP site |
| l | Smart site |
| m | WAP site |
| u | Europe site |
| a | China site |

10.6. Odds Type Table (Not the same for OType)

| ID | Define |
|----|----------------|
| 1 | Malay Odds |
| 2 | Hong Kong Odds |
| 3 | Decimal Odds |
| 4 | Indo Odds |
| 5 | American Odds |

10.7. Ticket Status Table

| Status |
|-----------|
| Waiting |
| Running |
| Won |
| Lose |
| Draw |
| Reject |
| Refund |
| Void |
| Half Won |
| Half Lose |

10.8. BetType Information

| ID | Bet Types | Key |
|-------|----------------------------|--|
| 1 | Handicap | h : for home team a : for away team |
| 2 | Odd/Even | h : bet Odd a : bet Even |
| 3 | Over/Under | h : for Over a : for Under |
| 4/413 | Correct Score | 00 : for 0-0 01 : for 0-1 02 : for 0-2 03 : for 0-3 04 : for 0-4 10 : for 1-0 11 : for 1-1 12 : for 1-2 13 : for 1-3 14 : for 1-4 20 : for 2-0 21 : for 2-1 22 : for 2-2 23 : for 2-3 24 : for 2-4 30 : for 3-0 31 : for 3-1 32 : for 3-2 33 : for 3-3 34 : for 3-4 40 : for 4-0 41 : for 4-1 42 : for 4-2 43 : for 4-3 44 : for 4-4 50 : for 5-0 UP 05 : for 0-5 UP |
| 5 | FT.1X2 | 1 : for home x : for even 2 : for away |
| 6 | Total Goal | 3-6 : for 0-1 2-3 : for 2-3 4-6 : for 4-6 7-over : for 7-over |
| 7 | 1 st Handicap | h : for home team a : for away team |
| 8 | 1 st Over/Under | h : for Over a : for Under |
| 10 | Outright | For example, "bet_team": "10267" (the ID of the team / participant from the team table) |

| | | |
|----|--|---|
| 11 | Total Corners currently unavailable | Currently unavailable |
| 12 | 1 st Odds/Even | h : for Odd a : for Even |
| 13 | Clean Sheet | HY : for Home Yes HN : for Home No AY : for Away Yes AN : for Away No |
| 14 | First Goal/Last Goal | 11 : for Home First Goal 12 : for Home Last Goal 21 : for Away First Goal 22 : for Away Last Goal 00 : for No Goals |
| 15 | 1 st 1X2 | 1 : for home x : for even 2 : for away |
| 16 | HT/FT | 00 : for DD 01 : for DH 02 : for DA 10 : for HD 11 : for HH 12 : for HA 20 : for AD 21 : for AH 22 : for AA |
| 17 | 2 nd HDP | h : for home team a : for away team |
| 18 | 2 nd Over/Under | h : for Over a : for Under |
| 19 | Substitutes | Currently unavailable |
| 20 | Money Line | h : for home team win a : for away team win |
| 21 | 1 st Money Line | h : for home team win a : for away team win |
| 22 | Next Goal | h : for home team a : for away team |
| 23 | Next Corner | Currently unavailable |
| 24 | Double Chance | 1x : for Home or Draw 12 : for Home or Away 2x : for Away or Draw |
| 25 | Draw No Bet | h : for home team a : for away team |
| 26 | Both/One/Neither team to score | 1 : for One x : for No Goal 2 : for Both |
| 27 | To win to nil | h : for home team |

| | | |
|--------|--|--|
| | | a: for away team |
| 28 | 3-way handicap | 1 : for Home x : for Draw 2 : for Away |
| 29 | Combo Parlay | Parly detail please refence [Parlay_info] |
| 30/414 | 1 st Correct Score | 00 : for 0-0 01 : for 0-1 02 : for 0-2 03 : for 0-3 10 : for 1-0 11 : for 1-1 12 : for 1-2 13 : for 1-3 20 : for 2-0 21 : for 2-1 22 : for 2-2 23 : for 2-3 30 : for 3-0 31 : for 3-1 32 : for 3-2 33 : for 3-3 40 : for 4-0 UP 04 : for 0-4 UP |
| 31 | Win (Horse Racing) | For example, "bet_team": "15201" (The ID of the team / participant from the team table) |
| 32 | Place (Horse Racing) | For example, "bet_team": "15201" (The ID of the team / participant from the team table) |
| 33 | Win/Place (Horse Racing) | For example, "bet_team": "15201" (The ID of the team / participant from the team table) |
| 41 | Win. UK Tote (Horse Racing) | For example, "bet_team": "15201" (The ID of the team / participant from the team table) |
| 42 | Place. UK Tote (Horse Racing) | For example, "bet_team": "15201" (The ID of the team / participant from the team table) |
| 43 | Win/Place. UK Tote (Horse Racing) | For example, "bet_team": "15201" (The ID of the team / participant from the team table) |
| 81 | 1 st ball O/U (Number Game) | Over -> Bet_team: h Under -> Bet_team: a |
| 82 | Last ball O/U (Number Game) | Over -> Bet_team: h Under -> Bet_team: a |
| 83 | 1 st ball O/E (Number Game) | Odd -> Bet_team: h Even -> Bet_team: a |
| 84 | Last ball O/E (Number Game) | Odd -> Bet_team: h Even -> Bet_team: a |
| 85 | Over/Under (Number Game) | Over -> Bet_team: h Under -> Bet_team: a |

| | | |
|-----|-----------------------------|---|
| 86 | Odd/Even (Number Game) | Odd -> Bet_team: h Even -> Bet_team: a |
| 87 | Next High/Low (Number Game) | Next High-> Bet team: h Next Low -> Bet_team: a |
| 88 | Warrior (Number Game) | 2 nd -> Bet_team: h 3 rd -> Bet_team: a |
| 89 | Next Combo (Number Game) | Over : 1 – Odd : 1 Bet_team : 1 : 1 Over : 1 – Even : 2 Bet_team : 1 : 2 Under : 2 – Odd : 1 Bet_team : 2 : 1 Under : 2 – Even : 2 Bet_team : 2 : 2 |
| 90 | Number wheel (Number Game) | bet 1~5 -> bet_team: 1-1 bet 6~10 -> bet_team: 1-2 bet 11~15 -> bet_team: 1-3 bet 16~20 -> bet_team: 1-4 bet 21~25 -> bet_team: 1-5 bet 26~30 -> bet_team: 1-6 bet 31~35 -> bet_team: 1-7 bet 36~40 -> bet_team: 1-8 bet 41~45 -> bet_team: 1-9 bet 46~50 -> bet_team: 1-10 bet 51~55 -> bet_team: 1-11 bet 56~60 -> bet_team: 1-12 bet 61~65 -> bet_team: 1-13 bet 66~70 -> bet_team: 1-14 bet 71~75 -> bet+team: 1-15 bet 1~15 -> bet_team: 2-1 bet 16~30 -> bet_team: 2-2 bet 31~45 -> bet_team: 2-3 bet 46~60 -> bet_team: 2-4 bet 61~75 -> bet_team: 2-5 bet 1~25 -> bet_team: 3-1 bet 26~50 -> bet_team: 3-2 bet 51~75 -> bet_team: 3-3 bet 1,6,11,16,21,26,31,36,41,46,51,56,61,66,71 -> bet_team: 4-1 bet 2,7,12,17,22,27,32,37,42,47,52,57,62,67,72 -> bet_team: 4-2 bet 3,8,13,18,23,28,33,38,43,48,53,58,63,68,73 -> bet_team: 4-3 bet 4,9,14,19,24,29,34,39,44,49,54,59,64,69,74 -> bet_team: 4-4 bet 5,10,15,20,25,30,35,40,45,50,55,60,65,70,75 -> bet_team: 4-5 bet 1 -> bet_team: 5-1 bet 2 -> bet_team: 5-2 ... bet 75 -> bet_team: 5-75 |
| 121 | Home No Bet | x : for Draw a : for Away |
| 122 | Away No Bet | h : for Home |

| | | |
|---------|--|--|
| | | x : for Draw |
| 123 | Draw / No Draw | h: for Draw a: for no Draw |
| 124 | FT.1X2 HDP | 1 : for home x : for even 2 : for away |
| 125 | 1 st 1X2 HDP | 1 : for home x : for even 2 : for away |
| 126 | 1H Total Goal | 3-6 : for 0-1 2-3 : for 2-3 4-over : for 4&Over |
| 127 | 1H First Goal/Last Goal | 11 : for Home First Goal 12 : for Home Last Goal 21 : for Away First Goal 22 : for Away Last Goal 00 : for No Goals |
| 128 | HT/FT Odd/Even | oo : Half Time Odd, Full Time Odd oe : Half Time Odd, Full Time Even eo : Half Time Even, Full Time Odd ee : Half Time Even, Full Time Even |
| 133/438 | Home To Win Both Halves | y: for Yes n: for No |
| 134/439 | Away To Win Both Halves | y: for Yes n: for No |
| 135 | Penalty Shootout | y: for Yes n: for No |
| 140/442 | Highest Scoring Half | 1h: for First Half 2h: for Second Half tie: for Tie |
| 141/443 | Highest Scoring Half Home Team | 1h: for First Half 2h: for Second Half tie: for Tie |
| 142/444 | Highest Scoring Half Away Team | 1h: for First Half 2h: for Second Half tie: for Tie |
| 145 | Both Teams To Score | y: for Yes n: for No |
| 146/433 | 2 nd Half Both Teams To Score | y: for Yes n: for No |
| 147/436 | Home To Score In Both Halves | y: for Yes n: for No |
| 148/437 | Away To Score In Both Halves | y: for Yes n: for No |
| 149/440 | Home To Win Either Half | y: for Yes n: for No |
| 150/441 | Away To Win Either Half | y: for Yes n: for No |
| 151/410 | 1 st Half Double Chance | 1x: for Home or Draw |

| | | |
|---------|--|--|
| | | 2x: for Away or Draw 12: for Home or Away |
| 152/416 | Half Time/Full Time Correct Score | 00 : for 0-0 01 : for 0-1 02 : for 0-2 03 : for 0-3 04 : for 0-4 10 : for 1-0 11 : for 1-1 12 : for 1-2 13 : for 1-3 14 : for 1-4 20 : for 2-0 21 : for 2-1 22 : for 2-2 23 : for 2-3 24 : for 2-4 30 : for 3-0 31 : for 3-1 32 : for 3-2 33 : for 3-3 34 : for 3-4 40 : for 4-0 41 : for 4-1 42 : for 4-2 43 : for 4-3 44 : for 4-4 50 : for 5-0 UP 05 : for 0-5 UP |
| 1201 | Handicap (Virtual Soccer) | h : for Home a : for Away |
| 1203 | Over/Under 2.5 Goals (Virtual Soccer) | h : for Over a : for Under |
| 1204 | Correct Score (Virtual Soccer) | 00 : for 0-0 01 : for 0-1 02 : for 0-2 03 : for 0-3 04 : for 0-4 10 : for 1-0 11 : for 1-1 12 : for 1-2 13 : for 1-3 14 : for 1-4 20 : for 2-0 21 : for 2-1 22 : for 2-2 23 : for 2-3 24 : for 2-4 30 : for 3-0 31 : for 3-1 |

| | | |
|------|----------------------------------|--|
| | | 32 : for 3-2 33 : for 3-3 34 : for 3-4 40 : for 4-0 41 : for 4-1 42 : for 4-2 43 : for 4-3 44 : for 4-4 50 : for 5-0 UP 05 : for 0-5 UP |
| 1205 | 1X2 (Virtual Soccer) | 1 : for home x : for even 2 : for away |
| 1206 | Total Goal (Virtual Soccer) | 0 : for 0 1 : for 1 2 : for 2 3 : for 3 4 : for 4 |
| 1220 | Player Win (Virtual Tennis) | h : for home team win a : for away team win |
| 1224 | Double Chance (Virtual Soccer) | 1x : for Home or Draw 12 : for Home or Away 2x : for Away or Draw |
| 1231 | Win (Virtual Horse Racing) | For example, "bet_team": "21861" (The ID of the team / participant from the team table) |
| 1232 | Place (Virtual Horse Racing) | For example, "bet_team": "21861" (The ID of the team / participant from the team table) |
| 1233 | Win/Place (Virtual Horse Racing) | For example, "bet_team": "21861" (The ID of the team / participant from the team table) |
| 1235 | Score Bet (Virtual Tennis) | Bet_team possible values : 1~8 1 : Game-0 2 : Game-15 3 : Game-30 4 : Game-40 5 : 0-Game 6 : 15-Game 7 : 30-Game 8 : 40-Game |
| 1236 | Total Points (Virtual Tennis) | For example, "bet_team": "5" (bet_team possible values: 4, 5, 6, 7 ,8) |
| 153 | Game Handicap | h : for home team a : for away team |
| 154 | Set x Winner | h : for home team win a : for away team win |
| 155 | Set x Game Handicap | h : for home team a : for away team |
| 156 | Set x Total Game O/U | o : bet OVER u : bet UNDER |
| 1301 | Match Winner | h : bet home team win a : bet away team win |
| 1303 | Set Handicap | h : for home team a : for away team |

| | | |
|-----------|------------------------------|--|
| 1306 | Match Total Games Over/under | o : bet OVER u : bet UNDER |
| 1305 | Match Total Games Odd/Even | h : bet ODD a : bet EVEN |
| 1308 | Match Games Handicap | h : for home team a : for away team |
| 1302 | Match Correct Score | 3 set: 20/21/02/12 20 : Home 2-0 Win 21 : Home 2-1 Win 02 : Away 0-2 Win 12 : Away 1-2 Win 5 set: 30/31/32/03/13/23 30 : Home 3-0 Win 31 : Home 3-1 Win 32 : Home 3-2 Win 03 : Away 0-3 Win 13 : Away 1-3 Win 23 : Away 2-3 Win |
| 1311 | Set x Winner | h : bet home team win a : bet away team win |
| 1316 | Set x Game Handicap | h : bet home team win a : bet away team win |
| 1312 | Set x Total Games | h : bet ODD a : bet EVEN |
| 1317 | Set x Correct Score | 60 : Home 6-0 61 : Home 6-1 62 : Home 6-2 63 : Home 6-3 64 : Home 6-4 75 : Home 7-5 76 : Home 7-6 06 : Away 0-6 16 : Away 1-6 26 : Away 2-6 36 : Away 3-6 46 : Away 4-6 57 : Away 5-7 67 : Away 6-7 |
| 1318 | Set x Total Game Odd/Even | o : bet ODD e : bet EVEN |
| 1324 | Set x Game y Winner | h : bet home team win a : bet away team win |
| 1501/1504 | Keno | <bet_type>1501</bet_type> bet_type possible values : 1501~1514 Please refert to Keno BetType Table for its definition <bet_team>1</bet_team> bet_team possible values : 1~32 Please refer to Keno BetTeam Table for its definition |
| 157 | Odd/Even | h : bet Odd a : bet Even |

| | | |
|---------|-----------------------------|--|
| 159/406 | Exact Total Goals | G0 : 0 Goals G1 : 1 Goal G2 : 2 Goals G3 : 3Goals G4 : 4 Goals G5 : 5 Goals G6 : 6&Over |
| 160 | Next Goal | 1 : for home x : for none 2 : for away |
| 161/407 | Exact Home Team Goals | G0 : 0 Goals G1 : 1 Goal G2 : 2 Goals G3 : 3&Over |
| 162/409 | Exact Away Team Goals | G0 : 0 Goals G1 : 1 Goal G2 : 2 Goals |
| 163/144 | Result/Total Goals | HU: Home/Under HO: Home/Over DU: Draw/Under DO: Draw/Over AU: Away/Under AO: Away/Over |
| 164 | Extra Time Next Goal | 1 : for home x : for none 2 : for away |
| 165 | Extra Time 1H Correct Score | 0:0 : for 0-0 1:0 : for 1-0 2:0 : for 2-0 0:1 : for 0-1 1:1 : for 1-1 0:2 : for 0-2 |
| 166 | Extra Time Correct Score | 0:0 : for 0-0 1:0 : for 1-0 2:0 : for 2-0 3:0 : for 3-0 0:1 : for 0-1 1:1 : for 1-1 2:1 : for 2-1 0:2 : for 0-2 1:2 : for 1-2 0:3 : for 0-3 |
| 167 | Extra Time 1H 1X2 | 1 : for Extra Time HT.1 x : for Extra Time HT.X 2 : for Extra Time HT.2 |
| 168 | Who advances to next round | h : for home a : for away |
| 169 | Next Goal Time | 1-15 : for 1-15 Min 16-30 : for 16-30 Min 31-45 : for 31-45 Min |

| | | |
|---------|--------------------------------|--|
| | | 46-60 : for 46-60 Min 61-75 : for 61-75 Min 76-90 : for 76-90 Min None : for none |
| 170 | Teams To Score | H : for home A : for away B : for both N : for none |
| 171/408 | Winning Margin | H1 : for Home 1 H2 : for Home 2 H3 : for Home 3up D : for Draw A1 : for Away 1 A2 : for Away 2 A3 : for Away 3up |
| 172/415 | Result And First Team To Score | HH : for Home/Home HD : for Home/Draw HA : for Home/Away AH : for Away/Home AD : for Away/Draw AA : for Away/Away NO : for None |
| 173 | Extra Time Yes/No | Y : for yes N : for no |
| 174 | Extra Time and Goal | Y : for yes N : for no |
| 175 | Match Decided Method | HR : for Home/Regular Time HE : for Home/Extra Time HP : for Home/Penalty AR : for Away/Regular Time AE : for Away/Extra Time AP : for Away/Penalty |
| 176 | First Ten Minutes 1X2 | 1 : for home X : for draw 2 : for away |
| 177/430 | 2H 1x2 | 1 : for 2H.1 X : for 2H.X 2 : for 2H.2 |
| 178/18 | 2H Over/Under | O : for Over U : for Under |
| 180 | 1H Next Goal | 1 : for home x : for none 2 : for away |
| 181 | 1H Exact Home Team Goals | G0 : 0 Goals G1 : 1 Goal G2 : 2 Goals G3 : 3&Over |
| 182 | 1H Exact Away Team Goals | G0 : 0 Goals G1 : 1 Goal G2 : 2 Goals |

| | | |
|---------|------------------------------------|--|
| | | G3 : 3&Over |
| 17 | 2H Handicap | h : for home a : for away |
| 184/428 | 2nH Odd/Even | O : bet Odd E : bet Even |
| 185/432 | 2H Draw No Bet | h : for home a : for away |
| 186/431 | 2H Double Chance | HD : for Home/Draw HA : for Home/Away DA : for Draw/Away |
| 187 | Exact 2H Goals | G0 : 0 Goals G1 : 1 Goal G2 : 2&Over |
| 188/427 | 1H Both Teams To Score | 1H Both Teams To Score |
| 189/434 | Both Halves Over 1.5 Yes/No | Y : for yes N : for no |
| 190/435 | Both Halves Under 1.5 Yes/No | Y : for yes N : for no |
| 191/411 | 1H Draw No Bet | h : for home a : for away |
| 192 | First Goal Time(10 min) | 1-10 : for 1-10 Min 11-20 : for 11-20 Min 21-30 : for 21-30 Min 31-40 : for 31-40 Min 41-50 : for 41-50 Min 51-60 : for 51-60 Min 61-70 : for 61-70 Min 71-80 : for 71-80 Min 81-90 : for 81-90 Min None : for none |
| 193 | First Goal Time(15 min) | 1-15 : for 1-15 Min 16-30 : for 16-30 Min 31-45 : for 31-45 Min 46-60 : for 46-60 Min 61-75 : for 61-75 Min 76-90 : for 76-90 Min None : for none |
| 194 | Corners Odd/Even | O : bet Odd E : bet Even |
| 195 | Away Team Exact Corners | 0-2 : for 0-2 Corners 3-4 : for 3-4 Corner 5-6 : for 5-6 Corners 7-over : for 7&Over |
| 197 | Home Team Total Corners Over/Under | O : for Over U : for Under |
| 198 | Away Team Total Corners Over/Under | O : for Over U : for Under |
| 199 | Total Corners | 0-8 : for 0-8 Corners |

| | | |
|-----|------------------------------|--|
| | | 9-11 : for 9-11 Corners 12-over : for 12&Over |
| 200 | 1H Home Team Exact Corners | 3-6 : for 0-1 Corners 2 : for 2 Corners 3 : for 3 Corners 4-over : for 4&Over |
| 201 | 1H Away Team Exact Corners | 3-6 : for 0-1 Corners 2 : for 2 Corners 3 : for 3 Corners 4-over : for 4&Over |
| 202 | 1H Total Corners | 0-4 : for 0-4 Corners 5-6 : for 5-6 Corners 7-over : for 7&Over |
| 203 | 1H Corners Odd/Even | O : bet Odd E : bet Even |
| 204 | 1H Home Corner Over/Under | O : for Over U : for Under |
| 205 | 1H Away Corner Over/Under | O : for Over U : for Under |
| 206 | First Corner | H : for home A : for away N : for none |
| 207 | 1H First Corner | H : for home A : for away N : for none |
| 208 | Last Corner | H : for home A : for away N : for none |
| 209 | 1H Last Corner | H : for home A : for away N : for none |
| 210 | Player Sent Off | Y : for yes N : for no |
| 211 | 1H Player Sent off | Y : for yes N : for no |
| 212 | Home Team Player Sent Off | Y : for yes N : for no |
| 213 | 1H Home Team Player Sent Off | Y : for yes N : for no |
| 214 | Away Team Player Sent Off | Y : for yes N : for no |
| 215 | 1H Away Team Player Sent Off | Y : for yes N : for no |
| 221 | Next 1 minute | 2 : Goal Yes 4 : Corner Yes 8 : Free-Kick |

| | | |
|-----|---|--|
| | | 16 : Goal-Kick 32 : Throw-In |
| 222 | Next 5 minute | 2 : Goal Yes -2 : Goal No 4 : Corner Yes -4 : Corner No 128 : Penalty |
| 223 | What will happen first in next 1 minute | 1 : None 2 : Goal Yes 4 : Corner Yes 8 : Free-Kick 16 : Goal-Kick 32 : Throw-In |
| 224 | What will happen first in next 5 minute | 1 : None 2 : Goal Yes 4 : Corner Yes 64 : Booking 128 : Penalty |
| 225 | Next 1 minute set piece | 1 : None 156 : Yes |
| 501 | Match Winner | a : for away team h : for home team |
| 401 | Home Team OU | h : for Over a : for Under |
| 402 | Away Team OU | h : for Over a : for Under |
| 403 | 1H Home Team OU | h : for Over a : for Under |
| 404 | 1H Away Team OU | h : for Over a : for Under |
| 405 | 2 nd Half Correct Score | 00 : for 0-0 01 : for 0-1 02 : for 0-2 03 : for 0-3 10 : for 1-0 11 : for 1-1 12 : for 1-2 13 : for 1-3 20 : for 2-0 21 : for 2-1 22 : for 2-2 23 : for 2-3 30 : for 3-0 31 : for 3-1 32 : for 3-2 33 : for 3-3 99 : for AOS |
| 412 | Exact 1 st Goal | 00 : for 0 01 : for 1 10 : for 2 |

| | | |
|-----|----------------------------|--|
| | | 11 : for 3-OVER |
| 413 | FT Correct Score | 0:0 : for 0-0 1:0 : for 1-0 0:1 : for 0-1 1:1 : for 1-1 2:0 : for 2-0 0:2 : for 0-2 2:1 : for 2-1 1:2 : for 1-2 2:2 : for 2-2 3:0 : for 3-0 0:3 : for 0-3 3:1 : for 3-1 1:3 : for 1-3 3:2 : for 3-2 2:3 : for 2-3 3:3 : for 3-3 4:0 : for 4-0 0:4 : for 0-4 4:1 : for 4-1 1:4 : for 1-4 4:2 : for 4-2 2:4 : for 2-4 4:3 : for 4-3 3:4 : for 3-4 4:4 : for 4-4 AOS : for AOS |
| 414 | 1H Correct Score | 0:0 : for 0-0 1:0 : for 1-0 0:1 : for 0-1 1:1 : for 1-1 2:0 : for 2-0 0:2 : for 0-2 2:1 : for 2-1 1:2 : for 1-2 2:2 : for 2-2 3:0 : for 3-0 0:3 : for 0-3 3:1 : for 3-1 1:3 : for 1-3 3:2 : for 3-2 2:3 : for 2-3 3:3 : for 3-3 AOS : for AOS |
| 417 | Both Teams To Score/Result | yh : Yes/Home ya : Yes/Away yd : Yes/Draw nh : No/Home na : No/Away nd : No/Draw |

| | | |
|-----|----------------------------------|--|
| 418 | Both Teams To Score/Total Goal | yo : Yes&Over yu : Yes&Under no : No&Over nu : No&Under |
| 419 | Which Half First Goal | 1h : 1 st Half 2h : 2 nd Half n : Neither |
| 420 | Home Team Which Half First Goal | 1h : 1 st Half 2h : 2 nd Half n : Neither |
| 421 | Away Team Which Half First Goal | 1h : 1 st Half 2h : 2 nd Half n : Neither |
| 422 | First Team 2 Goals | h : Home a : Away n : Neither |
| 423 | First Team 3 Goals | h : Home a : Away n : Neither |
| 424 | First Goal Method | s : Shot h : Header p : Penalty fk : Free Kick og : Own Goal ng : No Goal |
| 425 | To Win From Behind | h : Home a : Away |
| 426 | 1h Winning Margin | h1 : Home to win by 1 goal h2+ : Home to win by 2up goals d : Score Draw a1 : Away to win by 1 goal a2+ : Away to win by 2up goals ng : No Goal |
| 429 | Exact 2 nd Half Goals | 0 : No Goal 1 : 1 Goal 2 : 2 Goals 3-Over : 3-Over |
| 445 | Both Team To Score in 1H/2H | yy : Yes/Yes yn : Yes/No ny : No/Yes nn : No/No |
| 446 | Home 1H to Score/2H To Score | yy : Yes/Yes yn : Yes/No ny : No/Yes nn : No/No |
| 447 | Away 1H to Score/2H To Score | yy : Yes/Yes yn : Yes/No ny : No/Yes nn : No/No |
| 601 | FT Winning Margin 14 Way | H1-2 : HomeTeam to Win by 1 to 2 points |

| | | |
|-----|--|---|
| | | H3-6 : HomeTeam to Win by 3 to 6 points H7-9 : HomeTeam to Win by 7 to 9 points H10-13 : HomeTeam to Win by 10 to 13 points H14-16 : HomeTeam to Win by 14 to 16 points H17-20 : HomeTeam to Win by 17 to 20 points H21+ : HomeTeam to Win by 21+ points A1-2 : AwayTeam to Win by 1 to 2 points A3-6 : AwayTeam to Win by 3 to 6 points A7-9 : AwayTeam to Win by 7 to 9 points A10-13 : AwayTeam to Win by 10 to 13 points A14-16 : AwayTeam to Win by 14 to 16 points A17-20 : AwayTeam to Win by 17 to 20 points A21+ : AwayTeam to Win by 21+ points |
| 602 | FT Winning Margin 12 Way | H1-5 : HomeTeam to Win by 1 to 5 points H6-10 : HomeTeam to Win by 6 to 10 points H11-15 : HomeTeam to Win by 11 to 15 points H16-20 : HomeTeam to Win by 16 to 20 points H21-25 : HomeTeam to Win by 21 to 25 points H26+ : HomeTeam to Win by 26+ points A1-5 : AwayTeam to Win by 1 to 5 points A6-10 : AwayTeam to Win by 6 to 10 points A11-15 : AwayTeam to Win by 11 to 15 points A16-20 : AwayTeam to Win by 16 to 20 points A21-25 : AwayTeam to Win by 21 to 25 points A26+ : AwayTeam to Win by 26+ points |
| 603 | FT Which team to score the highest quarter | H : Home A : Away |
| 604 | FT Which team to score the first basket | H : Home A : Away |
| 605 | FT Which team to score the last basket | H : Home A : Away |
| 606 | 1H Race to X | H : Home A : Away |
| 607 | 2H Race to X | H : Home A : Away |
| 608 | 1H Winning Margin 12 Way | H1-5 : HomeTeam to Win by 1 to 5 points H6-10 : HomeTeam to Win by 6 to 10 points H11-15 : HomeTeam to Win by 11 to 15 points H16-20 : HomeTeam to Win by 16 to 20 points H21-25 : HomeTeam to Win by 21 to 25 points H26+ : HomeTeam to Win by 26+ points D : Draw A1-5 : AwayTeam to Win by 1 to 5 points A6-10 : AwayTeamName to Win by 6 to 10 points A11-15 : AwayTeam to Win by 11 to 15 points 103 / 111 A16-20 : AwayTeam to Win by 16 to 20 points A21-25 : AwayTeam to Win by 21 to 25 points A26+ : AwayTeam to Win by 26+ points |
| 609 | Quarter X Handicap | H : Home A : Away |

| | | |
|-----|---|--|
| 610 | Quarter X Over Under | O : for Over U : for Under |
| 611 | Quarter X Odd Even | O : for Odd E : for Even |
| 612 | Quarter X Odd Even | H : Home A : Away |
| 613 | Quarter X Race To Y Points | H : Home A : Away |
| 614 | Quarter X Race To Y Points | H1-4 : HomeTeam to Win by 1 to 4 points H5-8 : HomeTeam to Win by 5 to 8 points H9+ : HomeTeam to Win by 9+ points D : Draw A1-4 : AwayTeam to Win by 1 to 4 points A5-8 : AwayTeam to Win by 5 to 8 points A9+ : AwayTeam to Win by 9+ points |
| 615 | Quarter X Home Team Over Under | O : for Over U : for Under |
| 616 | Quarter X Away Team Over Under | O : for Over U : for Under |
| 617 | Quarter X Which team to score the last basket | H : Home A : Away |

10.9. Error Code Table

| Code | Message |
|-------|---|
| 0 | Successfully executed |
| 10000 | Unauthorized access |
| 10300 | Check permission failed |
| 10301 | Check authorization failed |
| 11000 | System is under maintenance |
| 12000 | Internal server error |
| 13000 | Database error |
| 14000 | Method not implemented |
| 15000 | Too frequent request |
| 15001 | testString is too frequent request |
| 15002 | OpCode is too frequent request |
| 15003 | SecurityToken is too frequent request |
| 15004 | SessionToken is too frequent request |
| 15005 | PlayerName is too frequent request |
| 15006 | OddsType is too frequent request |
| 15007 | Currency is too frequent request |
| 15008 | MinTransfer is too frequent request |
| 15009 | MaxTransfer is too frequent request |
| 15010 | CustomInfo1 is too frequent request |
| 15011 | CustomInfo2 is too frequent request |
| 15012 | CustomInfo3 is too frequent request |
| 15013 | CustomInfo4 is too frequent request |
| 15014 | CustomInfo5 is too frequent request |
| 15015 | Version_Key is too frequent request |
| 15016 | Vendor_Trans_Id is too frequent request |
| 15017 | Team_Id is too frequent request |
| 15018 | League_Id is too frequent request |
| 15019 | StartTime is too frequent request |
| 15020 | EndTime is too frequent request |
| 15021 | PageIndex is too frequent request |
| 15022 | PageSize is too frequent request |
| 15023 | Match_Id is too frequent request |
| 15024 | OpTransId is too frequent request |
| 15025 | Amount is too frequent request |
| 15026 | Direction is too frequent request |

| | |
|-------|--|
| 15027 | RefNo is too frequent request |
| 15028 | SportType is too frequent request |
| 15029 | MinBet is too frequent request |
| 15030 | MaxBet is too frequent request |
| 15031 | MaxBetPerMatch is too frequent request |
| 15032 | MaxBetPerBall is too frequent request |
| 15033 | RedirectURL is too frequent request |
| 15100 | Vendor_Member_Id is too frequent request |
| 15101 | Vendor_Id is too frequent request |
| 15102 | Username is too frequent request |
| 15103 | Trans_Id is too frequent request |
| 15104 | Language is too frequent request |
| 16000 | Invalid request header |
| 17000 | Invalid request body |
| 17207 | Invalid query string requested |
| 18000 | None is invalid |
| 18001 | testString is invalid |
| 18002 | OpCode is invalid |
| 18003 | SecurityToken is invalid |
| 18004 | SessionToken is invalid |
| 18005 | PlayerName is invalid |
| 18006 | OddsType is invalid |
| 18007 | Currency is invalid |
| 18008 | MinTransfer is invalid |
| 18009 | MaxTransfer is invalid |
| 18010 | CustomInfo1 is invalid |
| 18011 | CustomInfo2 is invalid |
| 18012 | CustomInfo3 is invalid |
| 18013 | CustomInfo4 is invalid |
| 18014 | CustomInfo5 is invalid |
| 18015 | Version_Key is invalid |
| 18016 | Vendor_Trans_Id is invalid |
| 18017 | Team_Id is invalid |
| 18018 | League_Id is invalid |
| 18019 | StartTime is invalid |
| 18020 | EndTime is invalid |
| 18021 | PageIndex is invalid |
| 18022 | PageSize is invalid |
| 18023 | Match_Id is invalid |
| 18024 | OpTransId is invalid |

| | |
|--------------|---------------------------------|
| 18025 | Amount is invalid |
| 18026 | Direction is invalid |
| 18027 | RefNo is invalid |
| 18028 | SportType is invalid |
| 18029 | MinBet is invalid |
| 18030 | MaxBet is invalid |
| 18031 | MaxBetPerMatch is invalid |
| 18032 | MaxBetPerBall is invalid |
| 18033 | RedirectURL is invalid |
| 18100 | Vendor_Member_Id is invalid |
| 18101 | Vendor_Id is invalid |
| 18102 | Username is invalid |
| 18103 | Trans_Id is invalid |
| 18104 | Language is invalid |
| 19000 | Field cannot be blank |
| 19001 | testString cannot be blank |
| 19002 | OpCode cannot be blank |
| 19003 | SecurityToken cannot be blank |
| 19004 | SessionToken cannot be blank |
| 19005 | PlayerName cannot be blank |
| 19006 | OddsType cannot be blank |
| 19007 | Currency cannot be blank |
| 19008 | MinTransfer cannot be blank |
| 19009 | MaxTransfer cannot be blank |
| 19010 | CustomInfo1 cannot be blank |
| 19011 | CustomInfo2 cannot be blank |
| 19012 | CustomInfo3 cannot be blank |
| 19013 | CustomInfo4 cannot be blank |
| 19014 | CustomInfo5 cannot be blank |
| 19015 | Version_Key cannot be blank |
| 19016 | Vendor_Trans_Id cannot be blank |
| 19017 | Team_Id cannot be blank |
| 19018 | League_Id cannot be blank |
| 19019 | StartTime cannot be blank |
| 19020 | EndTime cannot be blank |
| 19021 | PageIndex cannot be blank |
| 19022 | PageSize cannot be blank |
| 19023 | Match_Id cannot be blank |
| 19024 | OpTransId cannot be blank |
| 19025 | Amount cannot be blank |

| | |
|-------|---|
| 19026 | Direction cannot be blank |
| 19027 | RefNo cannot be blank |
| 19028 | SportType cannot be blank |
| 19029 | MinBet cannot be blank |
| 19030 | MaxBet cannot be blank |
| 19031 | MaxBetPerMatch cannot be blank |
| 19032 | MaxBetPerBall cannot be blank |
| 19033 | RedirectURL cannot be blank |
| 19100 | Vendor_Member_Id cannot be blank |
| 19101 | Vendor_Id cannot be blank |
| 19102 | Username cannot be blank |
| 19103 | Trans_Id cannot be blank |
| 19104 | Language cannot be blank |
| 20000 | Invalid field format |
| 20001 | testString field format is invalid |
| 20002 | OpCode field format is invalid |
| 20003 | SecurityToken field format is invalid |
| 20004 | SessionToken field format is invalid |
| 20005 | PlayerName field format is invalid |
| 20006 | OddsType field format is invalid |
| 20007 | Currency field format is invalid |
| 20008 | MinTransfer field format is invalid |
| 20009 | MaxTransfer field format is invalid |
| 20010 | CustomInfo1 field format is invalid |
| 20011 | CustomInfo2 field format is invalid |
| 20012 | CustomInfo3 field format is invalid |
| 20013 | CustomInfo4 field format is invalid |
| 20014 | CustomInfo5 field format is invalid |
| 20015 | Version_Key field format is invalid |
| 20016 | Vendor_Trans_Id field format is invalid |
| 20017 | Team_Id field format is invalid |
| 20018 | League_Id field format is invalid |
| 20019 | StartTime field format is invalid |
| 20020 | EndTime field format is invalid |
| 20021 | PageIndex field format is invalid |
| 20022 | PageSize field format is invalid |
| 20023 | Match_Id field format is invalid |
| 20024 | OpTransId field format is invalid |
| 20025 | Amount field format is invalid |
| 20026 | Direction field format is invalid |

| | |
|-------|--|
| 20027 | RefNo field format is invalid |
| 20028 | SportType field format is invalid |
| 20029 | MinBet field format is invalid |
| 20030 | MaxBet field format is invalid |
| 20031 | MaxBetPerMatch field format is invalid |
| 20032 | MaxBetPerBall field format is invalid |
| 20033 | RedirectURL field format is invalid |
| 20100 | Vendor_Member_Id field format is invalid |
| 20101 | Vendor_Id field format is invalid |
| 20102 | Username field format is invalid |
| 20103 | Trans_Id field format is invalid |
| 20104 | Language field format is invalid |
| 21000 | Field validation error |
| 21001 | testString field validation failed |
| 21002 | OpCode field validation failed |
| 21003 | SecurityToken field validation failed |
| 21004 | SessionToken field validation failed |
| 21005 | PlayerName field validation failed |
| 21006 | OddsType field validation failed |
| 21007 | Currency field validation failed |
| 21008 | MinTransfer field validation failed |
| 21009 | MaxTransfer field validation failed |
| 21010 | CustomInfo1 field validation failed |
| 21011 | CustomInfo2 field validation failed |
| 21012 | CustomInfo3 field validation failed |
| 21013 | CustomInfo4 field validation failed |
| 21014 | CustomInfo5 field validation failed |
| 21015 | Version_Key field validation failed |
| 21016 | Vendor_Trans_Id field validation failed |
| 21017 | Team_Id field validation failed |
| 21018 | League_Id field validation failed |
| 21019 | StartTime field validation failed |
| 21020 | EndTime field validation failed |
| 21021 | PageIndex field validation failed |
| 21022 | PageSize field validation failed |
| 21023 | Match_Id field validation failed |
| 21024 | OpTransId field validation failed |
| 21025 | Amount field validation failed |
| 21026 | Direction field validation failed |
| 21027 | RefNo field validation failed |

| | |
|--------------|--|
| 21028 | SportType field validation failed |
| 21029 | MinBet field validation failed |
| 21030 | MaxBet field validation failed |
| 21031 | MaxBetPerMatch field validation failed |
| 21032 | MaxBetPerBall field validation failed |
| 21033 | RedirectURL field validation failed |
| 21100 | Vendor_Member_Id field validation failed |
| 21101 | Vendor_Id field validation failed |
| 21102 | Username field validation failed |
| 21103 | Trans_Id field validation failed |
| 21104 | Language field validation failed |
| 21208 | Field contains invalid characters |
| 21209 | MinTransfer < MaxTransfer |
| 22000 | Field is duplicate |
| 22001 | testString is duplicated |
| 22002 | OpCode is duplicated |
| 22003 | SecurityToken is duplicated |
| 22004 | SessionToken is duplicated |
| 22005 | PlayerName is duplicated |
| 22006 | OddsType is duplicated |
| 22007 | Currency is duplicated |
| 22008 | MinTransfer is duplicated |
| 22009 | MaxTransfer is duplicated |
| 22010 | CustomInfo1 is duplicated |
| 22011 | CustomInfo2 is duplicated |
| 22012 | CustomInfo3 is duplicated |
| 22013 | CustomInfo4 is duplicated |
| 22014 | CustomInfo5 is duplicated |
| 22015 | Version_Key is duplicated |
| 22016 | Vendor_Trans_Id is duplicated |
| 22017 | Team_Id is duplicated |
| 22018 | League_Id is duplicated |
| 22019 | StartTime is duplicated |
| 22020 | EndTime is duplicated |
| 22021 | PageIndex is duplicated |
| 22022 | PageSize is duplicated |
| 22023 | Match_Id is duplicated |
| 22024 | OpTransId is duplicated |
| 22025 | Amount is duplicated |
| 22026 | Direction is duplicated |

| | |
|-------|----------------------------------|
| 22027 | RefNo is duplicated |
| 22028 | SportType is duplicated |
| 22029 | MinBet is duplicated |
| 22030 | MaxBet is duplicated |
| 22031 | MaxBetPerMatch is duplicated |
| 22032 | MaxBetPerBall is duplicated |
| 22033 | RedirectURL is duplicated |
| 22100 | Vendor_Member_Id is duplicated |
| 22101 | Vendor_Id is duplicated |
| 22102 | Username is duplicated |
| 22103 | Trans_Id is duplicated |
| 22104 | Language is duplicated |
| 23000 | Record not exists |
| 23001 | testString field not exists |
| 23002 | OpCode field not exists |
| 23003 | SecurityToken field not exists |
| 23004 | SessionToken field not exists |
| 23005 | PlayerName field not exists |
| 23006 | OddsType field not exists |
| 23007 | Currency field not exists |
| 23008 | MinTransfer field not exists |
| 23009 | MaxTransfer field not exists |
| 23010 | CustomInfo1 field not exists |
| 23011 | CustomInfo2 field not exists |
| 23012 | CustomInfo3 field not exists |
| 23013 | CustomInfo4 field not exists |
| 23014 | CustomInfo5 field not exists |
| 23015 | Version_Key field not exists |
| 23016 | Vendor_Trans_Id field not exists |
| 23017 | Team_Id field not exists |
| 23018 | League_Id field not exists |
| 23019 | StartTime field not exists |
| 23020 | EndTime field not exists |
| 23021 | PageIndex field not exists |
| 23022 | PageSize field not exists |
| 23023 | Match_Id field not exists |
| 23024 | OpTransId field not exists |
| 23025 | Amount field not exists |
| 23026 | Direction field not exists |
| 23027 | RefNo field not exists |

| | |
|-------|-----------------------------------|
| 23028 | SportType field not exists |
| 23029 | MinBet field not exists |
| 23030 | MaxBet field not exists |
| 23031 | MaxBetPerMatch field not exists |
| 23032 | MaxBetPerBall field not exists |
| 23033 | RedirectURL field not exists |
| 23100 | Vendor_Member_Id field not exists |
| 23101 | Vendor_Id field not exists |
| 23102 | Username field not exists |
| 23103 | Trans_Id field not exists |
| 23104 | Language field not exists |
| 24000 | User status error |
| 25000 | User operation error |
| 26000 | Network error |
| 26997 | Service not available |
| 27001 | testString validation error |
| 27002 | OpCode validation error |
| 27003 | SecurityToken validation error |
| 27004 | SessionToken validation error |
| 27005 | PlayerName validation error |
| 27006 | OddsType validation error |
| 27007 | Currency validation error |
| 27008 | MinTransfer validation error |
| 27009 | MaxTransfer validation error |
| 27010 | CustomInfo1 validation error |
| 27011 | CustomInfo2 validation error |
| 27012 | CustomInfo3 validation error |
| 27013 | CustomInfo4 validation error |
| 27014 | CustomInfo5 validation error |
| 27015 | Version_Key validation error |
| 27016 | Vendor_Trans_Id validation error |
| 27017 | Team_Id validation error |
| 27018 | League_Id validation error |
| 27019 | StartTime validation error |
| 27020 | EndTime validation error |
| 27021 | PageIndex validation error |
| 27022 | PageSize validation error |
| 27023 | Match_Id validation error |
| 27024 | OpTransId validation error |
| 27025 | Amount validation error |

| | |
|----------------|---|
| 27026 | Direction validation error |
| 27027 | RefNo validation error |
| 27100 | Vendor_Member_Id validation error |
| 27101 | Vendor_Id validation error |
| 27102 | Username validation error |
| 27103 | Trans_Id validation error |
| 27104 | Language validation error |
| SP-1001 | Cannot get session token |
| SP-1003 | On user DB is broke |
| SP-1004 | Deposit_Process_Login run-time error |
| SP-1005 | API URL Setting incorrect |
| SP-1006 | Cannot request Licensee API |
| SP-1007 | API Response XML format is wrong |
| SP-1008 | Session Token is invalid |
| SP-1009 | Response XML not include member_id or member_name |
| SP-1010 | User setting is invalid |
| SP-1011 | User transfer limit settings is invalid |
| SP-1012 | User is not found |
| SP-1013 | User is not found |
| SP-1014 | Customer settings cannot be update. |
| SP-1016 | User Data is missing |

10.10. Additional Report Example

```
{
  "LastVersionKey":1030614,
  "TotalRecord":19,
  "Data":[
    {
      "TransId":7765075102,
      "PlayerName":"tester1",
      "TransactionTime":"2015-09-18T04:32:06.183",
      "MatchId":14969521,
      "LeagueId":45644,
      "LeagueName":"TESTING (Betting Prohibited Area!!) - Betradar Test - SOCCER - Bookings",
      "SportType":1,
      "AwayId":108680,
      "AwayIDName":"Test L",
      "HomeId":15700,
      "HomeIDName":"Test 1",
      "MatchDatetime":"2015-09-18T03:55:00",
      "BetType":3,
      "ParlayRefNo":0,
      "BetTeam":"h",
      "HDP":2.5000,
      "AwayHDP":0.0000,
      "HomeHDP":2.5000,
      "Odds":-0.9200,
      "OddsType":1,
      "AwayScore":0,
      "HomeScore":0,
      "IsLive":"1",
      "LastBallNo":null,
      "TicketStatus":"Void",
      "Stake":30.0000,
      "WinLoseAmount":0.0000,
      "WinLostDateTime":"2015-09-18T00:00:00",
      "currency":"UUS",
      "VersionKey":900970
    },
    {
      "TransId":7765076058,
      "PlayerName":"tester1",
      "TransactionTime":"2015-09-18T04:32:38.89",
      "MatchId":14969534,
      "LeagueId":45626,
      "LeagueName":"TESTING (Betting Prohibited Area!!) - Betradar Test - SOCCER - Full Time",
      "SportType":1,
      "AwayId":108680,
      "AwayIDName":"Test L",
      "HomeId":268248,
      "HomeIDName":"Test 4",
      "MatchDatetime":"2015-09-18T03:55:00",
```

```

        "BetType":1,
        "ParlayRefNo":0,
        "BetTeam":"h",
        "HDP":0.0000,
        "AwayHDP":0.0000,
        "HomeHDP":0.0000,
        "Odds":-0.9400,
        "OddsType":1,
        "AwayScore":0,
        "HomeScore":0,
        "IsLive":"1",
        "LastBallNo":null,
        "TicketStatus":"Void",
        "Stake":30.0000,
        "WinLoseAmount":0.0000,
        "WinLostDateTime":"2015-09-18T00:00:00",
        "currency":"UUS",
        "VersionKey":900971
    },
    {
        "TransId":7765076447,
        "PlayerName":"tester1",
        "TransactionTime":"2015-09-18T04:32:55.987",
        "MatchId":14969542,
        "LeagueId":45645,
        "LeagueName":"TESTING (Betting Prohibited Area!!) - Betradar Test - SOCCER - Intervals",
        "SportType":1,
        "AwayId":108680,
        "AwayIDName":"Test L",
        "HomeId":268250,
        "HomeIDName":"Test 6",
        "MatchDatetime":"2015-09-18T03:55:00",
        "BetType":1,
        "ParlayRefNo":0,
        "BetTeam":"h",
        "HDP":0.0000,
        "AwayHDP":0.7500,
        "HomeHDP":0.0000,
        "Odds":-0.7600,
        "OddsType":1,
        "AwayScore":0,
        "HomeScore":0,
        "IsLive":"1",
        "LastBallNo":null,
        "TicketStatus":"Void",
        "Stake":30.0000,
        "WinLoseAmount":0.0000,
        "WinLostDateTime":"2015-09-18T00:00:00",
        "currency":"UUS",
        "VersionKey":900972
    },

```

```

{
  "TransId":7911175655,
  "PlayerName":"tester1",
  "TransactionTime":"2015-10-20T01:57:26.71",
  "MatchId":15418227,
  "LeagueId":null,
  "LeagueName":null,
  "SportType":180,
  "AwayId":178430,
  "AwayIDName":"Lyon AFC",
  "HomeId":178405,
  "HomeIDName":"Manchester Reds",
  "MatchDatetime":null,
  "BetType":1201,
  "ParlayRefNo":null,
  "BetTeam":"h",
  "HDP":0.0000,
  "AwayHDP":0.0000,
  "HomeHDP":0.0000,
  "Odds":1.9600,
  "OddsType":3,
  "AwayScore":null,
  "HomeScore":null,
  "IsLive":null,
  "LastBallNo":null,
  "TicketStatus":"running",
  "Stake":30.0000,
  "WinLoseAmount":-30.0000,
  "WinLostDateTime":"2015-10-20T00:00:00",
  "currency":"UUS",
  "VersionKey":1030415
},
{
  "TransId":7911170127,
  "PlayerName":"tester1",
  "TransactionTime":"2015-10-20T01:53:02.87",
  "MatchId":15415300,
  "LeagueId":null,
  "LeagueName":null,
  "SportType":161,
  "AwayId":null,
  "AwayIDName":null,
  "HomeId":null,
  "HomeIDName":null,
  "MatchDatetime":null,
  "BetType":90,
  "ParlayRefNo":null,
  "BetTeam":"5-1",
  "HDP":null,
  "AwayHDP":null,
  "HomeHDP":null,

```



```

        "Odds":71.4200,
        "OddsType":3,
        "AwayScore":null,
        "HomeScore":null,
        "IsLive":null,
        "LastBallNo":"0",
        "TicketStatus":"LOSE",
        "Stake":30.0000,
        "WinLoseAmount":-30.0000,
        "WinLostDateTime":"2015-10-20T00:00:00",
        "currency":"UUS",
        "VersionKey":1030416
    },
    {
        "TransId":7911179603,
        "PlayerName":"tester1",
        "TransactionTime":"2015-10-20T02:00:45.04",
        "MatchId":10580749,
        "LeagueId":27538,
        "LeagueName":"Virtual Horse Racing",
        "SportType":181,
        "AwayId":null,
        "AwayIDName":null,
        "HomeId":null,
        "HomeIDName":null,
        "MatchDatetime":null,
        "BetType":1232,
        "ParlayRefNo":null,
        "BetTeam":"226993",
        "HDP":19.3000,
        "AwayHDP":4.6000,
        "HomeHDP":19.3000,
        "Odds":4.6000,
        "OddsType":3,
        "AwayScore":null,
        "HomeScore":null,
        "IsLive":null,
        "LastBallNo":null,
        "TicketStatus":"running",
        "Stake":30.0000,
        "WinLoseAmount":-30.0000,
        "WinLostDateTime":"2015-10-20T00:00:00",
        "currency":"UUS",
        "VersionKey":1030417
    },
    {
        "TransId":7911170638,
        "PlayerName":"tester1",
        "TransactionTime":"2015-10-20T01:53:28.077",
        "MatchId":15415301,
        "LeagueId":null,

```

```

    "LeagueName":null,
    "SportType":161,
    "AwayId":null,
    "AwayIDName":null,
    "HomeId":null,
    "HomeIDName":null,
    "MatchDatetime":null,
    "BetType":83,
    "ParlayRefNo":null,
    "BetTeam":"a",
    "HDP":null,
    "AwayHDP":null,
    "HomeHDP":null,
    "Odds":0.9500,
    "OddsType":1,
    "AwayScore":null,
    "HomeScore":null,
    "IsLive":null,
    "LastBallNo":null,
    "TicketStatus":"LOSE",
    "Stake":30.0000,
    "WinLoseAmount":-30.0000,
    "WinLostDateTime":"2015-10-20T00:00:00",
    "currency":"UUS",
    "VersionKey":1030418
  },
  {
    "TransId":7911175655,
    "PlayerName":"tester1",
    "TransactionTime":"2015-10-20T01:57:26.71",
    "MatchId":15418227,
    "LeagueId":null,
    "LeagueName":null,
    "SportType":180,
    "AwayId":178430,
    "AwayIDName":"Lyon AFC",
    "HomeId":178405,
    "HomeIDName":"Manchester Reds",
    "MatchDatetime":null,
    "BetType":1201,
    "ParlayRefNo":null,
    "BetTeam":"h",
    "HDP":0.0000,
    "AwayHDP":0.0000,
    "HomeHDP":0.0000,
    "Odds":1.9600,
    "OddsType":3,
    "AwayScore":null,
    "HomeScore":null,
    "IsLive":null,
    "LastBallNo":null,

```

```

    "TicketStatus": "LOSE",
    "Stake": 30.0000,
    "WinLoseAmount": -30.0000,
    "WinLostDateTime": "2015-10-20T00:00:00",
    "currency": "UUS",
    "VersionKey": 1030419
  },
  {
    "TransId": 7911179603,
    "PlayerName": "tester1",
    "TransactionTime": "2015-10-20T02:00:45.04",
    "MatchId": 10580749,
    "LeagueId": 27538,
    "LeagueName": "Virtual Horse Racing",
    "SportType": 181,
    "AwayId": null,
    "AwayIDName": null,
    "HomeId": null,
    "HomeIDName": null,
    "MatchDatetime": null,
    "BetType": 1232,
    "ParlayRefNo": null,
    "BetTeam": "226993",
    "HDP": 19.3000,
    "AwayHDP": 4.6000,
    "HomeHDP": 19.3000,
    "Odds": 4.6000,
    "OddsType": 3,
    "AwayScore": null,
    "HomeScore": null,
    "IsLive": null,
    "LastBallNo": null,
    "TicketStatus": "WON",
    "Stake": 30.0000,
    "WinLoseAmount": 108.0000,
    "WinLostDateTime": "2015-10-20T00:00:00",
    "currency": "UUS",
    "VersionKey": 1030420
  },
  {
    "TransId": 7911171053,
    "PlayerName": "tester1",
    "TransactionTime": "2015-10-20T01:53:59.123",
    "MatchId": 15415305,
    "LeagueId": null,
    "LeagueName": null,
    "SportType": 161,
    "AwayId": null,
    "AwayIDName": null,
    "HomeId": null,
    "HomeIDName": null,

```

```

    "MatchDatetime":null,
    "BetType":83,
    "ParlayRefNo":null,
    "BetTeam":"a",
    "HDP":null,
    "AwayHDP":null,
    "HomeHDP":null,
    "Odds":0.9500,
    "OddsType":1,
    "AwayScore":null,
    "HomeScore":null,
    "IsLive":null,
    "LastBallNo":null,
    "TicketStatus":"WON",
    "Stake":30.0000,
    "WinLoseAmount":28.5000,
    "WinLostDateTime":"2015-10-20T00:00:00",
    "currency":"UUS",
    "VersionKey":1030423
  },
  {
    "TransId":7911172210,
    "PlayerName":"tester1",
    "TransactionTime":"2015-10-20T01:54:44.07",
    "MatchId":15415317,
    "LeagueId":null,
    "LeagueName":null,
    "SportType":161,
    "AwayId":null,
    "AwayIDName":null,
    "HomeId":null,
    "HomeIDName":null,
    "MatchDatetime":null,
    "BetType":88,
    "ParlayRefNo":null,
    "BetTeam":"h",
    "HDP":null,
    "AwayHDP":null,
    "HomeHDP":null,
    "Odds":0.9300,
    "OddsType":1,
    "AwayScore":null,
    "HomeScore":null,
    "IsLive":null,
    "LastBallNo":null,
    "TicketStatus":"LOSE",
    "Stake":30.0000,
    "WinLoseAmount":-30.0000,
    "WinLostDateTime":"2015-10-20T00:00:00",
    "currency":"UUS",
    "VersionKey":1030435
  }

```

```

},
{
  "TransId":7911170854,
  "PlayerName":"tester1",
  "TransactionTime":"2015-10-20T01:53:43.623",
  "MatchId":15415329,
  "LeagueId":null,
  "LeagueName":null,
  "SportType":161,
  "AwayId":null,
  "AwayIDName":null,
  "HomeId":null,
  "HomeIDName":null,
  "MatchDatetime":null,
  "BetType":81,
  "ParlayRefNo":null,
  "BetTeam":"h",
  "HDP":null,
  "AwayHDP":null,
  "HomeHDP":null,
  "Odds":0.9100,
  "OddsType":1,
  "AwayScore":null,
  "HomeScore":null,
  "IsLive":null,
  "LastBallNo":null,
  "TicketStatus":"WON",
  "Stake":30.0000,
  "WinLoseAmount":27.3000,
  "WinLostDateTime":"2015-10-20T00:00:00",
  "currency":"UUS",
  "VersionKey":1030446
},
{
  "TransId":7911172428,
  "PlayerName":"tester1",
  "TransactionTime":"2015-10-20T01:54:52.127",
  "MatchId":15415330,
  "LeagueId":null,
  "LeagueName":null,
  "SportType":161,
  "AwayId":null,
  "AwayIDName":null,
  "HomeId":null,
  "HomeIDName":null,
  "MatchDatetime":null,
  "BetType":84,
  "ParlayRefNo":null,
  "BetTeam":"a",
  "HDP":null,
  "AwayHDP":null,

```

```

    "HomeHDP":null,
    "Odds":0.9300,
    "OddsType":1,
    "AwayScore":null,
    "HomeScore":null,
    "IsLive":null,
    "LastBallNo":null,
    "TicketStatus":"LOSE",
    "Stake":30.0000,
    "WinLoseAmount":-30.0000,
    "WinLostDateTime":"2015-10-20T00:00:00",
    "currency":"UUS",
    "VersionKey":1030462
  },
  {
    "TransId":7911172673,
    "PlayerName":"tester1",
    "TransactionTime":"2015-10-20T01:55:01.023",
    "MatchId":15415332,
    "LeagueId":null,
    "LeagueName":null,
    "SportType":161,
    "AwayId":null,
    "AwayIDName":null,
    "HomeId":null,
    "HomeIDName":null,
    "MatchDatetime":null,
    "BetType":86,
    "ParlayRefNo":null,
    "BetTeam":"a",
    "HDP":null,
    "AwayHDP":null,
    "HomeHDP":null,
    "Odds":0.9300,
    "OddsType":1,
    "AwayScore":null,
    "HomeScore":null,
    "IsLive":null,
    "LastBallNo":null,
    "TicketStatus":"WON",
    "Stake":30.0000,
    "WinLoseAmount":27.9000,
    "WinLostDateTime":"2015-10-20T00:00:00",
    "currency":"UUS",
    "VersionKey":1030475
  },
  {
    "TransId":7911488971,
    "PlayerName":"tester1",
    "TransactionTime":"2015-10-20T04:36:51.463",
    "MatchId":15415340,

```

```

    "LeagueId":null,
    "LeagueName":null,
    "SportType":161,
    "AwayId":null,
    "AwayIDName":null,
    "HomeId":null,
    "HomeIDName":null,
    "MatchDatetime":null,
    "BetType":85,
    "ParlayRefNo":null,
    "BetTeam":"h",
    "HDP":null,
    "AwayHDP":null,
    "HomeHDP":null,
    "Odds":0.9100,
    "OddsType":1,
    "AwayScore":null,
    "HomeScore":null,
    "IsLive":null,
    "LastBallNo":"0",
    "TicketStatus":"LOSE",
    "Stake":30.0000,
    "WinLoseAmount":-30.0000,
    "WinLostDateTime":"2015-10-20T00:00:00",
    "currency":"UUS",
    "VersionKey":1030491
  },
  {
    "TransId":7911512747,
    "PlayerName":"tester1",
    "TransactionTime":"2015-10-20T04:47:23.887",
    "MatchId":15415342,
    "LeagueId":null,
    "LeagueName":null,
    "SportType":161,
    "AwayId":null,
    "AwayIDName":null,
    "HomeId":null,
    "HomeIDName":null,
    "MatchDatetime":null,
    "BetType":85,
    "ParlayRefNo":null,
    "BetTeam":"h",
    "HDP":null,
    "AwayHDP":null,
    "HomeHDP":null,
    "Odds":0.9300,
    "OddsType":1,
    "AwayScore":null,
    "HomeScore":null,
    "IsLive":null,

```

```

        "LastBallNo": "73",
        "TicketStatus": "WON",
        "Stake": 30.0000,
        "WinLoseAmount": 27.9000,
        "WinLostDateTime": "2015-10-20T00:00:00",
        "currency": "UUS",
        "VersionKey": 1030502
    },
    {
        "TransId": 7911174056,
        "PlayerName": "tester1",
        "TransactionTime": "2015-10-20T01:56:20.33",
        "MatchId": 15415368,
        "LeagueId": null,
        "LeagueName": null,
        "SportType": 161,
        "AwayId": null,
        "AwayIDName": null,
        "HomeId": null,
        "HomeIDName": null,
        "MatchDatetime": null,
        "BetType": 83,
        "ParlayRefNo": null,
        "BetTeam": "a",
        "HDP": null,
        "AwayHDP": null,
        "HomeHDP": null,
        "Odds": 0.9500,
        "OddsType": 1,
        "AwayScore": null,
        "HomeScore": null,
        "IsLive": null,
        "LastBallNo": null,
        "TicketStatus": "WON",
        "Stake": 30.0000,
        "WinLoseAmount": 28.5000,
        "WinLostDateTime": "2015-10-20T00:00:00",
        "currency": "UUS",
        "VersionKey": 1030600
    },
    {
        "TransId": 7911172980,
        "PlayerName": "tester1",
        "TransactionTime": "2015-10-20T01:55:13.71",
        "MatchId": 15415369,
        "LeagueId": null,
        "LeagueName": null,
        "SportType": 161,
        "AwayId": null,
        "AwayIDName": null,
        "HomeId": null,

```



```

"HomeIDName":null,
"MatchDatetime":null,
"BetType":82,
"ParlayRefNo":null,
"BetTeam":"h",
"HDP":null,
"AwayHDP":null,
"HomeHDP":null,
"Odds":0.9300,
"OddsType":1,
"AwayScore":null,
"HomeScore":null,
"IsLive":null,
"LastBallNo":null,
"TicketStatus":"LOSE",
"Stake":30.0000,
"WinLoseAmount":-30.0000,
"WinLostDateTime":"2015-10-20T00:00:00",
"currency":"UUS",
"VersionKey":1030609
},
{
  "TransId":7911173959,
  "PlayerName":"tester1",
  "TransactionTime":"2015-10-20T01:56:10.247",
  "MatchId":15415371,
  "LeagueId":null,
  "LeagueName":null,
  "SportType":161,
  "AwayId":null,
  "AwayIDName":null,
  "HomeId":null,
  "HomeIDName":null,
  "MatchDatetime":null,
  "BetType":81,
  "ParlayRefNo":null,
  "BetTeam":"a",
  "HDP":null,
  "AwayHDP":null,
  "HomeHDP":null,
  "Odds":0.9500,
  "OddsType":1,
  "AwayScore":null,
  "HomeScore":null,
  "IsLive":null,
  "LastBallNo":null,
  "TicketStatus":"WON",
  "Stake":30.0000,
  "WinLoseAmount":28.5000,
  "WinLostDateTime":"2015-10-20T00:00:00",
  "currency":"UUS",

```

```
        "VersionKey":1030614
    }
],
"error_code":0,
"message":"Successfully executed"
}
```