

## CypherSydekick Server API

Alex Mosolgo

### Add New User

Adds a new user to the database.

<b>Request Path</b>	/users	
<b>Request Parameters</b>	username	Username of new user to add
<b>Response Format</b>	Success	Status 200 OK Body contains description (text/plain)
	Failure	Status 500 Internal Error Body contains error message (text/plain)

### Send a Message

Posts a message to be sent to a user.

<b>Request Path</b>	/messages	
<b>Request Parameters</b>	action	send
	recipient	Username of user who will receive the message
	sender	Username of user who is sending the message
<b>Request Body</b>	Message to send (text/plain)	
<b>Response Format</b>	Success	Status 200 OK Body contains description (text/plain)
	Failure	Status 500 Internal Error Body contains error message (text/plain)

### Receive a Message

Requests a message for the given recipient from the given sender.

<b>Request Path</b>	/messages	
<b>Request Parameters</b>	action	receive
	recipient	Username of user who is receiving a message
	sender	Username of user who has sent a message
<b>Response Format</b>	Message Available	Status 200 OK Body contains message text (text/plain)
	No Messages Available (for given receiver from given sender)	Status 550 (custom status code) Body contains error message (text/plain)
	Failure	Status 500 Internal Error Body contains error message (text/plain)