METROPOLITAN HEART INSTITUTE - CARDIOLOGY DISCHARGE SUMMARY

Patient Name: Rajesh Varma | Age: 59 | Sex: Male | UHID: MHI-CARD-2026-1002
Attending Cardiologist: Dr. Arvind Deshmukh, MD, DM

CHIEF COMPLAINTS:

Severe retrosternal crushing chest pain radiating to left arm and jaw with diaphoresis for 3 hours.

PRIMARY DIAGNOSIS:

1. Acute Anterior Wall ST-Elevation Myocardial Infarction (STEMI).
2. Single-Vessel Coronary Artery Disease (95% Proximal LAD Occlusion - Post DES Stent).
3. Primary Dyslipidemia.

CLINICAL INVESTIGATIONS & LAB RESULTS:

- High-Sensitivity Troponin-I: Peak 4,200 ng/L (Down to 180 ng/L)
- Total Cholesterol: 245 mg/dL | LDL: 168 mg/dL | HDL: 34 mg/dL
- Serum Creatinine: 1.0 mg/dL | HbA1c: 5.8%
- 2D Echocardiogram: Anterior wall hypokinesis, LVEF 46%.

DISCHARGE MEDICATIONS & PRESCRIPTION:

1. Tab. Aspirin 75 mg - 1 tablet orally once daily after lunch (Antiplatelet).
2. Tab. Ticagrelor 90 mg - 1 tablet orally twice daily morning and night (Dual Antiplatelet Therapy).
3. Tab. Atorvastatin 80 mg - 1 tablet orally daily at bedtime (High-intensity statin).
4. Tab. Metoprolol Succinate ER 25 mg - 1 tablet orally once daily morning (Beta-blocker).
5. Tab. Ramipril 2.5 mg - 1 tablet orally once daily at bedtime (ACE inhibitor).
6. Tab. Pantoprazole 40 mg - 1 tablet orally once daily empty stomach morning.

CONTRAINDICATIONS & MEDICATION ALERTS:

- CRITICAL STENT THROMBOSIS ALERT: Never skip or stop Ticagrelor or Aspirin without cardiologist approval. Premature cess
- Avoid grapefruit juice (inhibits Atorvastatin and Ticagrelor clearance).

DIETARY & LIFESTYLE GUIDANCE:

- Strict zero trans-fat Mediterranean cardiac diet.
- Avoid lifting >5 kg for 4 weeks; light brisk walk 20 mins daily.