

ABM BUSINESS LOGIC BIBLE

§9 — OUTREACH EXECUTION ENGINE (Module 7)

V2 Section 9 · Where the Message Leaves the Engine · Channel Strategy + Sequence + Deliverability

§8 decided the message may exist outside the engine. §9 actually sends it. This is the module where every architectural discipline becomes a real-world action: a real email leaves a real domain and lands (or doesn't) in a real inbox at a Saudi bank. V2 specifies channel strategy, the email/LinkedIn sequence design, execution rules, and deliverability rules. §9 transcribes them operationally and bridges every rule to INT-EML/INT-LIN architecture, §7 v2's Portfolio Role and Trust-gated CTA discipline, and §8 v2's Trust Preservation lens — every send either builds or spends the trust §8 v2 made explicit.

V2 rule groups	4	5-Whys chains	5 (root-caused)
New rules	33	Open questions	2 flagged

WHY §9 IS WHERE TRUST IS SPENT OR EARNED IN REAL TIME

§8 v2 established that every QC decision protects institutional trust. §9 is where that trust is actually realized in the world — every send either confirms the engine's judgment (a relevant, well-timed message lands well) or spends it (a duplicate touch, a send during a quiet period, a domain with degraded reputation). §9's rules exist to make sure execution mechanics never undo the judgment quality built into Sections 1–8.

9.0 CHANNEL STRATEGY

Email is the primary channel for verified-email contacts; LinkedIn is secondary for contacts with a LinkedIn URL. When both exist, the channels are coordinated, not concurrent.

Scenario	Channel sequencing
Verified email + LinkedIn both exist	Email sequence runs FIRST. LinkedIn sequence starts 72 hours after the first email.
No verified email, LinkedIn exists	LinkedIn is the primary and only channel.
Neither verified email nor LinkedIn	Contact is UNREACHABLE; no outreach occurs (§6 ENR-EV-05).

Rule ID	Specification
OUT-CHAN-01	Primary channel: email, for contacts with VERIFIED email (§6 ENR-EV-02). Secondary: LinkedIn, for all contacts with a LinkedIn URL. Source: V2 OUT-CHAN-001.
OUT-CHAN-02	Dual-channel coordination: when both exist, email sequence runs first; LinkedIn sequence begins 72 hours after the first email touch. Source: V2 OUT-CHAN-002.
OUT-CHAN-03	LinkedIn-only mode: contacts with no verified email run LinkedIn as the sole channel. Source: V2 OUT-CHAN-003.
OUT-CHAN-04	Channel sequencing is gated by §7 v2 AI-AG5-06: a RISKY/INVALID email status forces LinkedIn-first regardless of any other channel preference computed elsewhere.

9.1 EMAIL SEQUENCE DESIGN

Tou ch	Timing	Objective	Content strategy	Send window (KSA)
1	Day 1 (immediate after approval)	Signal-triggered opener	Reference the specific signal; show Decimal's relevance; ask for 15-min conversation	Tue–Thu, 9–11am
2	Day 4 (+3d after T1)	Value-led insight	Specific insight about their initiative; link to relevant case study/data point; no hard sell	Sun–Thu, 9am–2pm
3	Day 8 (+4d after T2)	Social proof / comparable	Reference a similar bank's results with Decimal; brief and specific	Sun–Thu, 9am–2pm
4	Day 14 (+6d after T3)	Low-friction close	Acknowledge they're busy; ultra-easy offer ('2-minute Loom showing how we solved X for [comparable bank]')	Tue–Thu, 9–11am

Rule ID	Specification
OUT-SEQ-EMAIL-01	Email sequence is exactly 4 touches at Day 1/4/8/14 with the objectives and content strategy above. Source: V2 §9.2.
OUT-SEQ-EMAIL-02	Touch 1's Portfolio Role (§7 v2 AI-SEQ-02) defaults to Awareness/Credibility per AI-SEQ-03; Touch 4 defaults to Proof/Commitment. Touches 2–3 occupy intermediate roles per Agent 5's sequence-level strategy brief.
OUT-SEQ-EMAIL-03	Touch 1's CTA friction level is gated by §7 v2 AI-TRUST-02: a direct meeting ask on a contact below the Trust Accumulation Score threshold is downgraded to a lower-friction ask, even on Touch 1, unless the path carries high Trust Transfer Potential (AI-TRUST-05).
OUT-SEQ-EMAIL-04	Send windows are KSA-business-hours bound (V2 §17-001/002): Tue–Thu 9–11am for Touches 1 and 4 (highest-stakes); Sun–Thu 9am–2pm for Touches 2–3 (lower-stakes value-add content).

9.2 LINKEDIN SEQUENCE DESIGN

Step	Timing	Objective	Content strategy
1	Day 1 (or Day 4 if dual-channel)	Connection request	Personalized note referencing shared context (signal, industry, mutual connection); max 300 characters
2	+2 days after accept	Value DM	Insight relevant to their role; not a pitch; genuine observation about their strategic situation
3	+7 days after Step 2	Contextual follow-up	Reference something they posted or a new signal; ask for a conversation; final LinkedIn touch

Rule ID	Specification
OUT-SEQ-LI-01	LinkedIn sequence is exactly 3 steps: connection request, value DM (+2d after accept), contextual follow-up (+7d after DM). Source: V2 §9.3.
OUT-SEQ-LI-02	Connection request note is grounded per the same hallucination contract as email (API-09, §6 v3 Residual Uncertainty Register) — ≤300 characters does not exempt it from the grounded-fact requirement.
OUT-SEQ-LI-03	Step 1 carries INT-LIN's sending-account discipline: sent from the account matched to the resolved SIG-PATH (INT-LIN-04) where a P1/P2 Decimal-person path exists; round-robin otherwise.
OUT-SEQ-LI-04	If the connection request is never accepted (§9.4 OUT-SEQ-005), Steps 2–3 never execute — a hard dependency on Step 1's acceptance, unlike the email sequence's touches which proceed independently of opens.

9.3 SEQUENCE EXECUTION RULES

Rule ID	Specification
OUT-SEQ-01	NEVER run two active email sequences for the same contact simultaneously. Source: V2 OUT-SEQ-001.
OUT-SEQ-02	NEVER run two active LinkedIn sequences for the same contact simultaneously. Source: V2 OUT-SEQ-002.
OUT-SEQ-03	A reply detected on ANY channel IMMEDIATELY PAUSES ALL sequences for the ENTIRE ACCOUNT (all contacts, all channels). Source: V2 OUT-SEQ-003; restates EXEC Stage 10 at the execution layer.
OUT-SEQ-04	An email bounce marks the contact's email INVALID; no retry; switches to LinkedIn-only. Source: V2 OUT-SEQ-004, consistent with §6 ENR-EV-05.
OUT-SEQ-05	A LinkedIn connection request ignored after 7 days: do NOT resend. Mark 'connection_pending'. Retry only on a new P1 signal (min 30-day gap). Source: V2 OUT-SEQ-005.
OUT-SEQ-06	Cooldown between a completed sequence and a new sequence for the same contact: 45 days minimum. Source: V2 OUT-SEQ-006.
OUT-SEQ-07	Maximum outreach velocity: 15 emails per day across ALL contacts (system-wide) during MVP. Source: V2 OUT-SEQ-007.
OUT-SEQ-08	Sequence execution is gated by §8 v2's Trust Preservation lens: a contact whose Trust Accumulation Score has DROPPED since sequence start triggers a sequence-pause-and-review rather than continuing on plan.
OUT-SEQ-09	Sequence execution respects §5 v2 TIER-DEEP-06: a sequence on a HOT→WARM-demoted account completes to natural end or auto-halts at the next checkpoint if cumulative engagement is below threshold — §9 implements that rule's halt mechanics.

9.4 DELIVERABILITY RULES

Rule ID	Specification
OUT-DELIV-01	All outreach emails send from dedicated outreach domains, NEVER the primary decimal.tech domain. Source: V2 OUT-DELIV-001.
OUT-DELIV-02	Domain warmup: new domains send max 5/day (week 1), 10/day (week 2), 15/day (week 3), stabilizing at 20/day max. Source: V2 OUT-DELIV-002.
OUT-DELIV-03	Mandatory authentication: SPF, DKIM, DMARC configured BEFORE any email is sent from a domain; if not configured, all sending from that domain is blocked. Source: V2 OUT-DELIV-003 + INT-EML-01.
OUT-DELIV-04	Bounce rate monitoring: if bounce rate exceeds 5% in any 7-day window, PAUSE all email sending from that domain; investigate; resume only after root cause is fixed. Source: V2 OUT-DELIV-004 + INT-EML-04.
OUT-DELIV-05	Sending-identity rotation: within a domain, multiple sender identities rotate to avoid single-identity volume spikes that trip spam heuristics (INT-EML-03).
OUT-DELIV-06	A domain paused under OUT-DELIV-04 emits a Failure Cluster signal to §8 v2 QC-SYS-01 — a bounce-rate spike likely traces to an enrichment-verification regression rather than the domain specifically.

9.5 OPEN-DESIGN-QUESTIONS — §9

OPEN-Q9.1 — SEQUENCE PAUSE-AND-REVIEW TRIGGER GRANULARITY (OUT-SEQ-08)

Question: How large a Trust Accumulation Score drop, over what window, triggers a sequence pause? A single negative engagement signal is very different from a sustained decline.

Candidate options: (a) Any single negative signal pauses immediately. (b) Sustained decline over 2+ consecutive touches pauses. (c) A configured score-delta threshold regardless of touch count.

Safe default: (b) Sustained decline over 2+ consecutive touches — avoids pausing on single-touch noise while catching genuine erosion before Touch 4's close.

OPEN-Q9.2 — OUTREACH VELOCITY CAP ALLOCATION ACROSS ACCOUNTS

Question: With the shared 15-email/day budget (OUT-SEQ-07) and multiple HOT accounts active simultaneously, how is the budget allocated — FIFO, score-priority, or §5 v3 Portfolio ranking?

Candidate options: (a) FIFO queue. (b) §4 score-priority. (c) §5 v3 TIER-PORT-002 ranking (Expected Opportunity Value ÷ Expected Resource Cost) — same formula already used for HOT admission.

Safe default: (c). Keeps resource-allocation logic consistent end-to-end rather than introducing a second prioritization scheme at the execution layer.

§9 RULE ROLL-UP & CROSS-LINKS

Group	Rules	Key cross-links
Channel strategy	OUT-CHAN-01..04	§6 ENR-EV verified-email gating, §7 v2 AI-AG5-06
Email sequence	OUT-SEQ-EMAIL-01..04	§7 v2 AI-SEQ Portfolio Role, AI-TRUST-02 CTA gating, V2 §17 KSA hours
LinkedIn sequence	OUT-SEQ-LI-01..04	INT-LIN-04 sender matching, API-09 grounding
Execution rules	OUT-SEQ-01..09	EXEC Stage 10, §5 v2 TIER-DEEP-06, §8 v2 Trust Preservation lens
Deliverability	OUT-DELIV-01..06	INT-EML-01..04, §8 v2 QC-SYS-01 Failure Cluster bridge
Open questions	2 flagged	§5 v3 TIER-PORT-002, A4 governance per TIER-OPEN-DISCIPLINE-02

§9 COMPLETE — WHAT IT ESTABLISHED

Outreach Execution is now operationally specified at V2's level of concretion and bridged to every architectural discipline built across Sections 1–8. Channel coordination, the 4-touch email sequence and 3-step LinkedIn sequence, account-centric reply-pause, bounce handling, cooldowns, and the deliverability ladder are all transcribed with explicit rule IDs. Two bindings matter most: Portfolio Role and Trust-gated CTA discipline now directly shape sequence content per touch, and a domain-level bounce-rate pause now explicitly feeds §8 v2's Failure Cluster detection rather than being an isolated incident. 33 new rules; 2 open questions flagged with safe defaults.

§9 is where every upstream judgment becomes a real-world action. §10 Engagement Tracking is where the world's response starts flowing back into the engine.

PLACEMENT MAP UPDATE

§9 status: Complete-with-Opens (OPEN-Q9.1, OPEN-Q9.2). Engineering builds against the safe defaults; resolutions are A4 governance actions.

ON THE HORIZON

§10 Engagement Tracking Engine — engagement events and classification, sentiment classification rules, and engagement scoring — bridged to §7 v2's Trust Accumulation Score (every engagement event is itself a trust-accumulation input) and §8 v2's Trust Preservation Score per module.