



ACE Tree Information

[Home](#)

[About](#)

[Benefits](#)

[Contact](#)

Terminalia catappa

Here's information:

the 1990s, the number of people in the world who are under 15 years of age has increased from 1.1 billion to 1.5 billion, and the number of people aged 65 and over has increased from 0.2 billion to 0.5 billion (United Nations 2002).

There are a number of reasons why the world's population is ageing. First, the number of people who survive to old age has increased. In 1950, the life expectancy at birth was 47 years for men and 51 years for women. By 2000, life expectancy at birth had increased to 71 years for men and 76 years for women (United Nations 2002). This increase in life expectancy is due to a number of factors, including improvements in medical care, better nutrition, and a reduction in the number of people who die from infectious diseases.

Second, the number of people who are aged 65 and over has increased. In 1950, there were 0.2 billion people aged 65 and over in the world. By 2000, there were 0.5 billion people aged 65 and over in the world (United Nations 2002). This increase in the number of people aged 65 and over is due to a number of factors, including improvements in medical care, better nutrition, and a reduction in the number of people who die from infectious diseases.

Third, the number of people who are aged 65 and over has increased. In 1950, there were 0.2 billion people aged 65 and over in the world. By 2000, there were 0.5 billion people aged 65 and over in the world (United Nations 2002). This increase in the number of people aged 65 and over is due to a number of factors, including improvements in medical care, better nutrition, and a reduction in the number of people who die from infectious diseases.


Fourth, the number of people who are aged 65 and over has increased. In 1950, there were 0.2 billion people aged 65 and over in the world. By 2000, there were 0.5 billion people aged 65 and over in the world (United Nations 2002). This increase in the number of people aged 65 and over is due to a number of factors, including improvements in medical care, better nutrition, and a reduction in the number of people who die from infectious diseases.

Fifth, the number of people who are aged 65 and over has increased. In 1950, there were 0.2 billion people aged 65 and over in the world. By 2000, there were 0.5 billion people aged 65 and over in the world (United Nations 2002). This increase in the number of people aged 65 and over is due to a number of factors, including improvements in medical care, better nutrition, and a reduction in the number of people who die from infectious diseases.

Sixth, the number of people who are aged 65 and over has increased. In 1950, there were 0.2 billion people aged 65 and over in the world. By 2000, there were 0.5 billion people aged 65 and over in the world (United Nations 2002). This increase in the number of people aged 65 and over is due to a number of factors, including improvements in medical care, better nutrition, and a reduction in the number of people who die from infectious diseases.

Seventh, the number of people who are aged 65 and over has increased. In 1950, there were 0.2 billion people aged 65 and over in the world. By 2000, there were 0.5 billion people aged 65 and over in the world (United Nations 2002). This increase in the number of people aged 65 and over is due to a number of factors, including improvements in medical care, better nutrition, and a reduction in the number of people who die from infectious diseases.

Eighth, the number of people who are aged 65 and over has increased. In 1950, there were 0.2 billion people aged 65 and over in the world. By 2000, there were 0.5 billion people aged 65 and over in the world (United Nations 2002). This increase in the number of people aged 65 and over is due to a number of factors, including improvements in medical care, better nutrition, and a reduction in the number of people who die from infectious diseases.





Listen to Terminalia catappa Information

▶

0:00 / 2:02

🔊

⋮

Tree Details

Parameter	Details
Scientific Name	<i>Terminalia catappa</i>
Common Name	Indian Almond, Tropical Almond, Sea Almond
Family	Combretaceae
Type	Deciduous Tree
Leaf Type	Broad, leathery, obovate leaves that turn red before falling
Flower Color	Greenish-white
Fruit Type	Drupe (almond-like seed inside a fibrous outer shell)
Water Requirements	Moderate; drought-tolerant but prefers well-drained soil

Medicinal Uses	Yes; used in traditional medicine for treating digestive issues, skin diseases, and as an antimicrobial
Medicinal Uses In Marathi	होय; पारंपारिक औषधामध्ये पचन समस्यां, त्वचारोग आणि सूक्ष्मजीवविरोधी उपचारांसाठी वापरले जाते.
Location in Garden	Near the main entrance

"The Indian Almond (*Terminalia catappa*), also known as the Tropical Almond or Sea Almond, is a large deciduous tree belonging to the Combretaceae family. Native to tropical Asia, Africa, and Australia, this tree thrives in warm, coastal, and tropical regions due to its high salt tolerance. It has broad, leathery leaves that turn red or yellow before falling, creating a stunning seasonal display.

The tree produces greenish-white flowers that develop into drupe-like fruits, inside which the almond-like edible seeds are found. These seeds are rich in healthy fats and proteins. The leaves, bark, and seeds have been widely used in traditional medicine, particularly for digestive health, skin conditions, and antimicrobial benefits. The leaves also contain antioxidants and are often used in herbal teas and aquariums to improve water quality and fish health. Besides its medicinal uses, the Indian Almond tree plays an essential environmental role by absorbing carbon dioxide and releasing oxygen, contributing to a cleaner atmosphere. It is commonly grown for shade, ornamental landscaping, and erosion control in tropical and coastal areas. With its nutritional, medicinal, and environmental benefits, the Indian Almond is a valuable tree in both urban and natural ecosystems."

""भारतीय बदाम (*Terminalia catappa*), जो उष्णकटिबंधीय बदाम किंवा सागर बदाम म्हणून ओळखला जातो, हा एक मोठा पर्णपाती वृक्ष आहे जो Combretaceae कुटुंबाशी संबंधित आहे. उष्णकटिबंधीय आशिया, आफ्रिका आणि ऑस्ट्रेलियात जन्मलेला हा वृक्ष उष्ण, किनारी आणि उष्णकटिबंधीय प्रदेशांमध्ये त्याच्या उच्च लवण सहनशक्तीमुळे समृद्ध होतो. याला रुंद, चमकदार पाणीदार पातळ्या असतात, जी पिकण्यापूर्वी लाल किंवा पिवळ्या रंगात बदलतात आणि हा एक सुंदर ऋतुविहार तयार करतो. हा वृक्ष हिरव्या-पांढऱ्या फुलांचे उत्पादन करतो जे फळांमध्ये रूपांतरित होतात, ज्यात बदामासारखी खाद्याची बियाणे असतात. ही बियाणे निरोगी फॅट्स आणि प्रथिनेने समृद्ध असतात. पाने, काडी आणि बियाणे पारंपारिक औषधात प्रामुख्याने पचन आरोग्य, त्वचारोग आणि सूक्ष्मजीवविरोधी फायदे यासाठी वापरले जातात. पानांमध्ये अँटीऑक्सिडंट्स देखील असतात आणि त्यांचा वापर हर्बल चहा आणि एक्वेरियममध्ये पाणी गुणवत्ता आणि मासे आरोग्य सुधारण्यासाठी केला जातो. औषधीय उपयोगांव्यतिरिक्त, भारतीय बदाम वृक्ष पर्यावरणीय दृष्ट्या महत्त्वपूर्ण भूमिका निभावतो, तो कार्बन डायऑक्साईड शोषित करतो आणि ऑक्सिजन रिलीज करतो, जे स्वच्छ वातावरणात योगदान करते.

उष्णकटिबंधीय आणि किनारपट्टी क्षेत्रांमध्ये छायेत वाढवले जाते, सजावटीच्या लँडस्केपिंगसाठी आणि माती खोळंबण्याच्या नियंत्रणासाठी सामान्यतः लागवड केली जाते. त्याच्या पोषणतत्त्व, औषधीय आणि पर्यावरणीय फायदे यामुळे भारतीय बदाम वृक्ष शहरी आणि नैतिक पर्यावरणीय प्रणालींमध्ये एक महत्त्वपूर्ण वृक्ष आहे. ""

Download File Example

Click the button below to download the file:

Download File



ACE Tree Information

About Benefits

Facebook Instagram

© 2024 ACE Tree Information. All Rights Reserved.