Screenshot Collection

Chapter 1

CHITKARA UNIVERSITY

- `pinMode(pin, Input|Output)` set pin ledPin as an input or output
- `Serial.begin(9600)` talk to the computer at 9600 baud rate
  - Some values: 300, 600, 1200, 2400, 4800, 9600, 14400, 19200, 28800, 38400, 57600, or 115200

- `Serial.print(" ... ")` write text on Serial Monitor
- `digitalWrite(pin, HIGH|LOW)` set a digital pin high/low
- `digitalRead(pin)` read a digital pin's state
- `analogRead(pin)` read an a analog pin
- `analogWrite(pin, intValue)` write an "analog" PWM value
- `delay(milliseconds)` wait an amount of time

Chapter 2


Constellation
PRODUCTS
BUILD
DAG TOKEN
COMPANY
Ryan Barcelona
Our Users
We're Here to Help
Questions, ideas, or feedback—let's make progress together.
Email
info@constellation.ai
Location
45 Constellation Tower,
Innovation Street, London, UK
Social Media
@constellation.ai
constellation
Full name
Email
Company
Message or Inquiry
Submit


NEXORA
QUIZ
LEADERBOARD
CONTACT
ABOUT
Leaderboard
See how you stack up against other quiz enthusiasts! Climb your way to the top with your knowledge.
Weekly Challenges
Compete in weekly themed quizzes to earn bonus points and special badges.
Team Rankings
Join forces with friends and compete as teams to climb the group leaderboard.
Progress Tracking
Monitor your improvement over time with detailed stats and performance analytics.
Filters
Categories
Science
History
General Knowledge
Coding
Badges
Speed Demon
Search for a player...
All Time
Monthly
Weekly
Today
Rank
Player
Score
1
QuizWhiz
9850
2
BrainyBee
9320
3
TriviaTitan
8760

NEXORA
QUIZ
LEADERBOARD
CONTACT
ABOUT
CODING


localhost:5173
Summarize
NEXORA
Contact Us
Have a question or just want to say hi? We'd love to hear from you.
Full Name
Your Name
Email Address
you@example.com
Message
Your message...
Send Message

EXORA
GET IN TOUCH
QUIZLEADERBOARDCONTACTABOUT
SEND MESSAGE
SEND MESSAGE

Chapter 3


top
Filter
Default levels
2 2 hidden
Tracking Prevention blocked access to storage for https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.1/css/all.min.css. (index):1
Tracking Prevention blocked access to storage for https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.1/css/all.min.css. (index):1
Tracking Prevention blocked access to storage for https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.1/css/all.min.css. (index):1
Tracking Prevention blocked access to storage for https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.1/css/all.min.css. (index):1
[NEW] Explain Console errors by using Copilot in Edge: click to explain an error. Learn more
Don't show again


File
Edit
Selection
View
EXPLORER
ABOUT
.dist
nexora-website
node_modules
public
src
assets
react.svg
components
About.jsx
App.css
App.jsx
index.css
main.jsx
.gitignore
eslint.config.js
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js


Main components
AVR Microcontroller
Analog and digital I/O pins
Flash memory
Integrated in the microcontroller
USB port for serial communication